

Ref No: HIL/LHD/JP (M)/MoEF/ 0106 Date: 25.05.2015

To, Joint Director(S) MoEF, GOI, Eastern Regional Office A/3,Chandrashekharpur, Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Amtipani Bauxite Mining project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period Oct'14 to March'15.

Ref: Environmental Clearance letter no J-11015/241/2005-IA II (M) dated 14th August 2006

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Amtipani** Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period **Oct'14 to March'15**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Bijesh Kumar Jha) Joint President (Mines)

Enclosure: - As Above

Copy to: Regional Office, MoEF, Ranchi

Website www.hindalco.com

Email hindalco@adityabirla.com

Corporate identity No. L27020MH1958PLC011238

Tel.+91 22 66626666 Corpo

Compliance of conditions laid down in Environmental Clearance

AMTIPANI BAUXITE MINES (190.95 Ha) Period: Oct'14 -March'15

MoEF Environment Clearance ref: No J - 11015/241/2005-IA.II(M) dated 14 Aug'06

SI No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by the State Pollution Control Board in their NOC should be effectively implemented.	Implementations of the stipulated conditions are fulfilled.
2	The mining operations shall not intersect groundwater table. Prior approval of the MoEF and CGWA shall be obtained for mining below water table.	The mining operation is confined within shallow depth (20m max) and as per the previous study conducted by authorized agency [Center for Ground Water Studies, Kolkata (WB)] the ground water level is in the range of 80-100m from ground level.
3	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non- agricultural use.	This provision has been taken care of during land acquisition with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) and consent of Raiyat (Land Owner) for 20 years period and will return the land so acquired as per the norms set by D.C. in land purchased agreement. (Documents already submitted)
4	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked separately & used for reclamation and rehabilitation at appropriate time.
5	The waste generated in the initial period shall be dumped temporarily and backfilled in the mined out area. There shall be no permanent external OB dump in the project area. Concurrent backfilling should start from the fifth year onwards. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests on six monthly basis.	Concurrent backfilling of the waste in worked out quarry is being practiced. Also, the Wastes generated previously & stacked separately are being used for backfilling.

6	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil and mineral dump. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Commensurate with the progress of mining activities over the period of time, construction of catch drains and siltation ponds/parapet walls is under implementation. Garland drains and sump pits have been planned to construct before rainy season.
7	Plantation shall be raised in an area of 79.3 ha including a green belt of adequate width by planting the native species around the ML area, roads, etc. in consultation with the local DFO/Agriculture Department. The density of the trees should be around 1500 plants per ha.	During 2014-15 around 1500 plantation carried out. Green belt development programme will keep place with progress of mining activities.
8	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	Study on Water resource evaluation and their development potential has been carried out by Center for Ground Water Studies, Kolkata during Nov-Dec '06. It has been planned to consult with CGWB and finalize the issue of implementation of suitable conservation measure. A water harvesting plan submitted at Ground water Board, Ranchi for approval.
9	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director Central Ground Water Board.	This is being monitored in all season. Report enclosed.
10	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. Spring water is

		drawn from the down the hill pockets ponds for drinking purposes. Hence, as per the terms and conditions in Mining lease deed, we have permission from the Deputy Commissioner for drawl of water from the surface water bodies. Water cess is being paid regularly to Jharkhand State Pollution Control Board.
11	The project proponent shall monitor the spring discharge on long term basis (at lease one major spring) both in terms of quantity and quality of water and records maintained. Six monthly report should be submitted to the Ministry of Environment and Forests and its Regional Office located at Bhubneshwar.	Is being monitored.
12	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Regular maintenance of vehicles are undertaken to minimize vehicular emission. All measures are being taken to control vehicular emission.
13	Drills should either be operated with dust extractors or should be equipped with water injection system	Wet drilling is done in the drill holes intermittently for dust suppression by pumping water.
14	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Blasting time is fixed for Lunch Time i.e. 12.00 Noon -1.00 PM All efforts are being taken to mitigate impact of blasting.
15	Consent to operate should be obtained from SPCB prior to start of production of mine	Consent to operate has been obtained prior to start of production.
16	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine; hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sullage is collected to an integrated soak pit.
17	Land ouster and land loser/affected people should be compensated and rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR), 2003	Land ouster and land loser/affected people are being compensated and rehabilitated as per the statute.
18	The higher benches of the excavated void to be converted into water reservoir shall be terraced and afforested to stabilize the slopes. Peripheral fencing shall be done along the excavated area.	Implementation process is in progress.

19	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of	
	Environment & Forests 5 years in advance of final mine closure for approval.	

GENERAL CONDITIONS

SI No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of OB and Bauxite is being done as per the approved mining plan/scheme and obtained EC capacity. Quantum of mineral and OB excavated during the FY2014-15 is annexed.
3	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife departments.	A plan has been prepared and being implemented for conservation of flora and fauna.
4	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM, SPM, SO2, NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Ambient air monitoring stations established and monitoring is being undertaken in consultation with State Pollution Control Board. Monitoring report annexed.
5	Data on ambient air quality (RPM, SPM, SO2, NOx) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Monitoring report annexed.
6	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mobile water tanker with sprinkling facility has been provided along haul roads, loading, unloading & at transfer points to arrest dust emission.
7	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Complied. PPEs are provided to workers.

8	Industrial waste water (workshop and waste water from the mine) should be properly collected,	Presently, there is no effluent discharge from Mine.
	treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time.	
	Oil and grease trap should be installed before discharge of workshop effluents.	
9	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	PPE's provided. Periodic training on safety & occupational health is being imparted to workers and health checks up conducted.
10	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization	A separate environmental management cell with suitable qualified personnel already formed and informed. (Annexed)
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Progressive mine Closure Plan along with mining scheme has been prepared and submitted to IBM timely for approval.
12	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Separate budget has been prepared for the purpose. (Annexed)
13	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Vide Point no. 11 above.
14	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.
15	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom and suggestion / representation has been received while processing the proposal.	Complied
16	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/Tehsildar's Office for 30 days.	Displayed.

The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.

Complied. (Documents already submitted).



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO MAR-15

Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Shrengdag Bauxite Mines	155.81	16.19	14.33	255,035.00	492,188.00
Gurdari Bauxite Mines	584.19	17.20	35.48	323,655.00	790,462.00
Jalim & Sanai	12.14	1.68	1.48	43,675.00	20,400.00
Serangdag	140.06	2.00	0.50	31,650.00	18,956.06
Pakhar Buxite Mines	115.13	5.32	5.87	283,210.00	438,667.43
Pakhar Buxite Mines	8.09		t:	4	1
Pakhar Buxite Mines	38.95	20.5		•	
Kujam-I	80.87	7.76	7.51	149,360.00	200,998.43
Kujam-II	157.38	14.85	13.24	149,685.00	369,386.19
Amtipani	190.95	10.90	13.20	149,515.00	300,401.63
Chiro-Kukud	152.57	6.03	5.21	75,631.00	87,664.51
Orsa Bauxite Mines	196.36	•	4	1	
Hisri New	14.55	1.29	0.65	54,529.00	9,471.00
Bagru	75.41	ř		-	•
Bhusar	65.31	0.94	1.50	82,032.00	82,626.00
Minerals & Minerals Limited					
Pakhar Buxite Mines	109.507	5.86	6.48	277,855.00	334,282.84
Pakhar Buxite Mines	15.58	0.30	0.20	31,175.00	98,966.29

Monitored water level (FY 2014-15)

Docation (Mines) Elevation (Mirc) Well type Inside MI. Outside								The state of the s			0
tion (Mines) Elevation (Mtr) Well type Inside ML Outside ML 22.723 22.85 22.45 22.20 22.21 22.21				Monso	on (July-Sep)	Post Mons	oon (November)	Winter	(January)	Pre Monsoon (April-May)	n (Apr
905 Open Well 24.15 24.95 910 Open Well 24.30 24.30 24.55 913 Open Well 29.40 24.50 28.44 903 Open Well 22.85 33.12 28.47 909 Open Well 22.85 24.90 22.66 33.12 31.00 0pen Well 27.55 24.90 22.66 34.34 1000 Open Well 27.55 24.90 22.66 34.34 1000 Open Well 27.55 25.85 22.66 34.34 1000 Open Well 27.75 25.85 27.55 28.35 27.55 25.35 27.55 27.55 25.35 27.55 27.55 25.35 27.55 27.55 25.35 27.55 27.55 25.35 27.55 27.55 27.55 27.55 25.35 27.5	Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML	Inside ML		Inside ML	Outside ML
910 Open Well 24.30 24.55 4 915 Open Well 29.40 28.44 4 903 Open Well 22.85 33.12 33.12 909 Open Well 17.55 28.75 33.43 1000 Open Well 17.55 28.75 34.34 1027 Open Well 17.55 28.35 42.13 1083 Hand Pump 31.55 28.35 42.13 1094 Hand Pump 33.65 28.35 42.13 1081 Hand Pump 33.65 27.55 28.35 42.13 1066 Hand Pump 27.75 26.25 29.10 1043 Hand Pump 29.30 27.84 29.10 1045 Hand Pump 28.35 27.84 29.10 104 Hand Pump 38.15 26.25 29.10 1059 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 28.65 29.30		905	Open Well		21.72		24.15		27.23		
915 Open Well 2940 28.44 4 903 Open Well 22.85 33.12 33.12 909 Open Well 17.55 28.75 33.12 1000 Open Well 27.55 28.75 33.12 1000 Open Well 24.90 22.66 34.34 1007 Open Well 24.90 31.65 22.66 42.13 1004 Hand Pump 39.55 31.30 41.30 41.30 1081 Hand Pump 39.65 31.30 42.13 41.30 1081 Hand Pump 27.75 25.85 27.55 28.35 42.13 1066 Hand Pump 27.75 26.25 29.10 29.10 1045 Hand Pump 28.35 27.84 29.10 1059 Hand Pump 28.35 24.90 25.42 1075 Hand Pump 28.22 26.88 28.49 104 Open Well 33.58 29.30 21.85 <td></td> <td>910</td> <td>Open Well</td> <td></td> <td>24.30</td> <td></td> <td>24.55</td> <td></td> <td>26.80</td> <td></td> <td></td>		910	Open Well		24.30		24.55		26.80		
903 Open Well 22.85 33.12 33.12 909 Open Well 17.55 28.75 34.34 r 1000 Open Well 24.90 22.66 34.34 1027 Open Well 25.85 31.65 28.35 42.13 1027 Open Well 25.85 31.30 28.35 42.13 1083 Hand Pump 39.54 39.54 42.13 42.13 1094 Hand Pump 39.55 31.30 28.35 42.13 1085 Hand Pump 27.75 26.25 29.10 1066 Hand Pump 27.75 26.25 29.10 1045 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 28.35 24.90 25.42 1075 Hand Pump 28.22 26.88 35.21 1075 Hand Pump 28.36 29.30 21.85 30.2 104 Open Well 33.95 21.85 30.2 <td></td> <td>915</td> <td>Open Well</td> <td></td> <td>29.40</td> <td></td> <td>28.44</td> <td></td> <td>30.15</td> <td></td> <td></td>		915	Open Well		29.40		28.44		30.15		
909 Open Well 17.55 28.75 1000 Open Well 24.90 22.66 34.34 1000 Open Well 24.90 22.66 34.34 1083 Hand Pump 35.35 25.85 28.35 42.13 1094 Hand Pump 39.65 31.30 28.35 42.13 1081 Hand Pump 39.54 28.35 42.13 1066 Hand Pump 29.30 27.55 28.35 29.10 1045 Hand Pump 29.30 27.84 29.64 29.64 1061 Hand Pump 28.35 24.90 25.42 29.64 1075 Hand Pump 28.22 26.88 29.90 25.42 1075 Hand Pump 28.22 26.88 29.30 35.21 1075 Hand Pump 28.36 29.30 21.85 28.49 104 Open Well 33.65 29.30 21.85 30.2 104 Hand Pump 31.58	Bagru	903	Open Well		22.85		33.12		35.25		
1000 Open Well 24.90 22.66 34.34 1083 Hand Pump 35.35 25.85 28.35 28.35 34.34 1027 Open Well 27.75 25.85 28.35 34.34 1094 Hand Pump 39.65 39.54 39.54 42.13 1081 Hand Pump 39.65 31.30 39.54 42.13 1085 Hand Pump 27.75 26.25 27.55 35.35 1066 Hand Pump 27.75 26.25 27.84 29.40 1045 Hand Pump 28.35 27.84 29.40 1061 Hand Pump 28.35 26.88 29.40 1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 30.21 1040 Open Well 28.36 29.30 30.21 1041 Open Well 31.58 29.30 21.85 1064 Hand Pump 31.58 28.65 21.12 1085 Hand Pump 31.58 28.40 33.91 1086 Hand Pump 37.60 31.80 36.62 1087 Hand Pump 37.60 31.80 36.63 1084 Hand Pump 34.35 36.86 36.63 1084 Hand Pump 37.60 36.86 36.63 1084 Hand Pump 34.35 36.86 36.63 1084 Hand Pump 34.35 36.86 36.63 1084 Hand Pump 37.60 36.86 36.63 1084 Hand Pump 34.35 36.86 36.86 1084 Hand Pump 34.35 1085 Hand Pump 34.35 36.86 1084 Hand Pump 34.35 1085 Hand Pump 34.35 1086 Hand Pump 34.35 1086 Hand Pump 34.35 1087 Hand Pump 34.35 1088 Hand Pump 34.35 1089 Hand Pump 34.35 1080 Hand Pump 34.35		909	Open Well		17.55		28.75		29.20		
1083 Hand Pump 35.35 31.65 34.34 1027 Open Well 25.85 39.54 42.13 1094 Hand Pump 39.65 31.30 41.30 1081 Hand Pump 39.65 31.30 41.30 1055 Hand Pump 27.75 26.25 27.55 39.54 1066 Hand Pump 29.30 27.84 29.10 1061 Hand Pump 28.35 24.90 27.84 1061 Hand Pump 28.35 24.90 25.42 1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.25 26.88 28.49 1075 Hand Pump 28.35 29.30 29.30 1075 Hand Pump 28.35 29.30 21.85 1040 Open Well 33.95 21.85 1064 Hand Pump 31.58 28.65 21.85 1075 Hand Pump 31.58 28.65 21.12 1084 Hand Pump 33.45 28.40 34.12 1085 Hand Pump 33.45 28.65 35.69 1086 Hand Pump 33.45 36.86 35.69 1087 Hand Pump 33.45 36.86 35.69 1086 Hand Pump 33.45 36.86 36.86 1087 Hand Pump 33.45 36.86 1087 Hand Pump 33.45 36.86 1088 Hand Pump 33.45 36.86 1089 Hand Pump 33.45 36.86 1080 Hand Pump 36.85 1080 Hand Pump 36.85 1080 Hand P		1000	Open Well		24.90		22.66		24.50		
1027 Open Well 25.85 28.35 42.13 1094 Hand Pump 41.75 39.54 39.54 42.13 1081 Hand Pump 39.65 31.30 41.30 1085 Hand Pump 27.75 26.25 27.55 35.35 1066 Hand Pump 29.30 27.84 29.64 1045 Hand Pump 28.35 24.90 25.42 1061 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 28.27 26.88 28.49 1075 Hand Pump 28.28 26.88 28.49 1075 Hand Pump 28.36 29.30 35.21 1040 Open Well 31.58 29.30 21.85 1041 Open Well 31.58 33.65 28.65 1052 Hand Pump 31.58 28.65 21.12 1044 Hand Pump 33.45 28.40 33.65 1054 Hand Pump 33.45 28.40 33.65 1055 Hand Pump 31.58 33.65 33.65 1066 Hand Pump 31.58 33.65 33.65 1075 Hand Pump 31.58 33.65 33.65 1084 Hand Pump 33.45 33.65 1084 Hand Pump 33.45 33.65 1084 Hand Pump 33.45 33.65 1084 Hand Pump 34.35 1085 Hand Pump 34.35 1086 Hand Pump 34.35 1087 Hand Pump 34.35 1087 Hand Pump 34.35 1084 Hand Pump 34.35 1085 Hand Pump 34.35 1086 Hand Pump 34.35 1087 Hand Pump 34.35 1087 Hand Pump 34.35 1087 Hand Pump 34.35 1086 Hand Pump 34.35 1087 Hand Pump 34.35 1087 Hand Pump 34.35 1087 Hand Pump 34.	Pakhar	1083	Hand Pump	35.35		31.65		34.34		35.49	
gdag 1094 Hand Pump 41.75 39.54 42.13 1081 Hand Pump 39.65 31.30 41.30 41.30 1055 Hand Pump 33.05 27.55 27.55 35.35 1066 Hand Pump 27.75 26.25 27.84 29.10 1061 Hand Pump 29.30 27.84 29.90 29.64 1075 Hand Pump 28.35 24.90 25.42 1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 21.85 1040 Open Well 33.95 21.85 30.2 1064 Hand Pump 31.58 28.65 21.85 1052 Hand Pump 31.58 28.65 21.82 1052 Hand Pump 31.58 28.65 21.12 35.91 1044 Hand Pump 31.58 28.65 21.12 35.91 1052 Hand Pump 31.58 28.65 21.12 35.91 1052 Hand Pump 33.45 28.40 21.12 34.12 1084 Hand Pump 33.45 28.40 31.80 35.63 31.80 36.86		1027	Open Well		25.85		28.35		30.50		
gdag 1081 Hand Pump 39.65 31.30 41.30 1055 Hand Pump 33.05 27.55 35.35 1066 Hand Pump 27.75 26.25 29.10 1045 Hand Pump 29.30 27.84 29.64 1061 Hand Pump 28.35 24.90 25.42 1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 35.21 1075 Hand Pump 28.36 29.30 28.49 1075 Hand Pump 28.36 29.30 35.21 1040 Open Well 33.95 29.30 21.85 1052 Hand Pump 31.58 28.65 21.85 1052 Hand Pump 31.58 28.65 35.91 1052 Hand Pump 33.45 28.40 33.91 1148 Hand Pump 33.45 28.40 34.12 1084 Hand Pump 33.45 36.86		1094	Hand Pump	41.75		39.54		42.13		42.56	
1055 Hand Pump 33.05 27.55 35.35 1066 Hand Pump 27.75 26.25 29.10 1045 Hand Pump 29.30 27.84 29.64 1061 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 30.2 1040 Open Well 28.36 29.30 21.85 1041 Open Well 33.95 21.85 30.2 1052 Hand Pump 31.58 28.65 24.82 1052 Hand Pump 33.45 28.65 21.12 35.91 1044 Hand Pump 33.45 28.40 24.82 35.91 1052 Hand Pump 33.45 28.40 24.82 35.91 1044 Hand Pump 33.45 28.40 34.12 35.91 1052 Hand Pump 33.45 28.40 34.12 36.62	Sherengdag	1081	Hand Pump	39.65		31.30		41.30		41.31	
1066 Hand Pump 27.75 26.25 29.10 1045 Hand Pump 29.30 27.84 29.64 1061 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 38.15 36.63 35.21 1075 Hand Pump 28.36 29.30 21.85 1040 Open Well 33.95 29.30 21.85 1041 Open Well 33.65 28.65 24.82 1052 Hand Pump 31.58 28.65 21.12 35.91 1048 Hand Pump 33.45 28.40 21.12 34.12 1084 Hand Pump 34.35 36.86 35.86 35.69	9	1055	Hand Pump	33.05		27.55		35.35		35.35	
1045 Hand Pump 29.30 27.84 29.64 1061 Hand Pump 28.35 24.90 25.42 1059 Hand Pump 38.15 36.63 35.21 1075 Hand Pump 28.22 26.88 28.49 1040 Open Well 28.36 29.30 21.85 1041 Open Well 33.95 21.85 24.82 1064 Hand Pump 31.58 28.65 24.82 35.91 1052 Hand Pump 33.45 28.65 21.12 35.91 1148 Hand Pump 37.60 28.40 31.80 36.52 1084 Hand Pump 34.35 36.86 35.69		1066	Hand Pump	27.75		26.25		29.10		30.25	
ii Hand Pump 28.35 24.90 25.42 1059 Hand Pump 38.15 36.63 35.21 1075 Hand Pump 28.22 26.88 28.49 1040 Open Well 28.36 29.30 21.85 1041 Open Well 33.95 21.85 24.82 1064 Hand Pump 31.58 28.65 24.82 35.91 1052 Hand Pump 33.45 28.65 21.12 35.91 1148 Hand Pump 37.60 31.80 21.12 34.12 1084 Hand Pump 34.35 36.86 35.86 35.69		1045	Hand Pump	29.30		27.84		29.64		30.41	
ii 1059 Hand Pump 38.15 36.63 35.21 1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 21.85 1040 Open Well 33.95 21.85 21.85 1041 Open Well 33.65 28.65 24.82 35.91 1064 Hand Pump 31.58 28.65 21.12 35.91 1052 Hand Pump 33.45 28.40 21.12 34.12 1148 Hand Pump 37.60 31.80 36.62 35.69 1084 Hand Pump 34.35 36.86 35.69 35.69		1061	Hand Pump	28.35		24.90		25.42		26.79	
1075 Hand Pump 28.22 26.88 28.49 1075 Hand Pump 28.36 29.30 21.85 1040 Open Well 33.95 21.85 21.85 1041 Open Well 33.65 24.82 35.91 1064 Hand Pump 31.58 28.65 21.12 35.91 1052 Hand Pump 33.45 28.40 21.12 34.12 1148 Hand Pump 37.60 31.80 36.62 1181 Hand Pump 34.35 36.86 35.99	Gurdari	1059	Hand Pump	38.15		36.63		35.21		35.98	
1075 Hand Pump 28.36 29.30 21.85 1040 Open Well 33.95 21.85 21.85 1041 Open Well 33.65 24.82 35.91 1064 Hand Pump 31.58 28.65 24.82 35.91 1052 Hand Pump 31.58 28.65 21.12 35.91 1148 Hand Pump 33.45 28.40 21.12 34.12 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69		1075	Hand Pump	28.22		26.88		28.49		29.53	
1040 Open Well 33.95 21.85 1041 Open Well 33.65 24.82 1064 Hand Pump 31.58 28.65 24.82 1052 Hand Pump 28.65 21.12 35.91 1148 Hand Pump 33.45 28.40 21.12 34.12 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69		1075	Hand Pump	28.36		29.30		30.2		30.05	
1041 Open Well 33.65 24.82 1064 Hand Pump 31.58 28.65 35.91 1052 Hand Pump 21.12 21.12 1148 Hand Pump 33.45 28.40 21.12 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69		1040	Open Well		33.95		21.85		35.21		
1064 Hand Pump 31.58 28.65 35.91 1052 Hand Pump 21.12 21.12 1148 Hand Pump 33.45 28.40 34.12 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69		1041	Open Well		33.65		24.82		36.54		
1052 Hand Pump 21.12 34.12 1148 Hand Pump 33.45 28.40 34.12 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69	Kujam	1064	Hand Pump	31.58		28.65		35.91		42.12	
1148 Hand Pump 33.45 28.40 1151 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86		1052	Hand Pump				21.12		24.13		
1151 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86		1148	Hand Pump	33.45		28.40		34.12		37.26	
1084 Hand Pump 34.35 36.86	Chiro Kukud	1151	Hand Pump	37.60		31.80		36.62		36.21	
		1084	Hand Pump	34.35		36.86		35.69		39.29	

B)aham



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Lakh Rupees) FY 2014-15	Actual (in Lakh Rupees) FY 2014-2015
1	Pollution Control & Environment monitoring	5.50	8.58
2	Reclamation/ Back filing & Rehabilitation	42.50	98.51
3	Green belt & Plantation	60.03	98.87
4	Rural Development	85.29	282.62

^{**}Part of OB removed cost.

Environment Management Cell Hindalco Industries Limited

Convener

Regd Office



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT

DECEMBER 2014

Vijay Pandey

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC015/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 26.12.2014 Registered: 26.12.2014

Marks on Sample: Location: Netarhat Plateau- Gurdari Pit Hara Langra Quari

Sample collected on: 19.12.2014

Test Start/End Date: 26.12.2014/27.12.2014

PARAMETERS		UNIT	LIMIT	METHOD	27/12/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	28.9
Nitrogen Dioxide	NO2	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	43.5
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	86.6
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	40.9
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.31

Thursday

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC015/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 26.12.2014 Registered: 26.12.2014

Marks on Sample: Location: Netarhat Plateau- Amtipani Workshop

Sample collected on: 19.12.2014

Test Start/End Date: 26.12.2014/27.12.2014

LOCATION / II	DENTIFICATION:	Netarhat P	lateau- Amtip	oani Workshop	
PARAMETERS		UNIT	LIMIT	METHOD	27/12/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	62.9
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	59.8
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	81.3
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	47.6
Carbon Monoxide	со	mg/m³	2	EPA 600/P-99/001F	0.40

Vijay Pandey

SENIOR EXECUTIVE

Account

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC015/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 26.12.2014 Registered: 26.12.2014

Marks on Sample: Location: Netarhat Plateau- Kujam II Weight Bridge

Sample collected on: 20.12.2014

Test Start/End Date: 26.12.2014/27.12.2014

LOCATION / IDENTIFICATION: Netarhat Plateau- Kujam II Weight Bridge

PARAMETERS		UNIT	LIMIT	METHOD	27/12/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	21.9
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	29.8
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	75.8
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	28.9
Carbon Monoxide	СО	mg/m ³	2	EPA 600/P-99/001F	0.56

Thomas

Vijay Pandey

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC015/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 26.12.2014 Registered: 26.12.2014

Marks on Sample: Location: Netarhat Plateau- Kujam I

Sample collected on: 20.12.2014

Test Start/End Date: 27.12.2014/29.12.2014

LOCATION / IDENTIFICATION: Netarhat Plateau- Kujam I						
PARAMETERS		UNIT	LIMIT	METHOD	29/12/2014	
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	24.6	
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	35.5	
Particulate Matter (size less than 10 µm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	82.6	
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	43.9	
Carbon Monoxide	со	mg/m³	2	EPA 600/P-99/001F	0.53	

Charles .

Vijay Pandey
SENIOR EXECUTIVE



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT

MARCH 2015

Vijay Pandey

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR026/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Netarhat Plateau- Gurdari Pit Hara Langra Quari

Sample collected on: 27.02.2015

Received:10.03.2015 **Registered:** 10.03.2015

Test Start/End Date: 19.03.2015/21.03.2015

LOCATION / IDENTIFICATION: Netarhat Plateau- Gurdarí Pit Hara Langra Quari

PARAMETERS		UNIT	LIMIT	METHOD	27/02/2015
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	30.2
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	45.2
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	90.1
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	42.5
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.35

Throng

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR027/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Netarhat Plateau- Amtipani Workshop

Sample collected on: 28.02.2015

Received: 10.03.2015 Registered: 10.03.2015

Test Start/End Date: 19.03.2015/21.03.2015

LOCATION / IDENTIFICATION: Netarhat Plateau- Amtipani Workshop							
PARAMETERS		UNIT	LIMIT	метнор	28/02/2015		
Sulphur Díoxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	64.8		
Nitrogen Dioxide	NOz	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	59.2		
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	82.1		
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	47.4		
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.41		

Pron.

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR028/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Netarhat Plateau- Kujam II Weight Bridge

Sample collected on: 28.02.2015

Received: 10.03.2015 Registered: 10.03.2015

Test Start/End Date: 19.03.2015/21.03.2015

LOCATION / IDENTIFICATION: Netarhat Plateau- Kujam II Weight Bridge

PARAMETERS		UNIT	LIMIT	METHOD	28/02/2015
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	22.1
Nitrogen Dioxíde	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	29.8
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	76.9
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	28.8
Carbon Monoxide	co	mg/m³	2	EPA 600/P-99/001F	0.56

June .

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR029/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Netarhat Plateau- Kujam I

Sample collected on: 28.02.2015

Received: 10.03.2015 Registered: 10.03.2015

Test Start/End Date: 19.03.2015/21.03.2015

LOCATION / IDENTIFICATION: Netarhat Plateau- Kujam I							
PARAMETERS		UNIT	LIMIT	METHOD	28/02/2015		
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	25.6		
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	35.9		
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	84.7		
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	45.2		
Carbon Monoxide	со	mg/m³	2	EPA 600/P-99/001F	0.51		

Chrone.

Vijay Pandey
SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR030/2015-16

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 28.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result Average of 24 continuous hours	Limit (night)	Result Average of 24 continuous hours	Dates
Netarhat Plateau Near Gurdari Pit	dB(A) Leq	75	71.2	70	65,8	28/02/2015

Vijay Pandey

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR031/2015-16

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 28.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result Average of 24 continuous hours	Limit (night)	Result Average of 24 continuous hours	Dates
Netarhat Plateau	dB(A) Leq	75	64.0	70	59.2	28/02/2015

Vijay Pandey

SENIOR EXECUTIVE

Warn

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR032/2015-16

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample: Location: Netarhat Plateau- Gurdari Mine pit Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 27.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN	dB(A) L _{eq}	75	66.7	27/02/2015
COMPRESSOR	dB(A) L _{eq}	75	70.4	27/02/2015
WAGAN DRILL	dB(A) L _{eq}	75	72.3	27/02/2015

Note: (i) The value is the Leq. of twenty readings taken in location (Day time).

Throng

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR033/2015-16

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample: Location: Netarhat Plateau- Kujam – I Mine pit Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 28.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN	dB(A) L _{eq}	75	66.7	28/02/2015
COMPRESSOR	dB(A) L _{eq}	75	71.2	28/02/2015
WAGAN DRILL	dB(A) Leq	75	73.1	28/02/2015

Note: (i) The value is the Leq. of twenty readings taken in location (Day time).

Vijay Pandey
SENIOR EXECUTIVE

Wenn Ilean

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR034/2015-16

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample: Location: Netarhat Plateau- Kujam - II Mine pit Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 28.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN	dB(A) Leq	75	69.4	28/02/2015
COMPRESSOR	dB(A) L _{eq}	75	73.2	28/02/2015
WAGAN DRILL	dB(A) L _{eq}	75	71.9	28/02/2015

Note: (i) The value is the Leq. of twenty readings taken in location (Day time).

Vijay Pandey SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 6th April, 2015

Report no: APR035/2015-16

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample: Location: Netarhat Plateau- Amtipani Mine pit Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 28.02.2015 Analyse Date: 21.03.2015

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN	dB(A) L _{eq}	75	66.9	28/02/2015
COMPRESSOR	dB(A) L _{eq}	75	70.9	28/02/2015
WAGAN DRILL	dB(A) L _{eq}	75	72.4	28/02/2015

Note: (i) The value is the Leq. of twenty readings taken in location (Day time).

Provi

Vijay Pandey
SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com