

Ref No: HIL/LHD/JP (M)/MoEF/ 957

Date: 25.11.14

To, Joint Director(S) MoEF,GOI, Eastern Regional Office A/3,Chandrashekharpur, Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Bhusar (65.31 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period April'14 to Sep'14.

Ref: Environmental Clearance No-J-11015/184/2011-IA.II (M) dated 17th June 2013.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Bhusar** (65.31 ha) **Bauxite** Mining project of M/s Hindalco located in Lohardaga, Jharkhand for the period **April'14 to Sep'14**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Bijesh Kumar Jha) Joint President (Mines)

Enclosure: - As Above

Bhusar Bauxite Mines of M/s Hindalco Industries Limited Area 65.31 Ha-Period April'14 to Sep'14 Environmental Clearance No-J-11015/184/2011-IA.II (M) dated 17th June 2013.

Sl No	Specific Condition	Compliance
(i)	All the conditions stipulated by the State Pollution Control Board in their NOC shall be effectively implemented.	Implementations of the stipulated conditions are fulfilled.
(ii)	Environmental clearance is subject to obtaining clearance under the wildlife (Protection) Act, 1972 from the competent authority, as may be applicable to this project.	Not applicable to this project.
(iii)	The mining operations shall be restricted to above ground water table and it should not intersect groundwater table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Shallow depth mining is being done in the Bagru Plateau. The ground water table is much below the working depth. Hence, ground water not intersected due to mining activities.
(iv)	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	Agreed. No natural water course will be obstructed due to mining activities.
(v)	Top soil should be stacked with proper slope at earmarked site(s) only with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stored temporarily and spread over the back filled area in the process of reclamation.
(vi)	The entire waste generated shall be backfilled and there shall be no external over burden dump left at the end of the mine life. The entire backfilled area shall be reclaimed by plantation. The back filling should be carried out in such a manner that it is restored to	The over burden generated during the mining operation temporarily stacked at earmarked dump site (s) only for the purpose of backfilling, Backfilling area will be reclaimed by suitable plantation. Monitoring and management of rehabilitated area will continue until the vegetation becomes self-sustaining. Compliance status will be

	the normal ground level. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment as Forests and its Regional Office, Bhubaneswar on six monthly basis.	submitted to MoEF on six monthly basis.
(vii)	Catch drains and siltation ponds of appropriate size should be constructed for the working pit, temporary OB dumps, if any and mineral dumps to arrest flow of silt and sediment. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted, particularly after monsoon, and maintained properly.	No run-off is generated from mining activities. However to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Rain water is being used for watering the mine area, roads, green belt development, sprinkling on haul roads etc. Garland drain of suitable size will be provided as & when required.
	Garland drain of appropriate size, gradient and length shall be constructed for both mine pit and temporary dumps and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	
(viii)	Dimension of the retaining wall at the toe of temporary dumps and OB benches within the mine to check run-off and siltation should be based on the rain fall data.	The dimensions of the retaining wall of OB dumps are based on the average rain fall.
(ix)	Plantation shall be raised in an area of 52.50 ha including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around ML area, backfilled and reclaimed area, around water body, roads etc. in consultation with the local	It is already in practice. Phase wise plantation of native species in consultation with forest department will be carried out within the safety zone and mined out/reclaimed pits. Around 3560 saplings planted during FY

,	DFO/Agriculture Department at the end of life of mine. The density of the trees should be around 2500 plants per ha.	2014-15.
(x)	Regular water sprinkling should be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul road, loading and unloading point and transfer points. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Mobile water tankers have been provided for sprinkling of water on road to contain dust. AAQ parameters are monitored on regular basis.
(xi)	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan has been prepared to implement suitable conservation measures to augment ground water resources in the area (Bagru Plateau).
(xii)	Regular monitoring of ground water level and quality should be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year i.e. January, April-May, August, November and the data thus collected may be sent regularly to Ministry of Environment and Forests, its Regional Office, Bhubaneswar; Central Ground Water Authority and Central Ground Water Board.	Being complied. Water quality monitoring report is enclosed.
(xiii)	The project authorities should obtain prior approval of the competent authority for drawl of groundwater if any, required for the project.	Water is collected from Rain water harvesting pond and necessary water cess is being paid regularly to Jharkhand State Pollution Control Board for Bagru group of Mines.
(xiv)	Vehicular emissions should be kept under control and regularly monitored.	For our all operating mines regular maintenance of vehicles are undertaken to

	Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded	minimize vehicular emission. All the transporters have been instructed to obtain PUC for their vehicles from the concerned authority and submit to the concerned Officer for verification. Bauxite are transported through tarpaulin cover trucks or ropeway from Bagru Hill to Lohardaga siding.
(xv)	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Blasting at Mines is done at fixed blasting period i.e 12.00 Noon to 1.00 PM on working days. Mobile mining activities are not being practiced during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest fly rocks are implemented.
(xvi)	Drills shall either be operated with dust extractors or equipped with water injection system.	Wet drilling is done in the drill holes by pumping water intermittently for dust suppression.
(xvii)	Consent to operate should be obtained from SPCB before starting/ enhanced production from the mine.	Consent to operate obtained from JSPCB prior to start of mining. There is no proposal for production enhancement.
(xviii)	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Progressive mine Closure Plan along with mining scheme has been approved by IBM.

SI No	General Condition	Compliance
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	Being adhered to.
(ii)	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be	Excavation of OB and Bauxite is being done as per the approved mining plan/scheme and obtained

	made.	EC capacity. Quantum of mineral and OB excavated during the FY2014-15 is annexed.
(iii)	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for PM10, SO2 as NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	The system is already in place. Air quality monitoring report is being submitted regularly at JSPCB and MoEF.
(iv)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Suitable water spraying system is already available for Bagru group of mines. To arrest fugitive dust proper water sprinkling will be carried out on haul roads, loading and unloading and at transfer points.
(v)	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Measures are being taken for control of noise levels below 85 dBA in the work environment PPEs are provided to workers.
(vi)	Industrial wastewater (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19th May 1993 and 31st December 03 or as amended from time to time. Oil and grease trap should be installed before discharge of effluents from workshop.	Is being complied as per statute.
(vii)	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.	PPE's provided. Periodic training on safety & occupational health is being imparted to workers and health checks up conducted.
(viii)	Occupational health surveillance programme of the workers should be undertaken periodically to observe any	Being carried out.

	contractions due to exposure to dust and take corrective measures, if needed.	
(ix)	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior Executive, who will report directly to the Head of the organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed.
(x)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purposes. Year-wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar	The fund earmarked for environmental protection measures is being kept in separate account. Year wise expenditure is being reported to the Ministry and its Regional Office located at Bhubaneswar. Copy Annexed.
(xi)	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing requisite data/information/monitoring reports.	Agreed.
(xii)	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, Central Pollution Control Board and State Pollution Control Board.	Six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e mail) are being submitted to the Ministry of Environment and Forests, its Regional office Bhunaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board and uploaded in company's website.
(xiii)	A copy of the clearance letter will be marked to the concerned Panchayat/local NGO, if any, from whom suggestions/representation has been received while processing the proposal.	A copy of clearance letter has been sent to concerned Panchayat, Zila Parisad / Municipal corporation, urban local body and the local NGO.
(xiv)	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Complied. Yearly date of financial closure is 31 st March.

(xv)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Colleator's/Tehsildar's Office for 30 days.	Displayed.
(xvi)	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the Clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	Complied. Copies of relevant paper cutting are enclosed for information and records.



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha
Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

SI	Description	Budget (in Lakh Rupees)	Actual (in Lakh Rupees)
No		FY 2014-15	FY 2014-2015
			(from April'14 to Sep'14)
1	Pollution Control & Environment monitoring	5.50	6.00
2	Reclamation/ Back filing & Rehabilitation	42.50	36.00
3	Green belt & Plantation	60.03	54.46
4	Rural Development	85.29	111.37

^{**}Part of OB removed cost.

Convener

Environment Management Cell Hindalco Industries Limited

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO SEP-14

	> h			:
SL Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)
1 Shrengdag Bauxite Mines	155.81	7.80	4.80	105050
2 Gurdari Bauxite Mines	584.19	22.10	11.80	168585
3 Jalim & Sanai	12.14	0.70	0.30	5311
4 Serangdag	140.07	2.00	0.50	31650
5 Pakhar Buxite Mines	115.13	3.69	1.50	137290
6 Pakhar Buxite Mines	8.09	0.00	0.00	0.00
7 Pakhar Buxite Mines	38.95	0.00	0.00	0.00
8 Kujam-l	80.87	4.15	3.46	37960
9 Kujam-II	157.38	13.84	12.75	104325
10 Amtipani	190.95	4.03	3.26	93330
11 Chiro-Kukud	152.57	3.95	6.42	17584
12 Orsa Bauxite Mines	196.36	0.00	0.00	0.00
13 Hisri New	14.55	1.29	0.65	54529
14 Bagru	75.41	0.00	0.00	0.00
15 Bhusar	65.31	0.94	1.50	82032
Minerals & Minerals Limited				
16 Pakhar Buxite Mines	109.507	4.21	3.51	183605
17 Pakhar Buxite Mines	15.58	0.30	0.20	31175
18 Bimarla Bauxite Mines	134.526	0.00	0.00	0.00

			3	Monsoon 2014	Post Mo	Post Monsoon 2014
Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML
	905	Open Well		21.72		24.15
	910	Open Well		24.30		24.55
Bagri	915	Open Well		29.40		28.44
00810	903	Open Well		22.85		33.12
	909	Open Well		17.55		28.75
	1000	Open Well		24.90		22.66
Pakhar	1083	Hand Pump	35.35		31.65	
	1027	Open Well		25.85		28.35
	1094	Hand Pump	41.75		39.54	
Sherengdag	1081	Hand Pump	39.65		31.30	
	1055	Hand Pump	33.05		27.55	
	1066	Hand Pump	27.75		26.25	
	1045	Hand Pump	29.30		27.84	
	1061	Hand Pump	28.35		24.90	
Gurdari	1059	Hand Pump	38.15		36.63	
	1075	Hand Pump	28.22		26.88	
	1075	Hand Pump	28.36		29.30	
	1040	Open Well		33.95		21.85
Kijam	1041	Open Well		33.65		24.82
rajaiii	1064	Hand Pump	31.58		28.65	
	1052	Hand Pump				21.12
	1148	Hand Pump	33.45		28.40	
Chiro Kukud	1151	Hand Pump	37.60		31.80	
	1084	Hand Pump	34.35		36.86	

Monitored water level

Fig in meter





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016
Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BAGRU PLATEAU- ENVIRONMENTAL MONITORING REPORT

SEPTEMBER 2014

Vijay Pandey SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory

ABACH TO ENOUGH



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT001/2014-15

SAMPLE DRAWN BY MAHABAL ENVIRO ENGINEERS PVT LTD

Sample described as: FLUE GAS Name of the Industry: M/s HINDALCO INDUSTRIES LIMITED

Address: Mines Division, Lohardaga, Jharkhand, Pin-835 302

Date & time of Sampling: 18.09.2014 (11.00-11.30 Hrs)

Sampling Site: Bagru Mines Office-Bagru Plateau

A. General Information about Stack

- Stack connected to: DG-Set (250 KVA)
- Emission due to: Burning of H.S.D
- Material of construction: M.S
- Shape of Stack: Circular
- Whether stack is provided with permanent platform & ladder: Yes
- Capacity: 250 KVA
- Running Load: 90 KVA

B. Physical characteristics of stack

- Height of the stack (a) from ground level: 7.0
- Diameter of the Stack at sampling point: 0.2030
- Height of the sampling point from GL: 6.25

C. Analysis/Characteristic of Stack

- Fuel used: H.S.D
- Fuel Consumption: 30 lt/hr

S.No	ysis Report PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)
1.	Temperature of Emission (°C)	IS 11255 Part:3 1985 (Realf 2008)	300	
	Barometric pressure (mm of Hg)	IS 11255 Part:3 1985 (Realf 2008)	650	
2.	Velocity of Gas (m/sec)	IS 11255 Part:3 1985 (Realf 2008)	10.2	
3.	Quantity of Gas flow (Nm³/hr)	IS 11255 Part: 3 1985 (Realf 2008)	490	
4.	Concentration of CO ₂ (% v/v)	IS 11255 Part:3 1985 (Realf 2008)	6.0	5.0
5.	Concentration of CO (gm/kw-h)	IS 11255 Part:3 1985 (Realf 2008)	0.30	**
6.		USEPA-6C	49	
7.	Concentration of SO ₂ (mg/Nm ³)	USEPA-7E	0.60	9.2
8.	Concentration of NO ₂ (gm/kw-h)		E 9000	
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part 3: 1985 (Realf 2003)	0.10	0.3
E. Poll Deta	ution Control Device oils of pollution control devices attache	ed with the stack: Nil		

Vijay Pandev SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory

TO F



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT001/2014-15

Sample described by customer: EFFLUENT

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: Effluent Received:18.09.2014

Registered: 18.09.2014 Marks on Sample: Location: STP Outlet (Bagru Mines)

Sample collected on: 18.09.2014

Quantity: 4 litres

Test Start/End Date: 18.09.2014/19.09.2014

S.No	collected by: Mahabal EnviroEng Analysis	Method	Result	Unit	Limits
1.	рН	APHA 22nd Ed. 2012, 4500-H+-B, 4-92	8.0		5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN:2012- 2540	18.0	mg/l	100
3.	BOD @ 27°C	IS 3025 (Part 44): 1993, RA2003, Amd 1	12.5	mg/l	30
4.	Oil & Grease	IS 3025(Part 39): 1991, RA 2003, Ed.2.1	< 5.0	mg/l	10
5.	Total Dissolved Solids	APHA 22nd EDN 2012- 2540	20.2	mg/l	2100
6.	Aluminum(as Al)	APHA 22 nd EDN 2012- 3120B	1.5	mg/l	3
7.	Calcium (as Ca)	APHA 22nd EDN 2012- 3120B	5.0	mg/l	75
8.	Iron (as Fe)	APHA 22 nd EDN 2012- 3120B	1.2	mg/l	3
9.	Temperature		15	°C.	shall not exceed 5°C above the receiving water temperature

Vijay Pandey SENIOR EXECUTIVE For Mahabai Enviro Eng. P & 1td.

Authorised Signatory



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT001/2014-15

Sample described by customer: SOIL

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: SOIL

Received:17.09.2014 Registered: 17.09.2014

Marks on Sample: Location: Bagru Mines Sample collected on: 17.09.2014

Quantity: 2 kgs

Test Start/End Date: 17.09.2014/18.09.2014

S.No	Analysis		Method	Result	Unit	
1.	Colour			Gray		
2.	Texture		F.A.U.N (2007)	Loamy Sand		
3.	Bulk Density		By Bulk density Apparatus	1.00	gm/cm3	
4.	Water Holding Capacity		F.A.U.N (2007)	28.5	%	
5.	Hq	••	F.A.U.N (2007)	6.58		
6.	Electrical Conductivity		F.A.U.N (2007)	200.0	μs/cm	
7.	Organic Carbon			0.55	%	
8.	Organic Matter		Black & White Wet Digestion Method	0.79	%	
9.	Available Nitrogen	ine.	Soil & Water Book by P.K Gupta	111.5	mg/kg	
10.	Available Phosphorus	-	Soil & Water Book by P.K Gupta	16.5	mg/kg	
11.	Available Potassium	- 23	Soil & Water Book by P.K Gupta	381	mg/kg	
12.	Exchangeable Calcium	Ca .	Soil & Water Book by P.K Gupta	25.80	meq/100gm	
13.	Exchangeable Magnesium	Mg	Soil & Water Book by P.K Gupta	1.38	meq/100gm	
14	Exchangeable Sodium	Na	Soil & Water Book by P.K Gupta	2.20	meq/100gm	
15.	Exchangeable Potassium	К	Soil & Water Book by P.K Gupta	1.40	meq/100gm	
16	Total Exchangeable Bases		Soil & Water Book by P.K Gupta	31.50	meq/100gn	
17	Manganese	Mn	USEPA 3052	0.40	mg/kg	
18	Arsenic	As	USEPA 3052	2.0	mg/kg	
19	Silica	SiO ₂	USEPA 3052	57.5	%₁	
20.	Aluminum	Al ₂ O ₃	USEPA 3052	6.5	%	
21.	Iron	Fe ₂ O ₃	USEPA 3052	5.00	%	
22.	Calcium	CaO	USEPA 3052	8.90	%	
23.	Magnesium	MgO	USEPA 3052	1.83	%	
24.	Sodium	Na ₂ O	. USEPA 3052	0.270	%	
25.	Potassium	K ₂ O	USEPA 3052	0.230	%	
26.	Sulphate	SO ₄	USEPA 3052	0.69	%	

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Ebylro Eng. Privitd.



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT001/2014-15

Sample described by customer: DRINKING WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: DRINKING WATER

Received:19.09.2014 Registered: 19.09.2014

Marks on Sample: Location: Tap Water-Bagru Plateau near office.

Sample collected on: 18.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 19.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen	< 100	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste	-	Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.5	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		7.1	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	93	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05	•	APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-CIG, 4-69
10.	Total Hardness (as CaCO ₃)	mg/l	60	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,49
11.	Alkalinity Total (as CaCO3)	mg/l	64	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
12.	Chloride (as Cl)	mg/l	8.0	250 Max	APHA 22nd Ed. 2012, 4500- Cl-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	4.8	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14.	Nitrate (as NO3)	mg/l	1.13	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125
15.	Fluoride (as F)	mg/l	0.23	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87
.6.	Boron (as B)	mg/l	0.18	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25
7.	Calcium(as Ca)	mg/l	18.4	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
18.	Magnesium (as Mg)	mg/l	3.4	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1		APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115
20.	Iron (as Fe)	mg/l	0.18	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
	Aluminium (as Al)	mg/l	0.09	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-61
22.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
23.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Zinc (as Zn)	mg/l	0.03	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Arsenic (as As)	mg/l	<0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
28.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
29.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
30.	Nickel (as Ni)	mg/l	<0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
32.	Mineral Oil	mg/l	N.D.	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44
34.	Anionic detergents as	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082 APHA 22nd Ed. 2012, 4500 – S2-C 4
38.	Sulphide (as S)	mg/l	N.D	•	APHA 22nd Ed. 2012, 4500–52-C 4 175 & F 4-178



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Carobi	ological Analysis	٠			APHA 22nd Ed. 2012, 9221-B
	Total Colliforms	MPN/	<1.1	N.D	& C, 9-66, 9-69
	Total Comornia	100 mL			APHA 22nd Ed. 2012, 9221-
	E-Coli	MPN/	Absent	N.D	B, C & G, 9-66, 9-69 and 9-76
	L-0011	100 mL			B, C & C, 7 CC, 7 C7
Pesticio	des Residues		, , ,		US EPA 508-1995
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
1.	o,p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	μg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	μg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	μg/L	<0.01	2	US EPA 508-1995
10.	α-НСН	μg/L	< 0.01	0.01	US EPA 508-1995
11.	в-нсн	µg/L	N.D	0.04	US EPA 508-1995
12	δ-HCH	μg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	μg/L	N.D	125	US EPA 508-1995
14.	Alachlor	µg/L	N.D	20	US EPA 532-2000
15.	Atrazine	μg/L	N.D	2	US EPA 508-1995
16.	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17.	ß Endosulfan	µg/L	N.D	The second secon	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 8141A-1994
19.	Ethion	μg/L	N.D	190	US EPA 8141A -1994
20.	Malathion	μg/L	N.D	0.3	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	N.D		US EPA 8141A-1994
22.	Monocrotophos	μg/L	N.D	1	US EPA 8141A -1994
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994
24.	Chlorpyrifos	μg/L	N.D	30	US EPA 508-1995
25.	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	µg/L	N.D	0.03	03 51 73 33 1770

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Zang Ton Pvi Ltd.

Authorised Signatory

Ranchi La Ranchi

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT001/2014-15

Sample described by customer: SURFACE WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: SURFACE WATER

Received:19.09.2014 Registered: 19.09.2014

Marks on Sample: Location: Bagru Colony

Sample collected on: 18.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 19.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour	-	Agreeable	Agreeable	1S 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste	-	Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.3	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	100	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
- 1		mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
8.	Monochloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	52	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,4
10.	Total Hardness (as CaCO ₃) Alkalinity Total (as CaCO ₃)	mg/l	59	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
12.	Chloride (as Cl)	mg/l	7.8	250 Max	APHA 22nd Ed. 2012, 4500- CI-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	4.0	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14.	Nitrate (as NO3)	mg/l	1.10	45 Max	APHA 22nd Ed. 2012, 4500- NO ₁ -E, 4-125
15.	Fluoride (as F)	mg/l	0.19	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4-84, 4-87
16.	Boron (as B)	mg/l	0.15	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4- 25
17.	Calcium(as Ca)	mg/l	16.5	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
18.	Magnesium (as Mg)	mg/l	3.3	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3-84
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1		APHA 22nd Ed. 2012, 4500 NH3-F, 4-115
20.	Iron (as Fe)	mg/l	0.11	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
22.	Aluminium (as Al)	mg/l	0.06	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3- 61
	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
23.	Chromium Total (as Cr)	mg/i	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.		mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Copper (as Cu) Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Zinc (as Zn)	mg/l	0.08	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Arsenic (as As)	mg/l	<0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
28.		mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
29.	Mercury (as Hg)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
30.	Selenium (as Se)	mg/l	<0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
31.	Nickel (as Ni) Mineral Oil	mg/l	N.D.	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44
34.	Anionic detergents as	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5-47
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082
38.	Sulphide (as S)	mg/l	N.D	-	APHA 22nd Ed. 2012, 4500- S2-C 4 175 & F 4-178



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near] B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Paramețers	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microl	biological Analysis				
1.	Total Colliforms	MPN/ 100 mL	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69
2.	E-Coli	MPN/ 100 mL	Absent	N.D	APHA 22nd Ed. 2012, 9221- B, C & G, 9-66, 9-69 and 9-76
Pestic	ides Residues				
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o,p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o,p DDE	µg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	µg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	μg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995
10.	α-НСН	µg/L	< 0.61	0.01	US EPA 508-1995
11.	в-нсн	µg/L	N.D	0.04	US EPA 508-1995
12	δ-HCH	μg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	μg/L	N.D	125	US EPA 508-1995
14.	Alachlor	μg/L	N.D	20	US EPA 508-1995
15.	Atrazine	μg/L	N.D	2	US EPA 532-2000
16.	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17.	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19.	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20.	Malathion	µg/L	N.D	190	US EPA 8141A -1994
21.	Methyl Parathion	µg/L	N.D	0.3	US EPA 8141A -1994
22.	Monocrotophos	µg/L	N.D	1	US EPA 8141A-1994
1000000	Phorate	µg/L	N.D	2	US EPA 8141A -1994
23.	A LEGISLATION	µg/L	N.D	30	US EPA 8141A -1994
24.	Chlorpyrifos Aldrin	µg/L	N.D	0.03	US EPA 508-1995
25.	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey

SENIOR EXECUTIVE

For Mahaba, Enviro Eng. Pvt. Ltd.

Authorised Signatory



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT001/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:19.09.2014 Registered: 19.09.2014

Marks on Sample: Location: Bagru Plateau-Bagru Colony near Office

Sample collected on: 17.09.2014

Test Start/End Date: 19.09.2014/21.09.2014

LOCATION / IDENTIFICATION: Bagru Plateau- Bagru Colony Near Office									
PARAMETERS		UNIT	LIMIT	METHOD	21/09/2014				
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	11.50				
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	15.20				
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	70.5				
Particulate Matter (size less than 2.5 μm)	PM ₂ ;	μg/m³	60	USEPA CFR(40) Appendix-L	40.2				
Carbon Monoxide	CO	mg/m³	2	EPA 600/P-99/001F	0.15				

Vijay Pandey SENIOR EXECUTIVE For Maha

Authorised Signatory



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT001/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 19.09.2014 Registered: 19.09.2014

Marks on Sample: Location: Bagru Plateau- Hisri Pit Bagru Plateau

Sample collected on: 17.09.2014

Test Start/End Date: 19.09.2014/21.09.2014

LOCATION / IDENTIFICATION: Bagru Plateau- Hisri Pit Bagru Plateau

PARAMETERS		UNIT	LIMIT	METHOD	21/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	10.2
Nitrogen Dioxide	NO _{2,z}	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	8.0
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	80.0
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	51.5
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.13

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT001/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received: 20.09.2014 Registered: 20.09.2014

Marks on Sample: Location: Bagru Plateau- Bhusar Mine Pit Bagru Plateau

Sample collected on: 18.09.2014

Test Start/End Date: 20.09.2014/22.09.2014

LOCATION / IDENTIFICATION: Bagru Plateau- Bhusar Mine Pit Bagru Plateau									
PARAMETERS		UNIT	LIMIT	метнор	22/09/2014				
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	6.2				
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	5.8				
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	70.1				
Particulate Matter (size less than 2.5 μm)	PM25	μg/m³	60	USEPA CFR(40) Appendix-L	45.0				
Carbon Monoxide	со	mg/m³	2	EPA 600/P-99/001F	0.5				

Vijay Pandey SENIOR EXECUTIVE For Mahabai Enviro Ling, Pvt. Ltd.

Authorised Signatory



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, Branch Office: E-mail: mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT001/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received: 21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Bagru Plateau- Kekrang Village Bagru Plateau

Sample collected on: 19.09.2014

Test Start/End Date: 21.09.2014/23.09.2014

LOCATION / IDENT	IFICATION: Dagi	urintena			
PARAMETERS		UNIT	LIMIT	метнор	21/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	6.8
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	9.0
Particulate Matter (size less than 10 μm)	PMio	μg/m³	100	1S:5182 (Part 23)	89.1
Particulate Matter (size less than 2.5 μm)	PM _{2.5} 2	μg/m³	60	USEPA CFR(40) Appendix-L	50.2
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.40

Vijay Pandey SENIOR EXECUTIVE For Mahala and

Authorised Signatory

NITO E



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT001/2014-15

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 17.09.2014 End Date: 18.09.2014

Location / Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Month			Average of 24 continuous hours in Sep- 14		Average of 24 continuous hours in Sep- 14	
Bagru Plateau Bagru Colony	dB(A) L _{eq}	75	70.0	70	61.9	17/09/2014

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT001/2014-15

Sample described by customer: EFFLUENT

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: Effluent

Sample Type: Effluent Received:18.09.2014 Registered: 18.09.2014

Marks on Sample: Location: Maintenance Garage Bagru Mines 🔆

Sample collected on: 18.09.2014

Quantity: 4 litres

Test Start/End Date: 18.09.2014/19.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Analysis	Method	Result	Unit	Limits
1.	рН	APHA 22nd Ed. 2012, 4500-H+-B, 4-92	7.2	-	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN:2012- 2540	16.8	mg/l	100
3.	BOD @ 27°C	IS 3025 (Part 44): 1993, RA2003, Amd.1	13.5	mg/l	30
4.	Oil & Grease	IS 3025(Part 39): 1991, RA 2003, Ed.2.1	< 5.0	mg/l	10
5.	Total Dissolved Solids	APHA 22 nd EDN 2012- 2540	19.8	mg/l	2100
6.	Aluminum(as Al)	APHA 22 nd EDN 2012- 3120B	1.3	mg/l	3
7.	Calcium (as Ca)	APHA 22 nd EDN 2012- 3120B	5.2	mg/l	75
8.	Iron (as Fe)	APHA 22 nd EDN 2012- 3120B	1.1	mg/l	3
9.	Temperature		20	"C	shall not exceed 5°C above the receiving water temperature

For Mahabai Linving Eng. Pvt. Ltd.

Authorised Signatory



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com