



Ref No: HIL/LHD/GM (GEO)/MoEF/0084

Date: 25.05.2018

To,  
The Additional Principal Chief Conservator of Forest (C)  
Ministry of Environment, Forests and Climate Changes  
Regional Office (ECZ), Ranchi-834002.

**Sub: Compliance Report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period Oct'17 to March'18.**

Ref: Environmental Clearance letter no J-11015/138/2006-IA II (M) dated 10<sup>th</sup>, April 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period **Oct'17 to March'18**.

Hope you will find the same in order.

Thanking You

Yours Sincerely  
FOR HINDALCO INDUSTRIES LIMITED

  
(Basudev Gangopadhyay)  
GM (Geology)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi  
RO, JSPCB, Ranchi  
CPCB, Zonal Office, Kolkata  
<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

**Compliance of conditions laid down in Environmental Clearance**

**JALIM & SANAI BAUXITE MINES**

**Period: Oct' 17 –Mar'18**

J-11015/138/2006-IA.II (M) Dated 10.4.2007

<b>Sl No</b>	<b>Conditions</b>	<b>Compliance Status</b>
Specific Conditions		
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementation of the stipulated conditions are fulfilled.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted by the State Govt. after due consideration and Cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose.
3	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Bauxite mining is being done at shallow depth in this mine also, hence at no point it will intersect the ground water table. Thus there will be no interference.
4	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	It is being ensured. No natural water course is obstructed during mining operation
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	It is being ensured & the top soil is being used for reclamation & rehabilitation of mined out areas. Details of land reclamation for the year 2017-18 is enclosed as Annexure.
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Waste/OB generated is used in backfilling, data enclosed. No external OB dump is there. Monitoring and management of rehabilitated areas continuing through supervision.

7	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>No runoff is generated from mining activities. However, to collect &amp; manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Sediment rain water is being used for watering the mine area, roads, green belt development etc.</p> <p>Catch drains, siltation ponds and Garland drain has been constructed and being maintained.</p> <p>Sump of adequate capacity is being provided and maintained as required</p>
8	<p>Plantation shall be raised in an area of 10.58 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.</p>	<p>Progressive plantation is being done with advancement of mining operation. During 2017-18, around 200 saplings were planted. Rest to be complied during project period.</p>
9.	<p>The project proponent shall ensure that there shall be no discharge from the mine.</p>	<p>Ensured. There is no discharge from the mine.</p>
10.	<p>The project proponent shall carry out regular monitoring of spring discharge and its quality near Shrengdag village on long term basis.</p>	<p>The quality parameter of the nearby spring for off monsoon season has been monitored, report attached.</p>
11	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>	<p>A plan is drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for his further suggestions.</p> <p>Recommendation of CGWB shall be implemented to augment the ground water resources of the area. Copy of letter already submitted. As of now, to augment the ground water resource measures like check dams, contour bunds, gullies are being taken of.</p>

12	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	It is being monitored.  Monitoring report is enclosed as Annexure-1.
13	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Water is collected from rain water harvesting pond of Serengdag plateau. We are not using natural water bodies, ground water for mining purposes.
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Vehicle engaged in mining operation are regularly checked and maintenance of vehicles is being done. The vehicles are being covered with tarpaulin while transportation of mineral
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	Drilling is done with water pouring in the holes intermittently for dust suppression.
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting time is fixed during Lunch Time i.e. 12.00 Noon -1.00 PM. Controlled blasting method is in practice. All efforts are being taken to mitigate impact of blasting.
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for production enhancement.
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine, hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sullage is collected to an integrated soak pit. Arrangement has been made for Sherengdag group of Mines.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <i>Presbytis phayrei</i> etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State	Action plan for conservation of flora and fauna spotted in the study area has been prepared based on discussions with forest Dept. Action taken for conservation of flora and fauna as under: 1) Permanent pillars are established

	Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	within the mine lease area at 7.5m from the forest boundary. 2)Maintenance of the forest road 3) Ensured necessary air and noise pollution control measures. 4)Daily water sprinkling is being carried out on the forest road 5) Transportation is being done during day time.
20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive mine Closure Plan along with scheme of mining has been approved by IBM. FMCP (part) is also approved by the authority. FMCP for total lease area will be prepared in due time. Based on the present resource estimate, and peak rated production capacity mentioned in EC, the tentative balance life is around 4-5 years. However, after completion of further detailed exploration, the resources estimate vis-à-vis balance life of the mine may change based on final resource estimate, EC capacity and cut-off grade at that point of time.

#### GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation & bauxite production are in line with calendar plan.. Details attached as Annexure for the financial year FY17-18.
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO <sub>2</sub> , NO <sub>x</sub> monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Monitoring locations has been fixed and regular monitoring is being done with available in-house facilities.  Monitoring Reports of AAQ data is attached as Annexure-1.

4	Data on ambient air quality (RPM, SPM, SO <sub>2</sub> , and NO <sub>x</sub> ) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Monitoring Reports of AAQ data is attached as Annexure-1.
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	One mobile water tanker with sprinkling facility has been provided along haul roads, loading unloading & at transfer points to arrest dust emissions.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is done regularly. Workers engaged in operation of HEMM, etc. are provided with ear plug / muffs. Monitoring report enclosed as annexure I.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine , Discharge of Workshop effluents is being passed through Oil catchment pit to trap Oil and grease.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment are provided & used by the individuals. we have well equipped hospital at Shrendag Plateau where health checkup of workmen is carried out regularly. Training on safety, health & environmental aspects of mining is being regularly imparted through VT training & other training programmes.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate management cell is functioning with qualified in-house members. Copy enclosed.(Annexure-3)
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Provision related to financial closure is not applicable as this is an operating Mine.

11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of Budgetary provision & actual expenses for environmental protection measure is submitted. (Annexed-2).
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.
13.	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control Board.	Duly submitted.
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied .Copy submitted to regional office.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Agreed.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copy of paper cuttings containing advertisements is already submitted.



# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Portugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: [ecoventures.mumbai@gmail.com](mailto:ecoventures.mumbai@gmail.com) / [ecoventures@eco-ventures.in](mailto:ecoventures@eco-ventures.in)

## **Mahabal Enviro Engineers Pvt. Ltd.**

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC,  
District – Ranchi 834009

### **SHERENGDAG PLATEAU- ENVIRONMENTAL MONITORING REPORT**

**JANUARY TO MARCH 2018**

**For Mahabal Enviro Engineers Pvt. Ltd.**

**Vijay Pandey**  
**SENIOR EXECUTIVE**





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,

Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: [mahabalranchi@gmail.com](mailto:mahabalranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

## CONTENT

	LOCATION
<b>A.</b>	<b>AMBIENT AIR QUALITY</b>
1	Sherengdag Plateau-Sherengdag A Weigh Bridge
2	Sherengdag Plateau- Jalim & Sanai Mines Pit
3	Sherengdag Plateau-Sherengdag A Mines Pit
4	Sherengdag Plateau-Sherengdag B Mines Pit
5	Sherengdag Plateau- Nav Prathmik Vidyalay ( Dhanka Toli)
6	Sherengdag Plateau-Sherengdag B Village
<b>B.</b>	<b>NOISE LEVEL</b>
1	Near Weigh Bridge
2	Shrengdag A Mines Pit
<b>C.</b>	<b>SPOT NOISE LEVEL</b>
1	Near Poclairn Shrengdag Mines (155.81 ha.)





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0069/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> Location: Sherengdag Plateau - <i>Sherengdag A Weigh Bridge</i>	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau - <i>Sherengdag A Weigh Bridge</i>				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	72.0
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	38.9
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.3
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	6.1
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	11.3
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.4
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.29
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.2
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.0
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.2
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0070/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> Location: Sherengdag Plateau - <i>Jalim &amp; Sanai Mines Pit</i>	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau - <i>Jalim &amp; Sanai Mines Pit</i>				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	67.3
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	32.7
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.2
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	6.5
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.2
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.5
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.2
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.0
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.0
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.30

For Mahabal Enviro Engineers Pvt. Ltd.

**Vijay Pandey**  
**SENIOR EXECUTIVE**





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0071/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> <b>Location:</b> Sherengdag Plateau - <i>Sherengdag A Mines Pit</i>	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau - <i>Sherengdag A Mines Pit</i>				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	61.3
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	30.2
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	3.9
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	5.2
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.1
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.5
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.2
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.0
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.3
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0072/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> <b>Location:</b> Sherengdag Plateau- <i>Sherengdag B Mines Pit</i>	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau - <i>Sherengdag B Mines Pit</i>				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	63.1
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	30.8
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	3.2
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	6.6
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	9.5
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.2
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.27
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.4
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.1
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0073/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> <b>Location:</b> Sherengdag Plateau – Nav Prathmik Vidyalay (Dhanka Toli)	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau- Nav Prathmik Vidyalay (Dhanka Toli)				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	55.8
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	28.1
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	3.8
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	5.8
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.7
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.3
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.29
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.3
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.1
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	3.0
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,

Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0074/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> AMBIENT AIR QUALITY MONITORING	
<b>Client Name:</b> Hindalco Industries Limited	
<b>Client Address:</b> Lohardaga	
<b>Postal Code:</b> 835203	
<b>State:</b> Jharkhand	
<b>Country:</b> India	
<b>Sample type:</b> AMBIENT AIR QUALITY MONITORING	
<b>Marks on Sample:</b> <b>Location:</b> Sherengdag Plateau- <b>Sherengdag B Village</b>	
<b>Sample collected on:</b> 14.03.2018	

LOCATION / IDENTIFICATION: Sherengdag Plateau- Sherengdag B Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM <sub>10</sub>	µg/m <sup>3</sup>	100	53.2
02.	Particulate Matter (size less than 2.5 µm) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	26.6
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	3.8
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	5.9
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.2
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.2
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.25
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02
09.	Nickel (Ni)	ng/m <sup>3</sup>	20	2.5
10.	Arsenic (As)	ng/m <sup>3</sup>	06	2.2
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0075/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> Measurement of Noise	
Client Name: <b>Hindalco Industries Limited</b>	
Client Address: <b>Lohardaga</b>	
Postal Code: <b>835203</b>	
State: <b>Jharkhand</b>	
Country: <b>India</b>	
Sample Description: <b>Measurement of Noise</b>	
Sampling Method: <b>Instrumental, using Sound level Metter</b>	
Data Collection Date: <b>14.03.2018</b>	

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Near Weigh Bridge - Shrengdag Plateau	dB (A) Leq	75	60.1	70	52.5

For Mahabal Enviro Engineers Pvt. Ltd.

**Vijay Pandey**  
**SENIOR EXECUTIVE**





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no:</b> MEEPL/APR0076/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
<b>Sample described by customer:</b> Measurement of Noise	
Client Name: <b>Hindalco Industries Limited</b>	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Description: <b>Measurement of Noise</b>	
Sampling Method: Instrumental, using Sound level Metter	
Data Collection Date: <b>14.03.2018</b>	

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Sherengdag A Mines Pit	dB (A) $L_{eq}$	75	64.1	70	57.7

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,  
Mobile No: +91 9431.102.102 / +91 9955.358.262,  
E-mail: [mahabalanranchi@gmail.com](mailto:mahabalanranchi@gmail.com)

Hindalco Industries :

Environmental Monitoring Report

JANUARY – MARCH 2018

<b>Report no: MEEPL/APR0077/2018-19</b>	<b>Date: 20<sup>th</sup> April, 2018</b>
<b>Sample described by customer : Measurement of Spot Noise</b>	
Client Name: <b>Hindalco Industries Limited</b>	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Description: <b>Measurement of Spot Noise</b>	
Sampling Method: Instrumental, using Sound level Metter	
Data Collection Date: <b>14.03.2018</b>	

Location/Identification	Unit	Limit (day)	Result
Sherengdag Mines (155.81 ha.) Sherengdag Plateau Near Poclairn	dB (A) $L_{eq}$	75	70.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey  
SENIOR EXECUTIVE



**BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2017-18**


The composite cost during the year 2017-18 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

Sl No	Description	Budget (in Rupees) FY 2017-18	Actual (in Rupees) FY 2017-18 (from April'17 to Sep'2017)	Actual (in Rupees) FY 2017-18 (from Oct'17 to March'2018)
1	Pollution Control & Environment monitoring	1316000	651832	984450
2	Reclamation/ Back filing & Rehabilitation**	300000000	131262375	31383827
3	Green belt, Plantation & Water spraying arrangement	3400000	3373300	2921501
4	Rural Development	40000000	18500000	10439844

\*\*Part of OB removed cost.



(Basudev Gangopadhyay)  
Convenor (Quality & Environment)



Date: 03.04.17

**Office Order**

Environmental Cell has been re-constituted at Jalim & Sanai Bauxite Mines (Area 12.14 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

1. Mr. Akhilesh Sinha -Asst. Manager - (Coordinator)
2. Mr. Avinash kumar – Foreman (Member)
3. Mr. Satyendra Tiwari –Mining Mate (Member)

Basudev Gangopadhyay  
Convenor (Quality & Environment)

Annexure - 4

**PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM April-17 to March-18**

NAME OF THE MINES	MINING LEASE AREA (IN HA)	MINED OUT AREA (HA)	BACK FILLED AREA (HA)	PRODUCTION (In MT)	OVERBURDEN (In Cu.M)
Shrengdag Bauxite	155.81	4.37	2.91	236504.00	404146.00
Gurdari Bauxite Mines	584.19	10.72	6.30	324060.00	529722.00
Jalim & Sanai	12.14	1.75	0.70	36037.00	43750.00
Serangdag	140.06	1.00	0.70	43825.00	66636.00
Pakhar Buxite Mines	115.13	2.60	3.01	264505.00	400330.00
Pakhar Buxite Mines	8.09	0.00	0.00	0.00	0.00
Kujam-I	80.87	3.95	1.54	141655.00	254013.00
Kujam-II	157.38	6.97	6.93	291458.00	596397.00
Amtipani	190.95	7.05	6.81	149560.00	262112.00
Chiro-Kukud	152.57	3.54	3.59	90130.00	127590.00
Orsa Bauxite Mines	196.36	0.30	0.00	6620.00	38007.00
Hisri New	14.55	1.05	0.91	90001.00	46929.00
Bhusar	65.31	0.19	2.24	108666.00	209691.00
Bagru	75.41	0.00	0.00	0.00	0.00
<b>Minerals &amp; Minerals Limited</b>					
Pakhar Buxite Mines	109.51	2.61	2.84	277605.00	414049.00
Pakhar Buxite Mines	15.58	0.46	0.29	28560.00	67552.00
Bimarla Bauxite Mines	134.53	9.92	8.39	156420.00	251775.00

(Basudev Gangopadhyay)  
Convenor (Quality & Environment)