

Ref No: HIL/LHD/JP (M)/MoEF/ 101

Date: 23.05.2017

To, The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period Oct'16 to March'17.

Ref: Environmental Clearance letter no J-11015/138/2006-IA II (M) dated 10th April 2007

Sir.

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period **Oct'16 to March'17**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Bijesh Kumar Jha) Agent of Mines

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi
RO, JSPCB, Ranchi
CPCB, Zonal Office, Kolkata
<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

Compliance of conditions laid down in Environmental Clearence

Pariod: Pariod: Oct 16 March 117

Period: Period: Oct'16-March'17 J-11015/138/2006-IA.II (M) Dated 10.4.2007

Sl No	Conditions	Compliance Status			
	Specific Conditions				
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	r Implementation of the stipular conditions are fulfilled.			
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted by the State Govt. after due consideration & cabinet approval on recommendation of D.C. D.C is competent authority for diversion of agricultural land for non-agricultural use.			
3	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Bauxite mining is being done at shallow depth in this mine also, hence at no point it will intersect the ground water table. Thus there will be no interference.			
4	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	It is being ensured. No natural water course is obstructed during mining operation			
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas. Details of land reclama 2016-17 is enclosed as a contract of the contra				
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Waste/OB generated is used in backfilling, data enclosed. Monitoring and management of rehabilitated areas continuing through supervision.			

7	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.	No runoff is generated from mining activities. However, to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Sediment rain water is being used for watering the mine area, roads, green belt development etc.
	Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Catch drains, siltation ponds and Garland drain is being constructed and maintained as and when required with the progress of mining.
8	Plantation shall be raised in an area of 10.58 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Progressive plantation is being done with advancement of mining operation. During 2016-17, around 200 saplings were planted. Rest to be complied during project period.
9.	The project proponent shall ensure that there shall be no discharge from the mine.	Ensured. There is no discharge from the mine.
10.	The project proponent shall carry out regular monitoring of spring discharge and its quality near Shrengdag village on long term basis.	The quality parameter of the nearby spring for off monsoon season has been monitored, report attached. The quantity and quality of monsoon and post monsoon will be conducted.
11	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan is drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for his further suggestions. Recommendation of CGWB shall be implemented to augment the ground water resources of the area. Copy of letter already submitted.

		As of now, to augment the ground water resource measures like check dams, contour bunds, gullies are being taken of.
12	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year — pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	It is being monitored. Monitoring report is enclosed as Annexure-1.
13	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Water is collected from rain water harvesting pond of Serengdag plateau. Water cess is being paid regularly to JSPCB. We are not using natural water bodies, ground water for mining purposes.
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	To keep vehicular emissions in control, company vehicles are periodically checked & repaired. All measures are being taken to control vehicular emission.
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	Drilling is done with water pouring in the holes intermittently for dust suppression.
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period of 12.00 Noon to 1.00 PM on working days. Mobile mining activities are stopped during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest generation of fly rocks is being exercised
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for production enhancement.
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine, hence ETP has not been installed. The sewage water from domestic uses is being collected

		through individual septic tanks & soak pits. Sullage is collected to an integrated soak pit. Arrangement has been made for Sherengdag group of Mines.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <u>Presbytis phayrei</u> etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so	Action plan for conservation of flora and fauna spotted in the study area has been prepared based on discussions with forest Dept. Action taken for conservation of flora and fauna as under: 1) Permanent pillars are established within the mine lease area at 7.5m from
	allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	the forest boundary. 2)Maintenance of the forest road
		3) Ensured necessary air and noise pollution control measures.
		4)Daily water sprinkling is being carried out on the forest road
		5) Transportation is being done during day time.
20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive mine Closure Plan along with scheme of mining has been approved by IBM. FMCP (part) is also approved by the authority. FMCP for total lease area will be prepared in due time.

GENERAL CONDITIONS

SI No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Mining is being done as per approved
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	

3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Monitoring locations has been fixed and regular monitoring is being done with available in-house facilities. Monitoring Reports of AAQ data is attached as Annexure-1.
4	Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Monitoring Reports of AAQ data is attached as Annexure-1.
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Two no of mobile water tanker with sprinkling facility have been provided along haul roads, loading unloading & at transfer points to arrest dust emissions.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is done regularly. Workers engaged in operation of HEMM, etc. are provided with ear plug / muffs. Monitoring report enclosed as annexure.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine, Discharge of Workshop effluents is being passed through Oil catchment pit to trap Oil and grease.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment is provided & used by the individuals. we have an well equipped hospital at mine site where health checkup of workmen is carried out regularly. Training on safety, health & environmental aspects of mining is being regularly imparted through VT training & other training programmes.

9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate management cell is functioning with qualified in-house members. Copy enclosed.(Annexure-3)
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Provision related to financial closure is not applicable as this is an operating Mine.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of Budgetary provision & actual expenses for environmental protection measure is submitted. (Annexed-2).
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.
13.	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control Board.	Duly submitted.
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied .Copy submitted to regional office.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Agreed.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at	





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

SHERENGDAG PLATEAU- ENVIRONMENTAL MONITORING REPORT

JANUARY TO MARCH 2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

CONTENT

	LOCATION	
	AMBIENT AIR QUALITY	
1	Sherengdag Plateau-Sherengdag Weigh Bridge	
2	Sherengdag Plateau- Jalim & Sanai Mines Pit	
3	Sherengdag Plateau-Sherengdag A Mines Pit	
4	Sherengdag Plateau-Sherengdag B Mines Pit	
5	Sherengdag Plateau- Nav Prathmik Vidyalay (Dhanka Toli)	
6	Sherengdag Plateau-Sherengdag B Village	
	NOISE LEVEL	
1	Near Weigh Bridge	
2	Shrengdag A Mines Pit	
	SPOT NOISE LEVEL	
1	Near Poclain Shrengdag Mines (155.81 ha.)	
	DRINKING WATER	
1	Sherengdag Mines Office	





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0130/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Sherengdag Weigh Bridge

Sample collected on: 30.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	59.1
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	30.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	7.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	17.1
05.	Ammonia (NH ₃)	μg/m³	400	13.7
06.	Ozone (O ₃)	μg/m³	180	15.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.11
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	2.9
10.	Arsenic (As)	ng/m³	06	2.1
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.5
12.	Benzo (a) Pyrene	μg/m³	01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0131/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Jalim & Sanai Mines Pit

Sample collected on: 30.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	55.7
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	28.9
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	7.9
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	14.3
05.	Ammonia (NH ₃)	μg/m³	400	13.5
06.	Ozone (O ₃)	μg/m³	180	16.1
07.	Carbon Monoxide (CO)	mg/m³	02	0.2
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.1
10.	Arsenic (As)	ng/m³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.3
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Ray Pyl



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Report no: MEEPL/APRIL0132/2016-17

Date: 20th April, 2017

Report not Fibble by in Rubo 152/2010 17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Sherengdag A Mines Pit

Sample collected on: 30.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	μg/m³	100	46.1
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	24.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	8.3
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	15.9
05.	Ammonia (NH ₃)	μg/m³	400	16.1
06.	Ozone (O ₃)	μg/m³	180	15.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.2
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.3
10.	Arsenic (As)	ng/m³	06	2.3
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.1
12.	Benzo (a) Pyrene	μg/m³	01	0.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Rate Rate PVI



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries : Environmental Monitoring Report

JAN. - MAR. 2017

Report no: MEEPL/APRIL0133/2016-17 Date: 20th April, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Mines Pit

Sample collected on: 30.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	47.2
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	27.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	7.8
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	17.1
05.	Ammonia (NH ₃)	μg/m³	400	16.8
06.	Ozone (O ₃)	μg/m³	180	16.1
07.	Carbon Monoxide (CO)	mg/m³	02	0.28
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.2
10.	Arsenic (As)	ng/m³	06	2.4
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.1
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Chiloft Sold



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0134/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Nav Prathmik Vidyalay (Dhanka Toli)

Sample collected on: 30.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM_{10}	μg/m³	100	42.8
02.	Particulate Matter (size less than $2.5 \mu m$) $PM_{2.5}$	μg/m³	60	23.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	8.3
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	16.9
05.	Ammonia (NH ₃)	μg/m³	400	15.5
06.	Ozone (O ₃)	μg/m³	180	15.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.3
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.5
10.	Arsenic (As)	ng/m³	06	2.3
11.	Benzene (C ₆ H ₆)	μg/m³	05	3.1
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey
SENIOR EXECUTIVE

September 199



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Report no: MEEPL/APRIL0135/2016-17

Date: 20th April, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Village

Sample collected on: 30.03.2017

Sl. No.	No. PARAMETERS		Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	45.1
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	26.7
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	8.1
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	14.7
05.	Ammonia (NH ₃)	μg/m³	400	13.6
06.	Ozone (O ₃)	μg/m³	180	15.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.3
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.1
10.	Arsenic (As)	ng/m³	06	2.1
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.3
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0136/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 30.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Near Weigh Bridge - Shrengdag Plateau	dB (A) Leq	75	54.5	70	47.1	30/03/2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0137/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 30.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Sherengdag A Mines Pit	dB (A) Leq	75	62.8	70	50.1	30/03/2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

REACH IN

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0138/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: **Measurement of Spot Noise** Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 30.03.2017

Location/Identification	Unit	Limit (day)	Result	Dates
Sherengdag Mines (155.81 ha.) Sherengdag Plateau Near Poclain	dB (A) Leq	75	70.2	30/03/2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

LECUTO EZO PV. LECUTO PV. LECUTO



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0139/2016-17

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand Country: India

Sample Type: DRINKING WATER-POTABILITY Marks on Sample: Location: Sherengdag Mines Office

Quantity: 5 L X 2 No. PVC Can Sample collected on: 30.03.2017

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.1	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2- 13
5	рН	WATE .	7.1	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	1 max	APHA 22 nd Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	79.1	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	<0.05	**	APHA 22 nd Ed. 2012, 4500-CIG, 4- 69
9	Dichioramines	mg/l	<0.05	***	APHA 22 nd Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	54.9	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	68.5	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	18.5	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	4.4	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Environmental Monitoring Report

JAN. - MAR. 2017

Continuation Sheet MEEPL/APRIL0139/2016-17

Repor	Report no: MEEPL/APRIL0139/2016-17 Date: 20th April, 20						
Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference		
14	Nitrate (as NO3)	mg/l	1.02	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4-125		
15	Fluoride (as F)	mg/l	0.03	1 max	APHA 22 nd Ed. 2012, 4500-FB & D 4-84, 4-87		
16	Boron (as B)	mg/l	0.02	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25		
17	Calcium (as Ca)	mg/l	14.7	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3		
18	Magnesium (as Mg)	mg/l	2.1	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84		
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1	122	APHA 22 nd Ed. 2012, 4500-NH3-F, 4-115		
20	Iron (as Fe)	mg/l	0.10	0.3 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22 nd Ed. 2012, 3500-Al-B, 3		
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
27	Zinc (as Zn)	mg/l	0.01	5 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
28	Arsenic (as As)	mg/l	< 0.01	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38		
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22nd Ed. 2012, 3112-B, 3-23		
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38		
31	Nickel (as Ni)	mg/l	< 0.01	0.02 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1		
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44		
34	Anionic detergents as MBAS	mg/l	<0.1	0.2 max	APHA 22 nd ED. 2012, 5540-C.C & 5-53		
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 nd ED. 2012, 5530-B & C 5-4753		
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22nd ED. 2012, 6440, 6-93		
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082		
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-S2-C 4 175 & F 4-178		





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Continuation Sheet MEEPL/APRIL0139/2016-17

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	logical Analysis				
1	Total Colliforms	MPN/100mL	N.D	<1.1	APHA 22 nd Ed. 2012, 9221-B & C, 9-66, 9-69 and 9-67
2	E-Coli	MPN/100mL	N.D	Absent	APHA 22 nd Ed. 2012, 9221-B & C, 9-66, 9-69 and 9-76
Pesticide	s Residues				
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	μg/L	< 0.01	2	US EPA 508-1995
10	α -НСН	μg/L	< 0.01	0.01	US EPA 508-1995
11	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	Б- НСН	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995

Conclusion:

The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

SHERENGDAG PLATEAU- ENVIRONMENTAL MONITORING REPORT

OCTOBER TO DECEMEBER 2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Environmental Monitoring Report

OCT- DEC 2016

CONTENT

	LOCATION	
	AMBIENT AIR QUALITY	
1	Sherengdag Plateau-Sherengdag Weigh Bridge	
2	Sherengdag Plateau- Jalim & Sanai Mines Pit	
3	Sherengdag Plateau-Sherengdag A Mines Pit	
4	Sherengdag Plateau-Sherengdag B Mines Pit	
5	Sherengdag Plateau- Nav Prathmik Vidyalay (Dhanka Toli)	
6	Sherengdag Plateau-Sherengdag B Village	
	NOISE LEVEL	
1	Near Weigh Bridge	
2	Shrengdag A Mines Pit	
	SPOT NOISE LEVEL	
1	Near Poclain Shrengdag Mines (155.81 ha.)	
	DRINKING WATER	
1	Sherengdag Mines Office	





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Report no: : MEEPL/ JAN0157/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Sherengdag Weigh Bridge

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	68.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	42.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	31.2
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	34.8
05.	Ammonia (NH ₃)	μg/m³	400	13.7
06.	Ozone (O ₃)	μg/m³	180	17.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.11
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	4.8
10.	Arsenic (As)	ng/m³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.6
12.	Benzo (a) Pyrene	μg/m³	01	0.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Report no: : MEEPL/ JAN0158/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Jalim & Sanai Mines Pit

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	52.2
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	32.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	26.8
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	34.5
05.	Ammonia (NH ₃)	μg/m³	400	13.5
06.	Ozone (O ₃)	μg/m³	180	18.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.2
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	4.4
10.	Arsenic (As)	ng/m³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.3
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Report no: : MEEPL/ JAN0159/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Sherengdag A Mines Pit

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	μg/m³	100	48.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	36.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	25.4
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	34.5
05.	Ammonia (NH ₃)	μg/m³	400	16.5
06.	Ozone (O ₃)	μg/m³	180	16.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.3
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	4.2
10.	Arsenic (As)	ng/m³	06	2.4
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.5
12.	Benzo (a) Pyrene	μg/m³	01	0.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail: mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0160/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Mines Pit

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	48.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	34.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	20.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	17.8
05.	Ammonia (NH ₃)	μg/m³	400	16.8
06.	Ozone (O ₃)	μg/m ³	180	17.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.4
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	4.8
10.	Arsenic (As)	ng/m³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.8
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Report no: : MEEPL/ JAN0161/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau - Nav Prathmik Vidyalay (Dhanka Toli)

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than $10 \mu m$) PM_{10}	μg/m³	100	40.2
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	μg/m³	60	24.5
03.	Sulphur Dioxide (SO ₂)	μg/m ³	80	25.9
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	36.9
05.	Ammonia (NH ₃)	μg/m³	400	16.8
06.	Ozone (O ₃)	μg/m³	180	18.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.4
08.	Lead (Pb)	μg/m³	1.0	0.05
09.	Nickel (Ni)	ng/m³	20	5.3
10.	Arsenic (As)	ng/m³	06	2.3
11.	Benzene (C ₆ H ₆)	μg/m³	05	3.8
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Report no: : MEEPL/ JAN0162/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Village

Sample collected on: 23.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	42.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	26.9
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	20.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	33.5
05.	Ammonia (NH ₃)	μg/m³	400	13.5
06.	Ozone (O ₃)	μg/m³	180	17.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.6
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.8
10.	Arsenic (As)	ng/m³	06	2.8
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.9
12.	Benzo (a) Pyrene	μg/m³	01	0.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey
SENIOR EXECUTIVE

Ray Chi

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0163/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 23.12.2016 Analyse Date: 24.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Near Weigh Bridge - Shrengdag Plateau	dB (A) Leq	75	53.6	70	50.2	23/12/2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

regender of the control of the contr

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0164/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 23.12.2016 Analyse Date: 24.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Sherengdag A Mines Pit	dB (A) Leq	75	64.5	70	45.2	23/12/2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Parent in the second se

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Environmental Monitoring Report

OCT- DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0165/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 23.12.2016 Analyse Date: 24.12.2016

Location/Identification	Unit	Limit (day)	Result	Dates
Sherengdag Mines (155.81 ha.) Sherengdag Plateau Near Poclain	dB (A) Leq	75	71.5	23/12/2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0166/2016-17

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **DRINKING WATER-POTABILITY**Marks on Sample: Location: **Sherengdag Mines Office**

Quantity: 5 L X 2 No. PVC Can Sample collected on: 23.12.2016

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2	Odour	4	Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.1	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2- 13
5	рН	**	7.2	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	73.4	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	<0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	59.2	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	71.8	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	20.7	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	4.9	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190





At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Continuation Sheet MEEPL/JAN0166/2016-17

Keport	t no: : MEEPL/ JAN0166/20	16-17			Date: 30th January, 2017
Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Nitrate (as NO3)	mg/l	1.10	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4-125
15	Fluoride (as F)	mg/l	0.03	1 max	APHA 22 nd Ed. 2012, 4500-FB & D 4-84, 4-87
16	Boron (as B)	mg/l	0.02	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
17	Calcium (as Ca)	mg/l	17.5	75 max	APHA 22nd Ed. 2012, 3500-Ca-B, 3 67
18	Magnesium (as Mg)	mg/l	2.4	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3-F, 4-115
20	Iron (as Fe)	mg/l	0.11	0.3 max	APHA 22nd Ed. 2012, 3111-B, 3-18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22 nd Ed. 2012, 3500-Al-B, 3
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22nd Ed. 2012, 3111-B, 3-18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18
27	Zinc (as Zn)	mg/l	0.01	5 max	APHA 22nd Ed. 2012, 3111-B, 3-18
28	Arsenic (as As)	mg/l	< 0.01	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22nd Ed. 2012, 3112-B, 3-23
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38
31	Nickel (as Ni)	mg/l	< 0.01	0.02 max	APHA 22nd Ed. 2012, 3111-B, 3-18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
34	Anionic detergents as MBAS	mg/l	<0.1	0.2 max	APHA 22 nd ED. 2012, 5540-C.C & 5-53
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 nd ED. 2012, 5530-B & C 5-4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22 nd ED. 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-S2-C 4 175 & F 4-178





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT- DEC 2016

Continuation Sheet MEEPL/JAN0166/2016-17

	no: : MEEPL/ JAN0166/2	to make on a spatial total		Acceptable Limit	ate: 30th January, 201
Sl. No.	Parameters	Unit	Result	(IS 10500:2012)	Method Reference
Microbio	logical Analysis				
					APHA 22nd Ed. 2012,
1	Total Colliforms	MPN/100mL	N.D	<1.1	9221-B & C, 9-66, 9-69 and 9-67
					APHA 22nd Ed. 2012,
2	E-Coli	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69 and 9-76
Pesticide	es Residues				and 9-70
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	μg/L	<0.01	2	US EPA 508-1995
10	α –НСН	μg/L	<0.01	0.01	US EPA 508-1995
11	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	Б- НСН	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995

Conclusion:

The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2016-17

The composite cost during the year 2016-17 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Rupees) FY 2016-17	Actual (in Rupees) FY 2016-17 (from April'16 to Sep'2016)	Actual (in Rupees) FY 2016-17 (from April'16 to March'2017)
1	Pollution Control & Environment monitoring	1540000.00	574975.50	1674221.50
2	Reclamation/ Back filing & Rehabilitation**	4000000.00	33837173.00	74355537.00
3	Green belt, Plantation & Water spraying arrangement	2100000.00	2051751.00	6821323.50
4	Rural Development	20000000.00	10244807.32	21404308.19

^{**}Part of OB removed cost.

(B.K. Mahapatra)

Convenor (Quality & Environment)

Date: 05.09.16

Office Order

Environmental Cell has been re-constituted at Jalim & Sanai Bauxite Mines (Area 12.42 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Akhilesh Sinha -Asst. Manager (Coordinator)
- 2. Mr. Avinash kumar Foreman (Member)
- 3. Mr. Satyendra Tiwari Mining Mate (Member)

(B.K. Mahapatra)

Convenor (Quality & Environment)

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-16 to March-17

NAME OF THE MINES	NAME OF THE MINES MINING LEASE AREA (IN HA)	MINED OUT AREA (HA)	BACK FILLED AREA (HA)	PRODUCTION (In MT)	OVERBURDEN (In Cu.M)
Shrengdag Bauxite	155.81	5.87	5.10	258487.00	413395.00
Gurdari Bauxite Mines	584.19	12.94	10.63	324200.00	428811.00
Jalim & Sanai	12.14	1.04	0.45	44624.00	36500.00
Serangdag	140.06	0.00	0.00	0.00	0.00
Pakhar Buxite Mines	115.13	3.90	3.40	282190.00	370111.00
Pakhar Buxite Mines	8.09	0.00	0.00	0.00	0.00
Kujam-l	80.87	4.52	4.05	148770.00	272334.00
Kujam-II	157.38	8.30	7.85	294830.00	572328.00
Amtipani	190.95	6.61	5.91	149450.00	282375.00
Chiro-Kukud	152.57	3.09	2.03	87570.00	154928.20
Orsa Bauxite Mines	196.36	0.00	0.00	0.00	0.00
Hisri New	14.55	1.77	1.27	00.80986	09506
Bhusar	65.31	89.0	1.38	171961.00	51545.00
Bagru	75.41	0.00	0.00	0.00	0.00
Minerals & Minerals Limited	imited				
Pakhar Buxite Mines	109.51	3.78	3.28	277220.00	414676.00
Pakhar Buxite Mines	15.58	0.00	0.00	0.00	0.00
Bimarla Bauxite Mines	134.53	5.47	2.61	112730.00	135260.64

(5) predale

(B.K. Mahapatra) Convenor (Quality & Environment)

Monitored water level (FY 2016-17)

			Monsooi	Monsoon (July-Sep)	Post Monse	Post Monsoon (November)	Winter	Winter (January)	Pre Monse	Pre Monsoon (April-May)
Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML	Inside ML	Outside ML	Inside ML	Outside ML
	905	Open Well		21.32		22.70		27.30		29.10
	910	Open Well		24.38		24.56		26.50		27.40
Bagru Plateau (Hisri new,	915	Open Well		29.00		28.43		29.90		31.35
Bagru & Bhusar)	903	Open Well		22.81		33.15		35.15		35.70
	606	Open Well		20.15		28.72		30.15		30.25
	1000	Open Well		24.93		22.65		25.15		25.85
Pakhar Gr. Of Mines										
(115.13,109.507,15.58,8.	1083	Hand Pump	35.35		31.60		34.2		35.45	
Charanadaa Diataa	1027	Open Well		25.80		28.40		30.15		31.35
	1094	Hand Pump	41.74		39.55		42.60		42.85	
Sherengdag 140 06 Ha	1081	Hand Pump	39.60		31.30		41.10		42.10	
-1	1055	Hand Pump	33.00		27.50		35.50		35.65	
	1066	Hand Pump	27.75		26.25		29.10		30.10	
	1045	Hand Pump	29.30		27.70		29.90		30.50	
	1061	Hand Pump	28.30		24.90		25.20		25.90	
Gurdari	1059	Hand Pump	38.10		36.15		35.15		36.25	
	1075	Hand Pump	27.90		26.75		28.40		29.65	
	1075	Hand Pump	28.30		29.30		30.20		30.15	
	1040	Open Well		33.90		21.85		35.15		36.65
Kujam I, Kujam II &	1041	Open Well		33.65		24.80		36.25		39.35
Amtipani Mines	1064	Hand Pump	31.50		28.60		36.10		42.00	
	1052	Hand Pump	22.35			21.05		24.60		23.50
	1148	Hand Pump	33.40		28.30		34.20		37.45	
Chiro Kukud		Hand Pump	37.60		31.80		36.20		36.00	
	1084	Hand Pump	34.20		33.15		35.60		39.50	

(B.K. Mahapatra)
Convenor (Quality & Environment)