

24/10/2017

## Registered Post

The Director, Ministry of Environment & Forests Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi - 110003

Subject: Compliance Status of Environment Clearance conditions

Dear Sir.

We have been granted Environment Clearance to our Kasarsada Bauxite Mines on 1st March 2007 vide clearance No J-11015/247/2005-IA-II (M).

The compliance for the 6 months duration (April 2017 to September 2017) against the conditions laid down in the Environment Clearance is attached herewith. In this regard, please be informed that, since 2<sup>nd</sup> October 2011, the mining activities of our above mines has been stopped for want of forest clearance.

Hope, you will please find the above in order.

Thanking you,

Yours very truly,

Mainak Chakraborty Vice President-Mines

Encl. A/a Copy to:

- The Chief Conservator of Forests (Central) Ministry of Environment & Forests Regional office, BHOPAL
- 2. The Member Secretary, Central Pollution Control Board, Parivesh Bhavan, East Arjun Nagar, DELHI - 110032
- 3. The Regional Officer Maharashtra Pollution Control Board Udyog Bhawan, <u>KOLHAPUR - 416 003</u>

M. P. C. BOARD Kolthapur.

Hindalco Industries Limited

Durgmanwadi Mines: PO Radhanagari - 416 212, Dist. Kolhapur, Maharashtra, T: +91 02321 202072, 202178, 133, Kolhapur Office: T:+91 0231 2661458, 2666621, 2021461, 2021462

Registered Office: Ahura Centre, 1<sup>st</sup> Floor, B-Wing, Mahakali Caves Road, Andheri (East), Mumbai - 400 093, India T: +91 22 6691 7000 | Fax: +91 22 6691 7001 | E: hindalco@adityabirla.com | W: www.hindalco.com | Corporate ID No.: L27020MH1958PLC011238

## COMPLIANCE TO ENVIRONMENT CLEARANACE CONDITIONS (Kasarsada Bauxite Mines Environment clearance No J-11015/247/2005-IA-II (M) Dt. 01/03/2007)

CNIO	Dt. 01/03/2007)				
S.NO	CONDITIONS:	PRESENT COMPLIANCE STATUS			
	A. SPECIFIC CONDITIONS				
1	Top soil shall be stacked properly with proper slope and with adequate safeguards and shall be backfilled for reclamation and rehabilitation of mined out area.	rehandled and used for mine development is			
2	Overburden shall be stacked at earmarked dump site(s) only and shall not be active for long period. The maximum height of dump shall not exceed 30m; each stage shall preferably be 10m and over all slope of the dump shall not exceed 28 degree. The mine pit area shall be reclaimed by back filling by back filling O.B in a phased manner. The O.B dump shall be scientifically vegetated with suitable native species to prevent erosion and surface run off.	has been back filled into the mind out pits for reclamation.			
4 ]	Garland drains shall be constructed to arrest silt and sediment flows from soil, and mineral dumps. The water so collected shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for both mine pit and for waste dump.  Drilling and blasting shall be using extractors/wet drilling.	run-off water to silt check dams.			
5 I	Plantation shall be raised in an area of 92.6 ha including green belt of adequate width by planting the native species around the ML area, oads, OB dump sites etc. in consultation with	Scientific plantation activities have been carried out with the help of reputed forestry experts & local forest department on the mined out areas. The indigenous species are planted during mine operation.			

6	The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, central Ground Water Board.	
7	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezomometers during the mining operation.	Thirty was monitored on
8	Prior permission from the competent authority shall be obtained for drawal of ground water, if any.	Agreed.
9	Vehicular emission shall be kept under control and regularly monitored; Measures shall be taken for maintenance of vehicle used in mining operations and in transportation of minerals. The vehicle shall be covered with tarpaulin and shall not be overloaded	emission and monitoring was carried out periodically. All the vehicle carrying mineral were covered with tarpaulin covers and loading were carried out as per the permissible limits. Since 2 <sup>nd</sup> October 2011, there is no mining activity carried out in the
10	A Final Mine Closure plan, along with the details of the Corpus fund, shall be submitted to the ministry of Environment and Forests 5 years in advance of final mine closure in advance.	The progressive mine closure plan is approved by IBM. The final closure plan will be submitted as per the prescribed time.
11	The Company shall limit production to 0.25 million TPA of bauxite and shall not operate with 0.45 million TPA till the IBM has granted approval.	Agreed.
)	B. GENERAL CONDITIONS	
1	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment & Forests.	There is no change in the mining technology and in the scope of working.
2	No change in the calendar plan including excavation, quantum of minerals bauxite and waste shall be made.	Agreed.
3	denartment	The core area flora was protected and the plantation was carried out scientifically. The mining activities were restricted to daylight working only.

4	Four ambient air quality-monitoring stations shall	
	be established in the core zone as well as in the buffer zone for RPM,SPM,SO2,Nox,	Ambient air quality monitoring station was established in the core zone as well as buffe zone as per requirement.
5	Data on the ambient air quality (RPM, SPM, SO2, and Nox) should be regularly submitted to the Ministry including its Regional offices located at Bangalore and State Pollution Control Board / Central Pollution Control Board once in six months.	periodically while the mining activity was ongoing.
6	Fugitive dust emission from all the sources shall be controlled regularly water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.	
7	Measures shall be taken for control of noise level below 85 dBA in the work environment. Workers engaged in operations of HEMM etc shall be provided with ear plugs/muffs.	HEMM operation
8	Industrial waste water (workshop and waste water from the mine) should be properly collected treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December, 1993 or as amended from time to time.	There is no industrial waste water as no processing was carried out.
9	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	All the workers use dust mask during mining operation & training were imparted regarding safety and health aspect to all the workers.
10	Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed	The health surveillance was carried out for all the employees and there was no case of any occupational health hazard. Since 2 <sup>nd</sup> October 2011, there is no mining activity carried out in the mines.
11	A separate environmental management cell with suitable qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the organization.	A qualified person has been employed at the unit level. A full fledged Environment cell operates at the corporate level.
12	The funds earmarked for Environment protection shall be kept in separate account and should not be diverted for any other purpose.	A budget is allocated every year for environment protection and accounting is done separately. Since 2 <sup>nd</sup> October 2011, there is no mining activity carried out in the mines.