MINERALS & MINERALS LIMITED

Regd. Office P.O. & Dist. – Lohardaga (Jharkhand) PIN – 835302 Phone: 06526-224016, 224112, FAX: 06526-224118

Ref No: M&M/LHD/JP (M)/MoEF/ 108

Date: 23.05.2017

To.

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Pakhar (109.507 ha) Bauxite Mining project of M/s Minerals & Minerals Limited located in the District of Lohardaga, Jharkhand for the period Oct'16 to March'17.

Ref: Environmental Clearance letter no J-11015/518/2008-IA II (M) dated 21st Oct 2010.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Pakhar (109.507 ha) Bauxite Mining project of M/s Minerals & Minerals Limited, located in Lohardaga, Jharkhand for the period Oct'16 to March'17.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR Minerals & Minerals Limited

(Bijesh Kumar Jha)
Agent of Mines

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi
RO, JSPCB, Ranchi
CPCB, Zonal Office, Kolkata
<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in>

Compliance of conditions laid down in Environmental Clearance PAKHAR BAUXITE MINES(109.507 Ha)

Period: Period: Oct'16-March'17 J-11015/518/2008-IA.II (M) Dated 21.10.2010

SI No	Conditions	Compliance Status			
	Specific Conditions				
1	The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board and effectively implement all the conditions stipulated therein.	Operate has been obtained Implementations of stipulated conditions			
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted by the State Govt. after due consideration and cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose.			
3	The mining operation shall be confined to the hill tops only and restricted to above ground water table and it should not intersect the ground water table. In case of working below ground water table, prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained, for which a detailed hydro – geological study shall be carried out.	Working zone is being restricted to above ground water table.			
4	The project proponent shall ensure that no natural watercourse and/or water resources are obstructed due to any mining operations. Adequate measures shall be taken for protection of seasonal channels, if any emanating from the mine lease, during the course of mining operation.	No natural water course has been obstructed.			
5	The top soil shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	Sequential backfilling and reclamation of the mined out area are being implemented during mining operation. Topsoil is being used to reclaim and restore the backfilled area up to the extent possible. Top soil is being stored at earmarked site temporarily with the progress of mining activity.			
6	The over burden (OB) generated shall be temporarily stacked in the earmarked area for a period of one year and thereafter concurrently backfilled. There shall be no external overburden dump. The backfilled area shall be progressively afforested. Monitoring and management of rehabilitated areas should continue until the	Sequential backfilling and reclamation of the mined out area are being practiced. Backfill data is enclosed. Monitoring and management of rehabilitated areas is continuing until the vegetation becomes self-sustaining through supervision.			

7.	vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneshwar on six monthly basis. The void left unfilled in an area of 0.41 ha. shall be converted into water body. The higher benches of excavated void/ mining pits shall be terraced and plantation done to stabilize the slopes. The slopes of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area.	Implementation of the condition is in progress.	
8	Catch drains and siltation ponds of appropriate size should be constructed around the mine working, soil and mineral dumps to prevent run off of water and flow of sediments directly into the agricultural fields, the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted, particularly after monsoon and maintained properly. Garland drain, settling tanks and check dams of appropriate size, gradient and length shall be constructed around the mine pit, topsoil, dumps and the mineral dumps to prevent runoff water and flow sediments directly into the agricultural fields, the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Catch drains and siltation ponds of appropriate size are being constructed around the mine working. The water so collected are being utilized for watering the mine area, roads, green belt development etc. The drains are regularly desilted, particularly after monsoon and maintained properly. Garland drain, settling tanks and check dams of appropriate size, gradient and length are being constructed around the mine pit as per the requirement. Adequate sump capacity is provided.	
9	Dimension of the retaining wall at the toe of the OB benches within the mine to check run-off and siltation should be based on the rain fall data.	The dimension of the retaining wall of OB dumps are based on the average rainfall.	
10	Plantation shall be raised in an area of 6.3 ha including a 7.5 m. wide statutory barrier all around the mining lease, reclaimed and rehabilitated areas, around water body, etc. by planting the native species in consultation with the local DFO / Agriculture Department. The density of the trees should be around 2000 plants per ha., Greenbelt	Progressive plantation is being carried out in consultation with local forest department. Around 2200 saplings have been planted during this year.	

	shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	
11	Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Water tankers have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to arrest fugitive dust emission. AAQ parameters are being regularly monitored. Report enclosed.
12	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained.	There is no spring within the mining lease. Monitoring of spring water of nearby area will be conducted in post monsoon.
13	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan will be drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area. This will be done with progress of mining activities.
14	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional office Bhubneshwar, The Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.	Monitoring is being carried out. Report enclosed.
15	Appropriate mitigative measures shall be taken to prevent pollution of the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi in consultation with the State Pollution Control	There is no discharge of mine water.

	Board.	
16.	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water (from natural spring) required for the project. Suitable rain water harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central	Water is being drawn from water harvesting pond. No Natural spring / ground water is being used for mining purposes. Suitable rain water harvesting measures on long term basis has been planned and
18	Ground Water Board. Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral within the mine lease up to the stock yard. The mineral transportation within the mine lease shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.	will be implemented with the progress of mining. Regular maintenance of vehicles are undertaken to minimize vehicular emission. All the transporters have been instructed to obtain PUC for their vehicles from the competent authority and submit to the concerned officer for verification. Almost all Vehicles are having PUC and emission are under control.
19	Blasting operation should be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period i.e. 12.00 Noon to 1.00 PM on working days, mining activities are not being practiced during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest fly rocks is being exercised.
20	Drills shall either be operated with dust extractors or equipped with water injection system.	Drilling is being done with water pouring in the drill holes intermittently for dust suppression.
21	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	We are exploring the possibilities. However, water sprinkling is being carried out regularly at loading, unloading and mineral handling areas.
22	Sewage treatment plant should be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operations.	There is no discharge of effluent from mine, hence ETP is not required. The sewage water for working population is planned to be collected through Septic Tank/Soak Pit and treated in Sewage Treatment Plant.
23	The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 Km. from proposed mine.	Under process.

24	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	System is already in place.
25.	The land oustees and land losers/ affected people shall be compensated/ rehabilitation as per the National Policy of Resettlement and Rehabilitation of project Affected Families (NPRR)	All land acquisition activities is done as per CNT Act and with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) and consent of Raiyat (Land Owner) for 20 years period and the land will be returned so acquired as per the norms set by D.C. in land purchased agreement.
26.	Door to door sample survey should be undertaken within the impact zone to assess the family based need of the tribals and it should be appropriately addressed in the CSR activities to be undertaken in the area. An action plan in this regard should be prepared and submitted.	Company's CSR team is doing regular assessment of the family based need of the tribals and it appropriately addressed.
27.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of the temporary structures to be removed after the completion of the project.	Necessary infrastructure is already in place.
28.	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora and fauna (python etc.) found in the study area. Action plan for conservation of flora and fauna prepared shall be implemented in consultation with the State Forest and Wildlife Department. All the safeguard measured brought out in the Wildlife conservation plan prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar.	Suitable precautionary measures during mining operation are being implemented for conservation and protection of endangered flora and fauna.
27	The critical parameters such as RSPM (Particulate matter with size less than 10 µm (i.e. PM ₁₀) and NO _x in the ambient air within the impact zone, peak particle velocity at 300 m. distance or within	Complied Monitoring Reports is enclosed as Annexure-1. Presently, there is no discharge of water from the mines. In case of discharge

	the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharge water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)], The monitored data shall be uploaded on the website of the Company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in Public domain. The Circular no. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Minisry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	monitoring will be ensured.
28	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine Closure Plan duly approved by Indian Bureau of Mines. FMCP related provision will be compiled as per statue.

GENERAL CONDITIONS

SI No	Conditions	Compliance Status
I	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of Over Burden and Bauxite is being done as per the approved calendar plan. Details of excavation, quantum of mineral. OB, etc have been furnished for the financial year 2016-17 as Annexure.
3	At least four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 μm (i.e. PM ₁₀) & NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Complied. Monitoring Reports is enclosed as Annexure-1.
4	Data on ambient air quality RSPM [(Particulate matter with size less than 10 μm i.e. PM_{10}) & NO_X] should be regularly submitted to the Ministry including its Regional office located	Complied Monitoring Reports is enclosed as Annexure-1.

	at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water tankers have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to contain fugitive dust.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being carried out at various locations of the work zone area and a monitoring report for the period of reporting six monthly compliance is enclosed. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December,1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease. It is being ensured to make it operational and effective.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All the mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various
9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	other training programmes conducted by the State Government, recognized agencies, etc Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed as Annexure-3.
10	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed as Annexure-2. It is once again reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the

		beginning of the financial year.
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This as an operational mines hence this provision is not applicable.
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.
13	The project proponent shall submit six monthly report on the status of the compliance of the stipulated environmental Clearance conditions including results of monitoring data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Officer, Bhubaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneshwar, the respective Zonal Office of Central Pollution Control Board and State Pollution Control Board.	Duly submitted.
14	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Complied.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office. District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.

16	The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned Stated pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar by e-mail.	Submitted.
17	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubneshwar.	Complied. (Documents already submitted)



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028, Tel. +91 22 24370520 / 6672

E. ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

JANUARY TO MARCH 2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

HE CANOTE SO BAT



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

CONTENT

	LOCATION
Gio - 111	AMBIENT AIR QUALITY
1	Pakhar Plateau-Near Weigh Bridge
2	Pakhar Plateau- Pakhar (115.13 ha.) Quarry No. 4
3	Pakhar Plateau- Near Office
4	Pakhar Plateau- Pakhar Quarry (109.507 ha. Near Shed)
5	Pakhar Plateau Pakhar Mines(109.507 ha. Yatri Shed)
6	Pakhar Plateau- Pakhar Loading Area (109.507 ha.)
	NOISE LEVEL
1	Pakhar Near Office.
2	Pakhar Mine (115.13 ha.) Pakhar Plateau
3	Pakhar Mine (109.507 ha. Loading Area) Pakhar Plateau
4	Pakhar Mine (109.507 Ha Yatri Shed) Pakhar Plateau
5	Pakhar Quary (Near Shed)
	SPOT NOISE LEVEL
1	Near Poclain at Pakhar Mine (115.13 ha.)
2	Loading point near Dumper at Pakhar Mines (109.507 ha. Minerals & Minerals)
	DRINKING WATER
	Pakhar Mine-Near Canteen



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0140/2016-17

Sample described by customer; AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau-Near Weigh Bridge

Sample collected on: 26.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	63.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	39.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	32.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	41.2
05.	Ammonia (NH ₃)	μg/m³	400	12.1
06.	Ozone (O ₃)	μg/m³	180	17.2
07.	Carbon Monoxide (CO)	mg/m³	02	0.60
08.	Lead (Pb)	μg/m³	1.0	0.05
09.	Nickel (Ni)	ng/m³	20	8.9
10.	Arsenic (As)	ng/m³	06	2.95
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.18
12.	Benzo (a) Pyrene	μg/m ³	01	0.45

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0141/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: [harkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar (115.13 ha.) Quarry No. 4

Sample collected on: 26.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	66.4
02.	Particulate Matter (size less than 2.5 µm) PM _{2.5}	μg/m³	60	35.1
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	9.8
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	19.2
05.	Ammonia (NH ₃)	μg/m ³	400	12.9
06.	Ozone (O ₃)	μg/m³	180	14.3
07.	Carbon Monoxide (CO)	mg/m ³	02	0.50
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.9
10.	Arsenic (As)	ng/m³	06	2.4
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.10
12.	Benzo (a) Pyrene	μg/m³	01	0.52

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0142/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Pakhar Plateau-Near Office

Sample collected on: 26.03.2017

SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	60.4
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m ³	60	29.9
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	10.1
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	18.5
05.	Ammonia (NH ₃)	μg/m³	400	17.2
06.	Ozone (O ₃)	μg/m³	180	14.6
07.	Carbon Monoxide (CO)	mg/m³	02	0.4
08.	Lead (Pb)	μg/m³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.8
10.	Arsenic (As)	ng/m³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.1
12.	Benzo (a) Pyrene	μg/m ³	01	0.34

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Pulled to be to be

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail: mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0143/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar Quarry 109.507 ha. (Near Shed)

Sample collected on: 26.03.2017

SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	64.1
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	31.7
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	9.4
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	18.6
05.	Ammonia (NH ₃)	μg/m³	400	12.5
06.	Ozone (O ₃)	μg/m³	180	15.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.49
.80	Lead (Pb)	μg/m ³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.8
10.	Arsenic (As)	ng/m³	06	2.3
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.10
12.	Benzo (a) Pyrene	μg/m³	01	0.42

For Mahabal Enviro Engineers Pvt. Ltd.

amaz.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Report no: MEEPL/APRIL0144/2016-17

Date: 20th April, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar Quarry 109.507 ha. (Yatri Shed)

Sample collected on: 27.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	43.5
02.	Particulate Matter (size less than 2.5 µm) PM _{2.5}	μg/m³	60	27.8
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	9.9
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	20.1
05.	Ammonia (NH ₃)	μg/m³	400	12.7
06.	Ozone (O ₃)	μg/m³	180	16.1
07	Carbon Monoxide (CO)	mg/m³	02	0.49
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.8
10.	Arsenic (As)	ng/m³	06	2.3
11.	Benzene (C ₆ H ₆)	μg/m³	05	3.1
12.	Benzo (a) Pyrene	μg/m³	01	0.52

For Mahabal Enviro Engineers Pvt. Ltd.

Quan.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop]
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0145/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- 109.507 ha. Loading Area.

Sample collected on: 27.03.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	μg/m³	100	64.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	37.4
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	9.9
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	19.5
05.	Ammonia (NH ₃)	μg/m³	400	11.2
06.	Ozone (O ₃)	μg/m³	180	15.8
07.	Carbon Monoxide (CO)	mg/m³	02	0.52
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.6
10.	Arsenic (As)	ng/m³	06	2.7
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.13
12.	Benzo (a) Pyrene	μg/m³	01	0.50

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0146/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Near Office	dB (A) Leq	75	55.1	70	49.9	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

CONTO END PL

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0147/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (115.13 ha.)	dB (A) Leq	75	59.5	70	49.2	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West · 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0148/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 2703.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (109.507 ha. Loading Area)	dB (A) L _{eq}	75	60.3	70	38.6	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0149/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (109.507 ha. of Yatri Shed)	dB (A) L _{eq}	75	57.9	70	44.6	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0150/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Quary (Near Shed)	dB (A) Leq	75	52.9	70	47.1	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Ledens Hills boll 100 hills boll 100

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0151/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: **Measurement of Spot Noise** Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Dates
Near Poklen at Pakhar Mines (115.13 ha.)	dB (A) Leq	75	61.9	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

A PARTITION OF THE PROPERTY OF THE PARTITION OF THE PARTI

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West · 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0152/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 27.03.2017

Location/Identification	Unit	Limit (day)	Result	Dates
Pakhar Mines (109.507 ha. of Minerals & Minerals) Loading point near Dumper	dB (A) Leq	75	67.3	27.03.2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

POPULATION OF THE PROPERTY OF

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@qmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Date: 20th April, 2017

Report no: MEEPL/APRIL0153/2016-17

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: DRINKING WATER-POTABILITY Marks on Sample: Location: Near Canteen

Quantity: 5 L X 2 No. PVC Can Sample collected on:27.03.2017

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22nd Ed. 2012, 2120- B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste	125	Agreeable	Agreeable	IS 3025 (Part 7): 1983. Reaffirmed 2006
4	Turbidity	NTU	0.20	1 Max	APHA 22nd Ed. 2012, 2130- B, 2-13
5	рН	**	7.1	6.5-8.5	APHA 22 nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides (Residual)	mg/l	. <0.5	1 max	APHA 22 nd Ed. 2012, 4500- CI-G, 4-69
7	Total Dissolved Solids	mg/l	83	500 max	IS 3025 (Part 16): 1984. Reaffirmed 2006
8	Monochloramines	mg/l	<0.05	722	APHA 22nd Ed. 2012, 4500- CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22 nd Ed. 2012, 4500- CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	61	200 max	APHA 22 nd Ed. 2012, 4500- CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	67	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	8.1	250 max	APHA 22nd Ed. 2012, 4500 CI-b, 4-72
13	Sulphate (as SO4)	mg/l	3.9	200 max	APHA 22 nd Ed. 2012, 4500- so4-e, 4-190



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabairanchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Continuation Sheet MEEPL/APRIL0153/2016-17

Report no: MEEPL/APRIL0153/2016-17 Date: 20th Apri							
SI. No.	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method reference		
1.4	Nitrate (as NO3)	mg/l	1.01	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4 125		
15	Fluoride (as F)	mg/l	0.26	1 max	APHA 22 nd Ed. 2012, 4500-FB & D. 4- 84, 4-87		
16	Boron (as B)	mg/l	0.02	0.5 max	APHA 22nd Ed. 2012, 4500-BB, 4-25		
17	Calcium (as Ca)	mg/l	20.4	75 max	APHA 22nd Ed. 2012, 3500-Ca-8, 3-67		
18	Magnesium (as Mg)	mg/l	2.7	30 max	APHA 22nd Ed. 2012, 3500-Mg-B, 3-84		
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3-F, 4- 115		
20	Iron (as Fe)	mg/l	0.10	0.3 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22nd Ed. 2012, 3500-Al-B, 3-61		
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
27	Zinc (as Zn)	mg/l	0.10	5 max	APHA 22nd Ed. 2012, 3111-B, 3-18		
28	Arsenic (as As)	mg/l	0.006	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38		
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22nd Ed. 2012, 3112-B, 3-23		
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38		
31	Nickel (as Ni)	mg/l	<0.008	0.02 max	APHA 22 nd Ed. 2012, 3111-B, 3-18		
32	Mineral Oil	mg/I	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1		
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-CN.C & 4- 39 & 4-44		
34	Anionic detergents as MBAS	mg/l	< 0.1	0.2 max	APHA 22nd ED. 2012, 5540 C.C & 5-53		
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22nd ED. 2012, 5530-B & C 5- 4753		
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22nd ED. 2012, 6440, 6-93		
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082		
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-S2-C 4- 175 & F 4-178		



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

JAN. - MAR. 2017

Continuation Sheet MEEPL/JAN0153/2016-17

SI. No.	no: MEEPL/APRIL015				Date: 20th April, 201
31. NO.	rarameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	logical Analysis				
1	Total Colliforms	MPN/100mL	N.D	<1.1	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69 and 9-67
2	E-Coli	MPN/100mL	N.D	Absent	APHA 22nd Ed. 2012; 9221-B & C, 9-66, 9-69 and 9-76
	s Residues		hmme.		
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p-p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	y-HCH (Lindance)	μg/L	< 0.01	2	US EPA 508-1995
10	α –HCH	μg/L	< 0.01	0.01	US EPA 508-1995
11	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	6- HCH	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/l.	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/l.	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin N.D- Not Detected	μg/L	N.D	0.03	US EPA 508-1995

Conclusion : The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel. +91 22 24370520 / 6672

E ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

OCTOBER TO DECEMBER 2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

CONTENT

	LOCATION	
	AMBIENT AIR QUALITY	
1	Pakhar Plateau- Near Office	
2	Pakhar Plateau- Pakhar (115.13 ha.) Quarry No. 4	
3	Pakhar Plateau- Pakhar Quarry (109.507 ha. Near Shed)	
4	Pakhar Plateau Pakhar Mines (109.507 ha. Yatri Shed)	
5	Pakhar Plateau- Pakhar Loading Area (109.507 ha.)	
6	Pakhar Plateau-Near Weigh Bridge	
	NOISE LEVEL	
1	Pakhar Near Office.	
2	Pakhar Mine (115.13 ha.) Pakhar Plateau	
3	Pakhar Mine (109.507 ha. Loading Area) Pakhar Plateau	
4	Pakhar Mine (109.507 Ha Yatri Shed) Pakhar Plateau	
5	Pakhar Quary (Near Shed)	
	SPOT NOISE LEVEL	
1	Near Poclain at Pakhar Mine (115.13 ha.)	
2	Loading point near Dumper at Pakhar Mines (109.507 ha. Minerals & Minerals)	
	DRINKING WATER	
1	Pakhar Mine-Near Canteen	
	SURFACE WATER	
1	Pakhar Mine-115.13 Quarry	





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0167/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Pakhar Plateau-Near Office

Sample collected on: 29.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	65.2
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	32.2
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	26.2
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	38.5
05.	Ammonia (NH ₃)	μg/m³	400	18.9
06.	Ozone (O ₃)	μg/m³	180	19.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.43
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	5.3
10.	Arsenic (As)	ng/m³	06	2.72
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.1
12.	Benzo (a) Pyrene	μg/m³	01	0.34

For Mahabal Enviro Engineers Pvt. Ltd.

Jan-22.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Report no: : MEEPL/ JAN0168/2016-17

Date: 30th January, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar (115.13 ha.) Quarry No. 4

Sample collected on: 29.12.2016

LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar (115.13 ha.) Quarry No. 4					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	61.2	
02.	Particulate Matter (size less than 2.5 µm) PM _{2.5}	μg/m³	60	45.2	
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	20.1	
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	31.2	
05.	Ammonia (NH ₃)	μg/m³	400	12.5	
06.	Ozone (O ₃)	μg/m³	180	14.5	
07.	Carbon Monoxide (CO)	mg/m³	02	0.52	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	ng/m³	20	6.3	
10.	Arsenic (As)	ng/m³	06	2.71	
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.10	
12.	Benzo (a) Pyrene	μg/m³	01	0.52	

For Mahabal Enviro Engineers Pvt. Ltd.

G.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop] Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0169/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar Quarry 109.507 ha. (Near Shed)

Sample collected on: 29.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	62.2
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	33.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	20.4
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	41.2
05.	Ammonia (NH ₃)	μg/m³	400	12.5
06.	Ozone (O ₃)	μg/m³	180	18.5
07.	Carbon Monoxide (CO)	mg/m³	02	0.52
08.	Lead (Pb)	μg/m³	1.0	0.04
09.	Nickel (Ni)	ng/m³	20	6.5
10.	Arsenic (As)	ng/m³	06	2.89
11.	Benzene (C ₆ H ₆)	μg/m ³	05	2.10
12.	Benzo (a) Pyrene	μg/m³	01	0.42

For Mahabal Enviro Engineers Pvt. Ltd.

Gunz.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0170/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar Quarry 109.507 ha. (Yatri Shed)

Sample collected on: 29.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	43.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	27.8
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	23.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	36.8
05.	Ammonia (NH ₃)	μg/m³	400	12.5
06.	Ozone (O ₃)	μg/m³	180	19.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.62
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	7.3
10.	Arsenic (As)	ng/m³	06	2.89
11.	Benzene (C ₆ H ₆)	μg/m³	05	3.3
12.	Benzo (a) Pyrene	μg/m³	01	0.52

For Mahabal Enviro Engineers Pvt. Ltd.

Quaz.

Vijay Pandey

SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0171/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- 109,507 ha. Loading Area.

Sample collected on: 29.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	64.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	41.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	26.8
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	41.2
05.	Ammonia (NH ₃)	μg/m³	400	10.2
06.	Ozone (O ₃)	μg/m³	180	15.9
07.	Carbon Monoxide (CO)	mg/m³	02	0.52
08.	Lead (Pb)	μg/m³	1.0	0.04
09.	Nickel (Ni)	ng/m³	20	8.4
10.	Arsenic (As)	ng/m³	06	3.00
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.15
12.	Benzo (a) Pyrene	μg/m³	01	0.50

For Mahabal Enviro Engineers Pvt. Ltd.

James .

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0172/2016-17

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: |harkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau-Near Weigh Bridge

Sample collected on: 29.12.2016

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁₀	μg/m³	100	63.5
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	μg/m³	60	39.5
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	32.5
04.	Nitrogen Dioxide (NO ₂)	μg/m³	80	41.2
05.	Ammonia (NH ₃)	μg/m³	400	12.1
06.	Ozone (O ₃)	μg/m³	180	17.2
07.	Carbon Monoxide (CO)	mg/m ³	02	0.60
08.	Lead (Pb)	μg/m³	1.0	0.05
09.	Nickel (Ni)	ng/m³	20	8.9
10.	Arsenic (As)	ng/m³	06	2.95
11.	Benzene (C ₆ H ₆)	μg/m³	05	2.18
12.	Benzo (a) Pyrene	μg/m³	01	0.45

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0173/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 29.12.2016

Analyse Date: 30.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Near Office	dB (A) L _{eq}	75	53.5	70	47.8	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandev

SENIOR EXECUTIVE

OR REACHION



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0174/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 29.12.2016 Analyse Date: 30.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (115.13 ha.)	dB (A) Leq	75	59.8	70	49.1	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

September 19 PM



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0175/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: **29.12.2016**Analyse Date: **30.12.2016**

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (109.507 ha. Loading Area)	dB (A)	75	61.8	70	36.2	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0176/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 29.12.2016 Analyse Date: 30.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Mines (109.507 ha. of Yatri Shed)	dB (A) Leq	75	53.5	70	43.5	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0177/2016-17

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 29.12.2016 Analyse Date: 30.12.2016

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Pakhar Quary (Near Shed)	dB (A) Leq	75	52.5	70	44.5	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January, 2017

Report no: : MEEPL/ JAN0178/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 29.12.2016 Analyse Date: 30.12.2016

Location/Identification	Unit	Limit (day)	Result	Dates
Near Poklen at Pakhar Mines (115.13 ha.)	dB (A) L _{eq}	75	61.5	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Particol Par



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Date: 30th January . 2017

Report no: : MEEPL/ JAN0179/2016-17

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: **29.12.2016**Analyse Date: **30.12.2016**

Location/Identification	Unit	Limit (day)	Result	Dates
Pakhar Mines (109.507 ha. of Minerals & Minerals) Loading point near Dumper	dB (A) L _{eq}	75	64.5	29.12.2016

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Report no: : MEEPL/ JAN0180/2016-17

Date: 30th January, 2017

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: DRINKING WATER-POTABILITY Marks on Sample: Location: Near Canteen

Quantity: 5 L X 2 No. PVC Can Sample collected on:29.12.2016

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 nd Ed. 2012, 2120- B, 2-6
2	Odour	150	Agreeable	Agreeable	IS 3025 (Part 7): 1983. Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983. Reaffirmed 2006
4	Turbidity	NTU	0.20	1 Max	APHA 22 nd Ed. 2012, 2130- B, 2-13
5	pH		7.0	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22nd Ed. 2012, 4500- CI-G, 4-69
7	Total Dissolved Solids	mg/l	80	500 max	IS 3025 (Part 16): 1984. Reaffirmed 2006
Н	Monochloramines	mg/l	<0.05	\$ -	APHA 22nd Ed. 2012, 4500- CIG, 4-69
9	Dichioramines	mg/l	<0.05	##	APHA 22 nd Ed. 2012, 4500 CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	65	200 max	APHA 22nd Ed. 2012, 4500- CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	70	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	10.5	250 max	APHA 22 nd Ed. 2012, 4500- Cl-b, 4-72
13	Sulphate (as SO4)	mg/l	4.0	200 max	APHA 22nd Ed. 2012, 4500- so4-e, 4-190





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmall.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Continuation Sheet MEEPL/JAN0180/2016-17

Repor	t no: : MEEPL/ JAN0180/2		T		Date: 30th January, 2017
SI. No.	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method reference
14	Nitrate (as NO3)	mg/l	1.05	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4- 125
15	Fluoride (as F)	mg/l	0.35	1 max	APHA 22 nd Ed. 2012, 4500-FB & D. 4- 84, 4-87
16	Boron (as B)	mg/l	0.08	0.5 max	APHA 22nd Ed. 2012, 4500-BB, 4-25
17	Calcium (as Ca)	mg/l	25.6	75 max	APHA 22nd Ed. 2012, 3500-Ca-B, 3-67
18	Magnesium (as Mg)	mg/l	5.0	30 max	APHA 22nd Ed. 2012, 3500-Mg-B, 3-84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3-F, 4- 115
20	Iron (as Fe)	mg/l	0.15	0.3 max	APHA 22nd Ed. 2012, 3111-B, 3-18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22nd Ed. 2012, 3500-Al-B, 3-61
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22nd Ed. 2012, 3111-B, 3-18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18
27	Zinc (as Zn)	mg/l	0.16	5 max	APHA 22nd Ed. 2012, 3111-B, 3-18
28	Arsenic (as As)	mg/l	0.007	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22nd Ed. 2012, 3112-B, 3-23
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38
31	Nickel (as Ni)	mg/l	< 0.008	0.02 max	APHA 22nd Ed. 2012, 3111-B, 3-18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-CN C & 4- 39 & 4-44
34	Anionic detergents as MBAS	mg/l	< 0.1	0.2 max	APHA 22nd ED. 2012, 5540-C.C & 5-53
3,5	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 nd ED. 2012, 5530-B & C 5- 4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22 nd ED, 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-S2-C 4- 175 & F 4-178





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Continuation Sheet MEEPL/JAN0180/2016-17

Sl. No.	Parameters	Unit	[n]		ate: 30th January, 201
		Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	logical Analysis				1.10
1	Total Colliforms	MPN/100mL	N.D	<1.1	APHA 22nd Ed. 2012, 9221-B & C. 9-66, 9-69 and 9-67
2	E-Coli	MPN/100mL	N.D	Absent	APHA 22nd Ed. 2012. 9221-B & C. 9-66, 9-69 and 9-76
	s Residues		-		1 3/1/4
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	µg/L	N.D	1	US EPA 508-1995
5	p.p DDE	µg/L	N.D	1	US EPA 508-1995
6	o.p DDE	µg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
ŋ	γ-HCH (Lindance)	μg/L	< 0.01	2	US EPA 508-1995
10	α-HCH	μg/L	< 0.01	0.01	US EPA 508-1995
11	β-нсн	μg/L	N.D	0.04	US EPA 508-1995
12	F- HCH	µg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	µg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	11	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/l.	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/l.	N.D	0.03	US EPA 508-1995
26	Dieldrin N.D- Not Detected	μg/L	N.D	0.03	US EPA 508-1995

Conclusion : The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

the Kayeri IV



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Report no: : MEEPL/ JAN0181/2016-17

Date: 30th January, 2017

Sample described by customer: SURFACE WATER - POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: SURFACE WATER

Marks on Sample: Location: 115.13 Quarry

Quantity: 5 L X 2 No. PVC Can Sample collected on:29.12.2016

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 nd Ed. 2012, 2120- B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste	72	Agreeable	Agreeable	IS 3025 (Part 7): 1983. Reaffirmed 2006
1	Turbidity	NTU	0.30	1 Max	APHA 22 nd Ed. 2012, 2130- B, 2-13
5	рН		6.8	6.5-8.5	APHA 22 nd Ed. 2012, 4500- H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22nd Ed. 2012, 4500- CI-G, 4-69
7	Total Dissolved Solids	mg/l	124	500 max	IS 3025 (Part 16): 1984. Reaffirmed 2006
8	Monochloramines	mg/l	<0.05	F	APHA 22nd Ed. 2012, 4500- CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500- CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	70	200 max	APHA 22nd Ed. 2012, 4500- CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	82	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	8.2	250 max	APHA 22 nd Ed. 2012, 4500- CI-b, 4-72
13	Sulphate (as SO4)	mg/l	7.0	200 max	APHA 22 nd Ed. 2012, 4500- so4-e, 4-190





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Continuation Sheet MEEPL/JAN0181/2016-17

SI. No.	t no: : MEEPL/ JAN0181/2 Parameters		T		Date: 30th January, 2017
		Unit	Result	Acceptable Limit (IS10500:2012)	Method reference
14	Nitrate (as NO3)	mg/l	1.20	45 max	APHA 22nd Ed. 2012, 4500-NO3-E, 4- 125
15	Fluoride (as F)	mg/l	0.3	1 max	APHA 22 nd Ed. 2012, 4500-FB & D. 4-84, 4-87
16	Boron (as B)	mg/l	0.23	0.5 max	APHA 22nd Ed. 2012, 4500-BB, 4-25
17	Calcium (as Ca)	mg/l	18.9	75 max	APHA 22nd Ed. 2012, 3500-Ca-B. 3-67
18	Magnesium (as Mg)	mg/l	5.2	30 max	APHA 22nd Ed. 2012, 3500-Mg-B, 3-84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3-F, 4- 115
20	Iron (as Fe)	mg/l	0.10	0.3 max	APHA 22nd Ed. 2012, 3111-B, 3-18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22nd Ed. 2012, 3111-B, 3-18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22nd Ed. 2012, 3500-Al-B, 3-61
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22nd Ed. 2012, 3111-B, 3-18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22nd Ed. 2012, 3111-B, 3-18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18
27	Zinc (as Zn)	mg/l	0.15	5 max	APHA 22nd Ed. 2012, 3111-B, 3-18
28	Arsenic (as As)	mg/l	< 0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22nd Ed. 2012, 3112-B, 3-23
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22nd Ed. 2012, 3114-B, 3-38
31	Nickel (as Ni)	mg/l	<0.008	0.02 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-CN.C & 4- 39 & 4-44
34	Anionic detergents as MBAS	mg/l	< 0.1	0.2 max	APHA 22nd ED. 2012, 5540-C.C & 5-53
35	Phenolic compounds (as C6H5OH)	mg/I	N.D	0.001 max	APHA 22nd ED. 2012, 5530-B & C 5- 4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22nd ED. 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22nd ED. 2012, 4500-S2-C 4- 175 & F 4-178





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring Report

OCT-DEC 2016

Continuation Sheet MEEPL/JAN0181/2016-17

Sl. No.	Parameters	Unit	Result	Acceptable Limit	ate: 30th January , 201 Method Reference
300000000000000000000000000000000000000		37113	Result	(IS 10500:2012)	Method Reference
Microbio	logical Analysis				***************************************
1	Total Colliforms	MPN/100mL	N.D	<1.1	APHA 22 nd Ed. 2012, 9221-B & C. 9-66, 9-69 and 9-67
2	E-Coli	MPN/100mL	N.D	Absent	APHA 22 nd Ed. 2012, 9221-B & C. 9-66, 9-69 and 9-76
Pesticide	es Residues				
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	μg/L	< 0.01	2	US EPA 508 1995
10	α-HCH	μg/L	< 0.01	0.01	US EPA 508-1995
11	β-нсн	μg/L	N.D	0.04	US EPA 508-1995
12	B- HCH	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	- 3	US EPA 8141A-1994
20	Malathion	μg/l.	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	µg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/l.	N.D	0,03	US EPA 508-1995
26	Dieldrin N.D- Not Detected	μg/L	N.D	0.03	US EPA 508-1995

Conclusion: The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

The Report of the Park of the

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2016-17

The composite cost during the year 2016-17 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Rupees) FY 2016-17	Actual (in Rupees) FY 2016-17 (from April'16 to Sep'2016)	Actual (in Rupees) FY 2016-17 (from April'16 to March'2017)
1	Pollution Control & Environment monitoring	1540000.00	574975.50	1674221.50
2	Reclamation/ Back filing & Rehabilitation**	4000000.00	33837173.00	74355537.00
3	Green belt, Plantation & Water spraying arrangement	2100000.00	2051751.00	6821323.50
4	Rural Development	2000000.00	10244807.32	21404308.19

^{**}Part of OB removed cost.

(B.K. Mahapatra)

Convenor (Quality & Environment)

Date: 05.09.16

Office Order

Environmental Cell has been re-constituted at Pakhar Bauxite Mines (Area 109.507 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Jitendra Kumar Singh-Mines Manager (Coordinator)
- 2. Mr. Sanjeev (CSR Dept)-Member
- 3. Mr. Amlendu Singh (Fore man)-Member
- 4. Mr. Mangaleshwar Kisan (Mining Mate)-Member

(B.K. Mahapatra)

(5) a halala

Convenor (Quality & Environment)

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-16 to March-17

NAME OF THE MINES	NAME OF THE MINES MINING LEASE AREA (IN HA)	MINED OUT AREA (HA)	BACK FILLED AREA (HA)	PRODUCTION (In MT)	OVERBURDEN (In Cu.M)
Shrengdag Bauxite	155.81	5.87	5.10	258487.00	413395.00
Gurdari Bauxite Mines	584.19	12.94	10.63	324200.00	428811.00
Jalim & Sanai	12.14	1.04	0.45	44624.00	36500.00
Serangdag	140.06	00:00	00.00	00.00	0.00
Pakhar Buxite Mines	115.13	3.90	3.40	282190.00	370111.00
Pakhar Buxite Mines	8.09	00.00	0.00	0.00	00:00
Kujam-l	80.87	4.52	4.05	148770.00	272334.00
Kujam-II	157.38	8.30	7.85	294830.00	572328.00
Amtipani	190.95	6.61	5.91	149450.00	282375.00
Chiro-Kukud	152.57	3.09	2.03	87570.00	154928.20
Orsa Bauxite Mines	196.36	0.00	0.00	0.00	0.00
Hisri New	14.55	1.77	1.27	00.80986	09206
Bhusar	65.31	0.68	1.38	171961.00	51545.00
Bagru	75.41	00:00	00:00	0.00	0.00
Minerals & Minerals Limited	mited				
Pakhar Buxite Mines	109.51	3.78	3.28	277220.00	414676.00
Pakhar Buxite Mines	15.58	00.00	0.00	00.00	0.00
Bimarla Bauxite Mines	134.53	5.47	2.61	112730.00	135260 64

(8.K. Mahapatra) Convenor (Quality & Environment) Monitored water level (FY 2016-17)

Outside Mt Insic 27.30 26.50 29.90 35.15 30.15 25.15 30.15 36.25 36.25		ī		Monsoo	Monsoon (July-Sep)	Post Mons	Post Monsoon (November)	Winter	Winter (January)	Pre Mons	Pre Monsoon (April-May)
905 Open Well 2132 22.70 Open Well 24.38 24.56 Open Well 29.00 Ope	Location (Mines)	Elevation (Mtr.)		Inside ML	Outside ML	Inside ML	Outside ML		Outside MI	Incide MI	Manual Indian
But (Histinew, 1915) Open Well (Job Open Well Into Open		905	Open Well		21.32		22.70		27.30		
USBATE Open Well 22.81 24.75 26.50 USBATE Open Well 22.81 33.15 35.15 903 Open Well 22.81 33.15 36.15 1000 Open Well 24.93 33.15 35.15 1000 Open Well 24.93 33.65 36.25 1507.15.8-8, 1083 Hand Pump 35.35 31.60 34.20 35.45 1507.15.8-8, 1083 Hand Pump 33.00 33.50 36.25 36.15 35.45 155 R ha Hand Pump 33.00 27.50 35.00 36.10 36.10 310 Hand Pump 27.75 26.25 29.10 36.10 36.10 105 Hand Pump 27.75 26.25 29.10 36.50 36.50 105 Hand Pump 27.75 26.25 29.10 36.10 36.15 105 Hand Pump 27.90 26.75 29.10 36.50 36.50 105 Hand Pump 27.		910	Open Well		24.38		34 56		27.30		29.10
100 Open Well 2510 S843 S950 S9515	Bagru Plateau (Hisri new.	915	Onder Mall	-	0000		06.47		76.50		27.40
1000 Open Well 20.15 S.15 S	Backet & Bhirth	000	Open well		29.00		28.43		29.90		31.35
1000 Open Well 20.15 3	pagin & prinsar		Open Well		22.81		33.15		35 15		05.35
1000 Open Well 24.93 32.65 31.60 34.2 35.15 35.45 35.65 31.60 34.2 36.15 35.45 32.65 32.			Open Well		20.15		28.72		20.00		35.70
Of Mines 1507.15.58.8 1083 Hand Pump 35.35 31.60 31.60 34.2 30.15 150.15.81 ha, 1027 Open Well 25.80 28.40 42.60 30.15 155.81 ha, 1027 Open Well 33.00 27.75 28.20 42.00 30.10 155.81 ha, 1081 Hand Pump 39.60 27.75 28.20 29.10 1066 Hand Pump 27.75 26.25 29.10 30.10 1075 Hand Pump 28.30 27.75 28.40 25.20 30.10 1075 Hand Pump 28.30 27.75 28.40 25.20 25.50 1075 Hand Pump 28.30 26.75 28.40 30.20 25.50 1075 Hand Pump 28.30 26.75 28.40 30.20 25.50 1075 Hand Pump 28.30 27.70 30.20 30.20 1075 Hand Pump 28.30 27.70 29.30 30.20 25.50 1075 Hand Pump 28.30 27.80 30.20 30.20 1075 Hand Pump 33.60 29.30 30.20 30.20 30.10 1076 Hand Pump 33.60 33.60 36.70 36.70 30.10 1148 Hand Pump 37.60 33.85 28.60 36.70 36.70 30.70 1151 Hand Pump 37.60 33.15 36.70 1151 Hand Pump 37.60 33.15 36.70 30.70 1151 Hand Pump 37.60 30.70 30.70 1151 Hand Pump 37.60 30.70 30.70 11			Open Well		24 93		33.55		50.15		30.25
1507,15,5,8,8 1083 Hand Pump 35,35 31,60 34,2 35,45 1054 Hand Pump 41,74 25,80 39,55 42,60 42,85 15,81 ha, 1054 Hand Pump 39,60 31,30 41,10 42,10 10,60 Ha, 106 Hump 33,00 27,75 26,25 29,10 30,10 10,61 Hand Pump 29,30 27,70 26,55 29,00 30,50 10,61 Hand Pump 28,30 27,70 26,55 29,00 30,50 10,61 Hand Pump 28,30 24,90 25,20 36,25 10,62 Hand Pump 28,30 24,90 25,20 25,90 10,63 Hand Pump 38,10 36,15 36,25 28,40 25,90 10,75 Hand Pump 27,30 26,75 28,40 36,20 36,25 10,75 Hand Pump 33,50 29,30 36,20 36,20 36,20 10,40 Open Well 33,50	Pakhar Gr. Of Mines						60.77		25.15		25.85
1027 Open Well 25.80 28.40 30.15 35.45 155.81 ha, 156.1 Hand Pump 41.74 39.55 28.40 42.60 42.85 150.1 Hand Pump 39.60 31.30 41.10 42.10 42.10 140.06 Ha, 1055 Hand Pump 27.75 26.25 29.10 35.50 36.15 106. Hand Pump 29.30 27.70 29.90 30.10 30.10 105. Hand Pump 28.30 24.90 25.20 25.90 36.25 105. Hand Pump 27.90 26.75 28.40 36.15 36.25 1075 Hand Pump 28.30 29.30 21.85 36.15 36.15 1075 Hand Pump 28.30 29.30 21.85 36.15 36.15 1075 Hand Pump 21.50 29.30 21.85 36.25 36.16 1040 Open Well 31.50 28.60 36.10 36.25 24.00 1054	- 1		Hand Pump	35.35		31.60		34.2	111		
155.81 Hay Hand Pump 41.74 39.55 60.50 42.60 42.85 155.81 Hay Hand Pump 39.60 31.30 41.10 42.10 42.10 31 Hand Pump 27.75 26.25 29.10 41.10 42.10 31 Hand Pump 27.75 26.25 29.10 30.10 31 Hand Pump 29.30 27.70 29.90 30.10 31 Hand Pump 28.30 24.90 25.20 25.90 31 Hand Pump 27.90 26.75 28.40 25.50 30 Hand Pump 28.30 24.90 25.20 25.90 30 Hand Pump 28.30 26.75 28.40 25.50 30 Doen Well 33.50 26.75 28.40 25.65 30 Doen Well 33.50 26.75 24.80 36.15 36.15 30 Doen Well 33.60 26.75 24.80 36.25 26.60	Choropadae Distant		Open Well				79.40	7.10		35.45	
155.81 ha, in the pump 1681 Hand Pump 35.55 42.65 42.85 ai) 1055 Hand Pump 33.00 27.50 35.50 35.65 ai) 1065 Hand Pump 27.75 26.25 29.00 30.10 1061 Hand Pump 28.30 24.90 25.20 30.50 1061 Hand Pump 28.30 24.90 25.20 30.50 1059 Hand Pump 28.30 26.75 28.40 25.90 1075 Hand Pump 28.30 26.75 28.40 25.90 1075 Hand Pump 28.30 26.75 28.40 25.65 1075 Hand Pump 28.30 29.30 30.20 25.65 1040 Open Well 33.55 24.80 36.15 30.15 1041 Open Well 33.55 24.80 36.16 42.00 1052 Hand Pump 32.35 28.60 24.60 24.00 1054 Hand Pump			Hand Pumn	AT 7A		11.00	04.07		30.15		31.35
190 GHA, 1054 Hand Pump Information 33.60 31.30 41.10 42.10 11055 Hand Pump Information 27.75 26.25 29.10 36.16 1066 Hand Pump Information 27.75 26.25 29.10 30.10 1045 Hand Pump Information 28.30 24.90 25.20 25.90 1059 Hand Pump Information 28.30 24.90 25.20 25.90 1075 Hand Pump Information 27.90 26.75 28.40 25.50 1075 Hand Pump Information 27.90 26.75 28.40 25.65 1040 Open Well Information 28.30 29.30 21.85 36.15 1041 Open Well Information 33.65 24.80 36.16 42.00 1052 Hand Pump Information 22.35 28.60 36.10 42.00 1052 Hand Pump Information 33.40 28.30 21.05 36.20 1151 Hand Pump Information 37.60 35.50 35.50				47.74		39.55		42.60		42.85	
ai) Hand Pump 33.00 27.50 35.50 35.65 1066 Hand Pump 27.75 26.25 29.10 30.10 1045 Hand Pump 29.30 27.70 29.90 30.50 1061 Hand Pump 28.30 24.90 25.20 25.90 1059 Hand Pump 27.90 26.75 28.40 25.50 1075 Hand Pump 27.90 26.75 28.40 29.65 1070 Open Well 33.90 21.85 36.15 36.15 1040 Open Well 33.65 24.80 36.16 42.00 1054 Hand Pump 31.50 28.60 36.10 42.00 1054 Hand Pump 33.40 28.30 24.60 36.10 1148 Hand Pump 37.60 36.20 36.00 1151 Hand Pump 37.60 36.00 36.00			Hand Pump	39.60		31.30		41.10		42.10	
1066 Hand Pump 27.75 26.25 29.10 35.03 1045 Hand Pump 29.30 27.70 29.90 30.10 1061 Hand Pump 28.30 24.90 25.20 25.50 1059 Hand Pump 27.90 26.75 28.40 25.50 1075 Hand Pump 27.90 26.75 28.40 29.65 1070 Dpen Well 28.30 29.30 30.20 30.20 1040 Open Well 33.65 24.80 36.15 42.00 nes 1064 Hand Pump 33.65 24.80 36.15 42.00 1052 Hand Pump 22.35 28.60 24.60 36.10 42.00 1148 Hand Pump 37.60 36.20 36.00 36.00 1151 Hand Pump 37.60 36.00 36.00 36.00 1084 Hand Pump 34.20 33.15 35.60 36.00			Hand Pump	33.00		27.50		35 50		35 55	
1045 Hand Pump 29:30 27:70 29:40 30:10 1061 Hand Pump 28:30 27:70 29:90 30:50 1059 Hand Pump 28:30 26.75 28:40 25:90 1075 Hand Pump 27:90 26.75 28:40 29:65 1075 Hand Pump 28:30 29:30 29:30 30:20 29:65 1040 Open Well 33:40 29:30 29:30 36:10 30:15 nes 1041 Open Well 33:45 24:80 36:10 42:00 nes Hand Pump 31:50 28:30 21:05 24:60 42:00 1151 Hand Pump 37:60 38:30 36:20 36:20 36:00 1084 Hand Pump 34:20 33:15 36:00 36:00 36:00			Hand Pump	27.75		26.25		20 10		20.00	
1061 Hand Pump 28.30 24.90 25.20 25.50 1059 Hand Pump 38.10 36.15 35.15 36.25 1075 Hand Pump 27.90 26.75 28.40 25.65 1075 Hand Pump 28.30 26.75 26.75 36.25 1040 Open Well 33.90 29.30 36.26 36.15 nes 1041 Open Well 33.65 24.80 36.16 42.00 nes 1064 Hand Pump 22.35 28.60 36.10 42.00 1052 Hand Pump 33.40 28.30 21.05 24.60 37.45 1151 Hand Pump 37.60 36.20 36.20 36.00 1084 Hand Pump 34.20 33.15 36.00 36.00			Hand Pump	29.30		07.70		07.62		30.10	
1059 Hand Pump 26.30 24.90 25.20 25.90 1059 Hand Pump 38.10 36.15 35.15 36.25 1075 Hand Pump 27.90 26.75 28.40 29.65 1075 Hand Pump 28.30 29.30 21.85 36.26 1040 Open Well 33.90 24.80 36.15 30.15 nes 1064 Hand Pump 31.50 28.60 36.10 42.00 1052 Hand Pump 22.35 28.30 21.05 24.60 42.00 1148 Hand Pump 37.60 31.80 36.20 36.00 1151 Hand Pump 34.20 33.15 35.60			Hand Drimo	00.00		2000		29.30		30.50	
Indicator Umpp 38.10 36.15 35.15 36.25 42.00 36.25 42.00			Tand rump	26.30		24.90		25.20		25.90	
1075 Hand Pump 27.90 26.75 28.40 29.65 1075 Hand Pump 28.30 29.30 30.20 30.20 30.15 1040 Open Well 33.90 21.85 35.15 36.15 42.00 nes 1064 Hand Pump 22.35 28.60 36.10 42.00 1152 Hand Pump 33.40 28.30 34.20 36.20 36.20 1151 Hand Pump 37.60 31.80 36.20 36.00 36.00 1084 Hand Pump 34.20 33.15 35.50 36.00 36.00			Hand Pump	38.10		36.15		35.15		36.25	
Interview of the month of the mont			Hand Pump	27.90		26.75		28.40		20 60	
am II & 1040 Open Well Open Well 33.90 21.85 35.15 35.15 nes 1041 Open Well Op			Hand Pump	28.30		29.30		30.20		20.02	
mes 1041 Open Well 33.65 24.80 36.15 36.25 nes 1064 Hand Pump 22.35 28.60 36.10 42.00 1148 Hand Pump 33.40 28.30 34.20 37.45 1151 Hand Pump 37.60 31.80 36.20 36.00 1084 Hand Pump 34.20 33.15 35.60 36.00	521		Open Well		33.90		21.85		35 15	20.13	
nes 1064 Hand Pump 31.50 28.60 36.10 30.23 1052 Hand Pump 22.35 28.60 21.05 24.60 1148 Hand Pump 33.40 28.30 34.20 37.45 1151 Hand Pump 37.60 31.80 36.20 36.00 1084 Hand Pump 34.20 33.15 35.60 36.00	∞ŏ		Open Well		33.65		24.80		25.25		36.65
1052 Hand Pump 22.35 20.05 35.10 42.00 1148 Hand Pump 33.40 28.30 34.20 37.45 1151 Hand Pump 37.60 31.80 36.20 36.00 1084 Hand Pump 34.20 33.15 35.60 36.00			Hand Pump				200	0. 75	30.23		39.35
1148 Hand Pump 33.40 28.30 34.20 37.45 1151 Hand Pump 37.60 31.80 36.20 36.00 1084 Hand Pump 34.20 33.15 35.60 36.00			dand Dumn	33.35				36.10		42.00	
1148 Hand Pump 33.40 28.30 34.20 37.45 1151 Hand Pump 37.60 31.80 36.20 36.00 1084 Hand Pump 34.20 33.15 35.50 36.00			din o	22.33			21.05		24.60		23.50
1151 Hand Pump 37.60 31.80 36.20 1084 Hand Pump 34.20 33.15 35.60			Tand Pump	33.40	2	8.30		34.20		37.45	
Hand Pump 34.20 33.15 35.60			land Pump	37.60	m	11.80		36.20		36.00	
			fand Pump	34.20	3	3.15		35.60		30.00	

(B.K. Mahapatra) Convenor (Quality & Environment)