MINERALS & MINERALS LIMITED

Regd. Office P.O. & Dist. – Lohardaga (Jharkhand) PIN – 835302 Phone: 06526-224016, 224112, FAX: 06526-224118

Ref No: M&M/LHD/JP (M)/MoEF/ 958

Date: 25.11.14

To,
Mr S Kerketta
Joint Director(S)
MoEF,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar-751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (15.58 ha) Bauxite Mining project of M/s Minerals & Minerals Limited located in Lohardaga, Jharkhand for the period April 14 to Sep 14.

Ref: Environmental Clearance letter no J-11015/123/2006-IA II (M) dated 24th January 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar (15.58 ha)** Bauxite Mining project of M/s Minerals & Minerals Limited, located in Lohardaga, Jharkhand for the period **April 14 to Sep 14**.

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR Minerals & Minerals Limited

(Bijesh Kumar Jha)
Joint President (Mines)

(6)

Enclosure: - As Above

Compliance of conditions laid down in Environmental Clearence PAKHAR BAUXITE MINES(15.58 Ha) MINERALS & MINERALS LTD.

Period: April'14 - Sep'14

J-11015/123/2006-IA.II(M) Dated 24.01.2007

Sl No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementations of the stipulated condition are fulfilled.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	State Govt, after due consideration and
3	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Shallow depth mining is being carried out. Ground water table level is far below. Hence there will be no intersecting of the ground water table due to mining activities.
4	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation.	It is being ensured .No natural water course is obstructed during mining.
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Sequential backfilling and reclamation of the mined out area are being practiced during mining operation. Whenever backfilling will be done to the mined out area, Top soil is being used for backfilling to reclaim and restore the
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis.	damage area up to the extent possible. Sequential backfilling and reclamation of the mined out area are being exercised during mining operation. Whenever backfilling will be done to the mined out area, subsoil will be used for backfilling to reclaim and restore the damage area up to the extent possible until vegetation come. Backfill data is Annexured.

7	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	
8	Plantation shall be raised in an area of 6.98ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Being complied.
9	The project proponent shall ensure that there shall be no discharge from the mine.	Being adhered to.
10	The Project proponent shall carry out regular monitoring of spring discharge and its quality near Pakhar village on long term basis.	Monitoring is being carried out by recognized agency.
11	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan is drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for his further suggestions. Recommendation of CGWB shall be implemented to augment the ground water resources of the area. Copy of letter already submitted along with the plan.
12	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new	It is being monitored. Report enclosed.

	minmousters 1 to 11 to 1	
	piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	
13	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	monthly basis to State Pollution Control Board.
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	To keep vehicular emissions in control, company vehicles are periodically checked and repaired as and when required. All the transporters have been instructed to obtain PUC for their vehicles from the competent authority and submit to the concerned officer for verification.
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period i.e. 12.00 Noon to 1.00
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal of production enhancement.
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine; hence ETP has not been installed. The sewage water from domestic uses is being collected through individual Septic Tank and Soak Pits. Sullage is collected to an integrated soak pit.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for	Action plan for conservation of flora and fauna spotted in the study area was prepared after due consultation with the local DFO and a copy of the same has already been submitted to the DFO for his comments, any suggestion and modification. On receipt of the same after vetting of State Forest Department,

	implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	MoEF
20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	dully approved by Indian Bureau of

GENERAL CONDITIONS

S1 No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of Over Burden and Bauxite is being done as per the approved calendar plan. Details of excavation, quantum of mineral, OB, etc have been furnished for the financial year 2014-15 as Annexure.
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Complied. Monitoring Reports is enclosed as Annexure .
4	Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Complied. Monitoring Reports is enclosed as Annexure.
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water tankers have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to arrest fugitive dust emission. Water spraying at dust prone area is also being done.

6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being done at various locations of the work zone area. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease. It is being ensured to make it operational and effective as and when required.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All the mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas.
		Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the State Government, recognized agencies, etc
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed.
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Not applicable. The mine is running since 1976
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed as Annexure It is once again reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the beginning of the financial year.
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should	Agreed.

	extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	
13	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
14	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
15	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copies of the advertisement made in the local newspapers, have already been submitted to the Regional Office.



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

SI	Description	Budget (in Lakh Rupees)	Actual (in Lakh Rupees)
No		FY 2014-15	FY 2014-2015
			(from April'14 to Sep'14)
1	Pollution Control & Environment monitoring	5.50	6.00
2	Reclamation/ Back filing & Rehabilitation	42.50	36.00
3	Green belt & Plantation	60.03	54.46
4	Rural Development	85.29	111.37

^{**}Part of OB removed cost.

Convener

Environment Management Cell Hindalco Industries Limited

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO SEP-14

SL	Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)
Н	Shrengdag Bauxite Mines	155.81	7.80	4.80	105050
2 (2 Gurdari Bauxite Mines	584.19	22.10	11.80	168585
ω	3 Jalim & Sanai	12.14	0.70	0.30	5311
4 9	Serangdag	140.07	2.00	0.50	31650
5	5 Pakhar Buxite Mines	115.13	3.69	1.50	137290
6	6 Pakhar Buxite Mines	8.09	0.00	0.00	0.00
7 1	Pakhar Buxite Mines	38.95	0.00	0.00	0.00
∞	8 Kujam-l	80.87	4.15	3.46	37960
9 1	9 Kujam-II	157.38	13.84	12.75	104325
10 /	10 Amtipani	190.95	4.03	3.26	93330
11 (11 Chiro-Kukud	152.57	3.95	6.42	17584
12 (12 Orsa Bauxite Mines	196.36	0.00	0.00	0.00
13 H	13 Hisri New	14.55	1.29	0.65	54529
14 [14 Bagru	75.41	0.00	0.00	0.00
15 E	Bhusar	65.31	0.94	1.50	82032
	Minerals & Minerals Limited				
16 F	16 Pakhar Buxite Mines	109.507	4.21	3.51	183605
17 F	17 Pakhar Buxite Mines	15.58	0.30	0.20	31175
18 E	18 Bimarla Bauxite Mines	134.526	0.00	0.00	0.00

						Fig in meter
			3	Monsoon 2014	Post Mon	Post Monsoon 2014
Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML
	905	Open Well		21.72		24.15
	910	Open Well		24.30		24.55
Barri	915	Open Well		29.40		28.44
00810	903	Open Well		22.85		33.12
	909	Open Well		17.55		28.75
	1000	Open Well		24.90		22.66
Pakhar	1083	Hand Pump	35.35		31.65	
	1027	Open Well		25.85		28.35
	1094	Hand Pump	41.75		39.54	
Sherengdag	1081	Hand Pump	39.65		31.30	
	1055	Hand Pump	33.05		27.55	
	1066	Hand Pump	27.75		26.25	
	1045	Hand Pump	29.30		27.84	
	1061	Hand Pump	28.35		24.90	
Gurdari	1059	Hand Pump	38.15		36.63	
	1075	Hand Pump	28.22		26.88	
	1075	Hand Pump	28.36		29.30	
	1040	Open Well		33.95		21.85
Kuiam	1041	Open Well		33.65		24.82
rujaiii	1064	Hand Pump	31.58		28.65	
	1052	Hand Pump				21.12
	1148	Hand Pump	33.45		28.40	
Chiro Kukud	1151	Hand Pump	37.60		31.80	
	1084	Hand Pump	34.35		36.86	

Monitored water level





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

SEPTEMBER 2014

prost

Vijay Pandey
SENIOR EXECUTIVE

For Mahaba

Authorised Signatory

Busin Principle



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail: mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Report no: SEPT004/2014-15

Sample described by customer: SOIL

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: SOIL Received:26.09.2014

Registered: 26.09.2014 Marks on Sample: Location: Pakhar Mines

Sample collected on: 26.09.2014

Quantity: 2 kgs

Test Start/End Date: 26.09.2014/27.09.2014

S.No	Analysis		Method	Result	Unit
1.	Colour			Gray	
2.	Texture		F.A.U.N (2007)	Loamy Sand	-
3.	Bulk Density		By Bulk density Apparatus	1.0	gm/cm3
4.	Water Holding Capacity		F.A.U.N (2007)	23.5	%
5.	pH	**	F.A.U.N (2007)	6.9	-
6.	Electrical Conductivity		F.A.U.N (2007)	20.5	μs/cm
7.	Organic Carbon			0.52	%
8.	Organic Matter		Black & White Wet Digestion Method	0.68	%
9.	Available Nitrogen		Soil & Water Book by P.K Gupta	112.0	mg/kg
10.	Available Phosphorus		Soil & Water Book by P.K Gupta	14.9	mg/kg
11.	Available Potassium	iee.	Soil & Water Book by P.K Gupta	380	mg/kg
12.	Exchangeable Calcium	Ca	Soil & Water Book by P.K Gupta	22.5	meq/100gm
13.	Exchangeable Magnesium	Mg	Soil & Water Book by P.K Gupta	1.89	meq/100gm
14	Exchangeable Sodium	Na	Soil & Water Book by P.K Gupta	2.23	meq/100gm
15.	Exchangeable Potassium	К	Soil & Water Book by P.K Gupta	1.48	meq/100gm
16	Total Exchangeable Bases		Soil & Water Book by P.K Gupta	30.5	meq/100gm
17	Manganese	Mn	USEPA 3052	0.50	mg/kg
18	Arsenic	As	USEPA 3052	2.30	mg/kg
19	Silica	SiO ₂	USEPA 3052	60.0	%
20.	Aluminum	Al ₂ O ₃	USEPA 3052	6.9	%
21.	Iron	Fe ₂ O ₃	USEPA 3052	5.0	%
22.	Calcium	CaO	USEPA 3052	8.98	%
23.	Magnesium	MgO	USEPA 3052	1.90	%
24.	Sodium	Na ₂ O	USEPA 3052	0.38	%
25.	Potassium	K ₂ O	USEPA 3052	0.22	0/0
26.	Sulphate	SO ₄	USEPA 3052	0.84	%

Vijay Pandey

SENIOR EXECUTIVE

For Mahai.

NVIO E Rainchi

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:28.09.2014 Registered: 28.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar Hindalco Colony

Sample collected on: 26.09.2014

Test Start/End Date: 28.09.2014/30.09.2014

PARAMETERS		UNIT	LIMIT	метнор	30/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	22.1
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	25.1
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	29.5
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.1

Vijay Pandey SENIOR EXECUTIVE

Authorised Signatory



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received:27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 115.13 Pit

Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	65.8
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	71.2
Particulate Matter (size less than 10 µm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	60.1
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	35.2
Manayida		ma/m³	2	EPA 600/P-99/001F	0.5

Vijay Pandey SENIOR EXECUTIVE · For Mai .

Era. Pvt. Ltd.

Authorisau Signatory

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 109.507 Dumarpat Village

Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

	LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar 109.507 Dumarpat Village								
PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014				
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	23.5				
Nitrogen Dioxide	NO2'2'	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	52.5				
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	80.2				
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	45.2				
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.7				

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 84.38 Pokhrapat

Sample collected on:26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	метнор	29/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	50.0
Nitrogen Dioxide	NO ₂	μg/m³	80	1S:5182(Part-6):1975 (Reaff:2004)	55.1
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM ₂₅	μg/m³	60	USEPA CFR(40) Appendix-L	40.0
Carbon Monoxide	CO	mg/m³	2	EPA 600/P-99/001F	0.5

Vijay Pandey SENIOR EXECUTIVE For Manubal Energy Eng. Pvt. Ltd

Authorised Signators



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 26.09.2014

Location / Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Aonth			Average of 24 continuous hours in Sep- 14		Average of 24 continuous hours in Sep- 14	
Pakhar Mining Area	dB(A) L _{eq}	75	55	70	49	26/09/2014

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signat





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: DRINKING WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: DRINKING WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Pakhar Plateau - Tap water, Near Colony

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour		Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste		Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.7	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		6.9 .	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	89	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05	-	APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	<0.05	÷	APHA 22nd Ed. 2012, 4500-CIG, 4-69
	Total Hardness (as CaCO ₃)	mg/l	59	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,4
10.	Alkalinity Total (as CaCO ₃)	mg/l	65	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
. 12.	Chloride (as Cl)	mg/l	7.6	250 Max	APHA 22nd Ed. 2012, 4500- Cl-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	4.3	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14.	Nitrate (as NO3)	mg/l	1.14	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125
15.	Fluoride (as F)	mg/l	0.20	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87
16.	Boron (as B)	mg/l	0.19	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25
17.	Calcium(as Ca)	mg/l	18.1	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
18.	Magnesium (as Mg)	mg/l	3.2	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1		APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115
20.	Iron (as Fe)	mg/l	0.18	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
	Aluminium (as Al)	mg/l	0.09	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-6
22.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
23.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Zinc (as Zn)	mg/l	0.03	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Arsenic (as As)	mg/l	< 0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
28.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
29.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
30.	Nickel (as Ni)	mg/l	<0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
31.	Mineral Oil	mg/l	N.D.	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44
34.	Anionic detergents as MBAS	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	. N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93 USEPA Method 8082
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	
38.	Sulphide (as S)	mg/l	N.D		APHA 22nd Ed. 2012, 4500 – S2-C 4 175 & F 4-178





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail: mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Migrobio	ological Analysis	1	12.7		2012 02 121 2012 0221 B
1.	Total Colliforms	MPN/	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B
1.	Total commonly	100 mL			& C, 9-66, 9-69
2.	E-Coli	MPN/	Absent	N.D	APHA 22nd Ed. 2012, 9221- B, C & G, 9-66, 9-69 and 9-76
۷.	2 0011	100 mL			B, C & G, 9-66, 9-69 and 9-76
Pesticid	es Residues				US EPA 508-1995
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o,p DDE	μg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	µg/L	N.D	1	
8.	o,p DDD	µg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995
10.	α-HCH	µg/L	< 0.01	0.01	US EPA 508-1995
	в-нен	μg/L	N.D	0.04	US EPA 508-1995
11.	δ·HCH	μg/L	N.D	0.04	US EPA 508-1995
12	Butachlor	µg/L	N.D	125	US EPA 508-1995
13.		µg/L	N.D	20	US EPA 508-1995
14.	Alachlor	µg/L	N.D	2	US EPA 532-2000
15.	Atrazine	µg/L	N.D	0.4	US EPA 508-1995
16.	α Endosulfan	µg/L	N.D.	0.4	US EPA 508-1995
17.	β Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L μg/L	N.D	3	US EPA 8141A-1994
19.	Ethion		N.D	190	US EPA 8141A -1994
20.	Malathion	μg/L	N.D	0.3	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	N.D	1	US EPA 8141A-1994
22.	Monocrotophos	μg/L	N.D	2	US EPA 8141A -1994
23.	Phorate	μg/L	N.D	30	US EPA 8141A -1994
24.	Chlorpyrifos	μg/L		0.03	US EPA 508-1995
25.	Aldrin	µg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	μg/L	N.D	0.03	

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: SURFACE WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: SURFACE WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Water Harvesting Pond (Pakhar Mines)

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen :	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste		Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.3	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	98	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
10.	Total Hardness (as CaCO ₃)	mg/l	45	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,4
11.	Alkalinity Total (as CaCO ₃)	mg/l	61	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
12,	Chloride (as Cl)	mg/l	7.0	250 Max	APHA 22nd Ed. 2012, 4500- CI-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	3.9	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14.	Nitrate (as NO3)	mg/l	1.1	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125
15.	Fluoride (as F)	mg/l	0.21	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87
16.	Boron (as B)	mg/l	0.19, ;	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25
17.	Calcium(as Ca)	mg/l	15.2	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
18.	Magnesium (as Mg)	mg/l	. 3.9	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1	a	APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115
20.	Iron (as Fe)	mg/l	0.09	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
22.	Aluminium (as Al)	mg/l	0.06	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-6
23.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Zinc (as Zn)	mg/l	0.10	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
28.	Arsenic (as As)	mg/l	<0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
29.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
30.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
31.	Nickel (as Ni)	mg/l	< 0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
32.	Mineral Oil	mg/l	N.D.,	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E. 4-39 & 4-44
34.	Anionic detergents as MBAS	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5- 47
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082
38.	Sulphide (as S)	mg/l	N.D	•	APHA 22nd Ed. 2012, 4500- S2-C 4- 175 & F 4-178



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbi	ological Analysis		-10		
1.	Total Colliforms	MPN/ 100 mL	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69
2.	E-Coli	MPN/ 100 mL	Absent	N.D	APHA 22nd Ed. 2012, 9221– B, C & G. 9-66, 9-69 and 9-76
Pesticid	es Residues				
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o.p DDT	µg/L	N.D	1	US EPA 508-1995
5.	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o,p DDE	µg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	μg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	µg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	µg/L	< 0.01	2	US EPA 508-1995
10.	α-НСН	µg/L	<0.01	0.01	US EPA 508-1995
11.	β-НСН	µg/L	N.D	0.04	US EPA 508-1995
12	δ - НСН	µg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	µg/L	N.D	125	US EPA 508-1995
14.	Alachlor	µg/L	N.D.	20	US EPA 508-1995
15.	Atrazine	µg/L	N.D	2	US EPA 532-2000
16.	α Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
17.	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L .	N.D	0.4	US EPA 508-1995
19.	Ethion	µg/L	N.D	3	US EPA 8141A-1994
20.	Malathion	µg/L	N.D	190	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	N.D	0.3	US EPA 8141A -1994
22.	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994
24.	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A -1994
25.	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	µg/L	N.D	0.03	US EPA 508-1995

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey
SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd

Authorised Signatory





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 25.09.2014

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN (TATA HITACHI EX 2001 LC)	dB(A) Leq	75	66	25/09/2014
COMPRESSOR (ATLAS XAHS-186)	dB(A) L _{eq}	75	72	25/09/2014
WAGAN DRILL (ROC – 203)	dB(A) Leq	75	71.4	25/09/2014
COMPRESSOR (ATLAS XAHS-186)	dB(A) Leq	75	69	25/09/2014

Note : (i) The value is the Leq of twenty readings taken in location (Day time).

Minn

Vijay Pandey
SENIOR EXECUTIVE

For Manas

Signator (

