

Ref No: HIL/LHD/ JP (M)/MoEF/098

Date: 25.05.2015

To, Joint Director(S) MoEF, GOI, Eastern Regional Office A/3, Chandrashekharpur, Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period Oct'14 to March'15.

Ref: Environmental Clearance letter no J-11015/137/2006-IA II (M) dated 5th April 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco located in Lohardaga, Jharkhand for the period Oct'14 to March'15.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

> (Bijesh Kumar Jha) Joint President (Mines)

Enclosure: - As above

Copy to: Regional Office, MoEF, Ranchi

Website www.hindalco.com Email hindalco@adityabirla.com Corporate Identity No. L27020MH1958PLC011238

Compliance of conditions laid down in Environmental Clearence PAKHAR (35.12 Ha)BAUXITE MINES Period :Oct'14 -March'15 J-11015/137/2006-IA II (M) dated 5th April 2007

| Sl No | Conditions | Compliance Status |
|----------|--|---|
| | Specific Conditions | |
| 1 | All the conditions stipulated by SPCB in their NOC shall be effectively implemented. | Complied. Mining operations closed w.e.f 08.06.2009 |
| 2 | The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use. | Complied. |
| 3. | Environmental clearance is subject to grant of forestry clearance, Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 3.45ha forestland shall be obtained before starting mining operation in that area. | Mining operations closed w.e.f 08.06.2009 |
| 4 | Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table. | Mining operations closed w.e.f 08.06.2009. |
| 5 | The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation. | Complied |
| 6 | Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas. | Mining operations closed w.e.f 08.06.2009 |
| 7 | The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis. | Mining operations closed w.e.f 08.06.2009 |

| 8 | Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. | |
|----|---|---|
| | Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals. | |
| 9 | Plantation shall be raised in an area of 24.83ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha. | Already 8 ha area has been planted in and around the mine/Plateau area. |
| 10 | The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. | Mining operations closed w.e.f 08.06.2009 |
| 11 | Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board. | Mining operations closed w.e.f 08.06.2009 |
| 12 | Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies. | Mining operations closed w.e.f 08.06.2009 |
| 13 | Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded. | Mining operations closed w.e.f 08.06.2009 |
| 14 | Drills should either be operated with dust extractors or should be equipped with water injection system. | Mining operations closed w.e.f 08.06.2009 |

| 15 | Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented. | Mining operations closed w.e.f 08.06.2009. |
|----|---|--|
| 16 | Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine. | Mining operations closed w.e.f 08.06.2009 |
| 17 | Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations. | There is no effluent from mine. |
| 18 | The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months. A Final Mine Closure plan along with details of Corpus | |
| | Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval. | approved by IBM. |

GENERAL CONDITIONS

| Sl No | Conditions | Compliance Status |
|----------|--|---|
| 1 | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest | Mining operations closed w.e.f 08.06.2009 |
| 2 | No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made. | Mining operations closed w.e.f 08.06.2009 |
| 3 | Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. | Mining operations closed w.e.f 08.06.2009 |

| 4 | Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months. | Mining operations closed w.e.f 08.06.2009 |
|----|--|--|
| 5 | Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained. | Mining operations closed w.e.f 08.06.2009 |
| 6 | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs. | Mining operations closed w.e.f 08.06.2009. |
| 7 | Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents. | Mining operations closed w.e.f 08.06.2009 |
| 8 | Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | Mining operations closed w.e.f 08.06.2009 |
| 9 | A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization. | Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed. (Annexure). |
| 10 | The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work. | Intimated that mining operations closed w.e.f 08.06.2009 |
| 11 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other | Statement of budgetary provision and actual expenses for environmental protection measure is enclosed. It is once again |

| | | T |
|-----|--|--|
| | purpose. Year wise expenditure should be reported to the Ministry and its Regional | reiterated that the funds so ear marked shall not be diverted for any other purposes other |
| | Office located at Bhubneshwar. | than it is committed at the beginning of the |
| | | financial year. (Annexure). |
| 12 | The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. | Agreed however Mining operations closed w.e.f 08.06.2009. |
| 13. | The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board. | Duly submitted. |
| 14 | A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. | Complied. |
| 15 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days. | Displayed. |
| 16 | The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar. | Complied. Copies of the advertisement made in the local newspapers, have already been submitted to the Regional Office during our six monthly report bearing letter no HIL/GMO(M)/ENV/142dated 23.05.2007. |



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha
Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO MAR-15

| Name of Mines | Mining lease area (Ha) | Mined Out area (in Acres) | Backfilled area (in Acres) | Production (in MT) | Overburden Removal (in Cub.M.) |
|-----------------------------|---------------------------|------------------------------|-------------------------------|-----------------------|--------------------------------|
| Shrengdag Bauxite Mines | 155.81 | 16.19 | 14.33 | 255,035.00 | 492,188.00 |
| Gurdari Bauxite Mines | 584.19 | 17.20 | 35.48 | 323,655.00 | 790,462.00 |
| Jalim & Sanai | 12.14 | 1.68 | 1.48 | 43,675.00 | 20,400.00 |
| Serangdag | 140.06 | 2.00 | 0.50 | 31,650.00 | 18,956.06 |
| Pakhar Buxite Mines | 115.13 | 5.32 | 5.87 | 283,210.00 | 438,667.43 |
| Pakhar Buxite Mines | 8.09 | * | - | 1 | i, |
| Pakhar Buxite Mines | 38.95 | 1 | ı | 1 | |
| Kujam-l | 80.87 | 7.76 | 7.51 | 149,360.00 | 200,998.43 |
| Kujam-II | 157.38 | 14.85 | 13.24 | 149,685.00 | 369,386.19 |
| Amtipani | 190.95 | 10.90 | 13.20 | 149,515.00 | 300,401.63 |
| Chiro-Kukud | 152.57 | 6.03 | 5.21 | 75,631.00 | 87,664.51 |
| Orsa Bauxite Mines | 196.36 | - | • | , | ı |
| Hisri New | 14.55 | 1.29 | 0.65 | 54,529.00 | 9,471.00 |
| Bagru | 75.41 | • | ÷. | • | ı |
| Bhusar | 65.31 | 0.94 | 1.50 | 82,032.00 | 82,626.00 |
| Minerals & Minerals Limited | | | | | |
| Pakhar Buxite Mines | 109.507 | 5.86 | 6.48 | 277,855.00 | 334,282.84 |
| Pakhar Buxite Mines | 15.58 | 0.30 | 0.20 | 31,175.00 | 98,966.29 |

Monitored water level (FY 2014-15)

| Levation (Mines) Elevation (Mines) Well type Inside ML Outside ML Outside ML Outside ML Outside ML Outside ML Moside ML Moside ML Moside ML Moside ML Moside ML Outside ML Outside ML Outside ML Moside ML Outside ML Moside ML Outside ML Moside ML Quside ML Inside ML Quside ML Pack 2.2.23 2.2.23 2.2.12 2.2.23 2.2.2 | | | | Monso | Monsoon (July-Sep) | Post Mons | Post Monsoon (November) | Winter | Winter (January) | Pre Monsoc | Pre Monsoon (April-May) |
|--|------------------|-----------------|-----------|-----------|--------------------|-----------|-------------------------|-----------|------------------|------------|-------------------------|
| 905 Open Well 21.72 24.55 27.23 26.80 910 Open Well 24.30 24.430 22.455 26.80 913 Open Well 29.4 30 24.450 28.455 26.80 903 Open Well 22.85 33.12 35.25 29.90 Open Well 22.85 33.12 35.25 29.90 Open Well 22.85 33.12 29.20 29.20 29.90 Open Well 22.85 33.12 29.20 29.20 29.80 29.80 Open Well 22.85 28.55 28.55 28.55 29.20 24.50 29.20 | Location (Mines) | Elevation (Mtr) | Well type | Inside ML | Outside ML | Inside ML | Outside ML | Inside ML | Outside ML | Inside ML | Outside ML |
| 910 Open Well 24.30 24.55 26.80 30.15 30 | | 905 | Open Well | | 21.72 | | 24.15 | | 27.23 | | 29.23 |
| 915 Open Well 29.40 28.44 30.15 903 Open Well 22.85 33.12 35.25 29.00 909 Open Well 17.55 28.75 29.20 35.25 35.49 1000 Open Well 22.85 22.85 22.66 34.34 35.49 35.49 1027 Open Well 25.85 28.35 28.35 30.50 42.50 42.50 1083 Hand Pump 35.35 25.88 28.35 28.35 30.50 42.50 1094 Hand Pump 33.05 25.88 33.34 42.13 30.50 41.31 1066 Hand Pump 27.75 26.25 35.35 35.35 35.35 1061 Hand Pump 28.35 27.84 29.10 30.25 30.25 1075 Hand Pump 28.15 36.63 35.21 35.98 35.98 1075 Hand Pump 28.25 26.88 28.49 29.25 35.98 | | 910 | Open Well | | 24.30 | | 24.55 | | 26.80 | | 27.15 |
| 903 Open Well 22.85 23.12 25.25 25.25 26.0 29.20 29.20 29.20 29.90 Open Well 24.90 22.86 28.75 29.20 24.50 24.50 24.50 24.50 22.66 24.50 25.52 24.50 25.52 2 | | 915 | Open Well | | 29.40 | | 28.44 | | 30.15 | | 31.25 |
| 909 Open Well 17.55 28.75 29.20 42.00 29.20 42.90 28.75 29.20 42.90 29.20 42.90 29.20 42.90 29.20 42.90 29.20 29.20 29.20 35.49 35.45 35.49 35.49 35.49 35.49 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.35 35.21 35.21 35.21 35.21 35.21 < | Bagru | 903 | Open Well | | 22.85 | | 33.12 | | 35.25 | | 35.89 |
| 1000 Open Well 24.90 22.66 44.90 4.50 35.49 1083 Hand Pump 35.35 31.65 28.35 34.34 30.50 35.49 1097 Open Well 41.75 25.85 28.35 42.13 30.50 42.56 1094 Hand Pump 39.65 31.30 41.30 41.31 41.31 1066 Hand Pump 27.75 26.25 27.84 29.10 30.25 1045 Hand Pump 29.30 27.84 29.64 30.41 30.25 1059 Hand Pump 28.35 24.90 25.42 25.82 35.38 1075 Hand Pump 28.35 24.90 25.42 30.21 30.41 1075 Hand Pump 28.36 29.30 35.21 35.98 35.98 1041 Open Well 33.95 29.30 30.2 35.21 30.05 1042 Open Well 33.65 28.65 35.91 35.21 30.05 <td></td> <td>909</td> <td>Open Well</td> <td></td> <td>17.55</td> <td></td> <td>28.75</td> <td></td> <td>29.20</td> <td></td> <td>30.28</td> | | 909 | Open Well | | 17.55 | | 28.75 | | 29.20 | | 30.28 |
| 1083 Hand Pump 35.35 31.65 34.34 35.49 1027 Open Well 25.85 28.35 42.13 30.50 42.56 1094 Hand Pump 39.65 39.54 42.13 42.56 42.13 1094 41.75 39.55 39.54 42.13 42.56 42.13 42.56 42.13 1094 41.75 39.65 31.30 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 42.56 41.30 41.31 | | 1000 | Open Well | | 24.90 | | 22.66 | | 24.50 | | 25.9 |
| 1027 Open Well 25.85 28.35 42.13 40.50 42.56 1094 Hand Pump 41.75 39.54 42.13 42.13 42.56 1081 Hand Pump 39.65 27.55 33.30 41.30 41.31 1065 Hand Pump 23.05 27.55 25.25 29.10 30.25 1064 Hand Pump 29.30 27.84 29.64 29.64 30.41 1061 Hand Pump 28.35 24.90 25.42 26.79 1063 Hand Pump 28.22 24.90 25.42 26.79 1064 Hand Pump 28.22 26.88 28.49 35.21 35.98 1075 Hand Pump 28.36 29.30 30.2 35.91 29.53 1074 Open Well 28.36 29.30 30.2 35.21 35.91 1064 Hand Pump 31.58 33.65 24.82 35.91 42.12 1084 Hand Pump 31.58 <td>Pakhar</td> <td>1083</td> <td>Hand Pump</td> <td>35.35</td> <td></td> <td>31.65</td> <td></td> <td>34.34</td> <td></td> <td>35.49</td> <td></td> | Pakhar | 1083 | Hand Pump | 35.35 | | 31.65 | | 34.34 | | 35.49 | |
| 1094 Hand Pump 41.75 39.54 42.13 42.15 42.56 1081 Hand Pump 39.65 31.30 41.30 41.30 41.31 1055 Hand Pump 33.05 27.55 35.35 35.35 35.35 1066 Hand Pump 29.30 27.84 29.10 30.25 30.21 1061 Hand Pump 28.35 24.90 25.42 26.79 26.79 1075 Hand Pump 38.15 36.63 35.21 26.79 1075 Hand Pump 28.22 26.88 35.21 35.98 1075 Hand Pump 28.36 29.30 30.21 30.25 1040 Open Well 33.95 29.30 30.2 30.25 1041 Open Well 33.95 21.85 35.91 35.21 1052 Hand Pump 31.58 28.65 35.91 42.12 1148 Hand Pump 33.45 28.40 34.12 37.26 | | 1027 | Open Well | | 25.85 | | 28.35 | | 30.50 | | 31.45 |
| 1081 Hand Pump 39.65 31.30 41.30 41.31 1055 Hand Pump 33.05 27.55 35.35 35.35 35.35 1066 Hand Pump 27.75 26.25 29.10 30.25 30.41 1045 Hand Pump 29.30 27.84 29.64 29.64 30.41 1061 Hand Pump 28.35 24.90 25.42 26.79 26.79 1075 Hand Pump 38.15 36.63 35.21 35.98 35.98 1075 Hand Pump 28.36 29.30 26.88 28.49 29.53 35.98 35.98 1075 Hand Pump 28.36 29.30 30.21 35.98 35.91 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 29.53 30.05 20.05 20.05 20. | | 1094 | Hand Pump | 41.75 | | 39.54 | | 42.13 | | 42.56 | |
| 1055 Hand Pump 33.05 27.55 35.35 35.35 35.35 1066 Hand Pump 27.75 26.25 29.10 39.25 39.21 1045 Hand Pump 29.30 27.84 29.64 29.64 30.41 1061 Hand Pump 28.35 24.90 25.42 26.79 35.98 1059 Hand Pump 28.35 24.90 35.21 35.98 35.98 1075 Hand Pump 28.22 26.88 28.49 35.21 35.98 1075 Hand Pump 28.36 29.30 30.2 30.2 39.05 1040 Open Well 28.36 29.30 31.85 35.21 30.05 1041 Open Well 33.95 21.85 35.91 35.21 42.12 1052 Hand Pump 31.58 28.65 24.82 35.91 42.12 1148 Hand Pump 30.45 28.40 31.80 36.62 36.21 1084 | Sherengdag | 1081 | Hand Pump | 39.65 | | 31.30 | | 41.30 | | 41.31 | |
| 1066 Hand Pump 27.75 26.25 29.10 30.25 1045 Hand Pump 29.30 27.84 29.64 30.41 1061 Hand Pump 29.30 27.84 29.64 29.64 30.41 1059 Hand Pump 28.35 24.90 35.21 35.98 1075 Hand Pump 28.22 26.88 28.49 35.21 35.98 1040 Open Well 28.36 29.30 21.85 30.2 30.05 30.05 1041 Open Well 33.95 29.30 21.85 35.21 35.21 30.05 1064 Hand Pump 31.58 28.65 24.82 35.91 42.12 1052 Hand Pump 31.58 28.65 21.12 35.91 42.13 1148 Hand Pump 33.45 28.40 34.12 35.21 37.26 1151 Hand Pump 34.35 36.86 31.80 35.65 36.21 1084 Hand Pump 34.35 36.86 36.86 35.69 36.21 | (| 1055 | Hand Pump | 33.05 | | 27.55 | | 35.35 | | 35.35 | |
| 1045 Hand Pump 29.30 27.84 29.64 29.64 26.79 1061 Hand Pump 28.35 24.90 25.42 26.79 1059 Hand Pump 38.15 36.63 35.21 35.98 1075 Hand Pump 28.22 26.88 28.49 29.53 1075 Hand Pump 28.36 29.30 30.2 30.2 30.05 1040 Open Well 33.95 21.85 30.2 30.51 1041 Open Well 33.65 24.82 35.91 1052 Hand Pump 31.58 36.65 28.40 35.91 1052 Hand Pump 31.58 28.65 31.80 35.91 1148 Hand Pump 37.60 31.80 31.80 35.69 39.29 1084 Hand Pump 37.60 34.35 36.86 36.86 35.69 39.29 | | 1066 | Hand Pump | 27.75 | | 26.25 | | 29.10 | | 30.25 | |
| i 1061 Hand Pump 28.35 24.90 25.42 26.79 1059 Hand Pump 38.15 36.63 35.21 35.98 1075 Hand Pump 28.22 26.88 28.49 28.49 29.53 1075 Hand Pump 28.36 29.30 30.2 30.2 30.05 1040 Open Well 33.95 21.85 30.2 35.21 30.05 1041 Open Well 33.65 24.82 35.91 36.54 42.12 1064 Hand Pump 31.58 28.65 35.91 35.91 42.12 1052 Hand Pump 31.58 28.65 31.80 34.12 24.13 37.26 1148 Hand Pump 37.60 31.80 36.62 34.12 37.26 1084 Hand Pump 34.35 36.86 36.86 35.69 35.91 39.29 | | 1045 | Hand Pump | 29.30 | | 27.84 | | 29.64 | | 30.41 | |
| i 1059 Hand Pump 38.15 36.63 35.21 35.21 35.98 1075 Hand Pump 28.22 26.88 29.30 30.2 30.2 30.05 30.05 1040 Open Well 33.95 29.30 21.85 35.21 30.05 30.0 | | 1061 | Hand Pump | 28.35 | | 24.90 | | 25.42 | | 26.79 | |
| 1075 Hand Pump 28.22 26.88 28.49 28.49 29.53 1075 Hand Pump 28.36 29.30 30.2 30.2 30.05 1040 Open Well 33.95 21.85 35.21 35.21 30.05 1041 Open Well 33.65 24.82 35.91 36.54 42.12 1064 Hand Pump 31.58 28.65 35.91 35.91 42.12 1052 Hand Pump 33.45 28.40 21.12 34.12 37.26 (ukud 1151 Hand Pump 37.60 31.80 36.86 35.69 36.21 39.29 | Gurdari | 1059 | Hand Pump | 38.15 | | 36.63 | | 35.21 | | 35.98 | |
| 1075 Hand Pump 28.36 29.30 29.30 30.2 30.2 30.05 1040 Open Well 33.95 21.85 35.21 35.21 1041 Open Well 33.95 24.82 35.91 35.91 1064 Hand Pump 31.58 28.65 35.91 42.12 1052 Hand Pump 31.45 28.65 21.12 35.91 24.13 37.26 1148 Hand Pump 33.45 28.40 31.80 36.21 37.26 36.21 1084 Hand Pump 34.35 36.86 36.86 35.89 35.89 36.21 | | 1075 | Hand Pump | 28.22 | | 26.88 | | 28.49 | | 29.53 | |
| 1040 Open Well 33.95 21.85 21.85 35.21 35.21 1041 Open Well 33.65 24.82 36.54 36.54 42.12 1064 Hand Pump 31.58 28.65 35.91 24.13 42.12 1052 Hand Pump 30.45 28.40 21.12 34.12 37.26 1148 Hand Pump 37.60 31.80 36.21 36.21 1084 Hand Pump 34.35 36.86 36.86 35.69 | | 1075 | Hand Pump | 28.36 | | 29.30 | | 30.2 | | 30.05 | |
| 1041 Open Well 33.65 24.82 35.91 36.54 1064 Hand Pump 31.58 28.65 35.91 42.12 1052 Hand Pump 5 21.12 21.12 24.13 37.26 1148 Hand Pump 33.45 28.40 31.80 36.21 36.21 1151 Hand Pump 37.60 31.80 36.86 35.69 35.69 39.29 | | 1040 | Open Well | | 33.95 | | 21.85 | | 35.21 | | 36.78 |
| 1064 Hand Pump 31.58 28.65 35.91 42.12 1052 Hand Pump 33.45 21.12 21.12 24.13 37.26 1148 Hand Pump 33.45 28.40 34.12 34.12 37.26 (ukud 1151 Hand Pump 37.60 31.80 36.62 35.69 39.29 1084 Hand Pump 34.35 36.86 35.69 35.69 39.29 | | 1041 | Open Well | | 33.65 | | 24.82 | | 36.54 | | 39.52 |
| 1052 Hand Pump 4 21.12 24.13 37.26 1148 Hand Pump 33.45 28.40 34.12 37.26 1151 Hand Pump 37.60 31.80 36.62 36.21 1084 Hand Pump 34.35 36.86 35.69 35.69 39.29 | Kujam | 1064 | Hand Pump | 31.58 | | 28.65 | | 35.91 | | 42.12 | |
| 1148 Hand Pump 33.45 28.40 34.12 1151 Hand Pump 37.60 31.80 36.2 1084 Hand Pump 34.35 36.86 35.69 | | 1052 | Hand Pump | | | | 21.12 | | 24.13 | | 23.54 |
| 1151 Hand Pump 37.60 31.80 36.62 1084 Hand Pump 34.35 36.86 35.69 | | 1148 | Hand Pump | 33.45 | | 28.40 | | 34.12 | | 37.26 | |
| 1084 Hand Pump 34.35 36.86 35.69 | Chiro Kukud | 1151 | Hand Pump | 37.60 | | 31.80 | | 36.62 | | 36.21 | |
| | | 1084 | Hand Pump | 34.35 | | 36.86 | | 35.69 | | 39.29 | |

Fig in meter

aham



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

| SI No | Description | Budget (in Lakh Rupees) | Actual (in Lakh Rupees) |
|-------|--|-------------------------|-------------------------|
| | | FY 2014-15 | FY 2014-2015 |
| 1 | Pollution Control & Environment monitoring | 5.50 | 8.58 |
| 2 | Reclamation/ Back filing & Rehabilitation | 42.50 | 98.51 |
| 3 | Green belt & Plantation | 60.03 | 98.87 |
| 4 | Rural Development | 85.29 | 282.62 |

^{**}Part of OB removed cost.

Convener

Environment Management Cell Hindalco Industries Limited



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

DECEMBER 2014

Phrane

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC017/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:22.12.2014 Registered: 22.12.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar Hindalco Colony

Sample collected on: 21.12.2014

Test Start/End Date: 22.12.2014/23.09.2014

LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar Hindalco Colony

| PARAMETERS | | UNIT | LIMIT | METHOD | 23/12/2014 |
|--|-------------------|-------|-------|---------------------------------------|------------|
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 20.7 |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 23.4 |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 47.9 |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 29.1 |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.16 |

Phone:

Vijay Pandey

SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC017/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 21.12.2014 Registered: 21.12.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 115.13 Pit

Sample collected on: 20.12.2014

Test Start/End Date: 21.12.2014/22.12.2014

| LOCATION / | IDENTIFICATIO | N: Pakhar P | lateau- Pakh | ar 115.13 Pit | |
|--|-------------------|-------------|--------------|---------------------------------------|------------|
| PARAMETERS | | UNIT | LIMIT | METHOD | 22/12/2014 |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 61.8 |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 70.4 |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 59.2 |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 34.3 |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.46 |

Vijay Pandey

SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC017/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 21.12.2014 **Registered:** 21.12.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 109.507 Dumarpat Village

Sample collected on: 20.12.2014

Test Start/End Date: 21.12.2014/22.12.2014

| LOCATION / IDENTI | FICATION: Pakha | r Plateau- l | Pakhar 109.5 | 07 Dumarpat Village | |
|--|-------------------|--------------|--------------|---------------------------------------|------------|
| PARAMETERS | | UNIT | LIMIT | METHOD | 22/12/2014 |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 22.6 |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 51.2 |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 78.4 |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 43.8 |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.64 |

Vijay Pandey

SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

December 2014

Date: 12th January, 2015

Report no: DEC017/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 21.12.2014 Registered: 21.12.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 84.38 Pokhrapat

Sample collected on:20.12.2014

Test Start/End Date: 21.12.2014/22.12.2014

| LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar 84.38 Pokhrapat | | | | | | | | |
|---|-------------------|-------|-------|---------------------------------------|------------|--|--|--|
| PARAMETERS | | UNIT | LIMIT | метнор | 22/12/2014 | | | |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 49.1 | | | |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 53.6 | | | |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 49.4 | | | |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 38.2 | | | |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.47 | | | |

Thurs.

Vijay Pandey
SENIOR EXECUTIVE



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden,
Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

MARCH 2015

Throng

Vijay Pandey
SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR043/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar Hindalco Colony

Sample collected on: 25.02.2015

Received:10.03.2015 **Registered:** 10.03.2015

Test Start/End Date: 25.03.2015/27.03.2015

| LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar Hindalco Colony | | | | | | | |
|---|-------------------|-------|-------|---------------------------------------|------------|--|--|
| PARAMETERS | | UNIT | LIMIT | метнор | 25/02/2015 | | |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 23.8 | | |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 29.2 | | |
| Particulate Matter (size less than $10 \mu m$) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 52.5 | | |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 29.4 | | |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.15 | | |

Miner

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR044/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar 115.13 Pit

Sample collected on: 25.02.2015

Received: 10.03.2015 Registered: 10.03.2015

Test Start/End Date: 25.03.2015/27.03.2015

| LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar 115.13 Pit | | | | | | | |
|--|-------------------|-------|-------|---------------------------------------|------------|--|--|
| PARAMETERS | | UNIT | LIMIT | METHOD | 25/02/2015 | | |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 66.9 | | |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 70.9 | | |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 62.6 | | |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 37.3 | | |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.54 | | |

Phrane

Vijay Pandey
SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR045/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar 109.507 Dumarpat Village

Sample collected on: 25.02.2015

Received:10.03.2015 **Registered:** 10.03.2015

Test Start/End Date: 25.03.2015/27.03.2015

| PARAMETERS | | UNIT | LIMIT | METHOD | 25/02/2015 |
|--|-------------------|-------|-------|---------------------------------------|------------|
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 21.9 |
| Nitrogen Dioxide | NOz | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 53.2 |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 79.2 |
| Particulate Matter (size less than 2.5 µm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 45.6 |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.68 |

Throng.

Vijay Pandey
SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR046/2015-16

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Pakhar Plateau- Pakhar 84.38 Pokhrapat

Sample collected on: 25.02.2015

Received:10.03.2015 **Registered:** 10.03.2015

Test Start/End Date: 25.03.2015/27.03.2015

| LOCATION / IDENTIFICATION: Pakhar Plateau- Pakhar 84.38 Pokhrapat | | | | | | | | |
|---|-------------------|-------|-------|---------------------------------------|------------|--|--|--|
| PARAMETERS | | UNIT | LIMIT | METHOD | 25/02/2015 | | | |
| Sulphur Dioxide | SO ₂ | μg/m³ | 80 | IS:5182 (Part-2):2001 (Reaff:2006) | 49.7 | | | |
| Nitrogen Dioxide | NO ₂ | μg/m³ | 80 | IS:5182(Part-6):1975 (Reaff:2004) | 54.3 | | | |
| Particulate Matter (size less than 10 μm) | PM ₁₀ | μg/m³ | 100 | IS:5182 (Part 23) | 52.1 | | | |
| Particulate Matter (size less than 2.5 μm) | PM _{2.5} | μg/m³ | 60 | USEPA CFR(40) Appendix-L | 40.9 | | | |
| Carbon Monoxide | СО | mg/m³ | 2 | EPA 600/P-99/001F | 0.53 | | | |

Ohing.

Vijay Pandey
SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR047/2015-16

Sample described by customer: DRINKING WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: DRINKING WATER

Marks on Sample: Location: Pakhar Plateau - Tap water, Near Colony

Sample collected by: Mahabal EnviroEngineers Pvt Limited

Sample collected on: 25.02.2015 Quantity: 5 L X 2 No. PVC Can Received:10.03.2015

Registered: 10.03.2015

Test Start/End Date: 25.03.2015/28.03.2015

| S.No | Parameters | Unit | Result | Acceptable Limit (IS10500:2012) | Method Reference | |
|------|--|-------|-----------|---------------------------------------|---|--|
| 1. | Colour | Hazen | < 1 | 5 Max | APHA 22nd Ed. 2012, 2120-B, 2-6 | |
| 2. | Odour | - | Agreeable | Agreeable | IS 3025 (Part 5):1983, Reaffirmed 2006 | |
| 3. | Taste | - | Agreeable | Agreeable | IS 3025 (Part 7):1984, Reaffirmed 2006 | |
| 4. | Turbidity | NTU | 0.7 | 1 Max | APHA 22nd Ed. 2012, 2130-B, 2-13 | |
| 5. | pН | - | 6.8 | 6.5-8.5 | APHA 22nd Ed. 2012, 4500- H+-B, 4-92 | |
| 6. | Free Chlorides(Residual) | mg/l | <0.05 | 0.2 min | APHA 22nd Ed. 2012, 4500-Cl G, 4-69 | |
| 7 | Total Dissolved Solids | mg/l | 91 | 500 Max | IS 3025 (Part 16):1984 Reaffirmed 2006 | |
| 8. | Monochloramines | mg/l | <0.05 | ¥ | APHA 22nd Ed. 2012, 4500-ClG, 4-69 | |
| 9. | Dichloramines | mg/l | <0.05 | | APHA 22nd Ed. 2012, 4500-ClG, 4-69 | |
| 10. | Total Hardness (as CaCO ₃) | mg/l | 61 | 200 Max | APHA 22nd Ed. 2012, 2340-C, 2-44,45 | |
| 11. | Alkalinity Total (as CaCO ₃) | mg/l | 67 | 200 Max | IS 3025 (Part 23):1986 Reaffirmed 2009 | |
| 12. | Chloride (as Cl) | mg/l | 7.6 | 250 Max | APHA 22nd Ed. 2012, 4500- Cl-B, 4-72 | |
| 13. | Sulphate (as SO ₄) | mg/l | 4.3 | 200 Max | APHA 22nd Ed. 2012, 4500- S04-E, 4-190 | |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

| S.No | Parameters | Unit | Result | Acceptable Limit (IS 10500:2012) | Method Reference | |
|------|--|---------------------|--------|--|--|--|
| 14. | Nitrate (as NO3) | mg/l | 1.14 | 45 Max | APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125 | |
| 15. | Fluoride (as F) | mg/l | 0.20 | 1 Max | APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87 | |
| 16. | Boron (as B) | mg/l | 0.19 | 0.5 Max | APHA 22nd Ed. 2012, 4500-BB, 4-25 | |
| 17. | Calcium(as Ca) | mg/l | 18.1 | 75 Max | APHA 22nd Ed. 2012, 3500- Ca-B, 3-67 | |
| 18. | Magnesium (as Mg) | mg/l | 3.2 | 30 Max | APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84 | |
| 19. | Ammonical Nitrogen/ Total Ammonia | mg/l | <0.1 | - | APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115 | |
| 20. | Iron (as Fe) | mg/l | 0.18 | 0.3 Max | APHA 22nd Ed. 2012, 3111-B,3-18 | |
| 21. | Manganese (as Mn) | mg/l | N.D | 0.1 Max | APHA 22nd Ed. 2012, 3111-B, 318 | |
| 22. | Aluminium (as Al) | mg/l | 0.029 | 0.03 Max | APHA 22nd Ed. 2012, 3500- Al-B, 3-6 | |
| 23. | Cadmium (as Cd) | mg/l | N.D | 0.003 Max. | APHA 22nd Ed. 2012, 3111-B,3-18 | |
| 24. | Chromium Total (as Cr) | mg/l | N.D | 0.05 Max. | APHA 22nd Ed. 2012, 3111-B,3- | |
| 25. | Copper (as Cu) | mg/l | N.D | 0.05 Max. | APHA 22nd Ed. 2012, 3111-B,3-18 | |
| 26. | Lead (as Pb) | mg/l | N.D | 0.01 Max. | APHA 22nd Ed. 2012, 3111-B,3- | |
| 27. | Zinc (as Zn) | mg/l | 0.03 | 5 Max. | APHA 22nd Ed. 2012, 3111-B,3-18 | |
| 28. | Arsenic (as As) | mg/l | <0.01 | 0.01 Max. | APHA 22nd Ed. 2012, 3114-C,3-38 | |
| 29. | Mercury (as Hg) | mg/l | N.D. | 0.001 Max. | APHA 22nd Ed. 2012, 3112-B,3-23 | |
| 30. | Selenium (as Se) | mg/l | N.D. | 0.01 Max. | APHA 22nd Ed. 2012, 3114-C, 3-38 | |
| 31. | Nickel (as Ni) | mg/l | <0.01 | 0.02 Max. | APHA 22nd Ed. 2012, 3111 B,3-18 | |
| 32. | Mineral Oil | mg/l | N.D. | 0.5 Max. | IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1 | |
| 33. | Cyanide (as CN) | mg/l | N.D. | 0.05 Max. | APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44 | |
| 34. | Anionic detergents as MBAS | mg/l | <0.1 | 0.2 Max. | APHA 22nd Ed. 2012, 5540-C, 5-53 | |
| 35. | Phenolic compounds (as C ₆ H ₅ OH) | mg/l | N.D | 0.001 Max. | APHA 22nd Ed. 2012, 5530- B & C, 5- 47 | |
| 36. | Polynuclear aromatic hydrocarbons (PAH) | μ <mark>g/</mark> L | N.D | 0.0001 mg/L Max. | APHA 22nd Ed. 2012, 6440, 6-93 | |
| 37. | Polychlorinated Biphenyls (PCBs) | μg/L | N.D | 0.0005 mg/l Max. | USEPA Method 8082 | |
| 38. | Sulphide (as S) | mg/l | N.D | * | APHA 22nd Ed. 2012, 4500- S2-C 4- 175 & F 4-178 | |



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

| S.No | Parameters | Unit | Result | Acceptable Limit (IS 10500:2012) | Method Reference |
|----------|---------------------|----------------|--------|--|---|
| Microbi | ological Analysis | | | - | |
| 1. | Total Colliforms | MPN/ 100 mL | <1.1 | N.D | APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69 |
| 2. | E-Coli | MPN/ 100 mL | Absent | N.D | APHA 22nd Ed. 2012, 9221– B, C & G, 9-66, 9-69 and 9- 76 |
| Pesticid | les Residues | | | 10.55% | |
| 3. | p,p DDT | μg/L | N.D | 1 | US EPA 508-1995 |
| 4. | o,p DDT | μg/L | N.D | 1 | US EPA 508-1995 |
| 5. | p,p DDE | μg/L | N.D | 1 | US EPA 508-1995 |
| 6. | o,p DDE | μg/L | N.D | 1 | US EPA 508-1995 |
| 7. | p,p DDD | μg/L | N.D | 1 | US EPA 508-1995 |
| 8. | o,p DDD | μg/L | N.D | 1 | US EPA 508-1995 |
| 9. | γ-HCH (Lindane) | μg/L | < 0.01 | 2 | US EPA 508-1995 |
| 10. | α-НСН | μg/L | < 0.01 | 0.01 | US EPA 508-1995 |
| 11. | β-НСН | μg/L | N.D | 0.04 | US EPA 508-1995 |
| 12 | δ - HCH | μg/L | N.D | 0.04 | US EPA 508-1995 |
| 13. | Butachlor | μg/L | N.D | 125 | US EPA 508-1995 |
| 14. | Alachlor | μg/L | N.D | 20 | US EPA 508-1995 |
| 15. | Atrazine | μg/L | N.D | 2 | US EPA 532-2000 |
| 16. | α Endosulfan | μg/L | N.D | 0.4 | US EPA 508-1995 |
| 17. | β Endosulfan | μg/L | N.D | 0.4 | US EPA 508-1995 |
| 18. | Endosulfan Sulphate | μg/L | N.D | 0.4 | US EPA 508-1995 |
| 19. | Ethion | μg/L | N.D | 3 | US EPA 8141A-1994 |
| 20. | Malathion | μg/L | N.D | 190 | US EPA 8141A -1994 |
| 21. | Methyl Parathion | μg/L | N.D | 0.3 | US EPA 8141A -1994 |
| 22. | Monocrotophos | μg/L | N.D | 1 | US EPA 8141A-1994 |
| 23. | Phorate | μg/L | N.D | 2 | US EPA 8141A -1994 |
| 24. | Chlorpyrifos | μg/L | N.D | 30 | US EPA 8141A -1994 |
| 25. | Aldrin | μg/L | N.D | 0.03 | US EPA 508-1995 |
| 26. | Dieldrin | μg/L | N.D | 0.03 | US EPA 508-1995 |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@qmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR048/2015-16

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 25.02.2015 Analyse Date: 27.03.2015

| Location / Identification | Unit | Limit (day) | Result Average of 24 continuous hours | Limit (night) | Result Average of 24 continuous hours | Dates |
|---------------------------|-----------------------|----------------|---|---------------|---------------------------------------|------------|
| Pakhar Mining Area | dB(A) L _{eq} | 75 | 61.6 | 70 | 52.1 | 25/02/2015 |

Vijay Pandey

SENIOR EXECUTIVE

Ways



Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

March 2015

Date: 13th April, 2015

Report no: APR049/2015-16

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro. Data Collection Date: 25.02.2015 Analyse Date: 27.03.2015

| Location / Identification | Unit | Limit (day) | Result | Dates |
|-----------------------------------|-----------------------|-------------|--------|------------|
| POCKLAN (TATA HITACHI EX 2001 LC) | dB(A) L _{eq} | 75 | 67.9 | 25/02/2015 |
| COMPRESSOR (ATLAS XAHS-186) | dB(A) L _{eq} | 75 | 72.4 | 25/02/2015 |
| WAGAN DRILL (ROC – 203) | dB(A) L _{eq} | 75 | 71.7 | 25/02/2015 |
| COMPRESSOR (ATLAS XAHS-186) | dB(A) L _{eq} | 75 | 67.9 | 25/02/2015 |

Note: (i) The value is the Leq of twenty readings taken in location (Day time).

Vijay Pandey

SENIOR EXECUTIVE

Marine