

Ref No: HIL/LHD/ JP (M)/MoEF/950

Date: 25.11.14

To, Joint Director(S) MoEF,GOI, Eastern Regional Office A/3,Chandrashekharpur, Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period April'14 to Sep'14.

Ref: Environmental Clearance letter no J-11015/137/2006-IA II (M) dated 5th April 2007

Sir.

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar** (35.12 ha) Bauxite Mining project of M/s Hindalco located in Lohardaga, Jharkhand for the period **April'14 to Sep'14**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Bijesh Kumar Jha) Joint President (Mines)

Enclosure: - As above

Compliance of conditions laid down in Environmental Clearence PAKHAR (35.12 Ha)BAUXITE MINES Period: Oct'13 -March'14 J-11015/137/2006-IA II (M) dated 5th April 2007

SI No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Complied. Mining operations closed w.e.f 08.06.2009
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Complied.
3.	Environmental clearance is subject to grant of forestry clearance, Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 3.45ha forestland shall be obtained before starting mining operation in that area.	Mining operations closed w.e.f 08.06.2009
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Mining operations closed w.e.f 08.06.2009.
5	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation.	Complied
6	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Mining operations closed w.e.f 08.06.2009
7	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis.	Mining operations closed w.e.f 08.06.2009

8	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.	08.06.2009
	Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	
9	Plantation shall be raised in an area of 24.83ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Already 8 ha area has been planted in and around the mine/Plateau area.
10	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	Mining operations closed w.e.f 08.06.2009
11	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	Mining operations closed w.e.f 08.06.2009
12	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Mining operations closed w.e.f 08.06.2009
13	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Mining operations closed w.e.f 08.06.2009
14	Drills should either be operated with dust extractors or should be equipped with water injection system.	Mining operations closed w.e.f 08.06.2009


15	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Mining operations closed w.e.f 08.06.2009.
16	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Mining operations closed w.e.f 08.06.2009
17	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine.
18	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Mining operations closed w.e.f 08.06.2009
19	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Final Mine Closure plan (FMCP) submitted at IBM for approval.

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Mining operations closed w.e.f 08.06.2009
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Mining operations closed w.e.f 08.06.2009
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Mining operations closed w.e.f 08.06.2009

4	Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Mining operations closed w.e.f 08.06.2009
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mining operations closed w.e.f 08.06.2009
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Mining operations closed w.e.f 08.06.2009.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Mining operations closed w.e.f 08.06.2009
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Mining operations closed w.e.f 08.06.2009
9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed. (Annexure).
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Intimated that mining operations closed w.e.f 08.06.2009
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed. It is once again

purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the beginning of the financial year. (Annexure).
The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed however Mining operations closed w.e.f 08.06.2009.
report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board.	Duly submitted.
concerned Panchayat / local NGO, if any, from whom suggestion / representation has been	Complied.
State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office during our six monthly report bearing letter no HIL/GMO(M)/ENV/142dated 23.05.2007.
	reported to the Ministry and its Regional Office located at Bhubneshwar. The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board. A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days. The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha
Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

SI	Description	Budget (in Lakh Rupees)	Actual (in Lakh Rupees)
No		FY 2014-15	FY 2014-2015
			(from April'14 to Sep'14)
1	Pollution Control & Environment monitoring	5.50	6.00
2	Reclamation/ Back filing & Rehabilitation	42.50	36.00
3	Green belt & Plantation	60.03	54.46
4	Rural Development	85.29	111.37

^{**}Part of OB removed cost.

Convener

Environment Management Cell Hindalco Industries Limited

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO SEP-14

SL 1	Name of Mines 1 Shrengdag Bauxite Mines 2 Gurdari Bauxite Mines 3 Jalim & Sanai	Mining lease area (Ha) 155.81 584.19	ea ea	Mine (ir	Mined Out area Back (in Acres) (ir 22.10
ω	Jalim & Sanai	12.14	0.70	0.30	
4	4 Serangdag	140.07	2.00	0.50	
5	5 Pakhar Buxite Mines	115.13	3.69	1.50	
6	Pakhar Buxite Mines	8.09	0.00	0.00	
7	Pakhar Buxite Mines	38.95	0.00	0.00	
∞	8 Kujam-l	80.87	4.15	3.46	0,
9	9 Kujam-II	157.38	13.84	12.75	5
10	10 Amtipani	190.95	4.03	3.26	0,
11	11 Chiro-Kukud	152.57	3.95	6.42	
12	12 Orsa Bauxite Mines	196.36	0.00	0.00	
13	13 Hisri New	14.55	1.29	0.65	5
14	14 Bagru	75.41	0.00	0.00	0
15	15 Bhusar	65.31	0.94	1.:	1.50
	Minerals & Minerals Limited				
16	16 Pakhar Buxite Mines	109.507	4.21	3.51	1
17	Pakhar Buxite Mines	15.58	0.30	0.20	0
18	18 Bimarla Bauxite Mines	134.526	0.00	0.00	

Location (Mines) Elevation (Mir by Elevation (Mines) Well type Poet (Mark of Mines) Monsoon 2014 (Monsoon 2014 (Monsoon 2014) Post Monsoon 2014 (Monside MIL outside MI							Fig in meter
tion (Mines) Elevation (Mtr) Well type Inside ML Outside ML Inside ML 905 Open Well 21.72 24.30 21.72 910 Open Well 24.30 24.30 1 915 Open Well 22.85 22.85 31.65 1000 Open Well 17.55 31.65 1007 Open Well 17.55 31.65 1007 Open Well 17.55 31.65 1007 Open Well 41.75 25.85 31.65 1007 Hand Pump 39.65 25.85 39.54 10081 Hand Pump 23.05 25.85 39.54 1005 Hand Pump 23.05 25.85 39.54 1005 Hand Pump 23.05 25.85 27.55 1005 Hand Pump 28.35 25.85 27.84 1005 Hand Pump 28.35 24.90 27.84 1005 Hand Pump 28.35 22.80 29.30				×	lonsoon 2014	Post N	lonsoon 2014
905 Open Well 21.72 910 915 916 Open Well 24.30 24.30 915 915 Open Well 22.85 909 Open Well 22.85 909 Open Well 22.85 22.85 909 Open Well 24.90 24.90 31.65	Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML
910 Open Well 24.30 915 915 Open Well 29.40 29.40 903 Open Well 22.85 909 Open Well 17.55 17.55 1000 Open Well 24.90 31.65		905	Open Well		21.72		24.15
915 Open Well 29.40 29.40 903 909		910	Open Well		24.30		24.55
903 Open Well 22.85 17.55 909 Open Well 17.55 1000 Open Well 17.55 24.90 17.55 1000 Open Well 24.90 31.65 31.65 1002 Open Well 25.85 25.85 31.30 3	D	915	Open Well		29.40		28.44
909 Open Well 17.55 17.55 17.60 17.55 17.5	pagin	903	Open Well		22.85		33.12
Incompany Open Well 24.90 35.35 24.90 31.65 Incompany 1083 Hand Pump 35.35 25.85 31.65 1094 Hand Pump 41.75 25.85 39.54 1094 Hand Pump 39.65 31.30 39.54 1005 Hand Pump 39.65 27.55 27.55 1066 Hand Pump 27.75 26.25 27.84 1061 Hand Pump 28.35 24.90 27.84 1075 Hand Pump 28.22 26.88 26.88 1075 Hand Pump 28.36 29.30 29.30 1075 Hand Pump 28.36 29.30 29.30 1075 Hand Pump 28.36 29.30 29.30 1064 Hand Pump 31.58 33.95 29.30 1052 Hand Pump 31.58 28.65 28.65 1084 Hand Pump 33.45 28.40 31.80 1084 Hand Pump 3		909	Open Well		17.55		28.75
r 1083 Hand Pump 35.35 31.65 1027 Open Well 25.85 39.54 1094 Hand Pump 41.75 25.85 39.54 1081 Hand Pump 39.65 31.30 31.30 1055 Hand Pump 27.75 27.55 27.55 1045 Hand Pump 29.30 27.84 1059 Hand Pump 28.35 24.90 1075 Hand Pump 28.22 26.88 1040 Open Well 28.36 33.95 1041 Open Well 31.58 33.95 1052 Hand Pump 31.58 28.65 1054 Hand Pump 33.45 28.40 1084 Hand Pump 34.35 36.86		1000	Open Well		24.90		22.66
1027 Open Well 25.85 39.54 1094 Hand Pump 41.75 39.54 1081 Hand Pump 39.65 31.30 1055 Hand Pump 27.75 27.55 1066 Hand Pump 29.30 27.84 1061 Hand Pump 28.35 22.84 1075 Hand Pump 28.22 26.28 1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 33.63 1040 Open Well 33.65 29.30 1064 Hand Pump 31.58 33.95 1064 Hand Pump 31.58 33.65 1052 Hand Pump 31.58 33.65 1052 Hand Pump 31.58 33.65 1053 Hand Pump 31.58 33.65 1064 Hand Pump 31.58 33.65 1064 Hand Pump 31.58 33.65 1064 Hand Pump 31.58 33.65 1084 Hand Pump 33.45 33.65 33.80 33.80	Pakhar	1083	Hand Pump	35.35		31.65	
ngdag 1094 Hand Pump 41.75 39.54 1081 Hand Pump 39.65 31.30 1055 Hand Pump 33.05 27.55 1066 Hand Pump 27.75 26.25 1061 Hand Pump 29.30 27.84 1059 Hand Pump 28.35 24.90 1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1064 Hand Pump 31.58 33.95 29.30 1052 Hand Pump 31.58 28.65 1040 Open Well 33.95 28.65 1052 Hand Pump 31.58 28.65 1048 Hand Pump 33.45 28.40 1084 Hand Pump 34.35 36.86		1027	Open Well		25.85		28.35
ngdag 1081 Hand Pump 39.65 31.30 1055 Hand Pump 33.05 27.55 1066 Hand Pump 27.75 26.25 1045 Hand Pump 29.30 27.84 1061 Hand Pump 28.35 24.90 1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1041 Open Well 33.95 29.30 1052 Hand Pump 31.58 28.65 1052 Hand Pump 31.80 28.40 (ukud 1148 Hand Pump 34.35 36.86		1094	Hand Pump	41.75		39.54	
1055 Hand Pump 33.05 27.55 1066 Hand Pump 27.75 26.25 1045 Hand Pump 29.30 27.84 1061 Hand Pump 28.35 24.90 1059 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1041 Open Well 33.95 29.30 1052 Hand Pump 31.58 33.65 28.65 1052 Hand Pump 33.45 28.40 (ukud 1151 Hand Pump 33.35 31.80 1084 Hand Pump 34.35 36.86	Sherengdag	1081	Hand Pump	39.65		31.30	
1066 Hand Pump 27.75 26.25 1045 Hand Pump 29.30 27.84 1061 Hand Pump 28.35 24.90 1059 Hand Pump 38.15 36.63 1075 Hand Pump 28.22 26.88 1040 Open Well 33.95 29.30 1041 Open Well 33.95 29.30 1064 Hand Pump 31.58 33.65 1052 Hand Pump 31.58 28.65 1151 Hand Pump 37.60 28.40 1084 Hand Pump 34.35 36.86		1055	Hand Pump	33.05		27.55	
1045 Hand Pump 29.30 27.84 1061 Hand Pump 28.35 24.90 1059 Hand Pump 38.15 36.63 1075 Hand Pump 28.22 26.88 1040 Open Well 33.95 29.30 1041 Open Well 33.95 29.30 1064 Hand Pump 31.58 33.65 1052 Hand Pump 31.58 28.65 11148 Hand Pump 33.45 28.40 1084 Hand Pump 34.35 36.86		1066	Hand Pump	27.75		26.25	
1061 Hand Pump 28.35 24.90 1059 Hand Pump 38.15 36.63 1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1041 Open Well 31.58 33.65 1052 Hand Pump 31.58 28.65 1052 Hand Pump 31.58 28.65 1052 Hand Pump 33.45 28.65 1054 Hand Pump 33.45 36.86		1045	Hand Pump	29.30		27.84	
rii 1059 Hand Pump 38.15 26.88 36.63 26.88 27. 28.22 26.88 29.30 26.88 29.30 2		1061	Hand Pump	28.35		24.90	
1075 Hand Pump 28.22 26.88 1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1041 Open Well 33.65 29.30 1064 Hand Pump 31.58 28.65 1052 Hand Pump 28.40 1148 Hand Pump 37.60 28.40 1084 Hand Pump 34.35 36.86	Gurdari	1059	Hand Pump	38.15		36.63	
1075 Hand Pump 28.36 29.30 1040 Open Well 33.95 29.30 1041 Open Well 33.95 28.65 1064 Hand Pump 31.58 28.65 1052 Hand Pump 33.45 28.40 1148 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86		1075	Hand Pump	28.22		26.88	
1040 Open Well 33.95 1041 Open Well 33.65 1064 Hand Pump 31.58 28.65 1052 Hand Pump 28.65 1148 Hand Pump 33.45 28.40 1151 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86		1075	Hand Pump	28.36		29.30	
1041 Open Well 33.65 1064 Hand Pump 31.58 28.65 1052 Hand Pump 33.45 28.40 1148 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86		1040	Open Well		33.95		21.85
1064 Hand Pump 31.58 28.65 1052 Hand Pump 33.45 28.40 1148 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86	Kuism	1041	Open Well		33.65		24.82
1052 Hand Pump 33.45 28.40 1148 Hand Pump 37.60 31.80 1084 Hand Pump 34.35 36.86	Kujaiii	1064	Hand Pump	31.58		28.65	
1148 Hand Pump 33.45 1151 Hand Pump 37.60 1084 Hand Pump 34.35		1052	Hand Pump				21.12
1151 Hand Pump 37.60 1084 Hand Pump 34.35		1148	Hand Pump	33.45		28.40	
Hand Pump 34.35	Chiro Kukud	1151	Hand Pump	37.60		31.80	
		1084	Hand Pump	34.35		36.86	

Monitored water level





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

SEPTEMBER 2014

3//

Vijay Pandey
SENIOR EXECUTIVE

For Mahali

Authorised Signatory

Seneral Policy P



Branch Office

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

121

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: SOIL

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: SOIL Received: 26.09.2014

Received: 26.09.2014 Registered: 26.09.2014

Marks on Sample: Location: Pakhar Mines

Sample collected on: 26.09.2014

Quantity: 2 kgs

Test Start/End Date: 26.09.2014/27.09.2014

S.No	Analysis		Method	Result	Unit
1.	Colour			Gray	•
2.	Texture		F.A.U.N (2007)	Loamy Sand	. 3
3.	Bulk Density		By Bulk density Apparatus	1.0	gm/cm3
4.	Water Holding Capacity	**	F.A.U.N (2007)	23.5	%
5.	pH		F.A.U.N (2007)	6.9	-
6.	Electrical Conductivity		F.A.U.N (2007)	20.5	μs/cm
7.	Organic Carbon			0.52	%
8.	Organic Matter		Black & White Wet Digestion Method	0.68	%
9.	Available Nitrogen	**	Soil & Water Book by P.K Gupta	112.0	mg/kg
10.	Available Phosphorus	<u> </u>	Soil & Water Book by P.K Gupta	14.9	mg/kg
11.	Available Potassium		Soil & Water Book by P.K Gupta	380	mg/kg
12.	Exchangeable Calcium	Ca	Soil & Water Book by P.K Gupta	22.5	meq/100gm
13.	Exchangeable Magnesium	Mg	Soil & Water Book by P.K Gupta	1.89	meq/100gm
14	Exchangeable Sodium	Na	Soil & Water Book by P.K Gupta	2.23	meq/100gm
15.	Exchangeable Potassium	К	Soil & Water Book by P.K Gupta	1.48	meq/100gm
16	Total Exchangeable Bases		Soil & Water Book by P.K Gupta	30.5	meq/100gm
17	Manganese	Mn	USEPA 3052	0.50	mg/kg
18	Arsenic	As	USEPA 3052	2.30	mg/kg
19	Silica	SiO ₂	USEPA 3052	60.0	%
20.	Aluminum	Al ₂ O ₃	USEPA 3052	6.9	%
21.	Iron	Fe ₂ O ₃	USEPA 3052	5.0	%
22.	Calcium	CaO	USEPA 3052	8.98	%
23.	Magnesium	MgO	USEPA 3052	1.90	%
24.	Sodium	Na ₂ O	USEPA 3052	0.38	%
25.	Potassium	K ₂ O	USEPA 3052	0.22	%
26.	Sulphate	SO ₄	USEPA 3052	0.84	%n

Vijay Pandey

Vijay Pandey
SENIOR EXECUTIVE

For Mahai.

Authorised Signatory

Ranchi Pyr.

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashta India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received:28.09.2014 Registered: 28.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar Hindalco Colony

Sample collected on: 26.09.2014

Test Start/End Date: 28.09.2014/30.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	30/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	22.1
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	25.1
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	29.5
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.1

Vijay Pandey SENIOR EXECUTIVE For Mahaluli There Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:27.09.2014 Registered: 27.09.2014

Carbon Monoxide

Marks on Sample: Location: Pakhar Plateau- Pakhar 115.13 Pit

Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014
iulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	65.8
litrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	71.2
Particulate Matter (size less than 10 µm)	PM10	μg/m³	100	IS:5182 (Part 23)	60.1
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	35.2

mg/m3

Vijay Pandey SENIOR EXECUTIVE · For Mai .

CO

Et a. Pvt. Ltd. Authorisau Signatory

0.5

EPA 600/P-99/001F

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 109.507 Dumarpat Village

Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

		UNIT	LIMIT	METHOD	29/09/2014
PARAMETERS		UNII	Livii	METHOD	
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	23.5
Nitrogen Dioxide	NO ₂ : ·	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	52.5
Particulate Matter (size less than 10 μm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	80.2
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	45.2
Carbon Monoxide	со	mg/m³	2	EPA 600/P-99/001F	0.7

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 84.38 Pokhrapat

Sample collected on:26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	50.0
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	55.1
Particulate Matter (size less than 10 µm)	PM10	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM ₂₅	μg/m³	60	USEPA CFR(40) Appendix-L	40.0
Carbon Monoxide	CO	mg/m³	2	EPA 600/P-99/001F	0.5

Vijay Pandey SENIOR EXECUTIVE For Managai Endito Eng. Pvt. Ltd

Authorised Signators

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India

(600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 26.09.2014

Location / Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Month			Average of 24 continuous hours in Sep- 14		Average of 24 continuous hours in Sep- 14	
Pakhar Mining Area	dB(A) Leq	75	55	70	49	26/09/2014

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signat



(j,l)



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: DRINKING WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: DRINKING WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Pakhar Plateau - Tap water, Near Colony

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour	•	Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste		Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.7	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	89	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05	•	APHA 22nd Ed. 2012, 4500-CIG, 4-69
9.	Dichloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-CIG, 4-69
	Total Hardness (as CaCO ₃)	mg/l	59	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,4
10.	Alkalinity Total (as CaCO ₃)	mg/l	65	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
. 12.	Chloride (as Cl)	mg/l	7.6	250 Max	APHA 22nd Ed. 2012, 4500- Cl-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	4.3	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
4.	Nitrate (as NO3)	mg/l	1.14	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125
.5.	Fluoride (as F)	mg/l	0.20	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87
6.	Boron (as B)	mg/l	0.19	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25
7.	Calcium(as Ca)	mg/l	18.1	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
8.	Magnesium (as Mg)	mg/l	3.2	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84
19.	Ammonical Nitrogen/	mg/l	<0.1	•	APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115
20.	Iron (as Fe)	mg/l	0.18	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
11.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
	Aluminium (as Al)	mg/l	0.09	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-6
22.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
23.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Zinc (as Zn)	mg/l	0.03	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Arsenic (as As)	mg/l	< 0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
28.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
30.	Nickel (as Ni)	mg/l	<0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
31.	Mineral Oil	mg/l	N.D.	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44
34.	Anionic detergents as MBAS	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	. N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082
38.	Sulphide (as S)	mg/l	N.D		APHA 22nd Ed. 2012, 4500- S2-C 4 175 & F 4-178





Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbi	ological Analysis		12.7		101 2012 0221 B
1.	Total Colliforms	MPN/ 100 mL	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69
2.	E-Coli	MPN/ 100 mL	Absent .	N.D	APHA 22nd Ed. 2012, 9221- B, C & G, 9-66, 9-69 and 9-76
Pesticid	les Residues				US EPA 508-1995
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o,p DDE	μg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	μg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	µg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995
10.	α-НСН	μg/L	< 0.01	0.01	US EPA 508-1995
11.	в-нсн	µg/L	N.D	0.04	US EPA 508-1995
12	δ·HCH	µg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	µg/L	N.D	125	
14.	Alachlor	μg/L	N.D	20	US EPA 508-1995
15.	Atrazine	μg/L	N.D	2	US EPA 532-2000
16.	α Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
17.	ß Endosulfan	µg/L	N.D.	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	µg/L	N.D	0.4	US EPA 508-1995
19.	Ethion	μg/L	N.D	3	US EPA 8141A-1994
1.00	Malathion	µg/L	N.D	190	US EPA 8141A -1994
20.	Methyl Parathion	µg/L	. N.D	0.3	US EPA 8141A -1994
21.	Monocrotophos	µg/L	N.D	1	US EPA 8141A-1994
22.	Phorate	µg/L	N.D	2	US EPA 8141A -1994
23.		μg/L	N.D	30	US EPA 8141A - 1994
24.	Chlorpyrifos	µg/L	N.D	0.03	US EPA 508-1995
25.	Aldrin Dieldrin	µg/L	N.D	0.03	US EPA 508-1995

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: SURFACE WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: SURFACE WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Water Harvesting Pond (Pakhar Mines)

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference	
1.	Colour	Hazen	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6	
2.	Odour		Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006	
3.	Taste		Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006	
4.	Turbidity	NTU	0.3	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13	
5.	рН		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92	
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69	
7	Total Dissolved Solids	mg/l	98	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006	
8.	Monochloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69	
9.	Dichloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-CIG, 4-69	
10.	Total Hardness (as CaCO ₃)	mg/l	45	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,45	
11.	Alkalinity Total (as CaCO ₃)	mg/l	61	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009	
12,	Chloride (as Cl)	mg/l	7.0	250 Max	APHA 22nd Ed. 2012, 4500- CI-B, 4-72	
13.	Sulphate (as SO ₄)	mg/l	3.9	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190	



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference	
14.	Nitrate (as NO3)	mg/l	1.1	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125	
15.	Fluoride (as F)	mg/l	0.21	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87	
16	Boron (as B)	mg/l	0.19	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25	
17	Calcium(as Ca)	mg/l	15.2	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67	
18.	Magnesium (as Mg)	mg/l	3.9	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84	
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1	*	APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115	
20.	Iron (as Fe)	mg/l	0.09	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18	
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318	
22.	Aluminium (as Al)	mg/l	0.06	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-	
23.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
24.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
25.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
26.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
27.	Zinc (as Zn)	mg/l	0.10	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
28.	Arsenic (as As)	mg/l	< 0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38	
29.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23	
30.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38	
31.	Nickel (as Ni)	mg/l	< 0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18	
32.	Mineral Oil	mg/l	N.D., o	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1	
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44	
34.	Anionic detergents as MBAS	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53	
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5- 47	
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93	
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082	
38.	Sulphide (as S)	mg/l	N.D	(2)	APHA 22nd Ed. 2012, 4500- S2-C 4- 175 & F 4-178	



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbi	ological Analysis		5		
1.	Total Colliforms	MPN/ 100 mL	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69
2.	E-Coli	MPN/ 100 mL	Absent	N.D	APHA 22nd Ed. 2012, 9221– B, C & G. 9-66, 9-69 and 9-76
Pesticid	es Residues				
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o,p DDT	µg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	µg/L	N.D	1	US EPA 508-1995
6.	o.p DDE	µg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	µg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	µg/L	N.D	1	US EPA 508-1995
9.	γ-HCH (Lindane)	µg/L	< 0.01	2	US EPA 508-1995
10.	α-НСН	µg/L	< 0.01	0.01	US EPA 508-1995
11.	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	δ - НСН	µg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	µg/L	N.D	125	US EPA 508-1995
14.	Alachlor	µg/L	N.D	20	US EPA 508-1995
15.	Atrazine	µg/L	N.D	2	US EPA 532-2000
16.	α Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
17.	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19.	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20.	Malathion	sig/L	N.D	190	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	N.D	0.3	US EPA 8141A -1994
22.	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994
24.	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A -1994
25.	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey
SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd

Authorised Signatory

Ranchi Li



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 25.09.2014

Location / Identification	Unit	Limit (day)	Result	Dates
POCKLAN (TATA HITACHI EX 2001 LC)	dB(A) Leq	75	66	25/09/2014
COMPRESSOR (ATLAS XAHS-186)	dB(A) L _{eq}	75	72	25/09/2014
WAGAN DRILL (ROC – 203)	dB(A) Leq	75	71.4	25/09/2014
COMPRESSOR (ATLAS XAHS-186)	dB(A) Leq	75	69	25/09/2014

Note: (i) The value is the Leq of twenty readings taken in location (Day time)

Hungy!

Vijay Pandey
SENIOR EXECUTIVE

For Mana:

Manage Signatory

