

Ref No: HIL/LHD/ VP (M)/MoEF/696

Date: 26.05.14

To, Joint Director(S) MoEF, GOI, Eastern Regional Office A/3,Chandrashekharpur, Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period Oct'13 to March'14.

Ref: Environmental Clearance letter no J-11015/137/2006-IA II (M) dated 5th April 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar (35.12 ha)** Bauxite Mining project of M/s Hindalco located in Lohardaga, Jharkhand for the period **Oct'13 to March'14.**

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Bijesh Kumar Jha) VP (Mines)

Enclosure: - As above

Website www.hindalco.com

Compliance of conditions laid down in Environmental Clearence

PAKHAR (35.12 Ha)BAUXITE MINES
Period : Oct'13 -March'14
J-11015/137/2006-IA II (M) dated 5th April 2007

SI No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Complied. Mining operations closed w.e.f 08.06.2009
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Complied.
3.	Environmental clearance is subject to grant of forestry clearance, Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 3.45ha forestland shall be obtained before starting mining operation in that area.	Mining operations closed w.e.f 08.06.2009
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Mining operations closed w.e.f 08.06.2009.
5	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation.	Complied
6	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Mining operations closed w.e.f 08.06.2009
7	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis.	Mining operations closed w.e.f 08.06.2009

8	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.	Mining operations closed w.e.f 08.06.2009
	Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	
9	Plantation shall be raised in an area of 24.83ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Already 8 ha area has been planted in and around the mine/Plateau area.
10	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	Mining operations closed w.e.f 08.06.2009
11	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	Mining operations closed w.e.f 08.06.2009
12	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Mining operations closed w.e.f 08.06.2009
13	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Mining operations closed w.e.f 08.06.2009
14	Drills should either be operated with dust extractors or should be equipped with water injection system.	Mining operations closed w.e.f 08.06.2009

1.5	Di	
15	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Mining operations closed w.e.f 08.06.2009.
16	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Mining operations closed w.e.f 08.06.2009
17	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine.
18	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Mining operations closed w.e.f 08.06.2009
19	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Final Mine Closure plan (FMCP) submitted at IBM for approval.

GENERAL CONDITIONS

SI No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Mining operations closed w.e.f 08.06.2009
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Mining operations closed w.e.f 08.06.2009
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Mining operations closed w.e.f 08.06.2009

4	Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mining operations closed w.e.f 08.06.2009
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Mining operations closed w.e.f 08.06.2009.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Mining operations closed w.e.f 08.06.2009
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Mining operations closed w.e.f 08.06.2009
9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed. (Annexure).
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Intimated that mining operations closed w.e.f 08.06.2009
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed. It is once again

purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the beginning of the financial year. (Annexure).
Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed however Mining operations closed w.e.f 08.06.2009.
report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board.	Duly submitted.
A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's	Displayed.
The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office during our six monthly report bearing letter no HIL/GMO(M)/ENV/142dated 23.05.2007.
	reported to the Ministry and its Regional Office located at Bhubneshwar. The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board. A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days. The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2013-14


The composite cost during the year 2013-14 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha),Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Lakh Rupees)	(Editi	,
		FY 2013-2014	Rupees)	Rupees)
			FY 2013-2014 from April'13 to Sep'13	FY 2013-2014 from Oct'13 to March'14
1	Pollution Control & Environment monitoring	10.00	6.44	-
2	Reclamation/ Back filing & Rehabilitation	**	153.60	71.50
3	Green belt & Plantation	40.00	30.75	9.50
4	Rural Development	70.00	67.72	85.35

^{**}Part of OB removed cost.

Convener

Environment Management Cell.



Date: 30.10.13

OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Utpal Gupta, Manager (Environment)
- 3. Biplab Mukherjee (Asst Manager Geology)
- 4. S. Joshi, Mines Manager (Bagru Mines)
- 5. A. Anbarasu, Mines Manager (Serengdag A)
- 6. Ajay Pandey, Mines Manager (Pakhar 109.507 Hect)
- 7. Kiran Sankar Singh, Mines Manager (Gurdari)
- 8. Vidya Sagar Singh, Mines Manager (Kujam)
- 9. Amar Bharati, Mines Manager (Amtipani)
- 10.S P Jha, Mines Manager (Pakhar)
- 11. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order

Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager All Department head Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-13 TO MAR-14

Name of Mines	Mining lease area	Mined Out area	Backfilled area	Production	Overburden
	(Ha)	(in Acres)	(in Acres)	(in MT)	Removal
Shrengdag Bauxite Mines	155.81	25.95	19 20	257570	(in Cub.M.)
Gurdari Bauxite Mines	584 19	22.70	27.50	733010.00	371290
Islim & Canai		33.20	75.60	313975.00	487773
Samm & Januar	12.14	4.00	2.00	49445.00	30124
Serangdag	140.06	7.96	3.48	99795.00	98271
Pakhar Buxite Mines	115.13	3.71	5.09	296950.00	1,000
Pakhar Buxite Mines	8.09	1.70	0.80	2000000	449483
Kujam-I	80.87	14.12	7 53	98400.00	11380
Kujam-II	157.38	F 44	76.1	149255.00	99902
Amtinani	10000	14.0	3.60	149790.00	82386
	190.95	16.46	16.03	149665.00	419976
Culro-Kukud	152.57	2.90	6.18	52020 00	2000
Orsa Bauxite Mines	196.36	000	000	32323.00	77779
Hisri New	14 55	7	0.00	0.00	0
Bagrii	24.50	77.7	0.00	93813.00	6699
2.00	/5.41	0.94	0.24	56804.00	31935
Bhusar	65.31	2.26	8.37	203522 00	45074
Minerals & Minerals Limited				203332.00	150616
Pakhar Buxite Mines	109.507	7.61	5.4E		
Pakhar Buxite Mines	15 50		0.43	234500.00	210702
	13.38	1.45	1.85	57065.00	17/812

Monitored water level

				Monso	Monsoon 2013	Post Mon	Post Monsoon 2013	M	Winter	Pre N	Pre Monsoon
Location (Mines)	Elevation (feet)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML	Inside ML	Outside ML	Inside ML	Outside ML
	2970		905 Open Well		21.70		24.10		27.32		29.23
	2985		910 Open Well		24.20		24.50		26.89		27.19
Bagril	3001		915 Open Well		29.30		28.40		30.14		31.26
nagin	2963		903 Open Well		22.90		33.10		35.21		35.89
	2983		909 Open Well		17.60		28.70		29.62		30.18
	3279		1000 Open Well		24.90		22.60		24.51		25.93
Pakhar	3552		1083 Hand Pump	35.40		31.60		34.34		35.49	
	3370		1027 Open Well		25.80		28.30		30.53		31.42
	3587	1094	1094 Hand Pump	41.80		39.58		42.13	-	42.56	
Sherengdag	3546		1081 Hand Pump	39.60		31.26		41.37		41.31	
	3459		1055 Hand Pump	33.10		27.50		35.31		35.35	
	3495		1066 Hand Pump	27.70		26.13		29.12		30.25	
	3428	SO 11.9	1045 Hand Pump	29.34		27.85		29.64		30.41	
	3481	1061	1061 Hand Pump	28.30		24.87		25.42		26.79	
Gurdari	3472	1059	1059 Hand Pump	38.10		36.63		35.21		35.98	
	3527	1075	1075 Hand Pump	28.20		26.83		28.49		29.53	
	3526		1075 Hand Pump	28.30		29.32		30.29		30.05	
	3412	1040	1040 Open Well		33.90		21.80		35.21		36.78
Kijam	3414	1041	1041 Open Well		33.70		24.80		36.54		39.52
i infav	3491	1064	1064 Hand Pump	31.50		28.60		35.91		42.12	
	3450		1052 Hand Pump				21.12		24.13		23.54
	3765	1148	1148 Hand Pump	33.40		28.35		34.12		37.26	
Chiro Kukud	3776	1151	1151 Hand Pump	37.60		31.84		36.67		36.21	
	3556	1084	1084 Hand Pump	34.30		36.85		35.69		39.19	





SAMPLE DRAWN BY SGS INDIA PVT, LTD.

Print Date : 30/01/2014

: KG14-000221.001 Report No

JOE No

: KG14-000221

Report Control No

: KGR0000046008

Sample Described by Customer as

AMBIENT AIR QUALITY MONITORING

Client Name

: Hindalco Industries Limited(Mines Division)

Client Address

: Lohardaga,

Postal Code

: 835203 ; Jharkhand

Country

State

: India

Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 09/01/2014

Registered

: 09/01/2014

Marks on Sample

. Location : Pakhar -115.13 pit(Pakhar plateau), Sampling date 01.01.2014

Test Start/End Date

. 09/01/2014 - 14/01/2014

Analysis	Method	Result	Unit	Requiremen	nt/Limit as Per
				NA	AQS
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	33.98	ug/m3	•	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	25.08	ug/m3		60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide (CO)	EPA 600/P-99/001F	<0.10	PPM		
Analyzed at site.					

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm.and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experience to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Pvl Ltd. CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas, Kolkata - 700104, Phone: +91, 33, 65009334/9335 Fax. +91, 033-24381022

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sqs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 30/01/2014

Report No : KG14-000221.001

JOE No : K

: KG14-000221

Report Control No

: KGR0000046008

Per pro SGS India Private Ltd

Salaria a

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd., CS Plot -512(p) _Mouze, Hanspukurla, Diarmond Harbour Rd.PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 vvww.sgs.com



Print Date : 30/01/2014

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

JOE No

: KG14-000221

Report No

: KG14-000221.002

Report Control No

: KGR0000046008

Sample Described by Customer as

AMBIENT AIR QUALITY MONITORING

Client Name

: Hindalco Industries Limited(Mines Division)

Client Address

: Lohardaga,

Postal Code

: 835203

State

; Jharkhand

Country

: India

Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 09/01/2014

Registered

: 09/01/2014

Marks on Sample

: Location : Pakhar Hindalco Colony (Pakhar Plateau), Sampling dt. 01.01.2014

Test Start/End Date

: 09/01/2014 - 14/01/2014

Analysis	Method	Result	Unit	Requireme	nt/Limit as Per
				NA	AQS
			167	Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	41.96	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	22.91	ug/m3		60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	*	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001	<5.00	ug/m3	~	80
Carbon Monoxide (CO)	(Reaff.2006) EPA 600/P-99/001F	<0.10	PPM		
Analyzed at site.					

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Pvl Ltd..CS Plot -512(p) .Mouza, Hanspukuria Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +01 33 65009334/9335.Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-40083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 30/01/2014

Report No : KG14-000221.002

JOE No : KG14-000221

Report Control No

: KGR0000046008

Per pro SGS India Private Ltd

Satya Manna Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd

SGS India Pvt Ltd. CS Plot -512(p) .Mouza, Hanspukuria, Diamond Harbour Rd.PO-Joka, South 24 Parganas. Kolikata - 700104. Phone:+91 33 85099334/9335, Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Print Dat

Print Date : 30/01/2014

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

: KGR0000046008

Report No : KG14-000221.003

JOE No

: KG14-000221

Report Control No

Sample Described by Customer as

AMBIENT AIR QUALITY MONITORING

Client Name

Client Address

Hindalco Industries Limited(Mines Division)Lohardaga,

Postal Code

: 835203

State

: Jharkhand

Country

India

Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 09/01/2014

Registered

: 09/01/2014

Marks on Sample

: Location : Pakhar -109.507 Dumerpat village(Pakhar Plateau), Sampling date:02.01.2014

Test Start/End Date

. 09/01/2014 - 14/01/2014

Analysis	Method	Result	Unit		nt/Limit as Per
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	96.36	ug/m3	·*	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	37.16	ug/m3		60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975 (Reaff:2004)	<5.00	ug/m3	*	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	•	80
Carbon Monoxide (CO)	EPA 600/P-99/001F	<0.10	PPM		
Analyzed at site.					

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experted to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p) . Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104 . Phone. +91 33 65009334/9335, Fax: +91 033-24361022

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 30/01/2014

: KG14-000221.003 Report No

JOE No

: KG14-000221

Report Control No

KGR0000046008

Per pro SGS India Private Ltd

- YOUR WITH B

Satya Manna Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_end_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt Ltd., CS Plot -512(p) .Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas. Kolkala - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022 SGS India Pvt. Ltd.

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Print Date : 30/01/2014

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

JOE No.

: KG14-000221

· KG14-000221.004 Report No

Report Control No

KGR0000046008

Sample Described by Customer as

AMBIENT AIR QUALITY MONITORING

Client Name

: Hindalco Industries Limited(Mines Division)

Client Address

· Lohardaga,

Postal Code

: 835203

State

; Jharkhand

Country Sample Type : India : AMBIENT AIR QUALITY MONITORING

. 09/01/2014

Received

: 09/01/2014

Registered Marks on Sample

: Location : Pakhar-84.38, pokharapat village (pakhar plateau), Sampling date : 02.01.2014

Test Start/End Date

. 09/01/2014 - 14/01/2014

Analysis	Method	Result	Unit	Requirement/Limit as P	
				NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	37.49	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	14.41	ug/m3	**	60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	(Reaff.2004) IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide (CO)	EPA 600/P-99/001F	<0.10	PPM		
Analyzed at site.					

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms, and _conditions. htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experience to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka. South 24 Parganas Kolkala - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022

Regd & Corp. Off. SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 30/01/2014

odo mom r r . L . D.

Report No : KG14-000221.004

JOE No : KG14-000221

Report Control No

: KGR0000046008

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

South and I Tay and

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_e-document.htm. Altention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd.PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334;9335. Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



TEST REPORT

Report No.: KG14-000252.001

Date: 11.01.2014

JOE No.: KG13-000252

Report Control No.: KGR0000044247

SAMPLE DRAWN BY SGS INDIA PVT, LTD.

SAMPLE DESCRIPTION

MEASUREMENT OF NOISE LEVEL

COMPANY NAME

M/S. HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS

MINES DIVISION, LOHARDAGA, JHARKHAND, PIN - 835 302

SAMPLING SITE

PAKHAR-A (PAKHAR PLATEAU)

PROTOCOL

IS:9989/IS:7194

DATE OF SAMPLING

01.01.2014 TO 02.01.2014

TEST START DATE

10.01.2014

TEST END DATE

11.01.2014

LOCATION	RES	ULT	LIMIT IN dB(A) Leq (INDUSTRIAL AREA)			
	Day Time (L _{eq}) in dB(A)	Night time (L _{eq}) in dB(A)	Day Time	Night time		
NEAR HINDALCO OFFICE	56	47	75	70		

*****End of Report*****

Note: (i) The value is the Leq of One Hundred Seventy readings taken in day time and seventy reading taken in night time.

(ii) Day time shall mean from 6:00 am to 10:00 pm

(iii) Night time shall mean from 10:00 pm to 6:00 am

Checked by

per pro SGS India Private Ltd.

Dipankar De Sarkar Manager (Operations)

Dr. Asish Chakraborty Manager-Laboratory

Page 1 of 1

This This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms and conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of his document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, and the state of forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless other wise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

SGS India Pvt. Ltd .Laboratory, CS Plot-512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO.-Joke South 24 Parganas, Kolkata-700104 Phone: 91-33-65009334, 65009335 td .Laboratory, CS Plot-512(p), Mouza, Hanspukura, Diamond narouur nose, FO. Juke Sudul A.F. Fayer S. Fox (022) 25798431 to 35 www.sgs.com.
Regd & Corp. Off ; SGS House, 4B, A.S. Marg. Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com.

Member of the SGS Group (SGS SA)



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 30/01/2014

Report No : KG14-000231.001

JOE No

: KG14-000231

Sample Described by Customer as

Report Control No

: KGR0000045993

ras : FUGITIVE AIR

Client Name Client Address : Hindalco Industries Limited(Mines Division) : Lohardaga,

Postal Code

: 835203

State

: Jharkhand

Country

: India

Sample Type

: FUGITIVE AIR

Received

: 09/01/2014

Received

: 09/01/2014

Registered Marks on Sample

Location: Pakhar 115.13 Pit(Pakhar Plateau),date:01.01.2014

Test Start/End Date

: 10/01/2014 - 15/01/2014

Analysis	Method	Result	Unit	Requirement/Limit as Per
				FACTORY ACT. 1948 & BIHAR/JHARKAND FACTORY Min RULE-1950 _{Max}
Suspended Particulate Matter (SPM)	IS:5182 (Part-23):2006	917.02	ug/m3	10000

Per pro SGS India Private Ltd

Later Company and Company

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of penshable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Print Date

: 21/01/2014

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

JOE No

: KG14-000162

Report Control No

: KGR0000045139

Sample Described by Customer as

GROUND WATER

Client Name

Report No

Client Address

: Hindalco Industries Limited(Mines Division)

: Lohardaga.

KG14-000162.001

Postal Code State

: 835203 · Jharkhand

Country

: India

Sample Type

: GROUND WATER

Received

: 08/01/2014

Registered

: 08/01/2014 : Location: Hand pump (Near Kukud Pit)

Marks on Sample

· Chirokukud Bauxite Mines

Quantity

: 5.5L app

Sample Collected on

: 30.12.2013

Sampling Method

APHA 1060B/9060A

Test Start/End Date

: 08/01/2014 - 20/01/2014

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	4
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeab
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeab
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.48		6.5	8
Analyzed at site.					
Total Hardness (as CaCO3)	IS:3025 (Part-21):1983 (Reaff.2006)	18.60	mg/L	200	60
Iron (as Fe)	IS:3025 (Part-2)	0.07	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.15	mg/L	1.0	1
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p) ,Mouza, Hanspukuria,Diamond Harbour Rd.PO-Joka, South 24 Parganas. Koikata - 700104. Phone: +91 33 65009334/9335,Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroil (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date

: 21/01/2014

Report No

KG14-000162.001

JOE No

: KG14-000162

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Chloride (as CI)	IS:3025 (Part-32):1988 (Reaff.1999)	6.78	mg/L	250	100
Total Dissolved Soilds	IS:3025 (Part-16 :1984 (Reaff.1996)	44.50	mg/L	500	200
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	5.95	mg/L	75	2
Magnesium (as Mg)	IS:3025 (Part-45):1994 (Reaff.1999)	<1.00	mg/L	30	1
Copper (as Cu)	IS:3025 (Part-2)	0.05	mg/L	0.05	1
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	(
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	4
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	15.86	mg/L	45	No relaxati
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.0
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxati
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxati
Selenium (as Se)	IS:3025 (Part-2)	0.005	mg/L	0.01	No relaxat
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxat
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxat
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxat
Zinc (as Zn)	IS:3025 (Part-2)	0.02	mg/L	5	
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxat
Mineral Oil	IS:3025 (Part-39) :1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxat

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Piot -512(p). Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas. Kolkata - 700104. Phone: +91. 33.65009334/9335, Fax: +91.033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax . (022) 25798431 to 35 www.sgs.com



Print Date

: 21/01/2014

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No

KG14-000162.001

JOE No

: KG14-000162


	Report Control No	: KGR0000045139			
Analysis	Method	Result			ement/Limit :10500:2012
				Acceptable	Permissible
Total Alkalinity (as CaCO3)	IS:3025 (Part-23) :1986 (Reaff,2003)	4.56	mg/L	200	600
Aluminium (as AI)	IS:3025 (Part-55):2003	< 0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.40	NTU	1	5

Per pro SGS India Private Ltd

Aniruddha Das Section Incharge-Microbiology

Authorized Signatory

Per pro SGS India Private Ltd



Satya Manna Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or fatsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., GS Plot -512(p) .Mouza. Hanspukuria, Diamond Harbour Rd.PO-Joka, South 24 Parganas. Kolkata - 700104. Phone: +91 33 65009334/9335, Fax +91 033-24381022

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Print Date

: 29/01/2014

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No

Client Name

: KG14-000135.001

JOE No

: KG14-000135

Report Control No

: KGR0000045888

Sample Described by Customer as

SOIL

: Hindalco Industries Limited(Mines Division)

Client Address Postal Code : Jharkhand State

: Lohardaga, : 835203

: India Country Sample Type : 08/01/2014 Received

: SOIL

Registered Marks on Sample : 08/01/2014 : Location:K-5, Quarry 109.507 Hector(Pakhar 109.507 Mines)

: (Pakhar Plateau)

Sample Collected on Quantity

: 01.01.2014 · 2.5Kg app

Test Start/End Date

: 08/01/2014 - 22/01/2014

	Result	Unit
,		
F.A.U.N (2007)	5.9	µs/cm
F.A.U.N (2007)	5.75	**
F.A.U.N (2007)	56.45	%
By Bulk Density Apparatus	1.06	gram/ml
F.A.U.N (2007)	<20.000	mg/kg
F.A.U.N (2007)	Sandy clay	
F.A.U.N (2007)	35.8	%
F.A.U.N (2007)	46.2	%
F.A.U.N (2007)	18.0	%
Soil & Agriculture Organization (U.N-2007)	<20.00	mg/kg
Food & Agriculture Organization (U.N-2007)	270.01	mg/kg
	F.A.U.N (2007) By Bulk Density Apparatus F.A.U.N (2007) F.A.U.N (2007) F.A.U.N (2007) F.A.U.N (2007) F.A.U.N (2007) Soil & Agriculture Organization (U.N-2007) Food & Agriculture	F.A.U.N (2007) 5.75 F.A.U.N (2007) 56.45 By Bulk Density Apparatus 1.06 F.A.U.N (2007) <20.000 F.A.U.N (2007) Sandy clay F.A.U.N (2007) 35.8 F.A.U.N (2007) 46.2 F.A.U.N (2007) 18.0 Soil & Agriculture Organization (U.N-2007) Food & Agriculture 270.01

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of penshable items) and 30 days for all other samples The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

152, New Baradwari, Layout Extension, Sakchi, Jamshedpur - 831 001, Jharkhand Phone - (0657) 2422919

SGS India Pvt Ltd., CS Plot -512(p) , Mouza, Hanspukurta, Diamond Harbour Rd. PO-Joka, South 24 Parganas. Kolkata - 700104. Phone: +91.33.65009334/9335, Fax: +91.033-24381022

SGS India Pvt. Ltd.

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Print Date

: 29/01/2014

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG14-000135.001

JOE No

: KG14-000135

	Report Control No :	KGR0000045888	
Analysis	Method	Result	Unit
Available Potassium (as K)	Soil & Water Book By P.K.	1319.23	mg/kg
Available Magnesium (as Mg)	Gupta Soil & Water Book By P.K. Gupta	2666.03	mg/kg
Lead (as Pb)	USEPA 3052	18.89	mg/kg
Chromium (as Cr)	USEPA 3052	137.76	mg/kg
Mercury (as Hg)	USEPA 3052	1.02	mg/kg
Total Organic Matter	Black & Walkely Wet Digestion Method	0.46	%

Per pro SGS India Private Ltd

WALL PLIANCE

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

152, New Baradwari, Layout Extension, Sakchi, Jamshedpur - 831 001, Jharkhand Phone - (0657) 2422919

SGS India Pvt Ltd., CS Plot -512(p) , Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas. Kolkala - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022

SGS India Pvt. Ltd. Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs com



TEST REPORT

Report No.: KG17-000178.001-004

Report Control No:KGR0000044181

Date: 10.01.2014

JOE No.: KG14-000178

SAMPLE DRAWN BY SGS INDIA PRIVATE LTD.

SAMPLE DESCRIPTION

MEASUREMENT OF NOISE LEVEL

NAME OF THE CLIENT

M/S. HINDALCO INDUSTRIES LIMITED

ADDRESS

MINES DIVISION, LOHARDAGA, JHARKHAND, PIN - 835 302

SAMPLING METHOD

INSTRUMENTAL, USING SOUND LEVEL METER

SAMPLING SITE

PAKHER-B (PAKHAR PLATEAU)

PROTOCOL

GENSOP/CALLAB-116

TEST START DATE

09.01.2014

TEST END DATE

10.01.2014

SL NO.	SAMPLING LOCATION	DATE & TIME OF SAMPLING	DAY TIME NOISE LEVEL dB (A) Leq	LIMIT IN dB(A) Leq DAY TIME (INDUSTRIAL AREA)
1.	POCKLEN (TATA HITACHI EX 2001 LC)	02.01.2014 (12:05 Hrs)	77	75
2.	COMPRESSOR (ATLAS XAHS-186)	02.01.2014 (12:20 Hrs)	81	75
3.	WAGON DRILL (ROC-203)	02.01.2014 (12:35 Hrs)	84	75
4.	COMPRESSOR (XAH -210)	02.01.2014 (12:50 Hrs)	73	75

****End of Report***

Note: (i) The value is the Leg of twenty readings taken in each location (Day time).

(ii) Day time shall mean from 6:00 am to 10:00 pm

Checked by

per pro SGS India Private Ltd.

Dipankar De Sarkar Manager (Operations)

Dr. Asish Chakraborty Manager-Laboratory

Page 1 of 1

This This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms and conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of his document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its contained the time of the transaction decreases the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its contained the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its contained the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its contained there is a contained the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its contained there is a contained the company finding at the time of its intervention only and with in the limit of client instructions, if any. and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless other wise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, CS Plot-512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO.-Joke South 24 Parganas, Kolkata-700104 Phone: 91-33-65009334, 65009335 td .Laboratory, CS Plot-512(p), Mouza, Hansputtiria, Diamond Haributt House, FU. Jone South 27 Falgeries, Robert 1992 (22) 25798431 to 35 www.sgs.com Repd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com Member of the SGS Group (SGS SA)



SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

: KGR0000045145

Print Date

: 21/01/2014

Report No

KG14-000165.001

JOE No

: KG14-000165

Sample Described by Customer as

Report Control No

Client Name

SURFACE WATER

Client Address

· Hindalco Industries Limited(Mines Division)

. Lohardaga,

Postal Code

: 835203

State

: Jharkhand

Country

· India

Sample Type

: SURFACE WATER

Received

. 08/01/2014

Registered

: 08/01/2014

Marks on Sample

: Location: Spring Water Near Hindalco Colony

: Pakhar Plateau

Quantity

: 5.5L app : 02.01.2014

Sample Collected on Sampling Method

· APHA 1060B/9060A

Test Start/End Date

: 08/01/2014 - 20/01/2014

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	1
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeab
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeab
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.92		6.5	8
Analyzed at site.					
Total Hardness (as CaCO3)	IS:3025 (Part-21):1983 (Reaff.2006)	3.72	mg/L	200	60
Iron (as Fe)	IS:3025 (Part-2)	0.18	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.28	mg/L	1.0	1
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas, Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022

Regd & Corp. Off ; SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel ; (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE COLLECTED BY SGS INDIA PVT, LTD.

Print Date

: 21/01/2014

Report No

KG14-000165.001

JOE No

: KG14-000165

Analysis	Method	Result	Unit		ement/Limit :10500:2012
				Acceptable	Permissible
Chloride (as CI)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	100
Total Dissolved Soilds	IS:3025 (Part-16:1984 (Reaff 1996)	9.00	mg/L	500	200
E.coli	IS:1622:1981(Reaff:2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present(80cfu)	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.12	mg/L	75	20
Magnesium (as Mg)	IS:3025 (Part-46) :1994 (Reaff.1999)	<1.00	mg/L	30	10
Copper (as Cu)	IS:3025 (Part-2)	0.02	mg/L	0.05	1
Manganese (as Mn)	IS:3025 (Part-2)	0.04	mg/L	0.1	0
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff,1998)	<2.00	mg/L	200	4(
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	0.51	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.00
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	< 0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.03	mg/L	5	1
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	< 0.05	mg/L	0.2	1
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39) :1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_e-document-htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p) , Mouza, Hanspukuria, Diamond Harbour Rd.PG-Joka, South 24 Parganas Kolkáta - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date

: 21/01/2014

Report No

KG14-000165.001

JOE No

: KG14-000165

	Report Control No	: KGR0000045145			
Analysis	Method	Result	Unit		ement/Limit :10500:2012
			***************************************	Acceptable	Permissible
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	4.05	mg/L	200	600
Aluminium (as AI)	IS:3025 (Part-55):2003	0.05	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	< 0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff,2006)	0.10	NTU	1	5

Per pro SGS India Private Ltd

ADaro

Aniruddha Das
Section Incharge-Microbiology
Authorized Signatory

Per pro SGS India Private Ltd

- Marian 1

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd , CS Piot -512(p) .Mouza, Hanspukuria, Diarmond Harbour Rd. PO-Joka, South 24 Parganas Kolkata - 700104. Phone +91 33 65009334/8935, Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B. A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT, LTD.

Print Date : 25/04/2014

: KG14-002516.001 Report No

JOE No : KG14-002516

Report Control No

: KGR0000054472

Sample Described by Customer as

AMBIENT AIR QUALITY MONITORING

Client Name

Client Address

: Hindalco Industries Limited(Mines Division) : Lohardaga,

: 835203

Postal Code

: Jharkhand

State

: India

Country Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 16/04/2014

Registered

: 16/04/2014

Marks on Sample

: Location: Pakhar Hindalco Colony(Pakhar Platue)

Sampling Date

: 29.03.2014

Test Start/End Date

: 16/04/2014 - 24/04/2014

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	109.22	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	27.79	ug/m3		60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	1 66	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff,2006)	<5.00	ug/m3	-	80
Carbon Monoxide (CO)	EPA 600/P-99/001F	<1.00	PPM		

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of penshable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza. Hanspukuria. Diamond Harbour Rd. PO-Joka, South 24 Parganas. Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Report No

: KG14-002516.001

Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 25/04/2014

JOE No

: KG14-002516

Report Control No

: KGR0000054472

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

SALLTE D

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experies to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas. Kolkata - 700104 Phone +91 33 65009334/9335. Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

: KGR0000054472

Print Date : 25/04/2014

Report No

: KG14-002516.002

JOE No.

: KG14-002516

Sample Described by Customer as

Report Control No

AMBIENT AIR QUALITY MONITORING

Client Name

: Hindalco Industries Limited(Mines Division)

Client Address

: Lohardaga,

Postal Code

: 835203

State

; Jharkhand

Country

; India

Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 16/04/2014

Registered

: 16/04/2014

Marks on Sample

: Location:Pakhar 115.13pit(Pakhar Plataue)

Sampling Date

: 29.03.204

Test Start/End Date

· 16/04/2014 - 24/04/2014

Analysis	Method	Result	Unit	Requirement/Limit as Per	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	61.44	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	24.91	ug/m3		60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975	5.11	ug/m3	-	80
Sulphur Dioxide (SO2)	(Reaff.2004) IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3		80
Carbon Monoxide (CO)	EPA 600/P-99/001F	<1.00	PPM		

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expnerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd., CS Plot -512(p) .Mouza, Hanspukuria.Diamond Harbour Rd.PO-Joka. South 24 Parganas Kolkata - 700104 Phone:+91 33 65009334/9335.Fax: +91 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroll (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25799431 to 35 www.sgs.com



Report No

: KG14-002516.002

Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 25/04/2014

JOE No

: KG14-002516

Report Control No

: KGR0000054472

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Salaria I

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not experate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd. .CS Plot -512(p) ,Mouza, Hanspukuria,Diamond Harbour Rd.PO-Joka, South 24 Parganas Kolkata - 700104.Phone:+91 33 65009334/9335,Fax: +81 033-24381022

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 25/04/2014

: KG14-002516.004 Report No

JOE No

: KG14-002516

Sample Described by Customer as

Report Control No : KGR0000054472

AMBIENT AIR QUALITY MONITORING

Client Name Client Address : Hindalco Industries Limited(Mines Division)

: Lohardaga,

Postal Code

: 835203

; Jharkhand

Country

; India

Sample Type

: AMBIENT AIR QUALITY MONITORING

Received

: 16/04/2014

Registered

: 16/04/2014

Marks on Sample

: Location:Pakhar 84.38 Pokhra pat(Pakhar Platue)

Sampling Date

: 30.03.2014

Test Start/End Date

: 16/04/2014 - 24/04/2014

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	113 59	ug/m3	Ter .	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	51.29	ug/m3	-	60
Nitrogen Dioxide (NO2)	IS:5182 (Part-6):1975	<5.00	ug/m3		80
Sulphur Dioxide (SO2)	(Reaff.2004) IS:5182 (Part-2):2001	<5.00	ug/m3	*	80
Carbon Monoxide (CO)	(Reaff.2006) EPA 600/P-99/001F	<1.00	PPM		

Page 1 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p) . Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022

Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel. (022) 25798421 to 26 Fax: (022) 25798431 to 35 www.sgs.com



SAMPLE DRAWN BY SGS INDIA PVT, LTD.

Print Date : 25/04/2014

: KG14-002516.004 Report No

JOE No

: KG14-002516

Report Control No

: KGR0000054472

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

MALLETTE -

Authorized Signatory

****End of Report****

Page 2 of 2

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_end_conditions.htm and Terms and Conditions for electronic documents www. sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p) . Mouza, Hanspukuria, Diamond Harbour Rd. PD-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com