



Ref No: HIL/LHD/ VP (M)/MoEF/ 423

Date: 22.11.2013

To,
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period April' 2013 -Sep' 2013


Ref: Environmental Clearance letter no J-11015/137/2006-IA II (M) dated 5th April 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar (35.12 ha) Bauxite Mining project of M/s Hindalco** located in Lohardaga, Jharkhand for the period **April' 2013 -Sep' 2013**
Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED


(Bijesh Kumar Jha)
VP (Mines)

Enclosure: - As above

Compliance of conditions laid down in Environmental Clearance

PAKHAR (35.12 Ha)BAUXITE MINES

Period : April'13 –Sep'13

J-11015/137/2006-IA II (M) dated 5th April 2007

Sl No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Complied. Mining operations closed w.e.f 08.06.2009
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Complied.
3.	Environmental clearance is subject to grant of forestry clearance, Necessary forestry clearance under the Forest (Conservation) Act, 1980 for an area of 3.45ha forestland shall be obtained before starting mining operation in that area.	Mining operations closed w.e.f 08.06.2009
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Mining operations closed w.e.f 08.06.2009.
5	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation.	Complied
6	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Mining operations closed w.e.f 08.06.2009
7	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis.	Mining operations closed w.e.f 08.06.2009

8	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>
9	<p>Plantation shall be raised in an area of 24.83ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.</p>	<p>Already 8 ha area has been planted in and around the mine/Plateau area.</p>
10	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>
11	<p>Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>
12	<p>Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>
13	<p>Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>
14	<p>Drills should either be operated with dust extractors or should be equipped with water injection system.</p>	<p>Mining operations closed w.e.f 08.06.2009</p>

15	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Mining operations closed w.e.f 08.06.2009.
16	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Mining operations closed w.e.f 08.06.2009
17	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine.
18	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Mining operations closed w.e.f 08.06.2009
19	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Final Mine Closure plan (FMCP) submitted at IBM for approval.

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Mining operations closed w.e.f 08.06.2009
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Mining operations closed w.e.f 08.06.2009
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Mining operations closed w.e.f 08.06.2009

4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Mining operations closed w.e.f 08.06.2009
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mining operations closed w.e.f 08.06.2009
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Mining operations closed w.e.f 08.06.2009.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Mining operations closed w.e.f 08.06.2009
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Mining operations closed w.e.f 08.06.2009
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed. (Annexure).
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Not applicable.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed. It is once again

	purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the beginning of the financial year. (Annexure).
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Complied.
13.	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board.	Complied.
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Complied.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office during our six monthly report bearing letter no HIL/GMO(M)/ENV/142dated 23.05.2007.



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004492.001

JOE No : KG13-004492

Report Control No : KGR0000023789
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location :Pakhar 115.13 Pit, date : 08.06.2013
 Sampling Site : Pakhar(8.09)/(15.58)/(115.13)/(109.507)/Bauxite mines(Pakhar Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	23	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	14.22	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.29	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Head & Corp. Off. SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004492.002

JOE No : KG13-004492

Report Control No : KGR0000023789
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/06/2013
Registered : 13/06/2013
Marks on Sample : Location :Pakhar(Colony Hindalco), date : 08.06.2013
Sampling Site : Pakhar(8.09)/(15.58)/(115.13)/(109.507)/Bauxite mines(Pakhar Plateau)
Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	40	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	24.51	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.31	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspuri, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Head & Corp. Off : SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004492.003

JOE No : KG13-004492

Report Control No : KGR0000023789
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location :Pakhar 109.507(Dumer Pat Village), date : 09.06.2013
 Sampling Site : Pakhar(8.09)/(15.58)/(115.13)/(109.507)/Bauxite mines(Pakhar Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	30	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	11.72	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	9.74	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Read & Corp. Off : SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004492.004

JOE No : KG13-004492

Report Control No : KGR0000023789
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location :Pakhar 84.38(Pokhra Pat Village), date : 09.06.2013
 Sampling Site : Pakhar(8.09)/(15.58)/(115.13)/(109.507)/Bauxite mines(Pakhar Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	42	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	20.26	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.24	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.	SGS India Private Limited, CS Plot -512(p), Mouza: Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701 Regd & Corp. Off: SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083, Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com
---------------------	---

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004449.006

JOE No : KG13-004449

Report Control No : KGR0000037666

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Pakhar-Saranapath
 Quantity : 5.5L app
 Sample Collected on : 09.06.2013, time : 11.30 am
 Test Start/End Date : 12/06/2013 - 20/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	20.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.2 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	8.58	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2):1983	16.41	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	20.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	2.02	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza: Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 65009334/9335 Fax: +91 033-24381022
 Regd & Corp Off: SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004449.006

JOE No : KG13-004449

Report Control No : KGR0000037666

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.05	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	1.37	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.27	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	10.31	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.06	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	755.00	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuna, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104 Phone +91 33 65009334/9335 Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004449.006

JOE No : KG13-004449

Report Control No : KGR0000037666

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A S Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : **KG13-004503.004**

Date : **13.06.2013**

Report Form No. : **KGRI00023173**


Report Form No. : **KGRI00023173**


SAMPLE DRAWN BY SGS INDIA PVT. LTD.

SAMPLE DESCRIPTION	MEASUREMENT OF NOISE LEVEL
COMPANY NAME	M/S. HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS	MINES DIVISION, LOHARDAGA, JHARKHAND, PIN - 825 302
SAMPLING SITE	PAKHAR(8.09)/PAKHAR(15.58)/PAKHAR(115.13)/PAKHAR(109.50)/BAUXITE MINES PAKHAR(PLATEAU)
PROTOCOL	IS 9989:IS 7194
DATE OF SAMPLING	08.06.2013 TO 09.06.2013
TEST START DATE	13.06.2013
TEST END DATE	13.06.2013

LOCATION	RESULT		LIMIT IN dB(A) Leq (INDUSTRIAL AREA)	
	Day Time (L _{eq}) in dB(A)	Night time (L _{eq}) in dB(A)	Day Time	Night time
MINE LEASE AREA (NEAR OFFICE)	54	43	75	70

Note: The value is the Leq of One hundred seventy readings taken in day time and seventy readings taken in night time. Day time shall mean from 6:00 am to 6:00 pm. Night time shall mean from 10:00 pm to 6:00 am.

Checked by

Dipankar De Sarkar
 Manager (Operations)

per pro SGS India Private Ltd.

Dr. Asish Chakraborty
 Manager Laboratory

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/india/india_sgs/india_sgs.htm. It is intended to be used for information and informational purposes defined therein. Any holder of this document is advised that information contained hereon is not intended to be used for any purpose other than that for which it is provided and with in the limit of client instructions, if any. The company shall not be liable for any consequences arising from the use of this information. Any unauthorized alteration or modification of any part of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. The company shall not be held responsible for any loss or damage to any property or equipment used in the testing process. The company shall not be held responsible for any loss or damage to any property or equipment used in the testing process. The company shall not be held responsible for any loss or damage to any property or equipment used in the testing process.



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.001

JOE No : KG13-004451

Report Control No : KGR0000037710

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Pakhar -Banglath
 Quantity : 5.5L app
 Sample Collected on : 09.06.2013, time : 10.00 am
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.0 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	3.54	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.07	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	13.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.01	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd. CS Plot -512(p), Mouza, Hanspukura, Diamond Harbour Rd PO-Joka, South 24 Parganas, Kolkata - 700104, Phone +91 33 65009334/9335 Fax +91 033-24381022
 Read & Corp. Off. SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgi.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.001

JOE No : KG13-004451

Report Control No : KGR0000037710

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.02	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	1.25	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	5.16	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	1.65	NTU	1	5

Remark : *Analyzed at site.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukura Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104 Phone +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A S. Marq. Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 In 2B Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.


Print Date : 28/10/2013

Report No : KG13-004451.001

JOE No : KG13-004451

Report Control No : KGR0000037710

Per pro SGS India Private Ltd



Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(b), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335 Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.002

JOE No : KG13-004451

Report Control No : KGR0000037712

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location : Pakhar Sarnapath
 Quantity : 5.5L app
 Sample Collected on : 09.06.2013, time : 10.30 am
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.0		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	6.56	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	<0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	6.06	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	18.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.82	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza: Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Marol, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.002

JOE No : KG13-004451

Report Control No : KGR0000037712

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.01	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	1.81	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	7.73	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	<0.02	NTU	1	5

Remark : *Analyzed at site.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004451.002

JOE No : KG13-004451

Report Control No : KGR0000037712

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuna, Diamond Harbour Rd. PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp. Off. SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.003

JOE No : KG13-004451

Report Control No : KGR0000037714

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : SPRING WATER
Received : 12/06/2013
Registered : 12/06/2013
Marks on Sample : Location: Pakhar
Quantity : 5.5L app
Sample Collected on : 09.06.2013, time : 11.00 am
Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	H _z	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.0 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	2.52	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.06	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	11.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	<1.00	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Paraganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24361022
Head & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.003

JOE No : KG13-004451

Report Control No : KGR0000037714

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	5.16	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	<0.02	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuna, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Read & Corp. Off: SGS House, 4B, A S Marq, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798421 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004451.003

JOE No : KG13-004451

Report Control No : KGR0000037714

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd .CS PteI -512(p) ,Mouza, Hanspukuna,Diamond Harbour Rd,PO-Joka, South 24 Parganas,Kolkata - 700104 Phone :+91 33 65009334/9335.Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A. S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.004

JOE No : KG13-004451

Report Control No : KGR0000037716

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga.
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Pakhar Dumarkholi
 Quantity : 5.5L app
 Sample Collected on : 09.06.2013, time :12.30pm
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.1 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	2.52	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	<0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	10.60	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	<1.00	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria Diamond Harbour Rd PO,Joka, South 24 Parganas,Kolkata - 700104 Phone: +91 33 55009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25796421 to 28 Fax: (022) 25796431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.004

JOE No : KG13-004451

Report Control No : KGR0000037716

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	5.16	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	<0.02	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65069334/9335, Fax: +91 033-24381022
 Reud & Corp. Off : SGS House, 4B, A. S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No KG13-004451.004

JOE No - KG13-004451

Report Control No : KGR0000037716

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Harispukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
Head & Corp. Off : SGS House - 4B - A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007325.001

JOE No : KG13-007325

Report Control No : KGR0000035826
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga.
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Pakhar, Hindalco colony, date : 16.09.2013
Sampling Site : Pakhar
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	24	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	16.95	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff 2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 85009334/9336. Fax: +91 033-24381022
Regd & Corp. Off : SGS House, 4B, A.S. Road, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25796431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007325.002

JOE No : KG13-007325

Report Control No : KGR0000035826

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Pakhar 115.13 Pit, date : 16.09.2013
Sampling Site : Pakhar
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	16	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	10.29	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff 2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -S12(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007325.003

JOE No : KG13-007325

Report Control No : KGR0000035826
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Pakhar 109.507(Dumer Pat Village), date : 17.09.2013
Sampling Site : Pakhar
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	54	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	28.27	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -312(j), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24361022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007325.004

JOE No : KG13-007325

Report Control No : KGR0000035826
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga.
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Pakhar 84.38(Pokhra Pat Village, date : 17.09.2013
Sampling Site : Pakhar
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	58	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	38.60	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(a), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Paraganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 33-24381022
Reqd & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400063. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Date: 30.10.13

OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:


The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. Biplab Mukherjee (Asst Manager Geology)
4. S. Joshi, Mines Manager (Bagru Mines)
5. A. Anbarasu, Mines Manager (Serengdag A)
6. Ajay Pandey, Mines Manager (Pakhar 109.507 Hect)
7. Kiran Sankar Singh, Mines Manager (Gurdari)
8. Vidya Sagar Singh, Mines Manager (Kujam)
9. Amar Bharati, Mines Manager (Amtipani)
10. S P Jha, Mines Manager (Pakhar)
11. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order


Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

ADITYA BIRLA



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2013-14

The composite cost during the year 2013-14 (April to Sep) for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri, Chiro kukud, Orsa pat, Bhusar & Bimarla Bauxite Mines.

Sl No	Description	Budget (in Lakh Rs.) FY 2013-2014	Actual (in Lakh Rs.) FY 2013-2014 from April to Sep'13
1	Pollution Control & Environment monitoring	10.00	6.44
2	Reclamation/ Back filing & Rehabilitation	**	153.60
3	Green belt & Plantation	40.00	30.75
4	Rural Development	70.00	67.72

**Part of OB removed cost.

Convener

Environment Management Cell.