



Ref No: HIL/LHD/VP (M)/MoEF/ 119

Date: 22.05.13

To,
Mr S Kerketta
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Amtipani Bauxite Mining project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period Oct' 2012 - March' 2013.

Ref: Environmental Clearance letter no J-11015/241/2005-IA II(M) dated 14th August 2006


Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Amtipani (190.95 Ha)** Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period **Oct' 2012 - March' 2013**.

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED


(Bijesh Kumar Jha)
VP (Mines)

Enclosure: - As Above

Compliance of conditions laid down in Environmental Clearance

AMTIPANI BAUXITE MINES (190.95 Ha)

Period : Oct'12 - March'13

MoEF Environment Clearance ref : No J - 11015/241/2005-IA.II(M) dated 14 Aug'06

Sl No	Conditions	Compliance Status
Specific Conditions		
1	All the conditions stipulated by the State Pollution Control Board in their NOC should be effectively implemented.	Complied
2	The mining operations shall not intersect groundwater table. Prior approval of the MoEF and CGWA shall be obtained for mining below water table.	The mining operation is confined within shallow depth (25m max) and as per the previous study conducted by authorized agency [Center for Ground Water Studies, Kolkata (WB)] the ground water level is in the range of 80-100m from ground level.
3	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	This provision has been taken care of during land acquisition with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) and consent of Raiyat (Land Owner) for 20 years period and will return the land so acquired as per the norms set by D.C. in land purchased agreement. (Documents already submitted)
4	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked separately & used for reclamation and rehabilitation at appropriate time.
5	The waste generated in the initial period shall be dumped temporarily and backfilled in the mined out area. There shall be no permanent external OB dump in the project area. Concurrent backfilling should start from the fifth year onwards. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests on six monthly basis.	Concurrent backfilling of the waste in worked out quarry is being practiced. Also, the Wastes generated previously & stacked separately are being used for backfilling.

6	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil and mineral dump. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>Commensurate with the progress of mining activities over the period of time, construction of catch drains and siltation ponds/parapet walls is under implementation.</p> <p>Garland drains and sump pits have been planned to construct before rainy season.</p>
7	<p>Plantation shall be raised in an area of 79.3 ha including a green belt of adequate width by planting the native species around the ML area, roads, etc. in consultation with the local DFO/Agriculture Department. The density of the trees should be around 1500 plants per ha.</p>	<p>During 2012-13, plantation on 2.00 Acre land has been done.</p> <p>Green belt development programme will keep pace with progress of mining activities.</p>
8	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>	<p>Study on Water resource evaluation and their development potential has been carried by Center for Ground Water Studies, Kolkata during Nov-Dec '06. It has been planned to consult with CGWB and finalize the issue of implementation of suitable conservation measure.</p>
9	<p>Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director Central Ground Water Board.</p>	<p>Complied</p>
10	<p>Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.</p>	<p>Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. Spring water is drawn from the down the hill pockets ponds for drinking purposes. Hence, as per the terms</p>

		and conditions in Mining lease deed, we have permission from the Deputy Commissioner for drawl of water from the surface water bodies. Water cess is being paid regularly to Jharkhand State Pollution Control Board.
11	The project proponent shall monitor the spring discharge on long term basis (at lease one major spring) both in terms of quantity and quality of water and records maintained. Six monthly report should be submitted to the Ministry of Environment and Forests and its Regional Office located at Bhubneshwar.	Complied.
12	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Regular maintenance of vehicles are undertaken to minimize vehicular emission. All measures are being taken to control vehicular emission.
13	Drills should either be operated with dust extractors or should be equipped with water injection system	Complied.
14	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Blasting time is fixed for Lunch Time i.e. 12.00 Noon -1.00 PM All efforts are being taken to mitigate impact of blasting.
15	Consent to operate should be obtained from SPCB prior to start of production of mine	Consent to operate obtained (Annexed)
16	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine; hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sullage is collected to an integrated soak pit.
17	Land oustees and land loser/affected people should be compensated and rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR), 2003	Complied.
18	The higher benches of the excavated void to be converted into water reservoir shall be terraced and afforested to stabilize the slopes. Peripheral fencing shall be done along the excavated area.	Shall be complied.
19	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of	Final mine Closure Plan will be submitted at appropriate time. Presently we are having approved progressive mine Closure Plan

	final mine closure for approval.	
--	----------------------------------	--

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Agreed
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made	Agreed
3	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife departments.	Being carried out.
4	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Complied. Monitoring report annexed
5	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Monitoring report annexed
6	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water tanker with sprinkling facility have been provided along haul roads, loading unloading & at transfer points to arrest dust emission.

7	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Complied. PPEs are provided to workers .
8	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Presently, there is no effluent discharge from Mine.
9	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	PPE's provided. Periodic training on safety & occupational health is being imparted to workers and health check up conducted.
10	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization	Already formed and informed. (Annexed)
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Final mine closure plan will be submitted at appropriate time. Presently we are having approved progressive mine closure plan.
12	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Separate budget has been prepared for the purpose. (Annexed)
13	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Vide Point no. 11 above.
14	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the	Agreed.

	requisite data / information / monitoring reports.	
15	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom and suggestion / representation has been received while processing the proposal.	Complied
16	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.	Complied
17	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. (Documents already submitted).



TEST REPORT

Report No. : CA:GL:3120015207

DATE : 19/10/2012

JOE No. : 1212806597

Report Control No.:3125016390

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR QUALITY MONITORING

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR QUALITY MONITORING

MARK/LOCATION SITE:GURDARI/KUJAM-II/KUJAM-II/AMTIPANI BAUXITE MINES (NETERHAT PLATEAU)
LOCATION:MINE LEASE AREA (CORE ZONE)
DATE:04.10.12 TO 05.10.12
SAMPLE RECD ON 11/10/2012
TEST START DATE 11/10/2012
TEST END DATE 19/10/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB RESIDENTIAL AREA	
			MIN	MAX
CARBON MONOXIDE (CO)	USEPA CHAPTER-2	<0.1 ppm		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	8.7 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	77.6 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	31.5 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182:PART 2:2001	< 4.0 µg/m3		80 µg/m3

**** End of Report ****

per pro SGS India Private Ltd.

S. A. Asish
Asish Chakraborty
Manager Laboratory

Page 1 of 1

A. R. Datta
Datta R. A. R.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata-700104 Phone: +91 : 33 64996701/ 64996700.
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120015208 DATE : 19/10/2012

JOE No. : 1212806597

Report Control No.:3125016391

SAMPLE IDENTIFIED AS : AMBIENT AIR QUALITY MONITORING
CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR QUALITY MONITORING

MARK/LOCATION SITE:CHATAM VILLAGE (BUFFER ZONE) LOCATION:MINE LEASE AREA (CORE ZONE)
DATE:04.10.12 TO 05.10.12
SAMPLE RECD ON 11/10/2012
TEST START DATE 11/10/2012
TEST END DATE 19/10/2012

Table with 4 columns: TESTS, PROTOCOL, RESULT, REQUIREMENT/LIMIT. Rows include CARBON MONOXIDE (CO), OXIDES OF NITROGEN (NOx), PARTICULATE MATTER(10), PARTICULATE MATTER(2.5), and SULPHUR DIOXIDE (SO2).

**** End of Report ****

per pro SGS India Private Ltd.

Signature of Asish Chakraborty, Manager Laboratory

Signature of A. R. Datta, Chemist cum O.P.O.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm...



TEST REPORT

Report No. : CA:GL:3120015209

DATE : 19/10/2012

JOE No. : 1212806597

Report Control No.:3125016392

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR QUALITY MONITORING

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND

CITY 835302

COUNTRY INDIA

SAMPLING METHOD N.A.

SAMPLE DESCRIPTION AMBIENT AIR QUALITY MONITORING

MARK/LOCATION SITE:GURDARI/KUJAM-II/KUJAM-I/AMTIPANI BAUXITE MINES (NETERHAT PLATEAU) LOCATION:RAJADERA VILLAGE (BUFFER ZONE) DATE:05.10.12 TO 06.10.12

SAMPLE RECD ON 11/10/2012

TEST START DATE 11/10/2012

TEST END DATE 19/10/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB RESIDENTIAL AREA	
			MIN	MAX
CARBON MONOXIDE (CO)	USEPA CHAPTER-2	< 0.1 ppm		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	6.4 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	86.5 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	39.0 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182:PART 2:2001	< 4.0 µg/m3		80 µg/m3

**** End of Report ****

per pro SGS India Private Ltd.

Signature of Asish Chakraborty, Manager Laboratory



*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120015210

DATE : 19/10/2012

JOE No. : 1212806597

Report Control No.:3125016393

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR QUALITY MONITORING

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR QUALITY MONITORING

MARK/LOCATION SITE:GURDARI/KUJAM-II/KUJAM-II/AMTIPANI BAUXITE MINES (NETERHAT PLATEAU)
LOCATION:DMAIL VILLAGE (BUFFER ZONE)
DATE:05.10.12 TO 06.10.12

SAMPLE RECD ON 11/10/2012
TEST START DATE 11/10/2012
TEST END DATE 19/10/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB RESIDENTIAL AREA MIN	MAX
CARBON MONOXIDE (CO)	USEPA CHAPTER-2	< 0.1 ppm		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	8.6 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	73.5 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	29.8 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182:PART 2:2001	< 4.0 µg/m3		80 µg/m3

***** End of Report *****

per pro SGS India Private Ltd.

A. A. Chakraborty
Asish Chakraborty
Manager Laboratory

Page 1 of 1



"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata-700104 Phone: +91 : 33 64996701/ 64996700.
Regd & Corp Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013023

DATE : 12/09/2012

JOE No. : 1212805743

Control No.:3125014098

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : GROUND WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND
CITY 835302

SAMPLING METHOD APHA 1060B 9060A

SAMPLE DESCRIPTION GROUND WATER

SAMPLE CONDITION IN PLASTIC BOTTLE

SAMPLE QTY. 6.5L APP

WELL/LOCATION GURDARI PAKRIGRAH WELL

COLLECTED ON 29/08/2012, TIME:1.00 PM

REGISTERED ON 01/09/2012

TEST START DATE 01/09/2012

TEST END DATE 12/09/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	11.88 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	0.09 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470287

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikholi (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013023 **DATE : 12/09/2012**

JOE No. : 1212805743 Control No.:3125014098

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	3.80 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	4.02 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	0.22 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	0.01 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1.0 mg/l	30mg/l	100mg/l
MANGANESE	IS:3025(PART 59) 2006	0.07 mg/l	0.1mg/l	0.3mg/l

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
 Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com
 Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013023 **DATE : 12/09/2012**
 JOE No. : 1212805743 Control No.:3125014098

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	1.93 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	7.2 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	11.40 mg/l	300mg/l	600mg/l
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	8.20	5.0NTU	10NTU

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700,64996701, Fax : 91-33-24470267
 Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com
 Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013023

DATE : 12/09/2012

JOE No. : 1212805743

Control No.:3125014098

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.25 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	24 mg/l	500mg/l	2000mg/l

* Analyzed at site.

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

Page 4 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013020

DATE : 11/09/2012

JOE No. : 1212805742

Control No.:3125014051

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : SPRING WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND
CITY 835302

SAMPLING METHOD APHA 1060B 9060A

SAMPLE DESCRIPTION SPRING WATER

SAMPLE CONDITION IN PLASTIC BOTTLE

SAMPLE QTY. 6.5L APP

MARK/LOCATION KUJAM-BHATIAPAT

COLLECTED ON 30.08.12, TIME:1.30 PM

REGISTERED ON 01/09/2012

TEST START DATE 01/09/2012

TEST END DATE 11/09/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	8.64 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	0.03 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013020

DATE : 11/09/2012

JOE No. : 1212805742

Control No.:3125014051

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	1.90 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	<2.0 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	<0.05 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	0.02 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1.0 mg/l	30mg/l	100mg/l
MANGANESE	IS:3025(PART 59) 2006	<0.01 mg/l	0.1mg/l	0.3mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470287

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013020

DATE : 11/09/2012

JOE No. : 1212805742

Control No.:3125014051

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	6.35 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	7.0*	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 ppm*	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100 ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	6.65 mg/l	300mg/l	600mg/l
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	1.90	5.0NTU	10NTU

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013020

DATE : 11/09/2012

JOE No. : 1212805742

Control No.:3125014051

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	<0.01 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	24 mg/l	500mg/l	2000mg/l
Remarks : Based on the above parameters the sample complies with maximum desirable and maximum permissible limit as per IS:10500:1991 (Reaff 1993) , BDL=Below Detection Limit ; DL=Detection Limit Abs=Absent				
* Analysed at site				

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013019

DATE : 11/09/2012

JOE No. : 1212805741

Control No.:3125014050

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : GROUND WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND
CITY 835302

SAMPLING METHOD APHA 1060B 9060A

SAMPLE DESCRIPTION GROUN WATER

SAMPLE CONDITION IN PLASTIC BOTTLE

SAMPLE QTY. 6.5L APP

MARK/LOCATION KUJAM-BHATIAPATH WELL

COLLECTED ON 30/09/12, TIME:12.30 PM

REGISTERED ON 01/09/2012

TEST START DATE 01/09/2012

TEST END DATE 11/09/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	8.64 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	<0.02 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013019

DATE : 11/09/2012

JOE No. : 1212805741

Control No.:3125014050

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	3.04 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	<2.0 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100 ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100 ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	0.02 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	0.02 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1.0 mg/l	30mg/l	100mg/l
MANGANESE	IS:3025(PART 59) 2006	<0.01 mg/l	0.1mg/l	0.3mg/l

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 84996701, Fax : 91-33-24470267
 Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013019 **DATE : 11/09/2012**
 JOE No. : 1212805741 Control No.:3125014050

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF.1993)	
			Desirable	Permissible
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	7.83 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	7.0*	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 ppm*	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	8.4 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	10.45 mg/l	300mg/l	600mg/l
TURBIDITY(In NTU)	IS 3025:PART 10 :1984(Reaff.2002)	2.04	5.0NTU	10NTU

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
 Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120013019

DATE : 11/09/2012

JOE No. : 1212805741

Control No.:3125014050

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	<0.01 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	24 mg/l	500mg/l	2000mg/l

Remarks : Based on the above parameters the sample complies with maximum desirable and maximum permissible limit as per IS:10500:1991 (Reaff 1993) , BDL=Below Detection Limit ;
DL=Detection Limit Abs=Absent
* Analysed at site

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemat Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Of : SGS House, 4B, A. S. Mag, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 22/03/2013

Report No : KG13-001961.001

JOE No : KG13-001961

Report Control No : KGR0000012735
Sample Described by Customer as : SOIL(COMPOSITE)

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : SOIL(COMPOSITE)
Received : 12/03/2013
Registered : 12/03/2013
Marks on Sample : Location:Reclaimed area in Quarry 6A
Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Netalhat Plateau)
Sample Collected : 24.02.2013
Quantity : 2.5Kg app
Test Start/End Date : 12/03/2013 - 21/03/2013

Analysis	Method	Result	Limit of Reporting (LOR)	Unit
Conductivity (1:5) Soil Suspension. (1 : 2 aqueous solution)	F.A.U.N (2007)	37.6	1.00	µs/cm
pH (1:2) Soil Suspension (1 : 2 aqueous solution)	F.A.U.N (2007)	6	0.50	--
Porosity	F.A.U.N (2007)	48.02	-	%
Bulk Density	By Bulk Density Apparatus	1.07	0.10	gram/ml
Phosphorus (as P)	F.A.U.N (2007)	<20.000	20.00	mg/kg
Texture	F.A.U.N (2007)	Sandy clay	-	
Clay	F.A.U.N (2007)	37.5	5.00	%
Sand	F.A.U.N (2007)	47.5	1.00	%
Silt	F.A.U.N (2007)	15.0	1.00	%
Available Chloride (as Cl)	Soil & Agriculture Organization (U.N-2007)	<20.00	20.00	mg/kg
Available Nitrogen	Food & Agriculture Organization (U.N-2007)	322.46	20.00	mg/kg

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p) .Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 22/03/2013

Report No : KG13-001961.001

JOE No : KG13-001961

Report Control No : KGR0000012735

Analysis	Method	Result	Limit of Reporting (LOR)	Unit
Available Potassium (as K)	Soil & Water Book By P.K. Gupta	1577.59	1.00	mg/kg
Available Magnesium (as Mg)	Soil & Water Book By P.K. Gupta	2378.12	1.00	mg/kg
Lead (as Pb)	USEPA 3052	18.73	2.00	mg/kg
Chromium (as Cr)	USEPA 3052	95.95	2.00	mg/kg
Mercury (as Hg)	USEPA 3052	<1.00	1.00	mg/kg
Total Organic Matter	Black & Walkely Wet Digestion Method	0.53	0.01	%

Per pro SGS India Private Ltd



Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
 Read & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Report No : KG13-001961.002

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 22/03/2013

JOE No : KG13-001961

Sample Described by Customer as : SOIL(COMPOSITE) Report Control No : KGR0000012735

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : SOIL(COMPOSITE)
Received : 12/03/2013
Registered : 12/03/2013
Marks on Sample : Location:Reclaimed area in quarry 6B
Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Netalhat Plateau)
Sample Collected : 24.02.2013
Quantity : 2.5Kg app
Test Start/End Date : 12/03/2013 - 21/03/2013

Analysis	Method	Result	Limit of Reporting (LOR)	Unit
Conductivity (1:5) Soil Suspension. (1 : 2 aqueous solution)	F.A.U.N (2007)	30.5	1.00	µs/cm
pH (1:2) Soil Suspension (1 : 2 aqueous solution)	F.A.U.N (2007)	6	0.50	--
Porosity	F.A.U.N (2007)	50.25	-	%
Bulk Density	By Bulk Density Apparatus	1.05	0.10	gram/ml
Phosphorus (as P)	F.A.U.N (2007)	<20.000	20.00	mg/kg
Texture	F.A.U.N (2007)	Clay	-	
Clay	F.A.U.N (2007)	42.5	5.00	%
Sand	F.A.U.N (2007)	40.0	1.00	%
Silt	F.A.U.N (2007)	17.5	1.00	%
Available Chloride (as Cl)	Soil & Agriculture Organization (U.N-2007)	21.56	20.00	mg/kg
Available Nitrogen	Food & Agriculture Organization (U.N-2007)	339.84	20.00	mg/kg

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 22/03/2013

Report No : KG13-001961.002

JOE No : KG13-001961

Report Control No : KGR0000012735

Analysis	Method	Result	Limit of Reporting (LOR)	Unit
Available Potassium (as K)	Soil & Water Book By P.K. Gupta	1769.11	1.00	mg/kg
Available Magnesium (as Mg)	Soil & Water Book By P.K. Gupta	2304.82	1.00	mg/kg
Lead (as Pb)	USEPA 3052	10.84	2.00	mg/kg
Chromium (as Cr)	USEPA 3052	62.20	2.00	mg/kg
Mercury (as Hg)	USEPA 3052	<1.00	1.00	mg/kg
Total Organic Matter	Black & Walkely Wet Digestion Method	0.69	0.01	%

Per pro SGS India Private Ltd



Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 18/03/2013

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Report No : KG13-001952.001

JOE No : KG13-001952

Report Control No : KGR0000012027

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/03/2013
Registered : 12/03/2013
Marks on Sample : Location : Mines Lease Area, date : 22.02.2013
Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Neterhal plateau)
Test Start/End Date : 12/03/2013 - 18/03/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (Part-23):2006	81	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	41.36	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	8.19	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<0.10	PPM		

Remark : CO Analyzed at site.

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Reqd & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 18/03/2013

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Report No : KG13-001952.001

JOE No : KG13-001952

Report Control No : KGR0000012027

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 18/03/2013

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Report No : KG13-001952.002

JOE No : KG13-001952

Report Control No : KGR0000012027

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/03/2013
Registered : 12/03/2013
Marks on Sample : Location : Chatam Village, date : 22.02.2013
Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Neterhal plateau)
Test Start/End Date : 12/03/2013 - 18/03/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (Part-23):2006	79	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	32.08	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.59	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<0.10	PPM		

Remark : CO Analyzed at site.

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Reqd & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/03/2013

Report No : KG13-001952.002

JOE No : KG13-001952

Report Control No : KGR0000012027

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A. S. Marq, Vikhroli (West), Mumbai-400083. Tel : (022) 25796421 to 28 Fax : (022) 25796431 to 35 www.sgs.com



Test Report

Print Date : 18/03/2013

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Report No : KG13-001952.003

JOE No : KG13-001952

Report Control No : KGR0000012027

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/03/2013
Registered : 12/03/2013
Marks on Sample : Location : Dmail Village, date : 23.02.2013
Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Neterhal plateau)
Test Start/End Date : 12/03/2013 - 18/03/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (Part-23):2006	67	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	25.94	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.37	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<0.10	PPM		

Remark : CO Analyzed at site.

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

SGS

Test Report

Report No : KG13-001952.003

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/03/2013

JOE No : KG13-001952

Report Control No : KGR0000012027

Per pro SGS India Private Ltd



Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 18/03/2013

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Report No : KG13-001952.004

JOE No : KG13-001952

Report Control No : KGR0000012027

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/03/2013
 Registered : 12/03/2013
 Marks on Sample : Location : Rajadera Village, date : 23.02.2013
 Sampling Site : Gurdari/Kujam-II/Amtipani/Kujam-I Bauxite Mines(Neterhal plateau)
 Test Start/End Date : 12/03/2013 - 18/03/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (Part-23):2006	50	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	20.66	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	5.06	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<0.10	PPM		

Remark : CO Analyzed at site.

Page 1 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Report No : KG13-001952.004

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/03/2013

JOE No : KG13-001952

Report Control No : KGR0000012027

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 2 of 2

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Reqd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 02/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002097.004

JOE No : KG13-002097

Report Control No : KGR0000013918

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 18/03/2013
 Registered : 18/03/2013
 Marks on Sample : Location: Gurdari-Pol-pol Village
 Quantity : 5.5L app
 Sample Collected : 12.03.2013, time : 11.30 am
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	15.0	H _z	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.20*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	12.12	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.80	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	23.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot - 512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 64996700/6701
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35. www.sgs.com



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 02/04/2013

Report No : KG13-002097.004

JOE No : KG13-002097

Report Control No : KGR0000013918

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	3.23	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.07	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	4.32	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	0.70	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	0.034	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	16.55	mg/L	200	500
Aluminium (as Al)	IS:3025 (Part-55):2003	0.49	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.12	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	4.55	NTU	1	5

Page 2 of 3

WARNING The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



Test Report

Print Date : 02/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002097.004

JOE No : KG13-002097

Report Control No : KGR0000013918

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	Acceptable	Permissible
Remark : *Analyzed at site.						

Per pro SGS India Private Lt

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone : +91 33 64986700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 02/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002097.005

JOE No : KG13-002097

Report Control No : KGR0000013918

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 18/03/2013
 Registered : 18/03/2013
 Marks on Sample : Location: Kujum-Deepa Kujam
 Quantity : 5.5L app
 Sample Collected : 13.03.2013, time : 12.00 pm
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.00*		6.5	8.5
Total Hardness (as CaCO3)	IS:3025 (Part-21):1983 (Reaff.2006)	4.54	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	12.80	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 02/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002097.005

JOE No : KG13-002097

Report Control No : KGR0000013918

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.41	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	2.33	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	0.030	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	5.52	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.10	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	2.15	NTU	1	5

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/0701
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 02/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002097.005

JOE No : KG13-002097

Report Control No : KGR0000013918

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	Acceptable	Permissible
Remark : *Analyzed at site.						

Per pro SGS India Private Lt

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.003

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 18/03/2013 ✓
 Registered : 18/03/2013
 Marks on Sample : Location : Gurdari-Office
 Quantity : 5.5L app
 Sample Collected : 12.03.2013, time :10.30 am
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	15.0	HZ	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	6.06	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	9.22	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	18.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	2.02	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd., SGS India Private Limited CS Plot -512(p) ,Mouza : Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone : +91 33 64996700/6701
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.003

JOE No : KG13-002094

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	0.02	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.05	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	5.27	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	2.92	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.04	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	9.93	mg/L	200	500
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.12	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	3.50	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukura, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/65011
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.003

JOE No : KG13-002094

Report Control No : KGR0000013687

Per pro SGS India Private Lt

A. V. Chakraborty

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai 400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.004

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : GROUND WATER
Received : 18/03/2013
Registered : 18/03/2013
Marks on Sample : Location: Gurdari-Sagatali
Quantity : 5.5L app
Sample Collected : 12.03.2013, time : 11.00 am
Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.00*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	17.17	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	6.88	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.36	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	5.39	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	36.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	5.25	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700-0769
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.004

JOE No : KG13-002094

Report Control No : KGR0000013687

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	0.05	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.06	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	5.07	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.07	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	20.96	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.13	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	27.50	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) or 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64967000/7001
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.004

JOE No : KG13-002094

Report Control No : KGR0000013687

Per pro SGS India Private Lt

A. Chakraborty

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.005

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 18/03/2013
 Registered : 18/03/2013
 Marks on Sample : Location: Gurdari Deepapath
 Quantity : 5.5L app
 Sample Collected : 12.03.2013, time : 11.45 am
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit	
				As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10*		6.5	8.5
Total Hardness (as CaCO3)	IS:3025 (Part-21):1983 (Reaff.2006)	50.50	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.3	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.45	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	10.77	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	86.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	12.12	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	4.91	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone : +91 33 64866700/33 64866701
 Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.005

JOE No : KG13-002094

Report Control No : KGR0000013687

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.01	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	10.02	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.02	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	33.09	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.13	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	17.40	NTU	1	5

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64986700/6731
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.005

JOE No : KG13-002094

Report Control No : KGR0000013687

Per pro SGS India Private Lt

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p) ,Mouza, Hanspukuna, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64966706/6707
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai 400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.006

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 18/03/2013
 Registered : 18/03/2013
 Marks on Sample : Location: Gurdari Kuttupani
 Quantity : 5.5L app
 Sample Collected : 12.03.2013, time : 2.00 pm
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit	
				As per IS:10500:2012	Acceptable Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	HZ	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.30*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	51.51	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.25	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-18):1984 (Reaff.1996)	74.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	12.93	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	4.66	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any transaction documents, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukur, Diamond Harbour Road, P.O. Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64986700/6701
 Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.006

JOE No : KG13-002094

Report Control No : KGR0000013687

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	1.28	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.23	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	60.67	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.11	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	4.45	NTU	1	5

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.006

JOE No : KG13-002004

Report Control No : KGR0000013687

Per pro SGS India Private Lt

Asish Chakraborty

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.007

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : GROUND WATER
Received : 18/03/2013
Registered : 18/03/2013
Marks on Sample : Location: Kajum Navatuli2
Quantity : 5.5L app
Sample Collected : 13.03.2013, time : 10.00 am
Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.20*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	29.29	mg/L	200	300
Iron (as Fe)	IS:3025 (Part-2)	0.2	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.16	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	5.39	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	49.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100ml
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100ml
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	8.08	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	2.21	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64906700/6701
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.007

JOE No : KG13-002094

Report Control No : KGR0000013687

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.02	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	5.37	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.11	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	31.99	mg/L	200	500
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.12	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	17.50	NTU	1	5

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 84596700/5911
Rajd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 01/04/2013

Report No : KG13-002094.007

JOE No : KG13-002094

Report Control No : KGR0000013687

Per pro SGS India Private Lt

Asish Chakraborty

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64966700/6701
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai 400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.008

JOE No : KG13-002094

Report Control No : KGR0000013687

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 18/03/2013
 Registered : 18/03/2013
 Marks on Sample : Location : Kujam-Bhatipath
 Quantity : 5.5L app
 Sample Collected : 13.03.2013,time :11.00 am
 Test Start/End Date : 18/03/2013 - 01/04/2013

Analysis	Method	Result	Unit	Requirement/Limit	
				As per IS:10500:2012	Acceptable Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10*		6.5	8.5
Total Hardness (as CaCO3)	IS:3025 (Part-21):1983 (Reaff.2006)	9.09	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.13	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	5.03	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	21.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	3.03	mg/L	75	200
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100

Page 1 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64596700/6701
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai 400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.008

JOE No : KG13-002094

Report Control No : KGR0000013687

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.14	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	12.13	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	0.13	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.45	NTU	1	5

Page 2 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukura, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64596700/6701
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai 400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

Print Date : 01/04/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-002094.008

JOE No : KG13-002094

Report Control No : KGR0000013687

Per pro SGS India Private Lt

Asish Chakraborty
Laboratory Manager
Authorized Signatory

****End of Report****

Page 3 of 3

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off: SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com



Ref.No- PC/RNC/48/07-

Date.....

CONSENT TO OPERATE

With reference to the application dated **28.08.2012** of **G.M. (Operation), M/s Hindalco Industries Ltd; Court Road, I/C Amtipani Bauxite Mines-190.95 Ha, P.O+Dist- Gumla** for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act,1981, he (they) is (are) granted consent to bring into use his(their) new/altered/existing outlet(s) for discharge of trade effluent and (or) domestic sewage and to operate his (their) industrial plant to produce maximum **1,50,000 TPA** of Bauxite At – **Amtipani, P.O + Dist- Gumla** for the period from **01.01.2013 to 31.12.2013** with the following conditions :

1. That, he(they) shall not make any alteration, addition, deletion or modification in the mines without the prior clearance from the Board.
2. That, he(they) shall abide by the obligations provided under section 24, 31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and shall extend co-operation to the Board in performing its functions entrusted under section 20, 21, 23, 30 and 32 of the Act.
3. That, he(they) shall comply with the requirements of the Water (Prevention & Control of Pollution) Cess Act, 1977 read with the Water (Prevention & Control of Pollution) Cess Rules, 1978.
4. That, he(they) shall abide by the obligations provided under section 22, 23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and shall extend co-operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act.
5. That, he(they) shall abide by the obligations provided under sections 5, 7, 8 and 9 of the Environment (Protection) Act, 1986 and shall extend co-operation in performing the functions entrusted under section 3, 10 and 11 of the Act.
6. That, he(they) shall abide by the applicable provisions of the Environment (Protection) Rules, 1986, the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008; the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989; the Bio-medical Waste (Management & Handling) Rules, 1998; the Municipal Solid Wastes (Management & Handling) Rules, 2000 and the Batteries (Management & Handling) Rules, 2001.
7. That, he(they) shall maintain the quality of discharge and (or) emission and (or) noise level of environmental pollutants in conformity with the standards as laid under Rule 3 of the Environment (Protection) Rules, 1986.
8. That, he(they) shall monitor his(their) effluent(s), emission(s) and the ambient air, noise level regularly and shall submit the report to the Board in compliance of the condition laid in paragraph 7.

9. That, he(they) shall establish well equipped environmental laboratory with the facilities of system(s) of continuous monitoring of effluent(s), emission(s) ambient water quality(ies), ambient air quality(ies) and ambient noise level(s) and transferring them (monitoring results) to his(their) website(s) and to the e-mail address(es) of the key persons of Jharkhand State Pollution Control Board, Zonal Office, Kolkata and Ministry of Environment & Forests, Regional Office, Bhubaneswar with simultaneous displaying at prominent locations in front of his(their)premises. [*Unit(s) of medium and large scale under 17 categories of polluting industries of category A of EIA Notification, 2006.]
10. That, he(they) shall submit the environmental statement every year by 30th September and shall harvest all rain water precipitating in the premises and do three tier tree plantation in the premises as air barrier.
11. That, he(they) shall submit application for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 again 120 days before the expiration of the consent order **31.12.2013** or within 120 days from the date of receipt of the order, whichever is earlier.
12. *That, unit shall submit quality report of Ambient Air Quality and Ground Water Quality every quarter of the year.*
13. *That, unit shall submit the status of compliance Environmental Clearance every quarter to the Board.*
14. *That, unit) shall reclaim the mined out area in phased manner as per EIA/EMP report.*
15. *That, the unit shall implement harvest rain water of the mine and recharge it to the ground by the method of Central Ground Water Board Guideline that fits most to the mine.*
16. *That, the unit shall make arrangement to control the fugitive emissions occurring during the mining activities and plying of vehicles on haul as well as transport roads.*
17. *That, the unit shall ensure that no transport vehicle should ply on road without covering the materials.*
18. *That, the proponent shall submit compliance report of Environmental Clearance dated 14.08.2006 and submit photographs in compliance of special condition No. VII and IX of the same.*

VI and VIII

Sd/-

(Sanjay Kumar Sinha)

MEMBER SECRETARY

Memo no. PC/RNC/48/07- *9.349*

Ranchi, Dated*31.1.13*.....

Copy forwarded to:- **G.M. (Operation), M/S Hindalco Industries Ltd; (I/C Amtipani Bauxite Mines-190.95 Ha.), Court Road, P.O+Dist- Lohardaga/ Deputy Commissioner, *Gramila* D.F.O, Ranchi West Forest Division, Lohardaga/ D.M.O, *Gramila* Regional Officer, Regional Office, **Ranchi** for information & necessary action.**

Sanjay Kumar Sinha
(Sanjay Kumar Sinha)

MEMBER SECRETARY



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2012-13

The composite cost during the year 2012-13 (April to March) for environmental protection & pollution control by Jharkhand Mines division of Hindalco Industries Ltd for implementation the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri, Chiro kukud, & Orsa pat.

Sl No	Description	Budget (in Lakh Rs.)	Actual (in Lakh Rs.) FY 2012-2013
1	Pollution Control & Environment monitoring	7.50	11.32
2	Reclamation/ Back filing & Rehabilitation	**	46.60
3	Green belt & Plantation	25.00	88.09
4	Rural Development	65.00	81.50

**part of OB removed cost.


 Convener

Environment Management Cell.

HINDALCO INDUSTRIES LIMITED
 Hindalco Complex
 Court Road, Lohardaga-835302
 Dist: Lohardaga (Jharkhand)

Telephone: +91 6526 224112/224015/223113
 Fax: +91 6526 224118

Website: www.hindalco.com



Date:20.03.13

OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:


The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. Biplab Mukherjee (Asst Manager Geology)
4. S. Joshi, Manager (Bagru Mines)
5. A. Anbarasu, Mines Manager (Serengdag A)
6. Ajay Pandey, Mines Manager (Pakhar)
7. Kiran Sankar Singh, Mines Manager (Gurdari)
8. Vidya Sagar Singh, Mines Manager (Serengdag B)
9. Ashish Upadhyay, Mines Manager (Kujam I & II)
10. Amar Bharati, Mines Manager (Amtipani)
11. Monaj Kumar Singh, Mines Manager (Pakhar 109.507 Ha)
12. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order


Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

DETAILS OF PRODUCTION, OVERBURDEN HANDLING, AREA MINED OUT AND AREA RECLAIMED
FROM APR-12 TO MAR-13

SN	Name of Leases	Lease Area (in Ha)	Production (in MT)	Overburden Handling (in MT)	Mined Out Area (in Acres)	Reclaimed Area (in Acres)
1	Pakhar Bauxite Mines	8.09	78470	51682	0.75	1.10
2	Pakhar (115.13)	115.13	208503	425872	7.42	2.42
3	Gurdari	584.19	324648	832640	14.70	24.80
4	Kujam-I	80.87	149018	158530	14.70	12.10
5	Kujam-II	157.38	149542	677633	18.18	11.41
6	Amtipani	190.95	149579	468731	18.02	15.37
7	Shrengdag	155.81	259630	570878	19.50	35.00
8	Serengdag Bauxite Mines	140.06	99772	133089	6.52	5.80
9	Jalim & Sanai	12.14	49505	34438	1.24	0.80
10	Bagru	75.41	84320	188767	1.78	9.69
11	Hisri New	14.55	99651	115676	1.24	0.00
12	Chiro-Kukud	152.57	64847	78598	3.13	5.37
M/s Minerals & Minerals Limited						
1	Pakhar Bauxite Mines	15.58	34445	115848	1.25	2.00
2	Pakhar (109.507)	109.507	99840	204868	6.76	1.92