

ADITYA BIRLA



Ref No: HIL/LHD/ VP (M)/MoEF/ 425

Date:

To,
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Orsa (196.36ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period April' 2013 -Sep' 2013.

Ref: **Environmental Clearance letter no J-11015/241/2006-IA II(M) dated 17th May 2007**


Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Orsa (196.36 ha) Bauxite Mining project** of M/s Hindalco located in Gumla, Jharkhand for the period **April' 2013 -Sep' 2013**.

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED


(Bijesh Kumar Jha)
VP (Mines)

Enclosure: - As Above

HINDALCO INDUSTRIES LIMITED

Hindalco Complex
Court Road, Lohardaga-835302
Distt. Lohardaga (Jharkhand)

Telephone +91 6526 224112/224015/223113
Fax +91 6526 224118

Website www.hindalco.com

Compliance of conditions laid down in Environmental Clearance

ORSA BAUXITE MINES

Period : April'13 – Sep'13

J-11015/241/2006-IA.II (M) Dated 17.5.2007

Sl No	Conditions	Compliance Status
Specific Conditions		
1	Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter OF Goa foundation Vs Union of India in writ petition (civil) no 460 of 2004, as may be applicable to this project	Will be complied.
2.	Environmental Clearance is subject to obtaining clearance from Wildlife (Protection) Act '1972 from the competent authority.	Wild life Management plan has been accepted by Chief Wildlife Warden, Jharkhand vide letter no 75 (vivid)/940 dated 22.10.2008 & is under consideration.
3.	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Shall be complied.
4	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted/renewed by the State Govt. after due consideration and Cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose
5	Mining shall not intersect groundwater. The mine working shall be restricted to above ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	As the mining will be carried out at shallow depth, at no point of time mining activities will intersect the ground water table.
6	The project proponent shall ensure that the mining shall be carried out in small blocks and at a given point of time active mining shall not be more than 2.0 ha.	Will be complied
7.	The project proponent shall ensure that no natural water course shall be obstructed due to any mining operations.	It will be ensured
8	Top soil, if any, shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Sequential backfilling and reclamation of the mined out area will be exercised during mining operation. Whenever backfilling will be done to the mined out area, subsoil will be used for backfilling to

		reclaim and restore the damage area upto the extent possible.
9.	The overburden generated during the initial year shall be kept as temporary dump. Concurrent backfilling starts from the 2 nd year onwards and there shall be no external dump at the end of the mine life.	Will be complied
10.	The entire excavated area of 155 ha shall be reclaimed ,out of which 131 ha land shall be returned to rayats for agricultural purpose and in 24 ha plantation shall be raised. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Will be complied
11	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	Will be complied
12	Dimension of the retaining wall at the OB benches within the mine to check run-off and siltation should be based on rainfall data.	Will be complied
13	Plantation shall be raised in an area of 24.0 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Will be implemented parallel to the progress of mining activity. Mining is yet to start.
14	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the	Will be complied

	Regional Director, Central Ground Water Board.	
15	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	Will be complied
16	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Agreed.
17	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Vehicle engaged in mining operation will be regularly checked and repaired to kept vehicular emission under control.
18	Drills should either be operated with dust extractors or should be equipped with water injection system.	Agreed.
19	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines will be at fixed blasting period of 12.00 Noon to 1.00 PM on working days. All the precautionary and mitigative measures to control ground vibration and to arrest generation of fly rocks will be exercised.
20	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Obtained & a copy is enclosed as Annexure
21	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There will be no effluent discharge from Mine, hence ETP will not be required to install. The sewage water from domestic uses will be treated through septic tanks and soak-pits.
22	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Leopard, Indian Wolf, Indian elephant, Indian small civet, Indian Python, etc.	Wildlife Management plan has been accepted by Chief Wildlife Warden, Jharkhand vide letter no 75(vivid)/940 dated 22.10.2008.

	Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	
23	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine closure plan dully approved by Indian Bureau of Mines exists with us. Provision of FMCP will be compiled as per statue.

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Will be complied with.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Will be complied with
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Will be complied. Mining is yet to start.
4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Will be complied. Mining is yet to start.

5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Will be complied.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Will be complied.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Will be complied.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Will be complied.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Complied. (Enclosed Annexure).
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Has been informed.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	It will be complied with.
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s)	Agreed upon.

	of the Regional Office by furnishing the requisite data / information / monitoring reports.	
13	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests its Regional Office, Bhubneshwar CPCB and State Pollution Control Board.	Complied.
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Complied.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Already done and copies submitted.



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004486.001

JOE No : KG13-004486

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING
Report Control No : KGR0000023754

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/06/2013
Registered : 13/06/2013
Marks on Sample : Location : Kukud Pit, date : 03.06.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	52	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	14.62	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.59	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot - 512(p), Mouza, Hanspukura, Diamond Harbour Road, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64966700/6701
Reqd & Corp. Off : SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004486.002


JOE No : KG13-004486

Report Control No : KGR0000023754
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/06/2013
Registered : 13/06/2013
Marks on Sample : Location : Jaljali Village date : 03.06.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	32	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	19.00	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	10.19	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd


Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot - 512(p), Mouza, Hanspukuria Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701

Head & Corp Off : SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004486.003

JOE No : KG13-004486

Report Control No : KGR0000023754
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/06/2013
Registered : 13/06/2013
Marks on Sample : Location: Kudag Village, Date : 04.06.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	17	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	7.80	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	6.40	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp. Off: SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400063. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004486.004

JOE No : KG13-004486

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING
Report Control No : KGR0000023754

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 12/06/2013
Registered : 13/06/2013
Marks on Sample : Location : Amtahi Village, date : 04.06.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	58	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	26.47	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	10.09	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot 512(p), Mouza, Hanspukuna, Diamond Harbour Road PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
Regd & Corp Off : SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.001

JOE No : KG13-004447

Report Control No : KGR0000037634

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location : Samri-Chirokukud
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 10.15 am
 Test Start/End Date : 12/06/2013 - 21/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	155.93	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	1.07	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.41	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	194.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100mi		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	42.42	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukur, Diamond Harbour Rd. PO-Joka, South 24 Parganas Kolkata - 700104. Phone +91 33 65009334/9335, Fax +91 033-24381022
 Read & Corp. Off: SGS House, 4B, A S. Maru, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.001

JOE No : KG13-004447

Report Control No : KGR0000037634

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	12.22	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.10	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.83	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	175.27	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	16.40	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A S. Marq. Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.001

JOE No : KG13-004447

Report Control No : KGR0000037634

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza: Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.003

JOE No : KG13-004447

Report Control No : KGR0000037640

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Kukud Village
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 11.00 am
 Test Start/End Date : 12/06/2013 - 21/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	34.20	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	9.85	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.38	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	5.35	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	62.00	mg/L	500	2000
E.coli	IS:1622-1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	9.70	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joko, South 24 Paraganas, Kolkata - 700104 Phone +91 33 65009334/9335, Fax. +91 033-24381022
 Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.003

JOE No : KG13-004447

Report Control No : KGR0000037640

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	2.44	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	0.05	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.04	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	0.94	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.20	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	41.24	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	54.50	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.003

JOE No : KG13-004447

Report Control No : KGR0000037640

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuna, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Marq. Vikhroli (West), Mumbai-400063. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.006

JOE No : KG13-004447

Report Control No : KGR0000037646

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Tatijharia Village
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 1.00 pm
 Test Start/End Date : 12/06/2013 - 21/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.30		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	135.81	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	<0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.55	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	6.78	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	178.00	mg/L	500	2000
E.coli	IS:1622.1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622.1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	32.32	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt. Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
 Head & Corp. Off: SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.006

JOE No : KG13-004447

Report Control No : KGR0000037646

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	13.45	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.18	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	154.65	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.05	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(p),Mouza, Hanspukuria,Dianvond Harbour Rd,PO-Joka, South 24 Parganas,Kolkata - 700104,Phone:+91 33 65009334/9335,Fax: +91 (033-24381022)
 Head & Corp. Off: SGS House, 4B, A. S. Marq, Vikroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.006

JOE No : KG13-004447

Report Control No : KGR0000037646

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria Diamond Harbour Rd PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.001

JOE No : KG13-004452

Report Control No : KGR0000037735

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Samri-Chirukukud
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 10.00 am
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.0 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	58.58	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.07	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	6.78	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16) :1984 (Reaff.1996)	94.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40) :1991 (Reaff.2003)	16.16	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Pkbl -512(p), Mouza: Hanspukuna Diamond Harbour Rd.PO-Joka, South 24 Parganas Kolkata - 700104, Phone +91 33 65009334/9335, Fax: +91 033-24381022
 Head & Corp. Off: SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.001

JOE No : KG13-004452

Report Control No : KGR0000037735

Analysis	Method	Result	Unit	Requirement/Limit	
				As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	4.42	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.02	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	2.97	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	72.17	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.25	NTU	1	5

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Paraganas,Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.001

JOE No : KG13-004452

Report Control No : KGR0000037735

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Paraganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.002

JOE No : KG13-004452

Report Control No : KGR0000037737

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location : Samri-Kudag Village
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 10.30 am
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.1 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	3.54	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.12	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	14.20	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.01	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt. Ltd., CS Pkdt -512(p), Mouze, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 85009334/9335 Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Marol, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.002

JOE No : KG13-004452

Report Control No : KGR0000037737

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.03	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	1.43	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	5.16	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	1.79	NTU	1	5

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to the transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Paraganas Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A S Marz, Vikhroli (West), Mumbai-400083. Tel : (022) 25708421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.002

JOE No : KG13-004452

Report Control No : KGR0000037737

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS P/1 - 512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 85009334/9335, Fax: +91 033-24361022
Read & Corp. Off : SGS House, 4B, A S Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.003

JOE No : KG13-004452

Report Control No : KGR0000037739

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location:Samri-Bhetpani
 Quantity : 5.5L app
 Sample Collected on : 08.06.2013, time : 3.00pm
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	10.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.1 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	15.66	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	0.22	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	6.78	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	34.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	4.44	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO Joka, South 24 Parganas Kolkata - 700104, Phone +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.003

JOE No : KG13-004452

Report Control No : KGR0000037739

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	1.10	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.14	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	21.91	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	4.79	NTU	1	5

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd. PO-Joka, South 24 Parganas Kolkata - 700104. Phone +91 33 65009334/9335, Fax: +91 033-24381022
 Read & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004452.003

JOE No : KG13-004452

Report Control No : KGR0000037739

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., GS Plot -512(D), Mouza, Hanspukuria, Diamond Harbour Rd., PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Road & Corp. Off : SGS House, 4B, A S Maru, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007322.001


JOE No : KG13-007322

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING
Report Control No : KGR0000035743

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Jaljali Village, date : 11.09.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	9	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	6.45	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd


Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Read & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Report No : KG13-007322.002

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

JOE No : KG13-007322

Sample Described by Customer as : Report Control No : KGR0000035743
: AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 30/09/2013
 Registered : 30/09/2013
 Marks on Sample : Location : Kukud Pit, date : 11.09.2013
 Sampling Site : Chiro-Kukud Bauxite Mines
 Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	24	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	16.46	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(D), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

Report No : KG13-007322.003

JOE No : KG13-007322

Report Control No : KGR0000035743
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 30/09/2013
 Registered : 30/09/2013
 Marks on Sample : Location : Kukud Village, date : 12.09.2013
 Sampling Site : Chiro-Kukud Bauxite Mines
 Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	19	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	14.50	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukura, Diamond Harbour Rd, PO-Joka, South 24 Paraganas Kolkata - 700104. Phone: +91 33 65009334/0335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Report No : KG13-007322.004

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 07/10/2013

JOE No : KG13-007322


Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Report Control No : KGR0000035743

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga.
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Amtahi Village, date : 12.9.2013
Sampling Site : Chiro-Kukud Bauxite Mines
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	14	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	9.68	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff 2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	

Per pro SGS India Private Ltd


Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Jeka, South 24 Parganas Kolkata - 700104 Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



झारखण्ड राज्य प्रदूषण नियंत्रण पर्वद
JHARKHAND STATE POLLUTION CONTROL BOARD
[CONSTITUTED UNDER SECTION 4 OF THE WATER (PREVENTION & CONTROL OF POLLUTION ACT, 1974)
T.A.DIVISION BUILDING (GROUND FLOOR),HEC COMPEX, DHURWA, RANCHI-834004.
Phone No:-0651- 2400852, 2400851, Fax No:- 2400850.

Ref.No- PC/RNC/246/07-

Date.....

CONSENT TO OPERATE

With reference to the application dated 28.08.2012 of G.M. (Operation), M/s Hindalco Industries Ltd; Court Road, I/C Orsapat Bauxite Mines-196.36 Ha, P.O+Dist- Latehar for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act,1981, he (they) is (are) granted consent to bring into use his(their) new/altered/existing outlet(s) for discharge of trade effluent and (or) domestic sewage and to operate his (their) industrial plant to produce maximum 2,00,000 TPA of Bauxite At – Orsapat, P.O + Dist-Latehar for the period from 01.01.2013 to 31.12.2013 with the following conditions :

1. That, he(they) shall not make any alteration, addition, deletion or modification in the mines without the prior clearance from the Board.
2. That, he(they) shall abide by the obligations provided under section 24, 31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and shall extend co-operation to the Board in performing its functions entrusted under section 20, 21, 23, 30 and 32 of the Act.
3. That, he(they) shall comply with the requirements of the Water (Prevention & Control of Pollution) Cess Act, 1977 read with the Water (Prevention & Control of Pollution) Cess Rules, 1978.
4. That, he(they) shall abide by the obligations provided under section 22, 23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and shall extend co-operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act.
5. That, he(they) shall abide by the obligations provided under sections 5, 7, 8 and 9 of the Environment (Protection) Act, 1986 and shall extend co-operation in performing the functions entrusted under section 3, 10 and 11 of the Act.
6. That, he(they) shall abide by the applicable provisions of the Environment (Protection) Rules, 1986, the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008; the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989; the Bio-medical Waste (Management & Handling) Rules, 1998; the Municipal Solid Wastes (Management & Handling) Rules, 2000 and the Batteries (Management & Handling) Rules, 2001.
7. That, he(they) shall maintain the quality of discharge and (or) emission and (or) noise level of environmental pollutants in conformity with the standards as laid under Rule 3 of the Environment (Protection) Rules, 1986.
8. That, he(they) shall monitor his(their) effluent(s), emission(s) and the ambient air, noise level regularly and shall submit the report to the Board in compliance of the condition laid in paragraph 7.

9. That, he(they) shall establish well equipped environmental laboratory with the facilities of system(s) of continuous monitoring of effluent(s), emission(s) ambient water quality(ies), ambient air quality(ies) and ambient noise level(s) and transferring them (monitoring results) to his(their) website(s) and to the e-mail address(es) of the key persons of Jharkhand State Pollution Control Board, Zonal Office, Kolkata and Ministry of Environment & Forests, Regional Office, Bhubaneswar with simultaneous displaying at prominent locations in front of his(their)premises. [*Unit(s) of medium and large scale under 17 categories of polluting industries of category A of EIA Notification, 2006.]
10. That, he(they) shall submit the environmental statement every year by 30th September and shall harvest all rain water precipitating in the premises and do three tier tree plantation in the premises as air barrier.
11. That, he(they) shall submit application for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 again 120 days before the expiration of the consent order 31.12.2013 or within 120 days from the date of receipt of the order, whichever is earlier.
12. That, unit shall submit quality report of Ambient Air Quality and Ground Water Quality every quarter of the year.
13. That, unit shall submit the status of compliance Environmental Clearance every quarter to the Board.
14. That, unit) shall reclaim the mined out area in phased manner as per EIA/EMP report.
15. That, the unit shall implement harvest rain water of the mine and recharge it to the ground by the method of Central Ground Water Board Guideline that fits most to the mine.
16. That, the unit shall make arrangement to control the fugitive emissions occurring during the mining activities and plying of vehicles on haul as well as transport roads.
17. That, the unit shall ensure that no transport vehicle should ply on road without covering the materials.
18. That, the proponent shall submit compliance report of Environmental Clearance dated 17.05.2007 and submit photographs in compliance of special condition No. XI and XIV of the same.


XI and XIV
Sd/-


(Sanjay Kumar Sinha)
MEMBER SECRETARY

Memo no. PC/RNC/246/07-14342

Ranchi, Dated31/1/13

Copy forwarded to:- G.M. (Operation), M/S Hindalco Industries Ltd; (I/C Orsapat Bauxite Mines-196.36 Ha.), Court Road, P.O+Dist- Lohardaga Deputy Commissioner, Lohardaga/ D.F.O, Ranchi West Forest Division, Lohardaga/ D.M.O, Lohardaga/ Regional Officer, Regional Office, Ranchi for information & necessary action.


(Sanjay Kumar Sinha)
MEMBER SECRETARY



ADITYA BIRLA



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2013-14

The composite cost during the year 2013-14 (April to Sep) for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri, Chiro kukud, Orsa pat, Bhusar & Bimarla Bauxite Mines.

Sl No	Description	Budget (in Lakh Rs.) FY 2013-2014	Actual (in Lakh Rs.) FY 2013-2014 from April to Sep'13
1	Pollution Control & Environment monitoring	10.00	6.44
2	Reclamation/ Back filing & Rehabilitation	**	153.60
3	Green belt & Plantation	40.00	30.75
4	Rural Development	70.00	67.72

**Part of OB removed cost.

Convener

Environment Management Cell.



Date: 30.10.13

OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:


The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. Biplab Mukherjee (Asst Manager Geology)
4. S. Joshi, Mines Manager (Bagru Mines)
5. A. Anbarasu, Mines Manager (Serengdag A)
6. Ajay Pandey, Mines Manager (Pakhar 109.507 Hect)
7. Kiran Sankar Singh, Mines Manager (Gurdari)
8. Vidya Sagar Singh, Mines Manager (Kujam)
9. Amar Bharati, Mines Manager (Amtipani)
- 10.S P Jha, Mines Manager (Pakhar)
- 11.Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order


Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-13 TO SEP-13

Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Shrengdag Bauxite Mines	155.81	12.9	10.4	122730.00	176390
Gurdari Bauxite Mines	584.19	17.5	17.0	160515.00	280160
Jalim & Sanai	12.14	1.50	2.64	34760.00	23984
Serangdag	140.06	3.23	1.82	49625.00	39219
Pakhar Buxite Mines	115.13	1.50	2.90	161470.00	220120
Pakhar Buxite Mines	8.09	1.95	1.60	48570.00	23675
Kujam-I	80.87	5.96	6.54	71920.00	56720
Kujam-II	157.38	2.47	8.47	109580.00	26906
Amtipani	190.95	7.12	7.23	94155.00	85884
Chiro-Kukud	152.57	3.50	2.50	27939.00	25795
Orsa Bauxite Mines	196.36	0.00	0.00	0.00	0.00
Hisri New	14.55	0.47	0.00	92649.00	5021
Bagru	75.41	0.38	0.10	54180.00	3384
Minerals & Minerals Limited					
Pakhar Buxite Mines	109.507	1.97	4.19	55920.00	55805
Pakhar Buxite Mines	15.58	1.10	1.50	25360.00	26712

Monitored Ground water level

Location (Mines)	Elevation (feet)	Elevation (Mtr)	Well type	Monsoon 2013		Post Monsoon 2013	
				Inside ML	Outside ML	Inside ML	Outside ML
Bagru	2970	905.4878049	Open Well		21.70		24.10
	2985	910.0609756	Open Well		24.20		24.50
	3001	914.9390244	Open Well		29.30		28.40
	2963	903.3536585	Open Well		22.90		33.10
	2983	909.4512195	Open Well		17.60		28.70
Pakhar	3279	999.695122	Open Well		24.90		22.60
	3552	1082.926829	Hand Pump	35.40		31.60	
Sherengdag	3370	1027.439024	Open Well		25.80		28.30
	3587	1093.597561	Hand Pump	41.80		39.58	
	3546	1081.097561	Hand Pump	39.60		31.26	
	3459	1054.573171	Hand Pump	33.10		27.50	
	3495	1065.54878	Hand Pump	27.70		26.13	
Gurdari	3428	1045.121951	Hand Pump	29.34		27.85	
	3481	1061.280488	Hand Pump	28.30		24.87	
	3472	1058.536585	Hand Pump	38.10		36.63	
	3527	1075.304878	Hand Pump	28.20		26.83	
	3526	1075	Hand Pump	28.30		29.32	
Kujam	3412	1040.243902	Open Well		33.90		21.80
	3414	1040.853659	Open Well		33.70		24.80
	3491	1064.329268	Hand Pump	31.50		28.60	
Chiro Kukud	3450	1051.829268	Hand Pump				21.12
	3765	1147.865854	Hand Pump	33.40		28.35	
	3776	1151.219512	Hand Pump	37.60		31.84	
	3556	1084.146341	Hand Pump	34.30		36.85	