

MINERALS & MINERALS LIMITED

Regd. Office- Court Road, P.O. & Distt.-Lohardaga, Jharkhand-835302

Tel.-06526-223163

CIN NO. U26990JH1970PLC000875

Ref. :

Date

M&M/LHD/ENV/MoEF/ 4.01

Date: 25.11.2022

To,

**The Additional Principal Chief Conservator of Forest (C)
Ministry of Environment, Forests and Climate Changes
Regional Office (ECZ), Ranchi-834002.**

Sub: Compliance Report of EC conditions for Pakhar (15.58 ha) Bauxite Mining project of M/s Minerals & Minerals Limited located in Lohardaga, Jharkhand for the period April'22 to September'22.

Ref: Environmental Clearance letter no J-11015/123/2006-IA II (M) dated 24thJanuary 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar (15.58 ha) Bauxite Mining project of M/s Minerals & Minerals Limited** located in Lohardaga, Jharkhand for the period April'22 to September'22.

The lease detail is as below.

Lease area (ha)	Production Capacity (MT)	Lease Period
15.58	60000	28.04.1965 to 31.03.2030

Hope you will find the same in order.

Thanking You

Yours Sincerely

FOR Minerals & Minerals Limited



(Basudev Gangopadhyay)

AVP (Planning, Environment & Compliance)

Enclosure: - As Above

CC: ro.ranchi-mef@gov.in, mef@ori.nic.in, mef@nic.in, mef.or@nic.in, mccb.cpcb@nic.in, zokolkatta.cpcb@nic.in, ranchiispcb@gmail.com, roranchi47@gmail.com

Name of the Project : Pakhar Bauxite Mine (15.58 ha)
M/s Minerals & Minerals Ltd

Environment Clearance No. & date : J-11015/123/2006-IA.II(M), dated 24.01.2007

Period of compliance Report : From 1st April 2022 to 30th September 2022

S No	Conditions	Compliance Status
Specific Conditions		
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementations of the stipulated conditions in NOC are fulfilled post which consent to operate has been obtained from time to time. Existing consent to operate is valid up to 31.03.2023. Productions of bauxite are within limits specified in consent to operate.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement is being done with raiyat (Landowner) for 20 years with permission of State Govt with provision of returning the land as per the norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus land acquisition has the approval of State Government.
3	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	The mining operation is confined within shallow depth (20 m max) and not intersected ground water. In future also, working zone will be restricted to above ground water table. We undertake that no mining is/was carried out below ground water table and the same status will be maintained in future also.
4	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operation.	It is being ensured. No natural water course has been obstructed as yet and care will be taken in future also.

5	<p>Topsoil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.</p>	<p>Topsoil is being stacked properly with proper slope as and when required for its use for reclamation and rehabilitation.</p> <p>Sequential backfilling and reclamation of the mined-out area are being exercised during mining operation.</p>
6	<p>The waste generated shall be concurrently backfilled in the mined-out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six monthly basis.</p>	<p>Overburden and waste rock from the mining pit are being used for back filling.</p> <p>Earlier OB dumps being rehandled and is being backfilled into mining voids. Major portion of the dump is rehandled. Very small quantity is left out which will be handled with the progress of mining activity in due course of time.</p> <p>Thus there will not be any external dump at the end of mine life.</p> <p>Backfilling and plantation detail provided is attached in Annexure-4.</p>
7	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>No run-off is generated from mining activities. However, to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Rain water stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary.</p> <p>Catch drains, Garland drains of appropriate size are being constructed in both around the mine pit to prevent runoff of water and flow of sediments directly into the agricultural field and water bodies, if applicable.</p> <p>Sump of adequate capacity is being provided and maintained as required.</p>
8	<p>Plantation shall be raised in an area of 6.98 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The</p>	<p>Plantation is being carried out around ML area with progress of mining. Nos of sapling planted between April'22 to September'22 is 1780 nos. In addition to this agricultural activity is going on</p>

	density of the trees should be around 1500 plants per ha.	reclaimed land. The 5.71 ha areas has been planted till date.
9	The project proponent shall ensure that there shall be no discharge from the mine.	Ensured. There is no discharge from the mine.
10	The Project proponent shall carry out regular monitoring of spring discharge and its quality near Pakhar village on long term basis.	Spring water near Pakhar village is being monitored, Analysis report is attached as Annexure 2.
11	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan is drawn on the basis of discussions with scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for his further suggestions. Suitable conservation measures to augment water resource in area are implemented viz construction of sump, etc. is being provided. It may be noted that, there is no chance to intersect ground water table during mining operation.
12	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	The mining operation is confined within shallow depth (20 m max) and not intersected ground water. We are not using ground water for any mining purpose. Piezometer has been installed for monitoring of ground water level. Water quality and water level report are attached herewith as Annexure I.
13	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies..	We are not using natural water bodies, ground water for mining purposes. We have obtained NOC for ground water extraction from CGWB.
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin	To keep vehicular emissions in control, vehicles are periodically checked & repaired. All measures are being taken to control vehicular emission including covering with tarpaulin and non-

	and shall not be overloaded.	overloading during transportation.
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	Wet drilling is in practice.
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting time is fixed during Lunch Time i.e. 1.00 PM -2.00 PM. Controlled blasting method is in practice. All efforts are being taken to mitigate impact of blasting.
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for production enhancement.
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine; hence ETP has not been installed.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Action taken for conservation of flora and fauna as under: <ol style="list-style-type: none"> 1) Permanent pillars are established within the mine lease area. 2) Maintenance of the forest road. 3) Ensured necessary air and noise pollution control measures. 4) Daily water sprinkling is being carried out on the forest road. 5) Transportation is being done during daytime. However, Draft WLCP report has already been prepared by EX PCCF in consultation with state forest department. The final report will be submitted soon for its approval.
20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine closure plan has been dully approved by Indian Bureau of Mines. FMCP related provision will be compiled as per applicable guideline and timelines mentioned in MCDR/IBM guideline who are competent authority to approve the same. Based on the present resource estimate, and peak rated production capacity mentioned in EC, Mining operation is being carried out.

General Conditions

S No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest.	Noted.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Calendar plan including excavation, quantum of mineral bauxite and waste is being done as per IBM approved mining plan scheme. Report is attached herewith as Annexure 4.
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	We have already established four ambient air quality monitoring stations in core zone as well as buffer zone. Monitoring is being carried out and reported to concern authorities. Report is attached as Annexure 2.
4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Monitoring Reports is enclosed as Annexure-2.
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	One no. of mobile water tanker with sprinkling facility has been provided along haul roads, loading unloading & at transfer points to arrest dust emissions.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being done regularly. Workers engaged in operation of HEMM, etc. are provided with ear plug / muffs. Monitoring report is enclosed as Annexure-2.

7	Industrial wastewater (workshops and wastewater from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no industrial wastewater generated from workshop within mine lease area. We are not discharging any wastewater outside mine lease area. Oil and grease trap installed at suitable site in Pakhar plateau.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the State Government, recognized agencies, etc.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate management cell is functioning with qualified in-house members. Copy is enclosed as Annexure-3.
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Provision related to financial closure are not applicable as this is an operating Mine. Now Regional office is at Ranchi.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of Budgetary provision & actual expenses for environmental protection measure is submitted as Annexure-5. Now Regional office is at Ranchi.
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed. Now Regional office is at Ranchi

13	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
14	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
15	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copies of the advertisement made in the local newspapers, have already been submitted to the Regional Office.


Signature

Pakhar Bauxite Mines (15.58 Ha)



New Plantation



Plantation at Reclaimed area



Rainwater Harvesting Pond

Pakhar Bauxite Mines (15.58 Ha)



Photographs of Oil and Grease Trap



Rainwater Harvesting Pond



Photographs of covered truck

Annexure-1		
Piezometer reading-Pakhar Mines(15.58)		
S.No	Month	Depth(meter)
1	April	40.53
2	May	40.07
3	June	37.61
4	July	36.93
5	Aug	36.99
6	Sept	36.97



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0940E	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1053E
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 25/04/2022 to 26/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 28	2	Barometric Pressure (mmHg) : 742
3	Relative Humidity (%) : 69	4	Weather Condition : Clear
5	Longitude : 84°36'36.29"E	6	Latitude : 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	57
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.3
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.016
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.6

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0940E	Report Release Date	: 12.05.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.7
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.26

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/0940F	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1053F
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 25/04/2022 to 26/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear
5	Longitude	: 84°36'34.50"E	6	Latitude	: 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	63
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.6
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.3
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.020
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0940F	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.28

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0940G	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1053G
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 25/04/2022 to 26/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	61
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	25
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.8
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.012
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0940G	Report Release Date	: 12.05.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.8
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.22

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0940H	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1053H
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 25/04/2022 to 26/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 28	2	Barometric Pressure (mmHg) : 742
3	Relative Humidity (%) : 69	4	Weather Condition : Clear
5	Longitude : 84°36'8.99"E	6	Latitude : 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	63
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	7.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.017
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0940H	Report Release Date : 12.05.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.6
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.23

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Pakhar (15.58) Bauxite Mine-Environmental Monitoring Report

May 2022



CONTENT

Minerals & Minerals : Pakhar (15.58)	Environmental Monitoring Report	May2022
Pakhar (15.58)		
AMBIENT AIR QUALITY- CORE ZONE		
1	Near Mine Office	
2	Near Weigh Bridge	
3	Near Mine Quarry No-M1	
4	Near Mine Quarry No-M4	
AMBIENT AIR QUALITY- BUFFER ZONE		
1	Near Bunglapart Village	
2	Yatri Shed (Near K-10)	
3	Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village	
4	Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village	
AMBIENT NOISE		
WORKZONE/SPOT NOISE		
WORKSHOP EFFLUENT		
DRINKING WATER ANALYSIS		





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349E	Report Release Date : 14.06.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1357E
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
		Sampling Date	: 10/05/2022 to 11/05/2022
Plant Status	: Operational	Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'36.29"E	6	Latitude	: 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	58
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	19
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.9
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.012
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.1

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349E	Report Release Date : 14.06.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.23

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1349F	Report Release Date	: 14.06.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1357F
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/05/2022 to 11/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'34.50"E	6	Latitude	: 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	65
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	40
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	7.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.024
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349F	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	3.1
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.32

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349G	Report Release Date : 14.06.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1357G
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/05/2022 to 11/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	57
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	7.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.0
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.016
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349G	Report Release Date : 14.06.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.27

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1349H	Report Release Date	: 14.06.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1053H
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
		Sampling Date	: 10/05/2022 to 11/05/2022
Plant Status	: Operational	Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'8.99"E	6	Latitude	: 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	53
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.012
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.6

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1349H	Report Release Date : 14.06.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.7
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.24

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348E	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1356E
Address	: Lohardaga, Jharkhand-835302	Location	: Near Bunglapart Village Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/05/2022 to 10/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°35'36.40"E	6	Latitude	: 23°33'6.92"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	38
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JM2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAMA
MATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348E	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348F	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1356F
Address	: Lohardaga, Jharkhand-835302	Location	: Yatri Shed (Near K-10) Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/05/2022 to 10/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.76"E	6	Latitude	: 23°33'12.96"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	56
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.3
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.024
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAMA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348F	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.6
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.27

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348G	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1356G
Address	: Lohardaga, Jharkhand-835302	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village
Plant Status	: Operational	Sampling Date	: 09/05/2022 to 10/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°36'4.75"E	6	Latitude	: 23°32'40.97"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	36
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	16
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348G	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1356T	Report Release Date : 14.06.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sampling Date	: 11.05.2022
Address	: Lohardaga, Jharkhand-835302	Type of Sample	: Workzone Noise
Plant Status	: Operational	Sampling procedure	: ELES/DOC/SMPL/03
		Sample Drawn By	: ELES Pvt. Ltd.

Location	Unit	Test Protocol	Result		Regulatory Limit (Industrial Zone)
			Time	L _{eq}	
Loading Point Near Dumper – Pakhar Bauxite Mines (15.58 ha.)	dB(A)	IS 9989:1981, RA 2020	Day Time	72	75 dB(A) Day Time
			Sample ID: ELES/RNC/2022/AN/1364T		

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1355U	Report Release Date : 14.06.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Date	: 11.05.2022
Address	: Lohardaga, Jharkhand-835302	Type of Sample	: Ambient Noise
Plant Status	: Operational	Sampling procedure	: ELES/DOC/SMPL/03
		Sample Drawn By	: ELES Pvt. Ltd.

Location	Unit	Test Protocol	Result		Regulatory Limit (Industrial Zone)
			Time	L _{eq}	
Near Office – Pakhar Bauxite Mines (15.58 ha)	dB(A)	IS 9989:1981, RA 2020	Day Time	68	75 dB(A) Day Time & 70 dB(A) Night Time
			Night Time	54	
			Sample ID: ELES/RNC/2022/AN/1363U		

****End of Report****


Authorized Signature
SANDIP DERA
SENIOR MANAGER
ELES PVT. LTD.

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO.- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1348H	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1356H
Address	: Lohardaga, Jharkhand-835302	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village
Plant Status	: Operational	Sampling Date	: 09/05/2022 to 10/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.39"E	6	Latitude	: 23°33'39.63"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	39
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1348H	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDI. (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1359T	Report Release Date	: 14/06/2022
Order No.	: M&M/LHD/FY22-23/001	Order Date	: 01/04/2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/DW/1367T
Address	: Lohardaga, Jharkhand-835302	Location	: Drinking Water Pakhar Bauxite Mines (15.58 ha.)
Plant Status	: Operational	Sampling Date	: 11/05/2022
		Type of Sample	: Drinking Water
		Sampling Procedure	: ELES/DOC/SMPL/01
		Sample Condition	: Sealed & Preserved

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
pH	-	APHA 23rd Edition 2017,4500-H+-B	7.3	6.5-8.5
Color	Hazen	IS 3025 (Part-04): 1983	<1.0	5
Odour	-	IS 3025 (Part-05): 1983	Agreeable	Agreeable
Taste	-	IS 3025 (Part-07): 1984	Agreeable	Agreeable
Turbidity	NTU	APHA 23rd Edition 2017,2130 B	0.18	1
Free Residual Chlorine	mg/L	IS 3025 (Part-26): 1986	<0.1	0.2
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Part-16):1984	187	500
Monochloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Dichloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Total Hardness (as CaCO ₃)	mg/L	APHA 23rd Edition 2017, 2340 C	37.2	200
Total Alkalinity (as CaCO ₃)	mg/L	IS 3025 (Part-23):1986	41.6	200
Chloride (as Cl)	mg/L	IS 3025 (Part-32): 1988; RA 2014	9.8	250



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1359T	Report Release Date : 14/06/2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit as per IS:10500:2012
				Acceptable Limit
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24):1986	6.7	200
Nitrate (as NO ₃)	mg/L	IS 3025 (Part-34): 1988	2.28	45
Fluoride (as F)	mg/L	APHA 23rd Edition 2017,4500-F--D	0.1308	1
Ammoniacal Nitrogen (as NH ₃ -N)	mg/L	APHA 23rd Edition 2017, 4500 Norg-C	<0.1	0.5
Cyanide (as CN)	mg/L	IS 3025 (Part-27): 1986	<0.0125	0.05
Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	IS 3025 (Part-43): 1992	<0.00002	0.001
Sulphide (as S)	mg/L	IS 3025 (Part-29): 1986	<0.04	0.05
Boron (as B)	mg/L	APHA 23rd Edition, 3125 B	<0.2	0.5
Calcium (as Ca)	mg/L	APHA 23rd Edition 2017, 3500 B	10.2	75
Magnesium (as Mg)	mg/L	IS 3025 (Part-46):1994	2.9	30
Iron (as Fe)	mg/L	APHA 23rd Edition, 3111 B&C	0.161	1
Manganese (as Mn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.05	0.1
Aluminum (as Al)	mg/L	APHA 23rd Edition, 3125 B	<0.02	0.03
Cadmium (as Cd)	mg/L	APHA 23rd Edition, 3111 B&C	<0.003	0.003
Total Chromium (as Cr)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Copper (as Cu)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Lead (as Pb)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.01
Zinc (as Zn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.1	5

Page 2 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1359T	Report Release Date	: 14/06/2022
Order No.	: M&M/LHD/FY22-23/001	Order Date	: 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
Arsenic (as As)	mg/L	APHA 23rd Edition, 3111 B&C	<0.005	0.01
Selenium (as Se)	mg/L	APHA 23rd Edition, 3125 B	<0.01	0.01
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2000	<0.001	0.001
Nickel (as Ni)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.02
Mineral Oil*	mg/L	IS 3025 (Part-39): 1991	<0.01	0.5
Anionic Detergents (as MBAS)*	mg/L	Annex K of IS 13428:2005	<0.05	0.2
Polynuclear Aromatic Hydrocarbons (PAHs)*	mg/L	SO-IN-MUL-TE-023	<0.00005	0.0001
Polychlorinated Biphenyls (PCBs)*	mg/L	SO-IN-MUL-TE-022	<0.00005	0.0005
Total Coliforms	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Escheria Coli	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Pesticides				
Alachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	20
Atrazine*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Aldrin/ Dieldrin*	µg/L	SO-IN-MUL-TE-020	<0.01	0.03
Alpha HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.01
Beta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
Butachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	125

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1359T	Report Release Date	: 14/06/2022
Order No.	: M&M/LHD/FY22-23/001	Order Date	: 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
Chlorpyrifos*	µg/L	SO-IN-MUL-TE-020	<0.01	30
Delta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
2,4- Dichlorophenoxyacetic acid*	µg/L	SO-IN-MUL-TE-020	<0.01	30
DDT (o, p and p, p – Isomers of DDT)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Endosulfan (alpha, beta, and sulphate)*	µg/L	SO-IN-MUL-TE-020	<0.01	0.4
Ethion*	µg/L	SO-IN-MUL-TE-020	<0.01	3
Gamma — HCH (Lindane)*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Isoproturon*	µg/L	SO-IN-MUL-TE-020	<0.01	9
Malathion*	µg/L	SO-IN-MUL-TE-020	<0.01	190
Methyl parathion*	µg/L	SO-IN-MUL-TE-020	<0.01	0.3
Monocrotophos*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Phorate*	µg/L	SO-IN-MUL-TE-020	<0.01	2
DDE (o, p and p, p – Isomers of DDE)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
DDD (o, p and p, p – Isomers of DDD)*	µg/L	SO-IN-MUL-TE-020	<0.01	1

Remarks: (*) All the parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA

SENIOR MANAGER

ELES PVT. LTD.

Page 4 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Pakhar (15.58) Bauxite Mine-Environmental Monitoring Report

June 2022



CONTENT

Minerals & Minerals :Pakhar (15.58)Bauxite Mine Environmental Monitoring Report		June2022
Pakhar (15.58)Bauxite Mine		
	AMBIENT AIR QUALITY- CORE ZONE	
1	Near Mine Office	
2	Near Weigh Bridge	
3	Near Mine Quarry No-M1	
4	Near Mine Quarry No-M4	
	AMBIENT AIR QUALITY- BUFFER ZONE	
1	Near Bunglapart Village	
2	Yatri Shed (Near K-10)	
3	Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village	
4	Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village	
	SPRING WATER	





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611M	Report Release Date : 15.07.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1792E
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/06/2022 to 11/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'36.29"E	6	Latitude	: 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	49
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	25
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1611M	Report Release Date	: 15.07.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.26

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1611N	Report Release Date	: 15.07.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1792F
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/06/2022 to 11/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'34.50"E	6	Latitude	: 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	57
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	32
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.7
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.013
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.4

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1611N	Report Release Date	: 15.07.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.21

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/16110	Report Release Date : 15.07.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1792G
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/06/2022 to 11/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	55
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.3
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.3
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.009
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/16110	Report Release Date : 15.07.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.6
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.23

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1611P	Report Release Date : 15.07.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1792H
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 10/06/2022 to 11/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'8.99"E	6	Latitude	: 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	58
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	30
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.7
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.1
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.015
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611P	Report Release Date : 15.07.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.27

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC031125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611E	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1791E
Address	: Lohardaga, Jharkhand-835203	Location	: Near Bunglapart Village Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/06/2022 to 10/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°35'36.40"E	6	Latitude	: 23°33'6.92"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	37
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	19
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	5.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611E	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611F	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1791F
Address	: Lohardaga, Jharkhand-835203	Location	: Yatri Shed (Near K-10) Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/06/2022 to 10/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 29	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 68	4	Weather Condition : Clear
5	Longitude : 84°37'29.76"E	6	Latitude : 23°33'12.96"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	59
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	5.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.023
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611F	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.2
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.22

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1611G	Report Release Date	: 15.07.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1791G
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village
Plant Status	: Operational	Sampling Date	: 09/06/2022 to 10/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°36'4.75"E	6	Latitude	: 23°32'40.97"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	33
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC031125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611G	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

BANDIP BERA
SENIOR MANAGER
ELES PVT. LTD

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24-hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011225

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611H	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1791H
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarnit Rajkiya Prathmik Vidyalaya Dumrapart Village
Plant Status	: Operational	Sampling Date	: 09/06/2022 to 10/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.39"E	6	Latitude	: 23°33'39.63"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	30
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	13
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	5.3
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSARVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611H	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/16291	Report Release Date : 15/07/2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/SW/18001
Address	: Lohardaga, Jharkhand-835302	Location	: Spring Water - Pakhar (15.58 ha) Bauxite Mines
Plant Status	: Operational	Sampling Date	: 11/06/2022
		Type of Sample	: Surface Water
		Sampling Procedure	: ELES/DOC/SMPL/01
		Sample Condition	: Sealed & Preserved

Parameter	Unit	Test Protocol	Result	As per CPCB & IS2296:1982 (Class-C)
				Tolerance Limit
pH	-	APHA 23rd Edition 2017,4500-H+-B	7.5	6.5-8.5
Color	Hazen	IS 3025 (Part-04): 1983	5	300
Odour	-	IS 3025 (Part-05): 1983	Unobjectionable	Unobjectionable
Turbidity	NTU	APHA 23rd Edition 2017,2130 B	0.31	--
Free Residual Chlorine	mg/L	IS 3025 (Part-26): 1986	<0.1	--
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Part-16):1984	1019	1500
Total Hardness (as CaCO ₃)	mg/L	APHA 23rd Edition 2017, 2340 C	276	--
Total Alkalinity (as CaCO ₃)	mg/L	IS 3025 (Part-23):1986	252	--
Chloride (as Cl)	mg/L	IS 3025 (Part-32): 1988: RA 2014	90.2	600
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24):1986	33.3	400
Fluoride (as F)	mg/L	APHA 23rd Edition 2017,4500-F-D	0.1584	1.5
Cyanide (as CN)	mg/L	IS 3025 (Part-27): 1986	<0.0125	0.05

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1629I	Report Release Date : 15/07/2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Result	As per CPCB & IS2296:1982 (Class-C)
				Tolerance Limit
Boron (as B)	mg/L	APHA 23rd Edition, 3125 B	<0.2	--
Calcium (as Ca)	mg/L	APHA 23rd Edition 2017, 3500 B	74.5	--
Magnesium (as Mg)	mg/L	IS 3025 (Part-46):1994	21.9	--
Iron (as Fe)	mg/L	APHA 23rd Edition, 3111 B&C	0.443	50
Manganese (as Mn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.05	--
Cadmium (as Cd)	mg/L	APHA 23rd Edition, 3111 B&C	<0.003	0.01
Total Chromium (as Cr)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Copper (as Cu)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	1.5
Lead (as Pb)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.1
Zinc (as Zn)	mg/L	APHA 23rd Edition, 3111 B&C	0.351	15
Arsenic (as As)	mg/L	APHA 23rd Edition, 3111 B&C	<0.005	0.2
Selenium (as Se)	mg/L	APHA 23rd Edition, 3125 B	<0.01	0.05
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2000	<0.001	--
Dissolved Oxygen (DO)	mg/L	IS 3025 (Part-38) : 2014	7.5	4.0 (Minimum)

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Pakhar (15.58) Bauxite Mine-Environmental Monitoring Report

July 2022



CONTENT

Minerals & Minerals :Pakhar (15.58) Bauxite Mine		Environmental Monitoring Report
July2022		
Pakhar (15.58) Bauxite Mine		
	AMBIENT AIR QUALITY- CORE ZONE	
1	Near Mine Office	
2	Near Weigh Bridge	
3	Near Mine Quarry No-M1	
4	Near Mine Quarry No-M4	
	AMBIENT AIR QUALITY- BUFFER ZONE	
1	Near Bunglapart Village	
2	Yatri Shed (Near K-10)	
3	Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village	
4	Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village	





CIN: U74999/JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767M	Report Release Date : 18.08.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199M
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 22/07/2022 to 23/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 27	2	Barometric Pressure (mmHg) : 742
3	Relative Humidity (%) : 68	4	Weather Condition : Clear
5	Longitude : 84°36'36.29"E	6	Latitude : 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	54
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.006
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDEL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767M	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	0.24

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767N	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199N
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 22/07/2022 to 23/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°36'34.50"E	6	Latitude	: 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767N	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.1
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	0.27

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/17670	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/51990
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 22/07/2022 to 23/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	44
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.3
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/17670	Report Release Date : 18.08.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.1
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAEE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767P	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199P
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 22/07/2022 to 23/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear
5	Longitude	: 84°36'8.99"E	6	Latitude	: 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	55
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	28
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.4
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	5.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.006
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.4

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767P	Report Release Date	: 18.08.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	0.23

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011225

TEST REPORT

Test Report No. : ELES/RNC/2022/1767E	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199E
Address	: Lohardaga, Jharkhand-835203	Location	: Near Bunglapart Village Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 21/07/2022 to 22/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°35'36.40"E	6	Latitude	: 23°33'6.92"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	38
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999/JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1767E	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767F	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199F
Address	: Lohardaga, Jharkhand-835203	Location	: Yatri Shed (Near K-10) Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 21/07/2022 to 22/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.76"E	6	Latitude	: 23°33'12.96"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	50
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	24
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.3
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.019
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.2



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999/JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767F	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.5
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767G	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199G
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village
Plant Status	: Operational	Sampling Date	: 21/07/2022 to 22/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°36'4.75"E	6	Latitude	: 23°32'40.97"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	30
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.1
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767G	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1767H	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5199H
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village
Plant Status	: Operational	Sampling Date	: 21/07/2022 to 22/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 70	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.39"E	6	Latitude	: 23°33'39.63"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	32
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.0
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767H	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Singh
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Pakhar (15.58 ha) Bauxite Mine-Environmental Monitoring Report

August 2022



CONTENT

Minerals & Minerals :Pakhar (15.58 ha) Bauxite Mine August 2022		Environmental Monitoring Report
Pakhar (15.58 ha) Bauxite Mine		
AMBIENT AIR QUALITY- CORE ZONE		
1	Near Mine Office	
2	Near Weigh Bridge	
3	Near Mine Quarry No-M1	
4	Near Mine Quarry No-M4	
AMBIENT AIR QUALITY- BUFFER ZONE		
1	Near Bunglapart Village	
2	Yatri Shed (Near K-10)	
3	Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village	
4	Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village	





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887M	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004M
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/08/2022 to 10/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 25	2	Barometric Pressure (mmHg) : 742
3	Relative Humidity (%) : 67	4	Weather Condition : Clear
5	Longitude : 84°36'36.29"E	6	Latitude : 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	45
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	24
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887M	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.4
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	0.22

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1887N	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004N
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/08/2022 to 10/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°36'34.50"E	6	Latitude	: 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	50
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.5
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887N	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/18870	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/30040
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/08/2022 to 10/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	51
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	19
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.1
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1887O	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1887P	Report Release Date : 16.09.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004P
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 09/08/2022 to 10/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°36'8.99"E	6	Latitude	: 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	47
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887P	Report Release Date	: 16.09.2022
Work Order No.	: M&M/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887E	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004E
Address	: Lohardaga, Jharkhand-835203	Location	: Near Bunglapart Village Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 08/08/2022 to 09/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°35'36.40"E	6	Latitude	: 23°33'6.92"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	33
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	14
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	5.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887E	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887F	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004F
Address	: Lohardaga, Jharkhand-835203	Location	: Yatri Shed (Near K-10) Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 08/08/2022 to 09/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.76"E	6	Latitude	: 23°33'12.96"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	41
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
MATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1887F	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	2.2
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887G	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004G
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village
Plant Status	: Operational	Sampling Date	: 08/08/2022 to 09/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°36'4.75"E	6	Latitude	: 23°32'40.97"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	32
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	15
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887G	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1887H	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3004H
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village
Plant Status	: Operational	Sampling Date	: 08/08/2022 to 09/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 25	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.39"E	6	Latitude	: 23°33'39.63"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	36
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAMA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887H	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Pakhar (15.58) Bauxite Mine-Environmental Monitoring Report

September 2022



CONTENT

Minerals & Minerals : Pakhar (15.58)	Environmental Monitoring Report	September 2022
Pakhar (15.58)		
AMBIENT AIR QUALITY- CORE ZONE		
1	Near Mine Office	
2	Near Weigh Bridge	
3	Near Mine Quarry No-M1	
4	Near Mine Quarry No-M4	
AMBIENT AIR QUALITY- BUFFER ZONE		
1	Near Bunglapart Village	
2	Yatri Shed (Near K-10)	
3	Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village	
4	Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village	
DRINKING WATER ANALYSIS		





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2344	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3349
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Office Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 13/09/2022 to 14/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°36'36.29"E	6	Latitude	: 23°32'24.04"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	39
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	16
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2344	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011225

TEST REPORT

Test Report No. : ELES/RNC/2022/2345	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3350
Address	: Lohardaga, Jharkhand-835302	Location	: Near Weigh Bridge Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 13/09/2022 to 14/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 24	2	Barometric Pressure (mmHg) : 742
3	Relative Humidity (%) : 65	4	Weather Condition : Clear
5	Longitude : 84°36'34.50"E	6	Latitude : 23°32'26.21"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	43
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.3

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2345	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2346	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3351
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M1 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 13/09/2022 to 14/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°36'6.67"E	6	Latitude	: 23°32'9.19"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	45
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2346	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2347	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3352
Address	: Lohardaga, Jharkhand-835302	Location	: Near Mine Quarry No-M4 Pakhar (15.58 ha) Bauxite Mine
Plant Status	: Operational	Sampling Date	: 13/09/2022 to 14/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°36'8.99"E	6	Latitude	: 23°32'13.12"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	43
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.9
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2347	Report Release Date : 11.11.2022
Work Order No. : M&M/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit), LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2352C	Report Release Date : 11.11.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01/04/2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Minerals & Minerals Limited	Sample Ref. No.	: ELES/RNC/2022/DW/3260C
Address	: Lohardaga, Jharkhand-835302	Location	: Drinking Water Pakhar Bauxite Mines (15.58 ha.)
		Sampling Date	: 14/09/2022
Plant Status	: Operational	Type of Sample	: Drinking Water
		Sampling Procedure	: ELES/DOC/SMPL/01
		Sample Condition	: Sealed & Preserved

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
pH	-	APHA 23rd Edition 2017,4500-H+-B	7.1	6.5-8.5
Color	Hazen	IS 3025 (Part-04): 1983	<1.0	5
Odour	-	IS 3025 (Part-05): 1983	Agreeable	Agreeable
Taste	-	IS 3025 (Part-07): 1984	Agreeable	Agreeable
Turbidity	NTU	APHA 23rd Edition 2017,2130 B	0.16	1
Free Residual Chlorine	mg/L	IS 3025 (Part-26): 1986	<0.1	0.2
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Part-16):1984	162	500
Monochloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Dichloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Total Hardness (as CaCO ₃)	mg/L	APHA 23rd Edition 2017, 2340 C	35.8	200
Total Alkalinity (as CaCO ₃)	mg/L	IS 3025 (Part-23):1986	32.4	200
Chloride (as Cl)	mg/L	IS 3025 (Part-32): 1988: RA 2014	7.2	250

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2352C	Report Release Date : 11.11.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012
				Acceptable Limit
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24):1986	5.3	200
Nitrate (as NO ₃)	mg/L	IS 3025 (Part-34): 1988	1.68	45
Fluoride (as F)	mg/L	APHA 23rd Edition 2017,4500-F--D	0.1008	1
Ammoniacal Nitrogen (as NH ₃ -N)	mg/L	APHA 23rd Edition 2017, 4500 Norg-C	<0.1	0.5
Cyanide (as CN)	mg/L	IS 3025 (Part-27): 1986	<0.0125	0.05
Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	IS 3025 (Part-43): 1992	<0.00002	0.001
Sulphide (as S)	mg/L	IS 3025 (Part-29): 1986	<0.04	0.05
Boron (as B)	mg/L	APHA 23rd Edition, 3125 B	<0.2	0.5
Calcium (as Ca)	mg/L	APHA 23rd Edition 2017, 3500 B	9.5	75
Magnesium (as Mg)	mg/L	IS 3025 (Part-46):1994	2.9	30
Iron (as Fe)	mg/L	APHA 23rd Edition, 3111 B&C	0.215	1
Manganese (as Mn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.05	0.1
Aluminum (as Al)	mg/L	APHA 23rd Edition, 3125 B	<0.02	0.03
Cadmium (as Cd)	mg/L	APHA 23rd Edition, 3111 B&C	<0.003	0.003
Total Chromium (as Cr)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Copper (as Cu)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Lead (as Pb)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.01
Zinc (as Zn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.1	5

Page 2 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2352C	Report Release Date : 11.11.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit as per IS:10500:2012
				Acceptable Limit
Arsenic (as As)	mg/L	APHA 23rd Edition, 3111 B&C	<0.005	0.01
Selenium (as Se)	mg/L	APHA 23rd Edition, 3125 B	<0.01	0.01
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2000	<0.001	0.001
Nickel (as Ni)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.02
Mineral Oil*	mg/L	IS 3025 (Part-39): 1991	<0.01	0.5
Anionic Detergents (as MBAS)*	mg/L	Annex K of IS 13428:2005	<0.05	0.2
Polynuclear Aromatic Hydrocarbons (PAHs)*	mg/L	SO-IN-MUL-TE-023	<0.00005	0.0001
Polychlorinated Biphenyls (PCBs)*	mg/L	SO-IN-MUL-TE-022	<0.00005	0.0005
Total Coliforms	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Escheria Coli	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Pesticides				
Alachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	20
Atrazine*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Aldrin/ Dieldrin*	µg/L	SO-IN-MUL-TE-020	<0.01	0.03
Alpha HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.01
Beta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
Butachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	125

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2352C	Report Release Date : 11.11.2022
Order No. : M&M/LHD/FY22-23/001	Order Date : 01/04/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012
				Acceptable Limit
Chlorpyrifos*	µg/L	SO-IN-MUL-TE-020	<0.01	30
Delta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
2,4- Dichlorophenoxyacetic acid*	µg/L	SO-IN-MUL-TE-020	<0.01	30
DDT (o, p and p, p – Isomers of DDT)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Endosulfan (alpha, beta, and sulphate)*	µg/L	SO-IN-MUL-TE-020	<0.01	0.4
Ethion*	µg/L	SO-IN-MUL-TE-020	<0.01	3
Gamma — HCH (Lindane)*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Isoproturon*	µg/L	SO-IN-MUL-TE-020	<0.01	9
Malathion*	µg/L	SO-IN-MUL-TE-020	<0.01	190
Methyl parathion*	µg/L	SO-IN-MUL-TE-020	<0.01	0.3
Monocrotophos*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Phorate*	µg/L	SO-IN-MUL-TE-020	<0.01	2
DDE (o, p and p, p – Isomers of DDE)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
DDD (o, p and p, p – Isomers of DDD)*	µg/L	SO-IN-MUL-TE-020	<0.01	1

Remarks: (*) All the parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 4 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
MATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/2276	Report Release Date	: 11.11.2022
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3281
Address	: Lohardaga, Jharkhand-835203	Location	: Near Bunglapart Village Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 12/09/2022 to 13/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°35'36.40"E	6	Latitude	: 23°33'6.92"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	34
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	12
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/2276	Report Release Date	: 11.11.2022
-----------------	----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2277	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3282
Address	: Lohardaga, Jharkhand-835203	Location	: Yatri Shed (Near K-10) Pakhar Bauxite Mine
Plant Status	: Operational	Sampling Date	: 12/09/2022 to 13/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.76"E	6	Latitude	: 23°33'12.96"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	38
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	14
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2277	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/2278	Report Release Date	: 11.11.2022
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3283
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village
Plant Status	: Operational	Sampling Date	: 12/09/2022 to 13/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°36'4.75"E	6	Latitude	: 23°32'40.97"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	30
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	13
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAMA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2278	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2279	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3284
Address	: Lohardaga, Jharkhand-835203	Location	: Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village
Plant Status	: Operational	Sampling Date	: 12/09/2022 to 13/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Clear
5	Longitude	: 84°37'29.39"E	6	Latitude	: 23°33'39.63"N

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	38
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	15
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2279	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 11): 2004	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	IS 5182 (Part- 12): 2006	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

MINERALS & MINERALS LIMITED

Regd. Office- Court Road, P.O. & Distt.-Lohardaga, Jharkhand-835302

Tel.-06526-223163

CIN NO. U26990JH1970PLC000875

Ref. :

Date

Annexure 3

Date – 01.09.2022

Office Order

Environmental Cell has been re-constituted at Pakhar Bauxite Mine (Area 15.58 ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Minerals & Minerals Limited.

1. Mr. Deepak Kumar Jha (Coordinator)
2. Mr. Anupam Kumar - Geologist
3. Ms. Abhilasha Singh– Environment Engineer
4. Mr. Abhay Kumar – Environment Engineer

The Undersigned is the in charge of above Environment Management Cell constituted for the purpose of ensuring compliances of environmental act rule and regulation for the above mine.

Basudev Gangopadhyay
AVP (Planning, Environment & Compliance)


Annexure 4

Production, Mined Out, Back Filled and Over Burden removal from April'22 to September'22								
S No	Name of the Mines	Mining lease area (ha)	Production Capacity (MT)*	Lease Period*	Production (MT)	Mined out area (ha)	Back filled area (ha)	Over burden (Cu.M)
1	Bagru bauxite Mine	75.41	85000	22.01.1974 to 31.03.2030	NIL	NIL	NIL	NIL
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981 to 31.03.2030	116176	0.78	0.34	82296.15
3	Hisri (New) Bauxite Mine	14.55	100000	19.07.1981 to 31.03.2030	63046	0.34	0.23	47769.44
4	Kujam - I Bauxite Mine	80.87	150000	13.03.2006 to 12.03.2056	53620	1.74	1.18	39931.13
5	Kujam - II Bauxite Mine	157.38	300000	24.03.2006 to 23.03.2056	147610	4.79	2.56	181309.80
6	Amtipani Bauxite Mine	190.95	150000	13.03.2006 to 12.03.2056	96500	2.12	2.050	126569.80
7	Gurdari Bauxite Mine	584.19	325000	23.03.1985 to 22.03.2035	114070	3.65	2.68	292766.10
8	Shrengdag A Bauxite Mine	155.81	260000	16.10.1974 to 31.03.2030	53600	1.2	0.9	40876.3
9	Shrengdag B Bauxite Mine	140.07	100000	04.10.1978 to 31.03.2030	45750	0.8157	0.6184	44264.72
10	Jalim & Sanai Bauxite Mine	12.14	50000	16.10.1974 to 31.03.2030	25000	0.2413	0.2	8656.24
11	Orsapat Bauxite Mine	196.36	200000	17.07.1986	NIL	NIL	NIL	NIL

Annexure 4

				to 16.07.2036				
12	Chiro Kukud bauxite Mine	152.57	100000	29.01.1985 to 28.01.2035	NIL	NIL	NIL	NIL
13	Pakhar (8.09)	8.09	80000	16.05.1973 to 31.03.2030	NIL	NIL	NIL	NIL
14	Pakhar (35.12)	35.12	200000	17.04.1975 to 31.03.2030	NIL	NIL	NIL	NIL
15	Pakhar (115.13)	115.13	300000	19.07.1996 to 31.03.2030	87500	1.52	0.57	242684.08
Minerals & Minerals Limited								
16	Pakhar (15.58)	15.58	60000	28.04.1965 to 31.03.2030	NIL	NIL	NIL	NIL
17	Pakhar (109.507)	109.507	280000	26.07.2008 to 25.07.2058	129700	0.29	0.00	26032.12
18	Bimarla Bauxite Mine	134.526	300000	18.07.2009 to 17.07.2059	54050	1.34	0.60	118183.21
19	Amtipani Chirodih Bauxite Mine (130.01 ha)	130.01	450000	11.01.2017 to 10.01.2067	NIL	NIL	NIL	NIL

*Static information about the mines included in the above table


Basudev Gangopadhyay
 AVP (Planning, Environment & Compliance)

Annexure-5

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2022-23

The composite cost during the year 2022-23 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 ha), Pakhar (15.58 ha), Pakhar (109.507 ha), Pakhar (8.09 ha), Pakhar (35.12 ha), Serengdag (140.06 ha), Serengdag (155.81 ha), Jalim & Sanai (12.14 ha), Gurdari (584.19 ha), Amtipani (190.95 ha), Kujam I (80.97 ha) Kujam II (157.38 ha), Bagru (75.41 ha), Hisri New (14.55 ha), Chiro kukud (152.57 ha), Orsa pat (196.36 ha), Bhusar (65.31 ha), Bimarla Bauxite Mines (134.52 ha) and Amtipani Chirodih (130.01 ha) Bauxite Mine.

S No	Description	Budget (in Rupees) FY 2022-23	Actual (in Rupees) FY 2022-23 (From April'22 to September'22)
1	Pollution Control & Environment monitoring	49,75,923.00	33,83,623.92
2	Reclamation/ Back filing & Rehabilitation**	5,83,65,000.00	5,07,53,126.66
3	Green belt, Plantation & Water sprinkling arrangement	48,76,825.00	45,85,322.59
4	Rural Development	3,10,21,250.00	2,39,91,751.19

**Part of OB removed cost.

for
Basudev Gangopadhyay
AVP (Planning, Environment & Compliance)