

ADITYA BIRLA



HINDALCO

Ref No: HIL/LHD/VP (M)/MoEF/ 624

Date: 28.11.12

To,
Mr S Kerketta
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: **Compliance Report of EC conditions for Bagru Bauxite Mining project of M/s Hindalco Industries Limited located in Dist- Lohardaga, Jharkhand for the period April' 2012 - Sep' 2012.**

Ref: **Environmental Clearance letter no No J-11015/585/2007-1A.II (M) dated 18.09.2008**


Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Bagru (75.41 Ha)** Bauxite Mining project of M/s Hindalco located in Lohardaga, Jharkhand for the period April' 2012 - Sep' 2012.

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED


(Bijesh Kumar Jha)
VP (Mines)

Enclosure: - As Above

HINDALCO INDUSTRIES LIMITED

Hindalco Complex
Court Road, Lohardaga-835302
Distt. Lohardaga (Jharkhand)

Telephone +91 6526 224112/224015/223113
Fax +91 6526 224118

Website www.hindalco.com

Compliance of conditions laid down in Environmental Clearance

BAGRUBAUXITE MINES (75.41 Ha)

Period : April'12 - Sep'12

MoEF Environment Clearance ref. no. : J – 11015/585/2007 – IA.II(M) dated 04 Feb'2011

Sl No	Conditions	Compliance Status
Specific Conditions		
1	All the conditions stipulated by the State Pollution Control Board in their NOC should be effectively implemented.	Complied
2	The environmental clearance is subject to grant of forestry clearance for diversion of 19.56 ha forestland.	This provision has been taken care of during land acquisition with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) and consent of Raiyat (Land Owner) for 20 years period and the land so acquired will be returned as per the norms set by D.C. in land purchased agreement.
3	The mining operation shall be restricted to above ground water table and it should not intersect groundwater table. In case of working below ground water table, prior approval of the Ministry of Environment & Forest and Central Ground Water Authority shall be obtained for which a detailed hydro-geological study shall be carried out.	Being complied. Mining is restricted to above ground water table.
4	The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations.	Agreed.
5	Top soil should be temporarily stacked with proper slope at earmarked site(s) only with adequate measures and it should not be kept unutilized for a period of more than 3 years. The top soil shall be used for land reclamation and rehabilitation of mined out areas.	Sequential backfilling and reclamation of the mined out area are being exercised. Topsoil is being spread on backfilled area for reclamation of the area.
6	The entire waste generated shall be backfilled and there shall be no external over burden dump left at the end of the mine life. The entire backfilled area shall be	Overburden and waste rock are being used for back filling. Data pertaining to backfilling is enclosed as Annexure.

	reclaimed by plantation. The backfilling should be carried out in such a manner that it is restored to the normal ground level. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest and its Regional Office, Bhubneshwar on six monthly basis.	Around 4000 sapling have been planted during the FY12-13 within 3.68 Ha area of Bagru Plateau.
7	The void left unfilled in an area of 1.76 ha shall be converted into water body. The higher benches of excavated void/mining pit shall be traced and plantation done to stabilize the slopes. The slopes of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area.	Complied
8	Catch drains and siltation ponds of appropriate size shall be constructed around the working pit, sub-grade dump, and mineral dumps to arrest flow of silt and sediment directly into Chanpi Nallah, Sukri Nadi and others water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regulary desilted, particularly after monsoon, and maintained properly. Garland drains settling tanks and check dams of appropriate size, gradient and length shall be constructed for both around the mine pit and sub-grade dump to prevent run off of water and flow sediments directly into Chanpi Nallah,Sukri Nadi and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall(based on 50 years date) and maximum discharge in the area adjoin the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	No run off is being generated from mining activities. However, to collect and manage rainwater during monsoon drains and Pit sumps are made, part of mined out area is used as settling tank. Settled water is being used for sprinkling of quarry, roads, green belt development, etc.
9	Dimension of the retaining wall at the toe of subgrade dump and OB benches within the mine to check run-off and siltation should be based on the rain fall data.	Complied

10	Plantation shall be raise in an area of 50.11 ha including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around ML area, backfilled and reclaimed area, around water body, roads etc. in consultation with the local DFO/Agriculture Department. At least 1500 trees per year shall be planted with a tree density of 1000 trees per hectare.	Being carried out progressively.
11	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the AAQ parameters conform to the norms prescribed by the central Pollution Control Board in this regard.	Being carried out and complied.
12	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	System is already in place.
13	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF,its Regional Office,Bhubneshwar; Central Ground Water Authority and Central Ground Water Board.	Being complied with.
14	The project authority shall obtain necessary prior approval of the competent authority for drawal of requisite quantity of water (surface water and ground water) for the project.	We have water drawl right as per mining lease deed.
15	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be	Regular maintenance of vehicles are undertaken to minimize vehicular emission. Care is taken on regular basis to arrest spillage/fugitive dust emission. At most care is taken to cover bauxite loaded trucks with Tarpaulin and overloading is avoided.

	overloaded.	
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Being complied with.
17	Drills should either be operated with dust extractors or should be equipped with water injection system	Being complied with.
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	The sewage water from domestic uses is collected and treated in Sewage Treatment Plant. No effluent is generated and hence, ETP is not required.
19	Consent to operate should be obtained from SPCB prior to start of production of mine	Complied.
20	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	System is already in place.
21	The critical parameters such as RSPM(Particulate matter with size less than 10micron (i.e., PM ₁₀ , PM _{2.5}) and NO _x in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closed shall be monitored periodically. Further, quantity of discharged water shall also be monitored [TDS,DO, PH and TSS}The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forest, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	Being carried out. Monitoring report attached as annexure.

22	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Final mine Closure Plan will be submitted at appropriate time. Presently we are having approved progressive mine Closure Plan.
----	---	--

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Complied with.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made	Quantum of bauxite and wastes is within the limit of approved calendar plan.
3	Conservation measures for protection of flora and fauna in the core and buffer zone should be drawn up in consultation with the local forest and wild life department.	Wild life conservation plan is submitted to DFO for approval.
4	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	AAQ monitoring report attached.
5	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Complied.
6	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Dedicated water tanker(s) has/have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to control fugitive dust.
7	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be	Complied.

	provided with ear plugs / muffs.	
8	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Complied.
9	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	System is in place and regularly being carried out.
10	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization	Already formed and informed. Vide annexure
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Final mine closure plan will be submitted at appropriate time. Presently we are having approved progressive mine closure plan.
12	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Fund for environment protection is earmarked. (Vide annexure for fund taken together for the mines divn.)
13	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Being complied with.

14	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e mail) to the Ministry of Environment and Forests, its Regional office Bhunaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forest, Bhubaneshwar, the respective zonal office of Central Pollution Control Board and the State Pollution Control Board.	Being complied with.
15	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal corporation, urban local body and the local NGO, if any, from whom and suggestions / representations if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Complied.
16	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.	Not Applicable.
17	The environment statement for each financial year ending 31 st March in Form V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection)Rules,1986 , as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar by e-mail.	Complied.
18	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance	Already carried out (Documents already submitted).

<p>letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.</p>	
--	--



झारखण्ड राज्य प्रदूषण नियंत्रण पर्वद

JHARKHAND STATE POLLUTION CONTROL BOARD

CONSTITUTED UNDER SECTION 4 OF THE WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974 |
T.A. DIVISION BUILDING (GROUND FLOOR), HEC COMPLEX, DHURWA, RANCHI-834004.

Phone No:-0651- 2400852, 2400851, Fax No:- 2400850.

Ref.No. PC/RNC/77/11/4998

Dated- 17.4.12

CONSENT TO OPERATE

With reference to the application dated 28.09.2011 of G.M. (Operation), M/s Hindalco Industries Ltd; Court Road, P.O. – Bagru, Dist- Lohardaga. I/C Bagru Bauxite Mines -75.41 Ha. for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981, he (they) is (are) granted consent to bring into use his(their) new/altered/existing outlet(s) for discharge of trade effluent and (or) domestic sewage and to operate his (their) industrial plant to produce maximum 85,000 TPA of Bauxite ore ~~31120 TPA of china clay ore~~ At- Bagru, P.O.- Bagru, Dist- Lohardaga for the period from 01.01.2012 to 31.12.2012 with the following conditions :

1. That, he(they) shall make any alteration, addition, deletion or modification in the ~~plant~~ ^{mine} without the prior clearance from the Board.
2. That, he(they) shall abide by the obligations provided under section 24, 31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and shall extend co-operation to the Board in performing its functions entrusted under section 20, 21, 23, 30 and 32 of the Act.
3. That, he(they) shall comply with the requirements of the Water (Prevention & Control of Pollution) Cess Act, 1977 read with the Water (Prevention & Control of Pollution) Cess Rules, 1978.
4. That, he(they) shall abide by the obligations provided under section 22, 23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and shall extend co-operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act.
5. That, he(they) shall abide by the obligations provided under sections 5, 7, 8 and 9 of the Environment (Protection) Act, 1986 and shall extend co-operation in performing the functions entrusted under section 3, 10 and 11 of the Act.
6. That, he(they) shall abide by the applicable provisions of the Environment (Protection) Rules, 1986, the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008; the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989; the Bio-medical Waste (Management & Handling) Rules, 1998; the Municipal Solid Wastes (Management & Handling) Rules, 2000 and the Batteries (Management & Handling) Rules, 2001.
7. That, he(they) shall maintain the quality of discharge and (or) emission and (or) noise level of environmental pollutants in conformity with the standards as laid under Rule 3 of the Environment (Protection) Rules, 1986.
8. That, he(they) shall monitor his(their) effluent(s), emission(s) and the ambient air, noise level regularly and shall submit the report to the Board in compliance of the condition laid in paragraph 7.
9. That, he(they) shall establish well equipped environmental laboratory with the facilities of system(s) of continuous monitoring of effluent(s), emission(s) ambient water quality(ies), ambient air quality(ies) and ambient noise level(s) and transferring them (monitoring results) to his(their) website(s) and to the e-mail address(es) of the key persons of Jharkhand State Pollution Control Board, Zonal Office, Kolkata and Ministry of Environment & Forests, Regional Office, Bhubneshwar

Xess/Con/69


MA

with simultaneous displaying at prominent locations in front of his(their)premises. [*Unit(s) of medium and large scale under 17 categories of polluting industries of category A of EIA Notification, 2006.]

10. That, he(they) shall submit the environmental statement every year by 30th September and shall harvest all rain water precipitating in the premises and do three tier tree plantation in the premises as air barrier.
11. That, he(they) shall submit application for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 again 120 days before the expiration of the consent order 31.12.2012 or within 120 days from the date of receipt of the order, whichever is earlier.
12. *That, unit shall submit quality report of Ambient Air Quality and Ground Water Quality every quarter of the year.*
13. *That, the unit shall submit the status of compliance Environmental Clearance every quarter to the Board*
14. *That the unit shall reclaim the mined out area in phased manner as per EIA/EMP report.*
15. *That the unit shall implement harvest rain water of the mine and recharge it to the ground by the method of Central Ground Water Board Guideline that fits most to the mine .*
16. *That, the unit shall make arrangement to control the fugitive emissions occurring during the mining activities and plying of vehicles on haul as well as transport road;*
17. *That, the unit shall ensure that no transport vehicle should ply on road without covering the materials;*

To,

M/s Hindalco Industries Ltd;
I/C Bagru Bauxite Mines, Bagru,
Court Road, P.O. + Dist- Lohardaga.


(Sanjay Kumar Sinha)
Member Secretary.





TEST REPORT

Report No. : CA:GL:3120010483

DATE : 24/07/2012

JOE No. : 1212804659

Report Control No.:3125011194

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : EFFLUENT

CUSTOMER NAME **HINDALCO INDUSTRIES LIMITED (MINES DIVISION)**
ADDRESS **LOHARDAGA, JHARKHAND**
CITY **835302**
COUNTRY **INDIA**
SAMPLING METHOD **APHA 1060B**
SAMPLE DESCRIPTION **EFFLUENT**
SAMPLE CONDITION **IN PLASTIC BOTTLE**
SAMPLE QTY. **1LX4**

MARKS ON SAMPLE **SITE : BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE
MINES(BAGRU PLATEAU)
LOCATION : STP INLET**

COLLECTED ON **15.07.2012**
REGISTERED ON **17/07/2012**
TEST START DATE **17/07/2012**
TEST END DATE **24/07/2012**

TESTS	PROTOCOL	RESULT
ALUMINIUM	APHA 21 st EDN.:2005 (3120-B)	2.41mg/l
B.O.D @27°C for 3 days	IS 3025:PART 44:1993(Reaff.1999)	105 mg/l
CALCIUM	APHA 21ST EDN. 2005(3120B)	17.78 mg/l
IRON	APHA 21 st EDN.:2005 (3120B)	5.73 mg/l
OIL AND GREASE	APHA 21 st EDN.:2005 (5520B)	14 mg/l
pH @ 25°C	APHA 21 st EDN.:2005 (4500-H-B)	7.39 *
T.S.S.	APHA 21 st EDN.:2005 (2540 D)	408 mg/l
TOTAL DISSOLVED SOLIDS	APHA 21stEDN. 2005 (2540C)	312 mg/l

Page 1 of 2

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010483

DATE : 24/07/2012

JOE No. : 1212804659

Report Control No.:3125011194

TESTS

PROTOCOL

RESULT

* Analysed at site.

**** End of Report ****

per pro SGS India Private Ltd.

S. A. Datta
Dr.Nemai Ghosh
Manager Laboratory

S. K. Datta
Special QAO

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010484

DATE : 24/07/2012

JOE No. : 1212804659

Report Control No.:3125011193

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : EFFLUENT

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD APHA 1060B
SAMPLE DESCRIPTION EFFLUENT
SAMPLE CONDITION IN PLASTIC BOTTLE
SAMPLE QTY. ILX4

MARKS ON SAMPLE SITE : BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE
MINES(BAGRU PLATEAU)
LOCATION : STP OUTLET

COLLECTED ON 15.07.2012
REGISTERED ON 17/07/2012
TEST START DATE 17/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT As per CPCB DIS. LAND FOR IRRIGATION	
			MIN	MAX
ALUMINIUM	APHA 21 st EDN.:2005 (3120-B)	0.05 mg/l		N/A
B.O.D @27°C for 3 days	IS 3025:PART 44:1993(Reaff.1999)	6.0 mg/l		100mg/l
CALCIUM	APHA 21ST EDN. 2005(3120B)	19.39 mg/l		N/A
IRON	APHA 21 st EDN.:2005 (3120B)	1.08 mg/l		N/A
OIL AND GREASE	APHA 21 st EDN.:2005 (5520B)	3.0 mg/l		10mg/l
pH @ 25°C	APHA 21 st EDN.:2005 (4500-H-B)	7.23 *	5.5	9.0

Page 1 of 2

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010484

DATE : 24/07/2012

JOE No. : 1212804659

Report Control No.:3125011193

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT As per CPCB DIS. LAND FOR IRRIGATION	
			MIN	MAX
T.S.S.	APHA 21 st EDN.:2005 (2540 D)	19 mg/l		200mg/l
TOTAL DISSOLVED SOLIDS	APHA 21stEDN. 2005 (2540C)	280 mg/l		N/A

* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.

F. A. Saha

Dr.Nemai Ghosh
Manager Laboratory

A. R. Das
Quality Control

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010485

DATE : 24/07/2012

JOE No. : 1212804659

Report Control No.:3125011192

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : EFFLUENT

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD APHA 1060B
SAMPLE DESCRIPTION EFFLUENT
SAMPLE CONDITION IN PLASTIC BOTTLE
SAMPLE QTY. 1LX4

MARKS ON SAMPLE SITE : BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE
MINES(BAGRU PLATEAU)
LOCATION : MAINTANANCE GARAGE

COLLECTED ON 15.07.2012
REGISTERED ON 17/07/2012
TEST START DATE 17/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB DIS. LAND FOR IRRIGATION	
			MIN	MAX
ALUMINIUM	APHA 21 st EDN.:2005 (3120-B)	0.16 mg/l		N/A
B.O.D @27°C for 3 days	IS 3025:PART 44:1993(Reaff.1999)	4.8 mg/l		100mg/l
CALCIUM	APHA 21ST EDN. 2005(3120B)	9.70 mg/l		N/A
IRON	APHA 21 st EDN.:2005 (3120B)	0.74 mg/l		N/A
OIL AND GREASE	APHA 21 st EDN.:2005 (5520B)	2.9 mg/l		10mg/l
pH @ 25°C	APHA 21 st EDN.:2005 (4500-H-B)	7.49 *	5.5	9.0

Page 1 of 2

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010485	DATE : 24/07/2012
--------------------------------------	--------------------------

JOE No. : 1212804659


Report Control No.:3125011192

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB DIS. LAND	
			FOR IRRIGATION	
			MIN	MAX
T.S.S.	APHA 21 st EDN.:2005 (2540 D)	12 mg/l		200mg/l
TOTAL DISSOLVED SOLIDS	APHA 21stEDN. 2005 (2540C)	56 mg/l		N/A

* Analysed at site.

**** End of Report ****

per pro SGS India Private Ltd.


Dr.Nemai Ghosh
 Manager Laboratory



*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010492

DATE : 23/07/2012

JOE No. : 1212804665

Report Control No.:3125011088

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
 ADDRESS LOHARDAGA, JHARKHAND
 CITY 835302
 COUNTRY INDIA
 SAMPLING METHOD N.A.
 SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE: BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MIENS
 (BAGRU PLATEAU), LOCATION: KORGU VILLAGE

DATE OF SAMPLING 19.06.2012
 SAMPLE RECD ON 18/07/2012
 TEST START DATE 18/07/2012
 TEST END DATE 23/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NO _x)	IS 5182 PART 6:2006	8.9 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	94.4 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	51.2 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182:PART 2:2001	<4.0 µg/m ³		80 µg/m ³

* analysed at side.

**** End of Report ****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
 Manager Laboratory

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010494

DATE : 23/07/2012

JOE No. : 1212804665

Report Control No.:3125011089

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
 ADDRESS LOHARDAGA, JHARKHAND
 CITY 835302
 COUNTRY INDIA
 SAMPLING METHOD N.A.
 SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE: BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MIENS
 (BAGRU PLATEAU), LOCATION: KEKRANG VILLAGE
 DATE OF SAMPLING 19.06.2012
 SAMPLE RECD ON 18/07/2012
 TEST START DATE 18/07/2012
 TEST END DATE 23/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NO _x)	IS 5182 PART 6:2006	20.2 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	73.8 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	33.3 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182:PART 2:2001	<4.0 µg/m ³		80 µg/m ³

* analysed at side.

***** End of Report *****

per pro SGS India Private Ltd.

Dr. Nemai Ghosh
 Manager Laboratory

Page 1 of 1

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or fabrication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company



TEST REPORT

Report No. : CA:GL:3120010495

DATE : 23/07/2012

JOE No. : 1212804665

Report Control No.:3125011090

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME **HINDALCO INDUSTRIES LIMITED (MINES DIVISION)**
ADDRESS **LOHARDAGA, JHARKHAND**
CITY **835302**
COUNTRY **INDIA**
SAMPLING METHOD **N.A.**
SAMPLE DESCRIPTION **AMBIENT AIR**

MARKS ON SAMPLE **SITE: BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MIENS
(BAGRU PLATEAU), LOCATION: MINES LEASE AREA**

DATE OF SAMPLING **20.06.2012**
SAMPLE RECD ON **18/07/2012**
TEST START DATE **18/07/2012**
TEST END DATE **23/07/2012**

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	6.7 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	88.1 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	35.5 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182:PART 2:2001	<4.0 µg/m3		80 µg/m3

* analysed at side.

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010495

DATE : 23/07/2012

JOE No. : 1212804665

Report Control No.:3125011090

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX

***** End of Report *****

per pro SGS India Private Ltd.

Dr. Nimai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

TEST REPORT

Report No. : CA:GL:3120010496

DATE : 23/07/2012

JOE No. : 1212804665

Report Control No.:3125011091

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED
SAMPLE IDENTIFIED AS : AMBIENT AIR
 CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
 ADDRESS LOHARDAGA, JHARKHAND
 CITY 835302
 COUNTRY INDIA
 SAMPLING METHOD N.A.
 SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE: BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MIENS
 (BAGRU PLATEAU), LOCATION: SIYAR PARA VILLAGE

DATE OF SAMPLING 20.06.2012
 SAMPLE RECD ON 18/07/2012
 TEST START DATE 18/07/2012
 TEST END DATE 23/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NO _x)	IS 5182 PART 6:2006	4.5 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	87.3 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	41.0 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182:PART 2:2001	<4.0 µg/m ³		80 µg/m ³

* analysed at side.

**** End of Report ****

per pro SGS India Private Ltd.

Dr. Nema Ghosh
 Manager Laboratory

"This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010803-06

Date : 20.07.2012

JCF No. 1212804776

Report Control No:3125010927/36-38

SAMPLE DRAWN BY SGS INDIA PRIVATE LTD.


SAMPLE DESCRIPTION : MEASUREMENT OF NOISE LEVEL
NAME OF THE CLIENT : M/S. HINDALCO INDUSTRIES LIMITED
ADDRESS : MINES DIVISION, LOHARDAGA, JHARKHAND, PIN – 835 302
SAMPLING METHOD : INSTRUMENTAL, USING SOUND LEVEL METER
SAMPLING SITE : BAGRU/BHUSAR/HISRI NEW/ HISRI OLD BAUXITE MINES (BAGRU PLATEAU)
PROTOCOL : GENSOP/CALLAB-116
TEST START DATE : 20.07.2012
TEST END DATE : 20.07.2012

SL NO.	SAMPLING LOCATION	DATE & TIME OF SAMPLING	DAY TIME NOISE LEVEL dB (A) Leq	LIMIT IN dB(A) Leq DAY TIME (INDUSTRIAL AREA)
1.	POCKLEN (EX-300)	20.06.2012 (10:30 Hrs)	80	75
2.	DAMPER (HM -7)	20.06.2012 (10:45 Hrs)	80	75
3.	WAGON DRILL (ROC-203)	21.06.2012 (10:50 Hrs)	88	75
4.	COMPRESSOR (XAH -210)	21.06.2012 (11:50 Hrs)	83	75


****End of Report***

Note: (i) The value is the Leq of twenty readings taken in each location (Day time).
(ii) Day time shall mean from 6:00 am to 10:00 pm

Checked by


Dipankar De Sarkar
Asst. Manager (Operations)

per pro SGS India Private Ltd.


Dr. Nemai Ghosh
Manager-Laboratory

Page 1 of 1

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010716

Date : 19.07.2012

JOF No 1212804732

Report Control No. : 3125010863

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

SAMPLE DESCRIPTION	MEASUREMENT OF NOISE LEVEL
COMPANY NAME	M/S. HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS	MINES DIVISION, LOHARDAGA, JHARKHAND, PIN - 835 302
SAMPLING SITE	BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MINES (BAGRU PLATEAU)
PROTOCOL	GENSOP/CALLAB/116
DATE OF SAMPLING	20.06.2012 TO 21.06.2012
TEST START DATE	19.07.2012
TEST END DATE	19.07.2012

LOCATION	RESULT		LIMIT IN dB(A) Leq (INDUSTRIAL AREA)	
	Day Time (L _{eq}) in dB(A)	Night time (L _{eq}) in dB(A)	Day Time	Night time
MINE LEASE AREA (BAGRU OFFICE AREA)	55	43	75	70


*****End of Report*****

Note: (i) The value is the Leq of One Hundred Seventy readings taken in day time and seventy reading taken in night time
(ii) Day time shall mean from 6:00 am to 10:00 pm
(iii) Night time shall mean from 10:00 pm to 6:00 am

Checked by

For 
Dipankar De Sarkar
Asst. Manager (Operations)

per pro SGS India Private Ltd.


Dr. Nema Ghosh
Manager-Laboratory

Page 1 of 1

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

REPORT NO.:CA:GL:3120009639

Date : 03.07.2012

JOE NO : 1212804249

Report Control No 3125009835

SAMPLE DRAWN BY SGS INDIA PRIVATE LTD.

Sample described as FLUE GAS
Name of the Industry : M/s. HINDALCO INDUSTRIES LIMITED

Address : Mines Division, Lohardaga, Jharkhand, PIN - 835 302

Date & time of sampling: 20.06.2012 (11:10 - 11:42 Hrs)

Sampling Site : Bagru/Bhusar/ Hisri(Old)/Hisri(New) Bauxite Mines (Bagru Plateau)

A. General information about stack :

- 1 Stack connected to : Crusher Large
- 2 Emission due to : Burning of H.S.D
- 3 Material of construction of Stack : M S
- 4 Shape of Stack : Circular
- 5 Whether stack is provided with permanent platform & ladder : Yes

B. Physical characteristics of stack :

- 1 Height of the stack (a) from ground level : 9.5 M
- 2 Diameter of the stack at sampling point : 0.20 M
- 3 Height of the sampling point from GL : 6.7 M

C. Analysis/Characteristic of Stack :

- 1 Fuel used H.S.D
2. Fuel Consumption: 13.0 Lt/Hr

D.	PARAMETERS	PROTOCOL	RESULTS
1	Temperature of emission (°C)	IS 11255 Part 3: 1985 (Reaff 1999)	208
2	Barometric pressure (mm of Hg)	IS 11255 Part 3: 1985 (Reaff 1999)	672
3	Velocity of gas (m/sec.)	IS 11255 Part 3: 1985 (Reaff 1999)	14.87
4	Quantity of gas flow (Nm ³ /hr.)	IS 11255 Part 3: 1985 (Reaff 1999)	951
5	Concentration of Carbon dioxide (% v/v)	IS 11255 Part 3: 1985 (Reaff 1999)	6.0
8	Concentration of Carbon monoxide (% v/v)	IS 11255 Part 3: 1985 (Reaff 1999)	<0.2
9	Concentration of Oxygen (% v/v)	IS 11255 Part 3: 1985 (Reaff 1999)	13.2
10	Concentration of Particulate Matters (mg/Nm ³)	IS 11255 Part 1: 1985 (Reaff 1999)	21.0


E. Pollution control device

Details of pollution control devices attached with the stack : Nil



F. Remarks: Instrument used : Stack Monitoring Kit (SPM620, SI No. 830)

End of Report

Checked by


Dipankar De Sarkar
Asst. Manager(Operations)

per pro SGS India Private Ltd.


Dr. Nemai Ghosh
Manager-Laboratory




TEST REPORT

Report No. : CA:GL:3120010576

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011493

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : SURFACE WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
SAMPLING METHOD APHA 1060B/9060A
SAMPLE DESCRIPTION SURFACE WATER
SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE
SAMPLE QTY. 6.5L APP
MARKS ON SAMPLE SITE : BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MINES
(BAGRU PLATEAU)
LOCATION : WTP INLET
COLLECTED ON 15.07.2012
REGISTERED ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 27/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	6.27 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	0.2 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010576

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011493

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	1.21 mg/l	75mg/l	200mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	10	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.05 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	0.38 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	0.006 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1.0 mg/l	30mg/l	100mg/l
MANGANESE	IS:3025(PART 59) 2006	0.05 mg/l	0.1mg/l	0.3mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp Off - SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010576

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011493

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MERCURY (as Hg)	IS 3025:PART 48 1994(Reaff 1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL:0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	<0.50 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	8.29 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.05 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	11 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	6.06 mg/l	300mg/l	600mg/l
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	36.2	5.0NTU	10NTU

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010576 DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011493

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
			As per IS 10500:1991(REAFF 1993)	
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.04 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	14 mg/l	500mg/l	2000mg/l
*analysed at site				

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company



TEST REPORT

Report No. : CA:GL:3120010577

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011494

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : SURFACE WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
SAMPLING METHOD APHA 1060B/9060A
SAMPLE DESCRIPTION SURFACE WATER
SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE
SAMPLE QTY. 6.5L APP
MARKS ON SAMPLE SITE : BAGRU/BHUSAR/HISRI OLD/HISRI NEW BAUXITE MINES
(BAGRU PLATEAU)
LOCATION : WTP OUTLET
COLLECTED ON 15.07.2012
REGISTERED ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 27/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	17.24 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	0.17 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off. SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010577

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011494

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF 1993)	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	5.66 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	2.86 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	10	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.05 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	0.40 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	<0.005 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	1.23 mg/l	30mg/l	100mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off. SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel: (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010577

DATE : 27/07/2012

JOE No. : 1212804679

Control No. :3125011494

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MANGANESE	IS:3025(PART 59) 2006	0.03 mg/l	0.1mg/l	0.3mg/l
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL:0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	<0.50 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	7.97 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.05 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	19.19 mg/l	300mg/l	600mg/l

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp Off SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010577

DATE : 27/07/2012

JOE No. : 1212804679

Control No.:3125011494

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
			As per IS 10500:1991(REAFF 1993)	
TURBIDITY(in NTU)	IS 3025:PART 10 .1984(Reaff.2002)	30.4	5.0NTU	10NTU
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.03 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	36 mg/l	500mg/l	2000mg/l
*analysed at site				

**** End of Report ****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

Page 4 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010566

DATE : 26/07/2012

JOE No. 1212804675

Control No.:3125011420

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : GROUND WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND
CITY 835302

SAMPLING METHOD APHA 1060B/9060A

SAMPLE DESCRIPTION GROUND WATER

SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE

SAMPLE QTY. 6.5L APP

*ARKS ON SAMPLE SITE: BAGRU/BHUSAR/HISRI OLD/HISRI NEW/BAUXITE MINES
(BAGRU PLATEAU)
LOCATION : COLONY AREA(NEAR GUEST HOUSE

COLLECTED ON 15.07.2012

REGISTERED ON 18/07/2012

TEST START DATE 18/07/2012

TEST END DATE 26/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	210.11 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	<0.02 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff 1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l

Page 1 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off. SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel. (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010566

DATE : 26/07/2012

JOE No. : 1212804675

Control No. 3125011420

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	53.33 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	7.43 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	<0.05 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	<0.005 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	18.65 mg/l	30mg/l	100mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No. : CA:GL:3120010566

DATE : 26/07/2012

JOE No. : 1212804675

Control No. 3125011420

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MANGANESE	IS:3025(PART 59) 2006	<0.01 mg/l	0.1mg/l	0.3mg/l
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	<0.50 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5.1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	7.35 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C ₆ H ₅ OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO ₃)	IS 3025:PART 21 :1983(Reaff.2002)	210.08 mg/l	300mg/l	600mg/l

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010566

DATE : 26/07/2012

JOE No. : 1212804675

Control No.:3125011420

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
			<u>As per IS</u> <u>10500:1991(REAFF</u> <u>1993)</u>	
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	<0.02	5.0NTU	10NTU
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.23 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	276 mg/l	500mg/l	2000mg/l

* Analysed at site.

**** End of Report ****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2012-13 (Up to-Sep)

The composite cost during the year 2012-13 (April to Sep) for environmental protection & pollution control by Jharkhand Mines division of Hindalco Industries Ltd for implementation the suggested measures in EC at all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Chiro kukud,& Orsa pat.

Sl No	Description	Budget (in Lakh Rs.)	Actual (in Lakh Rs.)
1	Pollution Control & Environment monitoring	7.50	4.50
2	Reclamation/ Back filing & Rehabilitation	**	20.60
3	Green belt & Plantation	25.00	33.04
4	Rural Development	65.00	36.30

**part of OB removed cost.



OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, Sr. Manager (Geology), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. S. Joshi, Manager (Bagru Mines)
4. A. Anbarasu, Mines Manager (Serengdag A)
5. Ajay Pandey, Mines Manager (Pakhar)
6. Kiran Sankar Singh, Mines Manager (Gurdari)
7. Vidya Sagar Singh, Mines Manager (Serengdag B)
8. Ashish Upadhyay, Mines Manager (Kujam I & II)
9. Amar Bharati, Mines Manager (Amtipani)
10. Manoj Kumar Singh, Mines Manager (Pakhar 109.507 Ha)
11. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order

A handwritten signature in blue ink, appearing to read "bkh".

Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-12 TO SEP-12

Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Shrengdag Bauxite Mines	155.81	6.52	6.6	133955.00	178177.00
Gurdari Bauxite Mines	584.19	7.5	7	165423.00	123688.52
Jalim & Sanai	12.14	0.9	0.1	15425.00	19280.00
Serangdag	140.06	2.5	1.6	52707.00	50247.00
Pakhar Buxite Mines	115.13	1.45	0.5	72233.00	124920.48
Pakhar Buxite Mines	8.09	0.5	0	3760.00	10500.00
Kujam-I	80.87	1.9	1.2	12998.00	3074.30
Kujam-II	157.38	8.33	6.43	134992.00	209109.49
Amtipani	190.95	7.68	6.74	67025.00	87430.64
Chiro-Kukud	152.57	2	1.2	36700.00	27525.00
Orsa Bauxite Mines	196.36	0	0	0.00	0.00
Hisri New	14.55	1.24	0	99651.00	51620.92
Bagru	75.41	1.78	1.5	84320	84477.09
Minerals & Minerals Limited					
Pakhar Buxite Mines	109.507	5.5	3	67850.00	75608.15
Pakhar Buxite Mines	15.58	0.8	0.2	9075.00	28863.15