MINERALS & MINERALS LIMITED

Regd. Office P.O. & Dist. – Lohardaga (Jharkhand) PIN – 835302 Phone: 06526-224016, 224112, FAX: 06526-224118

Ref No: M&M/LHD/JP (M)/MoEF/ 9 59

Date: 25.11.14

To,
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Pakhar (109.507 ha) Bauxite Mining project of M/s Minerals & Minerals Limited located in the District of Lohardaga, Jharkhand for the period April 14 to Sep 14.

Ref: Environmental Clearance letter no J-11015/518/2008-IA II (M) dated 21st Oct 2010.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Pakhar (109.507 ha)** Bauxite Mining project of M/s Minerals & Minerals Limited, located in Lohardaga, Jharkhand for the period **April 14 to Sep 14**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR Minerals & Minerals Limited

(Bijesh Kumar Jha)
Joint President (Mines)

Enclosure: - As Above

Compliance of conditions laid down in Environmental Clearance PAKHAR BAUXITE MINES(109.507 Ha)

Period :Oct'13 – March'14
J-11015/518/2008-IA.II (M) Dated 21.10.2010

SI	Conditions	Compliance Status
No		- P
	Specific Conditions	
1	The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board and effectively implement all the conditions stipulated therein.	Operate has been obtained prior to start of
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted by the State Govt. after due consideration and cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose.
4	The mining operation shall be confined to the hill tops only and restricted to above ground water table and it should not intersect the ground water table. In case of working below ground water table, prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained, for which a detailed hydro – geological study shall be carried out.	Working zone is being restricted to above ground water table.
	The project proponent shall ensure that no natural watercourse and/or water resources are obstructed due to any mining operations. Adequate measures shall be taken for protection of seasonal channels, if any emanating from the mine lease, during the course of mining operation.	No natural water course has been obstructed.
5	The top soil shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	Sequential backfilling and reclamation of the mined out area are being implemented during mining operation. Whenever backfilling will be done to the mined out area, Topsoil will be used for backfilling to reclaim and restore the damage area up to the extent possible.
	The over burden (OB) generated shall be temporarily stacked in the earmarked area for a period of one year and thereafter concurrently backfilled. There shall be no external overburden dump. The backfilled area shall be progressively afforested. Monitoring and management of rehabilitated areas should continue until the	Sequential backfilling and reclamation of the mined out area are being practiced. Backfill data is enclosed. Monitoring and management of rehabilitated areas is continuing until the vegetation becomes self-sustaining.

	vegetation becomes self-sustaining. Compliance	
	status should be submitted to the Ministry of	
	Environment & Forests and its Regional Office located at Bhubaneshwar on six monthly basis.	
7.	The void left unfilled in an area of 0.41 ha. shall be	Total
	converted into water body. The higher benches of	Implementation of the condition is in
	excavated void/ mining pits shall be terraced and	progress.
	plantation done to stabilize the slopes. The slopes	
	of higher benches shall be made gentler for easy	
	accessibility by local people to use the water body.	
	Peripheral fencing shall be carried out along the	
	excavated area.	
8	Catch drains and siltation ponds of appropriate size	Catch drains and siltation ponds of
	should be constructed around the mine working	appropriate size are being constructed
	soil and mineral dumps to prevent run off of water	around the mine working.
	and flow of sediments directly into the agricultural	The water so collected are being utilized
	fields, the Kisko Nadi, the Sankh Nadi, the Surang	for watering the mine area, roads, green
	River, the Chaupat Nadi and other water bodies.	belt development etc.
	The water so collected should be utilized for	The drains are regularly desilted,
	watering the mine area, roads, green belt	particularly after monsoon and maintained
	development etc. The drains should be regularly	properly.
	desilted, particularly after monsoon and maintained	Garland drain, settling tanks and check
	properly.	dams of appropriate size, gradient and
	Garland drain, settling tanks and check dams of	length are being constructed around the
	appropriate size, gradient and length shall be	mine pit as per the requirement.
	constructed around the mine pit, topsoil, dumps and the mineral dumps to prevent runoff water and	
	flow sediments directly into the agricultural fields,	
	the Kisko Nadi, the Sankh Nadi, the Surang River,	
	the Chaupat Nadi and other water bodies and sump	
	capacity should be designed keeping 50% safety	
	margin over and above peak sudden rainfall (based	
	on 50 years data) and maximum discharge in the	
	area adjoining the mine site. Sump capacity should	
	also provide adequate retention period to allow	
	proper setting of silt material. Sedimentation pits	
	should be constructed at the corners of the garland	
0	drains and desilted at regular intervals.	
9	Dimension of the retaining wall at the toe of the	The dimension of the retaining wall of OB
	OB benches within the mine to check run-off and	dumps are based on the average rainfall.
	siltation should be based on the rain fall data.	
10	Plantation shall be raised in an area of 6.3 ha	Plantation is being carried out in
	including a 7.5 m. wide statutory barrier all around	consultation with local forest department.
	the mining lease, reclaimed and rehabilitated areas.	aparanent.
	around water body, etc. by planting the native	
	species in consultation with the local DFO /	
	Agriculture Department. The density of the trees	
	should be around 2000 plants per ha., Greenbelt	

	-1-11 1 1 1 1 1 1 1	
	shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	
	mst five years.	
11	Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to arrest fugitive dust emission.
12	Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained.	Area falls under Pakhar Plateau which caters the need for water. Monitoring is being carried out on regular basis.
13	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan will be drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area.
14	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional office Bhubneshwar, The Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.	Monitoring is being carried out by recognized agency. Report enclosed as Annexure.
15	Appropriate mitigative measures shall be taken to prevent pollution of the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi in consultation with the State Pollution Control Board.	There is no discharge of mine water. Monitoring is done.
16.	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water (from natural	Water cess is being regularly paid to JSPCB as per statute.

	spring) required for the project.	
	spring) required for the project.	
17.	term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	on long term basis has been planned and will be implemented with the progress of
18	Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral within the mine lease up to the stock yard. The mineral transportation within the mine lease shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.	undertaken to minimize vehicular emission. All the transporters have been instructed to obtain PUC for their vehicles from the competent authority and submit to the concerned officer for verification.
19	Blasting operation should be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period i.e. 12.00 Noon to 1.00 PM on working days. Mobile mining activities are not being practiced during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest fly rooks is being a second to
20	Drills shall either be operated with dust extractors or equipped with water injection system.	to arrest fly rocks is being exercised. Drilling is being done with water pouring in the drill holes intermittently for dust suppression which is the best method for jackhammer drilling
21	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	We are exploring the possibilities. However, water sprinkling is being carried out regularly at loading and unloading areas.
22	Sewage treatment plant should be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operations.	There is no discharge of effluent from mine, hence ETP is not required. The sewage water for working population is planned to be collected through Septic Tank/Soak Pit and treated in Sewage Treatment Plant.
23	The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 Km. from proposed mine.	Under process.
	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed	System is already in place.

	accordingly.	
	decordingly.	
25.	The land oustees and land losers/ affected people shall be compensated/ rehabilitation as per the National Policy of Resettlement and Rehabilitation of project Affected Families (NPRR)	per CNT Act and with permission of
26.	Door to door sample survey should be undertaken within the impact zone to assess the family based need of the tribals and it should be appropriately addressed in the CSR activities to be undertaken in the area. An action plan in this regard should be prepared and submitted.	Company's CSR team is doing regular assessment of the family based need of the tribals and it appropriately addressed.
27.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of the temporary structures to be removed after the completion of the project.	Necessary infrastructure is already in place.
28.	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora and fauna (python etc.) found in the study area. Action plan for conservation of flora and fauna prepared shall be implemented in consultation with the State Forest and Wildlife Department. All the safeguard measured brought out in the Wildlife conservation plan prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar.	Suitable precautionary measures during mining operation are being implemented for conservation and protection of endangered flora and fauna.
	The critical parameters such as RSPM (Particulate matter with size less than 10 μ m (i.e. PM_{10}) and NO_x in the ambient air within the impact zone, peak particle velocity at 300 m. distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of	Complied Monitoring Reports is enclosed as Annexure . Presently, there is no discharge of water from the mines. In case of discharge monitoring will be ensured.

	discharge water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)], The monitored data shall be uploaded on the website of the Company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in Public domain. The Circular no. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Minisry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	
28	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine Closure Plan duly approved by Indian Bureau of Mines. FMCP related provision will be compiled as per statue.

GENERAL CONDITIONS

	VERAL CONDITIONS	
Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of Over Burden and Bauxite is being done as per the approved calendar plan. Details of excavation, quantum of mineral, OB, etc have been furnished for the financial year 2014-15 as Annexure.
3	At least four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 μ m (i.e. PM_{10}) & NO_X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Complied. Monitoring Reports is enclosed as Annexure
4	Data on ambient air quality RSPM [(Particulate matter with size less than 10 μm i.e. PM_{10}) & NO_X] should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control	Complied Monitoring Reports is enclosed as Annexure

	Board once in six months.	
	Board once in six months.	
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to contain fugitive dust.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	various locations of the work zone area and a monitoring report for the period of reporting six monthly compliance is enclosed. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December,1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease. It is being ensured to make it operational and effective.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All the mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the
9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	State Government, recognized agencies, etc Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed as Annexure.
10	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of budgetary provision and actual expenses for environmental protection measure is enclosed as Annexure It is once again reiterated that the funds so ear marked shall not be diverted for any other purposes other than it is committed at the

		beginning of the financial year.
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	
13	The project proponent shall submit six monthly report on the status of the compliance of the stipulated environmental Clearance conditions including results of monitoring data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Officer, Bhubaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneshwar, the respective Zonal Office of Central Pollution Control Board and State Pollution Control Board.	
14	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Complied.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.

1000		
16	The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned Stated pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneswar by email.	Submitted.
17	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubneshwar.	Complied. (Documents already submitted)



Date: 10.11.14

OFFICE ORDER

In connection with the earlier office order dated 30.10.2013 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

- 2. Ajay Kumar Pandey, Manager (Bagru Mines)
- 3. A Anbarasu, Mines Manager (Serengdag Mines)
- 4. S P Jha, Mines Manager (Pakhar Mines)
- 5. Kiran Sankar Singh, Mines Manager (Gurdari)
- 6. Vidya Sagar Singh, Mines Manager (Kujam)
- 7. Amar Bharati, Mines Manager (Amtipani)
- 8. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)
- 9. Biplab Mukherjee (Asst Manager- Geology)

By order

Bijesh Kumar Jha Joint President (Mines)

Cc to: - All Mines Manager All Department head Notice Board.



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2014-15

The composite cost during the year 2014-15 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha*).

SI	Description	Budget (in Lakh Rupees)	Actual (in Lakh Rupees)
No		FY 2014-15	FY 2014-2015
			(from April'14 to Sep'14)
1	Pollution Control & Environment monitoring	5.50	6.00
2	Reclamation/ Back filing & Rehabilitation	42.50	36.00
3	Green belt & Plantation	60.03	54.46
4	Rural Development	85.29	111.37

^{**}Part of OB removed cost.

Convener

Environment Management Cell Hindalco Industries Limited

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-14 TO SEP-14

SL	Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Ъ	1 Shrengdag Bauxite Mines	155.81	7.80	4.80	105050	205180
2	2 Gurdari Bauxite Mines	584.19	22.10	11.80	168585	4024704
ω	3 Jalim & Sanai	12.14	0.70	0.30	5311	12450
4	Serangdag	140.07	2.00	0.50	31650	30600
5	5 Pakhar Buxite Mines	115.13	3.69	1.50	137290	206568
6	6 Pakhar Buxite Mines	8.09	0.00	0.00	0.00	0.00
7	Pakhar Buxite Mines	38.95	0.00	0.00	0.00	0.00
∞	8 Kujam-l	80.87	4.15	3.46	37960	51491
9	9 Kujam-II	157.38	13.84	12.75	104325	121798
10	10 Amtipani	190.95	4.03	3.26	93330	52493
11	11 Chiro-Kukud	152.57	3.95	6.42	17584	18797
12	12 Orsa Bauxite Mines	196.36	0.00	0.00	0.00	0.00
13	13 Hisri New	14.55	1.29	0.65	54529	9471
14	14 Bagru	75.41	0.00	0.00	0.00	0.00
15	15 Bhusar	65.31	0.94	1.50	82032	82626
	Minerals & Minerals Limited					
16	16 Pakhar Buxite Mines	109.507	4.21	3.51	183605	162580
17	17 Pakhar Buxite Mines	15.58	0.30	0.20	31175	98966
18	18 Bimarla Bauxite Mines	134.526	0.00	0.00	0.00	0.00

			3	Monsoon 2014	Post M	Post Monsoon 2014
Location (Mines)	Elevation (Mtr)	Well type	Inside ML	Outside ML	Inside ML	Outside ML
	905	Open Well		21.72		24.15
	910	Open Well		24.30		24.55
Bagri	915	Open Well		29.40		28.44
Cagina	903	Open Well		22.85		33.12
	909	Open Well		17.55		28.75
	1000	Open Well		24.90		22.66
Pakhar	1083	Hand Pump	35.35		31.65	
	1027	Open Well		25.85		28.35
	1094	Hand Pump	41.75		39.54	
Sherengdag	1081	Hand Pump	39.65		31.30	
	1055	Hand Pump	33.05		27.55	
	1066	Hand Pump	27.75		26.25	
	1045	Hand Pump	29.30		27.84	
	1061	Hand Pump	28.35		24.90	
Gurdari	1059	Hand Pump	38.15		36.63	
	1075	Hand Pump	28.22		26.88	
	1075	Hand Pump	28.36		29.30	
	1040	Open Well		33.95		21.85
Kiliam	1041	Open Well		33.65		24.82
NUJaiii	1064	Hand Pump	31.58		28.65	
	1052	Hand Pump				21.12
~	1148	Hand Pump	33.45		28.40	
Chiro Kukud	1151	Hand Pump	37.60		31.80	
	1084	Hand Pump	34.35		36.86	

Monitored water level

Fig in meter





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Munbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

PAKHAR PLATEAU- ENVIRONMENTAL MONITORING REPORT

SEPTEMBER 2014

Vijay Pandey
SENIOR EXECUTIVE

For Mahal.

Authorised Signatory

EUNIO SANCELIA DE LA PROPERTICIO DELIGIO DE LA PROPERTICIO DELLA PROPERTICIO DE LA PROPERTICIO DELLA POPERTICIO DELLA PO



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: SOIL

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: SOIL

Received:26.09.2014 Registered: 26.09.2014

Marks on Sample: Location: Pakhar Mines

Sample collected on: 26.09.2014

Quantity: 2 kgs

Test Start/End Date: 26.09.2014/27.09.2014

S.No	Analysis		Method	Result	Unit
1.	Colour			Gray	-
2.	Texture		F.A.U.N (2007)	Loamy Sand	-
3.	Bulk Density		By Bulk density Apparatus	1.0	gm/cm3
4.	Water Holding Capacity		F.A.U.N (2007)	23.5	%
5.	pH		F.A.U.N (2007)	6.9	
6.	Electrical Conductivity		F.A.U.N (2007)	20.5	μs/cm
7.	Organic Carbon			0.52	%
8.	Organic Matter	**:	Black & White Wet Digestion Method	0.68	%
9.	Available Nitrogen	**	Soil & Water Book by P.K Gupta	112.0	mg/kg
10.	Available Phosphorus		Soil & Water Book by P.K Gupta	14.9	mg/kg
11.	Available Potassium		Soil & Water Book by P.K Gupta	380	mg/kg
12.	Exchangeable Calcium	Ca	Soil & Water Book by P.K Gupta	22.5	meq/100gm
13.	Exchangeable Magnesium	Mg	Soil & Water Book by P.K Gupta	1.89	meq/100gm
14	Exchangeable Sodium	Na	Soil & Water Book by P.K Gupta	2.23	meq/100gm
15.	Exchangeable Potassium	К	Soil & Water Book by P.K Gupta	1.48	meq/100gm
16	Total Exchangeable Bases		Soil & Water Book by P.K Gupta	30.5	meq/100gm
17	Manganese	Mn	USEPA 3052	0.50	mg/kg
18	Arsenic	As	USEPA 3052	2.30	mg/kg
19	Silica	SiO ₂	USEPA 3052	60.0	%
20.	Aluminum	Al ₂ O ₃	USEPA 3052	6.9	%
21.	Iron	Fe ₂ O ₃	USEPA 3052	5.0	%
22.	Calcium	CaO	USEPA 3052	8.98	%
23.	Magnesium	MgO	USEPA 3052	1.90	%
24.	Sodium	Na ₂ O	USEPA 3052	0.38	%
25.	Potassium	K₂O	USEPA 3052	0.22	%
26.	Sulphate	SO ₄	USEPA 3052	0.84	%

Vijay Pandey

SENIOR EXECUTIVE

For Mahab.

Ranchi

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:28.09.2014 Registered: 28.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar Hindalco Colony

Sample collected on: 26.09.2014

Test Start/End Date: 28.09.2014/30.09.2014

			1	T	
PARAMETERS		UNIT	LIMIT	METHOD	30/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	22.1
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	25.1
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	29.5
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.1

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received:27.09.2014

Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 115.13 Pit Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

LOCATION	/ IDENTIFICATION: Pakhar Plateau- Pakhar 115.13 Pit
----------	---

PARAMETERS			LIMIT	METHOD	29/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	65.8
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	71.2
Particulate Matter (size less than 10 µm)	PM10	μg/m³	100	IS:5182 (Part 23)	60.1
Particulate Matter (size less than 2.5 μm)	PM25	μg/m³	60	USEPA CFR(40) Appendix-L	35.2
Carbon Monoxide	CO	mg/m³	2	EPA 600/P-99/001F	0.5

Vijay Pandey SENIOR EXECUTIVE · For Mai .

Fr G. Pvt. Ltd.

Authorised Signatory



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 109.507 Dumarpat Village

Sample collected on: 26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014
The Administration is			-	IS:5182 (Part-2):2001	
Sulphur Dioxide	SO ₂	μg/m³	80	(Reaff:2006)	23.5
Nitrogen Dioxide	NO ₂ :	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	52.5
Particulate Matter (size less than 10 μm)	PM10	μg/m³	100	IS:5182 (Part 23)	80.2
Particulate Matter (size less than 2.5 μm)	PM _{2.5}	μg/m³	60	USEPA CFR(40) Appendix-L	45.2
Carbon Monoxide	СО	mg/m³	2	EPA 600/P-99/001F	0.7

Vijay Pandey SENIOR EXECUTIVE For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India Sample type: AMBIENT AIR QUALITY MONITORING

Received: 27.09.2014 Registered: 27.09.2014

Marks on Sample: Location: Pakhar Plateau- Pakhar 84.38 Pokhrapat

Sample collected on:26.09.2014

Test Start/End Date: 27.09.2014/29.09.2014

PARAMETERS		UNIT	LIMIT	METHOD	29/09/2014
Sulphur Dioxide	SO ₂	μg/m³	80	IS:5182 (Part-2):2001 (Reaff:2006)	50.0
Nitrogen Dioxide	NO ₂	μg/m³	80	IS:5182(Part-6):1975 (Reaff:2004)	55.1
Particulate Matter (size less than 10 µm)	PM ₁₀	μg/m³	100	IS:5182 (Part 23)	50.5
Particulate Matter (size less than 2.5 μm)	PM ₂₅	μg/m³	60	USEPA CFR(40) Appendix-L	40.0
Carbon Monoxide	CO	mg/m³	2	EPA 600/P-99/001F	0.5

Vijay Pandey SENIOR EXECUTIVE For Manuaci Enviroling, Pvt. Ltd.

Authorised Signators



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample Description: Measurement of Noise Level. Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 26.09.2014

Location / Identification	Unit	Limit (day)	Result	Limit (night)	Result	Dates
Month			Average of 24 continuous hours in Sep- 14		Average of 24 continuous hours in Sep- 14	
Pakhar Mining Area	dB(A) L _{eq}	75	55	70	49	26/09/2014

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signat





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample described by customer: DRINKING WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand Country: India

Sample type: DRINKING WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Pakhar Plateau - Tap water, Near Colony

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour		Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste	3	Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.7	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	pH		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	89	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	<0.05		APHA 22nd Ed. 2012, 4500-ClG, 4-69
	To a literal mana (as CaCOa)	mg/l	59	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,45
10.	Total Hardness (as CaCO ₃) Alkalinity Total (as CaCO ₃)	mg/l	65	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
. 12.	Chloride (as Cl)	mg/l	7.6	250 Max	APHA 22nd Ed. 2012, 4500- Cl-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	4.3	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14.	Nitrate (as NO3)	mg/l	1.14	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125
.5.	Fluoride (as F)	mg/l	0.20	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87
16.	Boron (as B)	mg/l	0.19	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25
17.	Calcium(as Ca)	mg/l	18.1	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67
18.	Magnesium (as Mg)	mg/l	3.2	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84
19.	Ammonical Nitrogen/	mg/l	<0.1		APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115
20.	Iron (as Fe)	mg/l	0.18	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18
	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318
21.	Aluminium (as Al)	mg/l	0.09	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-61
22.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
23.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
24.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
25.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
26.	Zinc (as Zn)	mg/l	0.03	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18
27.	Arsenic (as As)	mg/l	<0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38
29.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23
30.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38
31.	Nickel (as Ni)	mg/l	< 0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18
32.	Mineral Oil	mg/l	N.D.	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44
34.	Anionic detergents as	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93 USEPA Method 8082
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	APHA 22nd Ed. 2012, 4500 - S2-C 4
38.	Sulphide (as S)	mg/l	N.D		175 & F 4-178





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, Branch Office: E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbia	ological Analysis		12.0		22 151 2012 0221 B
	Total Colliforms	MPN/	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B
1.	Total Collins IIIs	100 mL			& C, 9-66, 9-69 APHA 22nd Ed. 2012, 9221-
2.	E-Coli	MPN/	Absent	N.D	B, C & G, 9-66, 9-69 and 9-76
۵.	D 0011	100 mL			B, C & G, 9-66, 9-69 and 7-76
Pesticid	es Residues				US EPA 508-1995
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o,p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	11	US EPA 508-1975
6.	o,p DDE	μg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	μg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	μg/L	N.D	1	US EPA 508-1995
9.	y-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995
10.	α-НСН	μg/L	< 0.01	0.01	US EPA 508-1995
11.	в-нсн	μg/L	N.D	0.04	US EPA 508-1995
12	δ·HCH	µg/L	N.D	0.04	US EPA 508-1995
13.	Butachlor	µg/L	N.D	125	US EPA 508-1995
14.	Alachlor	μg/L	N.D	20	US EPA 532-2000
15.	Atrazine	μg/L	N.D	2	US EPA 508-1995
16.	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17.	β Endosulfan	µg/L	N.D.	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 8141A-1994
19.	Ethion	μg/L	N.D	3	US EPA 8141A -1994 US EPA 8141A -1994
20.	Malathion	μg/L	N.D	190	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	. N.D	0.3	US EPA 8141A-1994
22.	Monocrotophos	µg/L	N.D	1	US EPA 8141A-1994
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994 US EPA 8141A -1994
24.	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A - 1994 US EPA 508-1995
25.	Aldrin	µg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	μg/L	N.D	0.03	US EPA 300-1793

Vijay Pandey

SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd.

Authorised Signatory





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October, 2014

Report no: SEPT004/2014-15

Sample described by customer: SURFACE WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample type: SURFACE WATER

Received:21.09.2014 Registered: 21.09.2014

Marks on Sample: Location: Water Harvesting Pond (Pakhar Mines)

Sample collected on: 21.09.2014 Quantity: 5 L X 2 No. PVC Can

Test Start/End Date: 21.09.2014/22.09.2014

Sample collected by: Mahabal EnviroEngineers Pvt Limited

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
1.	Colour	Hazen :	< 1	5 Max	APHA 22nd Ed. 2012, 2120-B, 2-6
2.	Odour		Agreeable	Agreeable	IS 3025 (Part 5):1983, Reaffirmed 2006
3.	Taste		Agreeable	Agreeable	IS 3025 (Part 7):1984, Reaffirmed 2006
4.	Turbidity	NTU	0.3	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
5.	рН		6.9	6.5-8.5	APHA 22nd Ed. 2012, 4500- H+-B, 4-92
6.	Free Chlorides(Residual)	mg/l	<0.05	0.2 min	APHA 22nd Ed. 2012, 4500-Cl G, 4-69
7	Total Dissolved Solids	mg/l	98	500 Max	IS 3025 (Part 16):1984 Reaffirmed 2006
8.	Monochloramines	mg/l	<0.05	.*s	APHA 22nd Ed. 2012, 4500-ClG, 4-69
9.	Dichloramines	mg/l	<0.05	(8)	APHA 22nd Ed. 2012, 4500-ClG, 4-69
10.	Total Hardness (as CaCO ₃)	mg/l	45	200 Max	APHA 22nd Ed. 2012, 2340-C, 2-44,4
11.	Alkalinity Total (as CaCO ₃)	mg/l	61	200 Max	IS 3025 (Part 23):1986 Reaffirmed 2009
12,	Chloride (as Cl)	mg/l	7.0	250 Max	APHA 22nd Ed. 2012, 4500- CI-B, 4-72
13.	Sulphate (as SO ₄)	mg/l	3.9	200 Max	APHA 22nd Ed. 2012, 4500- SO4-E, 4-190
The second second		Linear Contract Contr			



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near J B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries:Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference	
14.	Nitrate (as NO3)	mg/l	1.1	45 Max	APHA 22nd Ed. 2012, 4500- NO ₃ -E, 4-125	
15.	Fluoride (as F)	mg/l	0.21	1 Max	APHA 22nd Ed. 2012, 4500-FB& D, 4- 84, 4-87	
16	Boron (as B)	mg/l	0.19,	0.5 Max	APHA 22nd Ed. 2012, 4500-BB, 4-25	
17.	Calcium(as Ca)	mg/l	15.2	75 Max	APHA 22nd Ed. 2012, 3500- Ca-B, 3-67	
18.	Magnesium (as Mg)	mg/l	3.9	30 Max	APHA 22nd Ed. 2012, 3500- Mg- B, 3- 84	
19.	Ammonical Nitrogen/ Total Ammonia	mg/l	<0.1	*	APHA 22nd Ed. 2012, 4500 NH3-F, 4- 115	
20.	Iron (as Fe)	mg/l	0.09	0.3 Max	APHA 22nd Ed. 2012, 3111-B,3-18	
21.	Manganese (as Mn)	mg/l	N.D	0.1 Max	APHA 22nd Ed. 2012, 3111-B, 318	
22.	Aluminium (as Al)	mg/l	0.06	0.03 Max	APHA 22nd Ed. 2012, 3500- Al-B, 3-6	
23.	Cadmium (as Cd)	mg/l	N.D	0.003 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
24.	Chromium Total (as Cr)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B.3-18	
25.	Copper (as Cu)	mg/l	N.D	0.05 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
26.	Lead (as Pb)	mg/l	N.D	0.01 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
27.	Zinc (as Zn)	mg/l	0.10	5 Max.	APHA 22nd Ed. 2012, 3111-B,3-18	
28.	Arsenic (as As)	mg/l	< 0.01	0.01 Max.	APHA 22nd Ed. 2012, 3114-C,3-38	
29.	Mercury (as Hg)	mg/l	N.D.	0.001 Max.	APHA 22nd Ed. 2012, 3112-B,3-23	
30.	Selenium (as Se)	mg/l	N.D.	0.01 Max.	APHA 22nd Ed. 2012, 3114-C, 3-38	
31.	Nickel (as Ni)	mg/l	< 0.06	0.02 Max.	APHA 22nd Ed. 2012, 3111 B,3-18	
32.	Mineral Oil	mg/l	N.D.,	0.5 Max.	IS 3025 (Part 39): 1991, Reaffirmed 2003, Ed. 2.1	
33.	Cyanide (as CN)	mg/l	N.D.	0.05 Max.	APHA 22nd Ed. 2012, 4500- CN, C & E, 4-39 & 4-44	
34.	Anionic detergents as MBAS	mg/l	<0.1	0.2 Max.	APHA 22nd Ed. 2012, 5540-C, 5-53	
35.	Phenolic compounds (as C ₆ H ₅ OH)	mg/l	N.D	0.001 Max.	APHA 22nd Ed. 2012, 5530- B & C, 5- 47	
36.	Polynuclear aromatic hydrocarbons (PAH)	μg/L	N.D	0.0001 mg/L Max.	APHA 22nd Ed. 2012, 6440, 6-93	
37.	Polychlorinated Biphenyls (PCBs)	μg/L	N.D	0.0005 mg/l Max.	USEPA Method 8082	
38.	Sulphide (as S)	mg/l	N.D	•	APHA 22nd Ed. 2012, 4500- S2-C 4- 175 & F 4-178	



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room. Near | B Sawant Bus Stop)
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

S.No	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference	
Microbi	ological Analysis		10			
1.	Total Colliforms	MPN/ 100 mL	<1.1	N.D	APHA 22nd Ed. 2012, 9221-B & C, 9-66, 9-69	
2.	E-Coli	MPN/ 100 mL	Absent	N.D	APHA 22nd Ed. 2012, 9221- B, C & G. 9-66, 9-69 and 9-76	
Pesticio	les Residues					
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995	
4.	o,p DDT	µg/L	N.D	1	US EPA 508-1995	
5.	p.p DDE	μg/L	N.D	1	US EPA 508-1995	
6.	o,p DDE	µg/L	N.D	1	US EPA 508-1995	
7.	p.p DDD	μg/L	N.D	1	US EPA 508-1995	
8.	o,p DDD	µg/L	N.D	1	US EPA 508-1995	
9.	γ-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995	
10.	α-НСН	µg/L	< 0.01	0.01	US EPA 508-1995	
11.	β-НСН	μg/L	N.D	0.04	US EPA 508-1995	
12	δ - HCH	μg/L	N.D	0.04	US EPA 508-1995	
13.	Butachlor	μg/L	N.D	125	US EPA 508-1995	
14.	Alachlor	μg/L	N.D.	20	US EPA 508-1995	
15.	Atrazine	µg/L	N.D	2	US EPA 532-2000	
16.	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995	
17.	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995	
18.	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995	
19.	Ethion	μg/L	N.D	3	US EPA 8141A-1994	
20.	Malathion	µg/L	N.D	190	US EPA 8141A -1994	
21.	Methyl Parathion	μg/L	N.D	0.3	US EPA 8141A -1994	
22.	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994	
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994	
24.	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A -1994	
25.	Aldrin	μg/L	N.D	0.03	US EPA 508-1995	
26.	Dieldrin	µg/L	N.D	0.03	US EPA 508-1995	

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey
SENIOR EXECUTIVE

For Mahabal Enviro Eng. Pvt. Ltd

Authorised Signatory

Agencia Pyt Lice



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries: Environmental Monitoring report

September 2014

Date: 1st October,2014

Report no: SEPT004/2014-15

Sample Description: Measurement of Noise: Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise Level.
Sampling Method: Instrumental, Using Sound level Meter

Sampling Done by: Mahabal Enviro.

Test Start: 25.09.2014 End Date: 25.09.2014

Location / Identification	Unit	Limit (day)	Result	25/09/2014 25/09/2014 25/09/2014
POCKLAN (TATA HITACHI EX 2001 LC)	dB(A) Leq	75	72 71.4	
COMPRESSOR (ATLAS XAHS-186)	dB(A) L _{eq}	75		
WAGAN DRILL (ROC – 203)	dB(A) Leq			
COMPRESSOR (ATLAS XAHS-186)	dB(A) L _{eq}	75	69	25/09/2014

Note: (i) The value is the Leq of twenty readings taken in location (Day time)

Wind Bondon

Vijay Pandey
SENIOR EXECUTIVE

For Mahas

Signator :

