

HIL/LHD/ENV/AMT/JSPCB/ 267

Date: 29.09.2021

To
The Member Secretary
Jharkhand State Pollution Control Board
TA building, Ground floor

HEC Complex, PO Dhurwa

Ranchi-834003

Sub: Environment Statement for Amtipani Bauxite Mines (Area-190.95 ha) of M/s Hindalco Industries Limited, Lohardaga for the year 2020-21.

Sir,

This has reference to Rule 14 of Environment Protection Act 1986. We are submitting herewith Environment Statement in prescribed Form V for Amtipani Bauxite Mines (Area-190.95 ha) of M/s Hindalco Industries Limited, Lohardaga for the financial year 2020-21.

Kindly acknowledge receipt for the same.

Thanking you,

Yours truly,

For M/s Hindalco Industries Limited

Basudev Gangopadhyay
Sr GM (Geology & Environment)

Encl: Form-V with Annexure

CC:-

1. The Regional Officer, Jharkhand State Pollution Board, Dhurwa, Ranchi.

2. The Scientist (E) / Additional Director, MoEF&CC, Regional Office, Ranchi.

Jitendon 30/0/21

(FORM-V) (See Rule-14)

Environment Statement for the financial year ending the 31st March 2021

PART-A

(i)	Name & address of the owners/occupier of the industry/operation/ process	Amtipani Bauxite Mines (190.95 ha) Hindalco Industries Limited Lohardaga -835302, Jharkhand
(ii)	Industry Category: Primary (STC code), Secondary (SIC code)	
(iii)	Production Capacity :	1.5 LTPA (Bauxite)
(iv)	Year of establishment	2008
(v)	Date of last environmental statement submitted	26.09.2020

PART-B

Water & Raw material Consumption

Water Consumption (m3/day): 8.71 m3/day (Water sprinkling on haul road for dust suppression, plantation and drinking water)

Process: As the operation is mining of Bauxite by open cast method with shallow depth, therefore water is not required for processing.

Name of	Process water consumption per unit of product output		
products	During the previous financial year (2019-20)	During the current financial year (2020-21)	
	(1)	(2)	
Bauxite	Nil	Nil	

Bauxite is a natural product. As such no water is required for processing.

(1) Raw material Consumption

Name of ramaterials	Name of products	Consumption of raw material per unit of output	
		During the previous financial year (2019-20)	
Not Applicable	Bauxite	Nil	Nil

Since Bauxite is a natural product, it is produced by heavy-duty mining machinery. As such no raw material is required in mining process.

PART-C

Pollutants discharge to environment/unit of output. (Parameters as specified in the consent issued)

/4 \ = II		d in the consent issued)	
(1) Pollutants	Quality of pollutants discharged (mass/day)	Concentrations of pollutants discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
(a) Water	No waste water discharge. Negligible amount of domestic waste water generated is being disposed off through septic tank.	Not applicable	Not applicable
(b) Air	Ambient air quality monitoring report is being submitted at your good office at the time of EC compliance report.		

Remarks: The limits are well below than the prescribed limit.

PART-D

HAZARDOUS WASTE

(As specified under Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016)

Hazardous wastes	Total Quantity (lts)		
	During the previous financial year (2019-20)	During the current financial year (2020-21)	
From process (Used/Spent oil)	5653 ltr	4957.5 ltr	
(b) From pollution control facilities	Nil	Nil	

Combined figure of Amtipani/Gurdari/Kujam I & II called Netarhut Plateau.

PART-E

Solid Wastes

Solid wastes	Total Quantity		
	During the previous financial year (2019-20)	During the current financial year (2020-21)	

(a) From process	154508.15 Cu.M	345043.11 Cu.M
(b) Form pollution Control facility	Nil	Nil
(c)(1) Quantity recycled or re-utilized within the unit.	Total over burden (OB) is being used in subsequent back filling.	Total over burden (OB) is being used in subsequent back filling.
(2) Sold (3) Disposed	Nil Nil	Nil Nil

PART-F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Hazardous Waste

- Used/Spent Oil 4957.5 ltr, Mines having proper storage & handling facility for used/spent oil. Used/spent oil generated from mining machineries is being stored at earmarked place in closed barrels provided with proper roofing and impervious flooring.
- 2) Solid Waste 345043.11 Cu.M (over burden, i.e. soil, morrum & laterite, utilized for reclamation)

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production:

Plantation programme has been carried out on reclaimed area in Amtipani Mines. Around 90% are local species which are fruit bearing and having medical value. Objective is to develop local economy, generate livelihood of local people.

PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

Plantation programme/biodiversity growth activity to continue in years to come.

PART-I

Any other particulars for improving the quality of the environment.

Hindalco, Mines Division is an ISO 14001:2004, ISO 9001:2008, OHSAS 9001:2007 & SA 8000:2008 certified company and under QEHS management system, every care is being taken to conserve and improve the natural environment in all its mines. QEHS (Quality Environment, Occupational Health & Safety) Management system implemented at all Mines of Hindalco and operational control procedures to prevent and control pollution are in practice.

Environmental training programme are conducted departmentally to generate awareness among masses to save environment.