



HIL/LHD/ENV/MoEF/396

Date: 25.11.2022

To,
The Additional Principal Chief Conservator of Forest (C)
Ministry of Environment, Forests and Climate Changes
Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Chiro-Kukud (152.57 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period April'22 to September'22.

Ref: Environmental Clearance letter no J-11015/240/2006-IA II(M) dated 17th May 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Chiro-Kukud (152.57 ha) Bauxite Mining project of M/s Hindalco Industries Limited** located in Gumla, Jharkhand for the period April'22 to September'22. The lease detail is as below.

Lease area (ha)	Production Capacity (MT)	Lease Period
152.57	100000	29.01.1985 to 28.01.2035

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay)
AVP (Planning, Environment & Compliance)

Enclosure: - As Above

CC: ro.ranchi-mef@gov.in, mef@ori.nic.in, mef@nic.in, mef.or@nic.in, mescb.cpcb@nic.in, zokolkatta.cpcb@nic.in, ranchi@pcb@gmail.com, roranchi47@gmail.com

Name of the Project : **Chiro Kukud Bauxite Mine (152.57 ha)**
M/s Hindalco Industries Ltd

Environment Clearance No & date : **J-11015/240/2006-IA. II (M), dated 17.5.2007**

Period of compliance Report : **From 1st April 2022 to 30th September 2022**

S No	Conditions	Compliance Status
Specific Conditions		
1	Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa foundation Vs Union of India in writ petition (civil) no 460 of 2004, as may be applicable to this project	Noted.
2.	Environmental Clearance is subject to obtaining clearance from Wildlife (Protection) Act '1972 from the competent authority.	The Mine is not in operation since 24 April 2018 as this matter is subjudice.
3.	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementations of the stipulated conditions in NOC are fulfilled post which consent to operate has been obtained from time to time when mine was in operation. The Mine is not in operation since 24 April 2018.
4	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	The Mine is not in operation since 24 April 2018. The land acquisition was being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement was being done with Raiyat (Landowner) for 20 years with permission of State Govt with provision of returning the land as per the norms set by D.C. Land acquisition was having state government approval.
5	Mining shall not intersect groundwater. The mine working shall be restricted to above ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	The Mine is not in operation since 24 April 2018. At no point of time mining activities intersected the ground water table when mine was operational. In future also, post resumption of mining, it will be restricted above ground water

		table. We undertake that no mining is/was carried out below ground water table and the same status will be maintained in future also.
6	The project proponent shall ensure that the mining shall be carried out in small blocks and at a given point of time active mining shall not be more than 2.0 ha.	The Mine is not in operation since 24 April 2018.
7.	The project proponent shall ensure that no natural water course shall be obstructed due to any mining operations.	The Mine is not in operation since 24 April 2018. No natural watercourse obstructed when mine was operational.
8	Topsoil, if any, shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	The Mine is not in operation since 24 April 2018. Sequential backfilling and reclamation of the mined-out area practiced when mine was operational.
9.	The overburden generated during the initial year shall be kept as temporary dump. Concurrent backfilling starts from the 2 nd year onwards and there shall be no external dump at the end of the mine life.	The Mine is not in operation since 24 April 2018. The over burdens generated during the initial year are kept as temporary dump. Concurrent backfilling started from the 2 nd year onwards. There is no external dump as on date and earlier dump were re-handled. Data is enclosed as Annexure 4 .
10.	The entire excavated area of 86 ha shall be reclaimed, out of which 66 ha land shall be returned to raiyats for agricultural purpose and in 20 ha plantation shall be raised. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	This was being complied and also will be complied with in future post resumption of mining work.

11	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>The Mine is not in operation since 24 April 2018.</p> <p>During operation period of mines, Catch drains of appropriate size have been constructed to arrest silt and sediment flows from mine working. The water so collected was utilized for watering the mine area, roads, green belt development etc. The drains were regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drains and sump of appropriate size were provided when mine was operational.</p>
12	Dimension of the retaining wall at the OB benches within the mine to check run-off and siltation should be based on rainfall data.	The Mine is not in operation since 24 April 2018 hence not applicable as of now.
13	Plantation shall be raised in an area of 20.0 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	<p>Plantation was carried out progressively. Total 6.2 ha have been planted till date. In addition to these agricultural activities is going on reclaimed land as per the consent from landowners.</p> <p>The Mine is not in operation since 24 April 2018</p>
14	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	<p>The Mine is not in operation since 24 April 2018.</p> <p>Suitable measures such as garland drain have been adopted to augment ground water resources in the area when mine was operational.</p> <p>It may be noted that there was no chance to intersect ground water table during mining operation.</p>
15	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four	<p>It is being monitored.</p> <p>The mining operation is not intersecting ground water table. Monitoring report of water is enclosed as Annexure 2.</p>

	times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	Mine is not in operation since 24 April 2018.
16	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	The Mine is not in operation since 24 April 2018. Not used any natural water for mining purpose when mine was operational. Water used for sprinkling and gardening was drawn from rainwater harvesting pond.
17	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	The Mine is not in operation since 24 April 2018. Vehicle engaged in mining operation were regularly checked and maintained. The vehicles used were covered with tarpaulin while transportation of mineral when mine was operational.
18	Drills should either be operated with dust extractors or should be equipped with water injection system.	The Mine is not in operation since 24 April 2018. Wet drilling done for dust suppression when mine was in operation.
19	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	The Mine is not in operation since 24 April 2018. However, for this mine blasting time was fixed during Lunch Time i.e. 1.00 PM -2.00 PM. Controlled blasting method practiced when mine was in operation.
20	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for production enhancement.
21	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	The Mine is not in operation since 24 April 2018. There was no effluent discharge from Mine, hence ETP is not required to install.
22	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Leopard, Indian Wolf, Indian elephant, Indian small civet, Indian Python, etc. Spotted in the study area.	The Mine is not in operation since 24 April 2018. Wildlife conservation plan has already been approved by PCCF, Ranchi. However, a fresh wildlife conservation

	Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	plan has already been submitted to PCCF, Ranchi for its approval.
23	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine closure plan and Final mine closure plan (part) has been approved by IBM. FMCP for entire lease will be prepared & will be submitted in due time as per procedure mentioned in law. Based on present resource estimate and peak rated production capacity, mining operation will be done.

GENERAL CONDITIONS

S No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Noted.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Noted but the Mine is not in operation since 24 April 2018.
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	The Mine is not in operation since 24 April 2018. We have already established four ambient air quality monitoring stations in core zone as well as buffer zone. Monitoring is being carried out and reported to concern authorities. Report is attached as Annexure 2.
4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	The Mine is not in operation since 24 April 2018. Monitoring Reports is attached as Annexure 2.

5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	The Mine is not in operation since 24 April 2018. Water tankers with sprinkling facility have been provided for haul roads, loading unloading & at transfer points when mine was operational.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	The Mine is not in operation since 24 April 2018. PPE provided to operators within the work zone during operation of mines.
7	Industrial wastewater (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	The Mine is not in operation since 24 April 2018.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	The Mine is not in operation since 24 April 2018. PPE provided to workers during operation of mines. Training was provided through VT centre. PME was conducted for all workers when mine was in operation.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Complied. A suitable environmental management cell has been developed with qualified personnel. Copy is enclosed as Annexure 3 .
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	The Mine is not in operation since 24 April 2018. This was an operating Mine and hence provision related to financial closure not applicable.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	The funds earmarked for environmental protection measures are budgeted. Cost of environmental protection measures is attached as Annexure 5 . Now Regional office is at Ranchi.

12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed. Now Regional office is at Ranchi.
13	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests its Regional Office, Bhubneshwar CPCB and State Pollution Control Board.	Duly submitted. Now Regional office is at Ranchi.
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complicid
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Already done and copies submitted with carlier six-monthly compliance report.



Signature



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0941A	Report Release Date	: 12.05.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054A
Address	: Lohardaga, Jharkhand-835203	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	64
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	28
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.8
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.016
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.6

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941A	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.26

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941B	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054B
Address	: Lohardaga, Jharkhand-835203	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	71
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	36
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.029
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	3.2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941B	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	3.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.28

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
/ SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941C	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054C
Address	: Lohardaga, Jharkhand-835203	Location	: Chiro Village/Near Mgazine Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	59
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	29
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941C	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941D	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054D
Address	: Lohardaga, Jharkhand-835203	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	55
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0941D	Report Release Date	: 12.05.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941E	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054E
Address	: Lohardaga, Jharkhand-835203	Location	: Kudag Vill/ Near Hindalco Campus
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	49
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	27
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.006
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0941E	Report Release Date	: 12.05.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.25

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/0941F	Report Release Date	: 12.05.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054F
Address	: Lohardaga, Jharkhand-835203	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 27/04/2022 to 28/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 28	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	59
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	30
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.9
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.011
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL. (Lower Detection Limit).



CIN: U74999MH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
MATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941F	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.29

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941K	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054K
Address	: Lohardaga, Jharkhand-835203	Location	: Amtahi Village/Near Tailoring Centre
Plant Status	: Non Operational	Sampling Date	: 28/04/2022 to 29/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 66	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	53
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.009
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941K	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/0941L	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1054L
Address	: Lohardaga, Jharkhand-835203	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 28/04/2022 to 29/04/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 66	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	56
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	27
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24-hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/0941L	Report Release Date : 12.05.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Chiro-Kukud Bauxite Mine-Environmental Monitoring Report

May 2022



CONTENT

Hindalco Industries : Chiro Kukud Bauxite Mine		Environmental Monitoring Report	May2022
Chiro Kukud Bauxite Mine			
AMBIENT AIR QUALITY- CORE ZONE			
1	Kukud Village/Near Mine area		
2	Kukud Village/Near Weigh Bridge		
3	Chiro Village/Near Mgazine		
4	Chiro Village/Near Pillar No.1		
AMBIENT AIR QUALITY- BUFFER ZONE			
1	Kudag Village/ Near Hindalco Campus		
2	Jaljali Village/Near Shiv Temple Sabag Road		
3	Amtahi Village/Near Tailoring Centre		
4	Ambakona Village		
AMBIENT NOISE			
WORKZONE/SPOT NOISE			
WORKSHOP EFFLUENT			
DRINKING WATER ANALYSIS			





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354A	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362A
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	53
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354A	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.27

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354B	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362B
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	65
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	30
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.5
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.021
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.8

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354B	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.25

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354C	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362C
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Mgazine Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	28
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354C	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354D	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362D
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 24): 2019	60 (24hrs)	25
Sulphur Di-Oxide (SO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m^3	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-22): 2004	1 (24hrs)	0.009
Nickel (Ni)	ng/m^3	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m^3	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354D	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.22

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4**ENGINEERING SERVICES PVT. LTD.**Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354E	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362E
Address	: Lohardaga, Jharkhand-835302	Location	: Kudag Vill/ Near Hindalco Campus
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 24): 2019	60 (24hrs)	25
Sulphur Di-Oxide (SO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.9
Ozone (O ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m^3	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m^3	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m^3	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354E	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.23

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354F	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362F
Address	: Lohardaga, Jharkhand-835302	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 23/05/2022 to 24/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.0
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354F	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354K	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362K
Address	: Lohardaga, Jharkhand-835302	Location	: Amtahi Village/Near Tailoring Centre
Plant Status	: Non Operational	Sampling Date	: 24/05/2022 to 25/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	46
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354K	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1354L	Report Release Date	: 14.06.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1362L
Address	: Lohardaga, Jharkhand-835302	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 24/05/2022 to 25/05/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 66	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	49
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.0
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1354L	Report Release Date : 14.06.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1355L	Report Release Date : 14.06.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Date	: 24.05.2022
Address	: Lohardaga, Jharkhand-835302	Type of Sample	: Ambient Noise
Plant Status	: Non Operational	Sampling procedure	: ELES/DOC/SMPL/03
		Sample Drawn By	: ELES Pvt. Ltd.

Location	Unit	Test Protocol	Result		Regulatory Limit (Industrial Zone)
			Time	L _{eq}	
Kukad Village – Mining Area	dB(A)	IS 9989:1981, RA 2020	Day Time	61	75 dB(A) Day Time & 70 dB(A) Night Time
Sample ID: ELES/RNC/2022/AN/1363L			Night Time	52	

Authorized Signatory

****End of Report****

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDE (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1356L	Report Release Date : 14.06.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sampling Date	: 24.05.2022
Address	: Lohardaga, Jharkhand-835302	Type of Sample	: Workzone Noise
Plant Status	: Non Operational	Sampling procedure	: ELES/DOC/SMPL/03
		Sample Drawn By	: ELES Pvt. Ltd.

Location	Unit	Test Protocol	Result		Regulatory Limit (Industrial Zone)
Near Poclain - Kukad Mines	dB(A)	IS 9989:1981, RA 2020	Time	L _{eq}	75 dB(A) Day Time
			Day Time	66	
Sample ID: ELES/RNC/2022/AN/1364L					

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999/JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1359L	Report Release Date : 14/06/2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/DW/1367L
Address	: Lohardaga, Jharkhand-835302	Location	: Drinking Water - Kukud Village
Plant Status	: Non Operational	Sampling Date	: 24/05/2022
		Type of Sample	: Drinking Water
		Sampling Procedure	: ELES/DOC/SMPL/01
		Sample Condition	: Sealed & Preserved

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012
				Acceptable Limit
pH	-	APHA 23rd Edition 2017,4500-H+-B	7.4	6.5-8.5
Color	Hazen	IS 3025 (Part-04): 1983	<1.0	5
Odour	-	IS 3025 (Part-05): 1983	Agreeable	Agreeable
Taste	-	IS 3025 (Part-07): 1984	Agreeable	Agreeable
Turbidity	NTU	APHA 23rd Edition 2017,2130 B	0.18	1
Free Residual Chlorine	mg/L	IS 3025 (Part-26): 1986	<0.1	0.2
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Part-16):1984	218	500
Monochloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Dichloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Total Hardness (as CaCO ₃)	mg/L	APHA 23rd Edition 2017, 2340 C	57.8	200
Total Alkalinity (as CaCO ₃)	mg/L	IS 3025 (Part-23):1986	56.4	200
Chloride (as Cl)	mg/L	IS 3025 (Part-32): 1988: RA 2014	11.9	250

Page 1 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/1359L	Report Release Date	: 14/06/2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24):1986	5.2	200
Nitrate (as NO ₃)	mg/L	IS 3025 (Part-34): 1988	2.84	45
Fluoride (as F)	mg/L	APHA 23rd Edition 2017,4500-F--D	0.2789	1
Ammoniacal Nitrogen (as NH ₃ -N)	mg/L	APHA 23rd Edition 2017, 4500 Norg-C	<0.1	0.5
Cyanide (as CN)	mg/L	IS 3025 (Part-27): 1986	<0.0125	0.05
Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	IS 3025 (Part-43): 1992	<0.00002	0.001
Sulphide (as S)	mg/L	IS 3025 (Part-29): 1986	<0.04	0.05
Boron (as B)	mg/L	APHA 23rd Edition, 3125 B	<0.2	0.5
Calcium (as Ca)	mg/L	APHA 23rd Edition 2017, 3500 B	15.8	75
Magnesium (as Mg)	mg/L	IS 3025 (Part-46):1994	4.5	30
Iron (as Fe)	mg/L	APHA 23rd Edition, 3111 B&C	0.482	1
Manganese (as Mn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.05	0.1
Aluminum (as Al)	mg/L	APHA 23rd Edition, 3125 B	<0.02	0.03
Cadmium (as Cd)	mg/L	APHA 23rd Edition, 3111 B&C	<0.003	0.003
Total Chromium (as Cr)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Copper (as Cu)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Lead (as Pb)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.01
Zinc (as Zn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.1	5

Page 2 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1359L	Report Release Date : 14/06/2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012
				Acceptable Limit
Arsenic (as As)	mg/L	APHA 23rd Edition, 3111 B&C	<0.005	0.01
Selenium (as Se)	mg/L	APHA 23rd Edition, 3125 B	<0.01	0.01
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2000	<0.001	0.001
Nickel (as Ni)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.02
Mineral Oil*	mg/L	IS 3025 (Part-39): 1991	<0.01	0.5
Anionic Detergents (as MBAS)*	mg/L	Annex K of IS 13428:2005	<0.05	0.2
Polynuclear Aromatic Hydrocarbons (PAHs)*	mg/L	SO-IN-MUL-TE-023	<0.00005	0.0001
Polychlorinated Biphenyls (PCBs)*	mg/L	SO-IN-MUL-TE-022	<0.00005	0.0005
Total Coliforms	MPN/100ml	IS 15185:2016	Not Detected	Should Not Detected
Escheria Coli	MPN/100ml	IS 15185:2016	Not Detected	Should Not Detected
Pesticides				
Alachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	20
Atrazine*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Aldrin/ Dieldrin*	µg/L	SO-IN-MUL-TE-020	<0.01	0.03
Alpha HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.01
Beta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
Butachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	125

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1359L Report Release Date : 14/06/2022

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
Chlorpyrifos*	µg/L	SO-IN-MUL-TE-020	<0.01	30
Delta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
2,4- Dichlorophenoxyacetic acid*	µg/L	SO-IN-MUL-TE-020	<0.01	30
DDT (o, p and p, p – Isomers of DDT)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Endosulfan (alpha, beta, and sulphate)*	µg/L	SO-IN-MUL-TE-020	<0.01	0.4
Ethion*	µg/L	SO-IN-MUL-TE-020	<0.01	3
Gamma - HCH (Lindane)*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Isoproturon*	µg/L	SO-IN-MUL-TE-020	<0.01	9
Malathion*	µg/L	SO-IN-MUL-TE-020	<0.01	190
Methyl parathion*	µg/L	SO-IN-MUL-TE-020	<0.01	0.3
Monocrotophos*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Phorate*	µg/L	SO-IN-MUL-TE-020	<0.01	2
DDE (o, p and p, p – Isomers of DDE)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
DDD (o, p and p, p – Isomers of DDD)*	µg/L	SO-IN-MUL-TE-020	<0.01	1

Remarks: (*) All the parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER

Page 4 of 4

ELES PVT. LTD.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Chiro-Kukud Bauxite Mine-Environmental Monitoring Report

June 2022



CONTENT

Hindalco Industries : Chiro Kukud Bauxite Mine		Environmental Monitoring Report	June 2022
Chiro Kukud Bauxite Mine			
AMBIENT AIR QUALITY- CORE ZONE			
1	Kukud Village/Near Mine area		
2	Kukud Village/Near Weigh Bridge		
3	Chiro Village/Near Mgazine		
4	Chiro Village/Near Pillar No.1		
AMBIENT AIR QUALITY- BUFFER ZONE			
1	Kudag Village/ Near Hindalco Campus		
2	Jaljali Village/Near Shiv Temple Sabag Road		
3	Amtahi Village/Near Tailoring Centre		
4	Ambakona Village		





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617A	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795A
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 71	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	61
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	29
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.014
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617A	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.22

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617B	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795B
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 28	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 67	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	63
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	29
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.3
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.024
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617B	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.9
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.37

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDI, (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1617C	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795C
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Mgazine Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 71	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	50
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	29
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1617C	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1617D	Report Release Date	: 15.07.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795D
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 71	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	44
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.3
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1617D	Report Release Date	: 15.07.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1617E	Report Release Date	: 15.07.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795E
Address	: Lohardaga, Jharkhand-835302	Location	: Kudag Vill/ Near Hindalco Campus
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 71	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	45
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1617E	Report Release Date	: 15.07.2022
Work Order No.	: HIL/LHD/FY22-23/001	Work Order Date	: 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.3
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617F	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795F
Address	: Lohardaga, Jharkhand-835302	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 20/06/2022 to 21/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 71	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	53
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	24
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617F	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617K	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795K
Address	: Lohardaga, Jharkhand-835302	Location	: Amtahi Village/Near Tailoring Centre
Plant Status	: Non Operational	Sampling Date	: 21/06/2022 to 22/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	44
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	19
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617K	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617L	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindaleo Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/1795L
Address	: Lohardaga, Jharkhand-835302	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 21/06/2022 to 22/06/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 69	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	51
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.008
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1617L	Report Release Date : 15.07.2022
Work Order No. : HIL/LHD/FY22-23/001	Work Order Date : 01.04.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Chiro-Kukud Bauxite Mine-Environmental Monitoring Report

July 2022



CONTENT

Hindalco Industries : Chiro Kukud Bauxite Mine		Environmental Monitoring Report	July 2022
Chiro Kukud Bauxite Mine			
AMBIENT AIR QUALITY- CORE ZONE			
1	Kukud Village/Near Mine area		
2	Kukud Village/Near Weigh Bridge		
3	Chiro Village/Near Mgazine		
4	Chiro Village/Near Pillar No.1		
AMBIENT AIR QUALITY- BUFFER ZONE			
1	Kudag Village/ Near Hindalco Campus		
2	Jaljali Village/Near Shiv Temple Sabag Road		
3	Amtahi Village/Near Tailoring Centre		
4	Ambakona Village		





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774A	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202A
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	52
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	24
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	7.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.015
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.7



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774A	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774B	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202B
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	59
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	32
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.9
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.016
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.5

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774B	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	2.2
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	0.24

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deendra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774C	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202C
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Mgazine Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 69	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	47
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	22
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.5
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774C	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774D	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202D
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 26	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 69	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	42
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774D	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774K	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202K
Address	: Lohardaga, Jharkhand-835302	Location	: Amtahi Village/ Near Tailoring Centre
Plant Status	: Non Operational	Sampling Date	: 15/07/2022 to 16/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	37
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774K	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774L	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202L
Address	: Lohardaga, Jharkhand-835302	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 15/07/2022 to 16/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 68	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	43
Particulate Matter (PM2.5)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m^3	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-22): 2004	1 (24hrs)	0.004
Nickel (Ni)	ng/m^3	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m^3	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774L

Report Release Date : 18.08.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1774E	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202E
Address	: Lohardaga, Jharkhand-835302	Location	: Kudag Village / Near Hindalco Campus
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 69	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	39
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.7
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1774E	Report Release Date	: 18.08.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1774F	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/5202F
Address	: Lohardaga, Jharkhand-835302	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 14/07/2022 to 15/07/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 26	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 69	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	44
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1774F	Report Release Date : 18.08.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Chiro-Kukud(152.57ha) Bauxite Mine-Environmental Monitoring Report

August 2022



CONTENT

Hindalco Industries : Chiro Kukud (152.57ha) Bauxite Mine		Environmental Monitoring Report
August 2022		
Chiro Kukud (152.57ha) Bauxite Mine		
	AMBIENT AIR QUALITY- CORE ZONE	
1	Kukud Village/Near Mine area	
2	Kukud Village/Near Weigh Bridge	
3	Chiro Village/Near Mgazine	
4	Chiro Village/Near Pillar No.1	
	AMBIENT AIR QUALITY- BUFFER ZONE	
1	Kudag Village/ Near Hindalco Campus	
2	Jaljali Village/Near Shiv Temple Sabag Road	
3	Amtahi Village/Near Tailoring Centre	
4	Ambakona Village	





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1906A	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188A
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	50
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.8
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.010
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.4

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906A Report Release Date : 16.09.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906B	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188B
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	51
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	23
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.6
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.012
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.6

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906B Report Release Date : 16.09.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1906C	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188C
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Mgazine Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	41
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	26
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.003
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906C Report Release Date : 16.09.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

ENGINEERING SERVICES PVT. LTD.

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1906D	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188D
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	37
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	15
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906D	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906K	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188K
Address	: Lohardaga, Jharkhand-835302	Location	: Amtahi Village/ Near Tailoring Centre
Plant Status	: Non Operational	Sampling Date	: 24/08/2022 to 25/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	34
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	15
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	6.9
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1906K	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906L	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188L
Address	: Lohardaga, Jharkhand-835302	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 24/08/2022 to 25/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	48
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	20
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.5
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.005
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906L Report Release Date : 16.09.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****


Authorized Signatory

J. Deependra Kumar Sinti
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JM2022BPTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/1906E	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188E
Address	: Lohardaga, Jharkhand-835302	Location	: Kudag Village / Near Hindalco Campus
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 24	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 67	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	37
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.1
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74399JH2018PTC031125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAHAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1906E	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles_ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1906F	Report Release Date : 16.09.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3188F
Address	: Lohardaga, Jharkhand-835302	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 22/08/2022 to 23/08/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 67	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	47
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74998JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAEC69713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2022/1906F	Report Release Date	: 16.09.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"

**ENVIRONMENTAL LABORATORIES & ENGINEERING
SERVICES PVT.LTD.**

Plot No.30, Mansarovar Enclave, Tupudana,Hatia,Ranchi-834003,
Jharkhand.

Chiro-Kukud Bauxite Mine-Environmental Monitoring Report

September 2022



CONTENT

Hindalco Industries : Chiro Kukud Bauxite Mine		Environmental Monitoring Report	September 2022
Chiro Kukud Bauxite Mine			
AMBIENT AIR QUALITY- CORE ZONE			
1	Kukud Village/Near Mine area		
2	Kukud Village/Near Weigh Bridge		
3	Chiro Village/Near Mgazine		
4	Chiro Village/Near Pillar No.1		
AMBIENT AIR QUALITY- BUFFER ZONE			
1	Kudag Village/ Near Hindalco Campus		
2	Jaljali Village/Near Shiv Temple Sabag Road		
3	Amtahi Village/Near Tailoring Centre		
4	Ambakona Village		
DRINKING WATER ANALYSIS			





ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2308	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3313
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Mine Area Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 26/09/2022 to 27/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	42
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	21
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	6.2
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.0
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.012
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.1

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2308	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2309	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3314
Address	: Lohardaga, Jharkhand-835302	Location	: Kukud Village/Near Weigh Bridge Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 26/09/2022 to 27/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	47
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	18
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	5.5
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	10.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	0.007
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	2.4



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2309	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2310	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3315
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Magazine Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 26/09/2022 to 27/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	34
Particulate Matter (PM2.5)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 24): 2019	60 (24hrs)	14
Sulphur Di-Oxide (SO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.0
Ozone (O ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m^3	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	$\mu\text{g}/\text{m}^3$	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m^3	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m^3	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2310

Report Release Date : 11.11.2022

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No. : ELES/RNC/2022/2311	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3316
Address	: Lohardaga, Jharkhand-835302	Location	: Chiro Village/Near Pillar No.1 Chiro-Kukud Bauxite Mine (152.57ha)
Plant Status	: Non Operational	Sampling Date	: 26/09/2022 to 27/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	40
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2311	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2353K	Report Release Date : 11.11.2022
---------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/DW/3357K
Address	: Lohardaga, Jharkhand-835302	Location	: Drinking Water - Kukud Village Chiro-Kukud Bauxite Mines (152.57 ha)
Plant Status	: Non Operational	Sampling Date	: 27/09/2022
		Type of Sample	: Drinking Water
		Sampling Procedure	: ELES/DOC/SMPL/01
		Sample Condition	: Sealed & Preserved

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012 Acceptable Limit
pH	-	APHA 23rd Edition 2017,4500-H+-B	7.6	6.5-8.5
Color	Hazen	IS 3025 (Part-04): 1983	<1.0	5
Odour	-	IS 3025 (Part-05): 1983	Agreeable	Agreeable
Taste	-	IS 3025 (Part-07): 1984	Agreeable	Agreeable
Turbidity	NTU	APHA 23rd Edition 2017,2130 B	0.28	1
Free Residual Chlorine	mg/L	IS 3025 (Part-26): 1986	<0.1	0.2
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Part-16):1984	298	500
Monochloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Dichloramines	mg/L	APHA 23rd Edition 2017, 4500 Cl-G	<1.0	4
Total Hardness (as CaCO ₃)	mg/L	APHA 23rd Edition 2017, 2340 C	56.0	200
Total Alkalinity (as CaCO ₃)	mg/L	IS 3025 (Part-23):1986	60.8	200
Chloride (as Cl)	mg/L	IS 3025 (Part-32): 1988: RA 2014	9.5	250

Page 1 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC021125

TEST REPORT

Test Report No.	: ELES/RNC/2022/2353K	Report Release Date	: 11.11.2022
-----------------	-----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Result	Regulatory Limit
				as per IS:10500:2012
				Acceptable Limit
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24):1986	8.4	200
Nitrate (as NO ₃)	mg/L	IS 3025 (Part-34): 1988	1.98	45
Fluoride (as F)	mg/L	APHA 23rd Edition 2017,4500-F--D	0.1915	1
Ammoniacal Nitrogen (as NH ₃ -N)	mg/L	APHA 23rd Edition 2017, 4500 Norg-C	<0.1	0.5
Cyanide (as CN)	mg/L	IS 3025 (Part-27): 1986	<0.0125	0.05
Phenolic Compounds (as C ₆ H ₅ OH)	mg/L	IS 3025 (Part-43): 1992	<0.00002	0.001
Sulphide (as S)	mg/L	IS 3025 (Part-29): 1986	<0.04	0.05
Boron (as B)	mg/L	APHA 23rd Edition, 3125 B	<0.2	0.5
Calcium (as Ca)	mg/L	APHA 23rd Edition 2017, 3500 B	15.1	75
Magnesium (as Mg)	mg/L	IS 3025 (Part-46):1994	4.5	30
Iron (as Fe)	mg/L	APHA 23rd Edition, 3111 B&C	0.388	1
Manganese (as Mn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.05	0.1
Aluminum (as Al)	mg/L	APHA 23rd Edition, 3125 B	<0.02	0.03
Cadmium (as Cd)	mg/L	APHA 23rd Edition, 3111 B&C	<0.003	0.003
Total Chromium (as Cr)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Copper (as Cu)	mg/L	APHA 23rd Edition, 3111 B&C	<0.03	0.05
Lead (as Pb)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.01
Zinc (as Zn)	mg/L	APHA 23rd Edition, 3111 B&C	<0.1	5

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2353K	Report Release Date : 11.11.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Result	Regulatory Limit as per IS:10500:2012
				Acceptable Limit
Arsenic (as As)	mg/L	APHA 23rd Edition, 3111 B&C	<0.005	0.01
Selenium (as Se)	mg/L	APHA 23rd Edition, 3125 B	<0.01	0.01
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2000	<0.001	0.001
Nickel (as Ni)	mg/L	APHA 23rd Edition, 3111 B&C	<0.01	0.02
Mineral Oil*	mg/L	IS 3025 (Part-39): 1991	<0.01	0.5
Anionic Detergents (as MBAS)*	mg/L	Annex K of IS 13428:2005	<0.05	0.2
Polynuclear Aromatic Hydrocarbons (PAHs)*	mg/L	SO-IN-MUL-TE-023	<0.00005	0.0001
Polychlorinated Biphenyls (PCBs)*	mg/L	SO-IN-MUL-TE-022	<0.00005	0.0005
Total Coliforms	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Escheria Coli	MPN/ 100ml	IS 15185:2016	Not Detected	Should Not Detected
Pesticides				
Alachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	20
Atrazine*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Aldrin/ Dieldrin*	µg/L	SO-IN-MUL-TE-020	<0.01	0.03
Alpha HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.01
Beta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
Butachlor*	µg/L	SO-IN-MUL-TE-020	<0.01	125

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAEE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2353K	Report Release Date : 11.11.2022
---------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Result	Regulatory Limit as per IS:10500:2012
				Acceptable Limit
Chlorpyrifos*	µg/L	SO-IN-MUL-TE-020	<0.01	30
Delta HCH*	µg/L	SO-IN-MUL-TE-020	<0.01	0.04
2,4- Dichlorophenoxyacetic acid*	µg/L	SO-IN-MUL-TE-020	<0.01	30
DDT (o, p and p, p – Isomers of DDT)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Endosulfan (alpha, beta, and sulphate)*	µg/L	SO-IN-MUL-TE-020	<0.01	0.4
Ethion*	µg/L	SO-IN-MUL-TE-020	<0.01	3
Gamma - HCH (Lindane)*	µg/L	SO-IN-MUL-TE-020	<0.01	2
Isoproturon*	µg/L	SO-IN-MUL-TE-020	<0.01	9
Malathion*	µg/L	SO-IN-MUL-TE-020	<0.01	190
Methyl parathion*	µg/L	SO-IN-MUL-TE-020	<0.01	0.3
Monocrotophos*	µg/L	SO-IN-MUL-TE-020	<0.01	1
Phorate*	µg/L	SO-IN-MUL-TE-020	<0.01	2
DDE (o, p and p, p – Isomers of DDE)*	µg/L	SO-IN-MUL-TE-020	<0.01	1
DDD (o, p and p, p – Isomers of DDD)*	µg/L	SO-IN-MUL-TE-020	<0.01	1

Remarks: (*) All the parameters are outsourced to other Lab.

Authorized Signatory
SANDIP BERA
SENIOR MANAGER

****End of Report****

Page 4 of 4

ELES PVT. LTD.

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999/JH2018PTC031125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAHSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2312	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3317
Address	: Lohardaga, Jharkhand-835302	Location	: Kudag Village / Near Hindalco Campus
		Sampling Date	: 26/09/2022 to 27/09/2022
Plant Status	: Non Operational	Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	32
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	19
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	8.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO-> 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/2312	Report Release Date	: 11.11.2022
-----------------	----------------------	---------------------	--------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

****End of Report****

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAHSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE5713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC031125

TEST REPORT

Test Report No. : ELES/RNC/2022/2313	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3318
Address	: Lohardaga, Jharkhand-835302	Location	: Jaljali Village/Near Shiv Temple Sabag Road.
Plant Status	: Non Operational	Sampling Date	: 26/09/2022 to 27/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	40
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	15
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.8
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAHSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2313	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RAJCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2318	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3323
Address	: Lohardaga, Jharkhand-835302	Location	: Amtahi Village/ Near Tailoring Centre
		Sampling Date	: 28/09/2022 to 29/09/2022
Plant Status	: Non Operational	Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION

1	Average Temperature (°C) : 24	2	Barometric Pressure (mmHg) : 741
3	Relative Humidity (%) : 64	4	Weather Condition : Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	32
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	13
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	7.4
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified, Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2018PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D174

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2318	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment. Save Future"



ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MAISAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

CIN: U74999JH2018PTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2022/2319	Report Release Date	: 11.11.2022
-----------------	----------------------	---------------------	--------------

CUSTOMER DETAILS		SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2022/AA/3324
Address	: Lohardaga, Jharkhand-835302	Location	: Ambakona Village
Plant Status	: Non Operational	Sampling Date	: 28/09/2022 to 29/09/2022
		Type of Sample	: Ambient Air
		Sampling Procedure	: ELES/DOC/SMPL/02
		Sample Condition	: Sealed & Preserved

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 24	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 64	4	Weather Condition	: Clear

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part-23): 2006; RA2017	100 (24hrs)	43
Particulate Matter (PM2.5)	µg/m ³	IS 5182 (Part- 24): 2019	60 (24hrs)	17
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part-2): 2001; RA2017	80 (24hrs)	<5.0
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part-6): 2001; RA2017	80 (24hrs)	9.2
Ozone (O ₃)	µg/m ³	IS 5182 (Part-9): 1974; RA2014	100 (8hrs)	<20.0
Ammonia (NH ₃)	µg/m ³	IS 5182 (Part- 25): 2018	400 (24hrs)	<10.0
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part-10): 1999; RA2019	2 (8hrs)	<1.0
Lead (Pb)	µg/m ³	IS 5182 (Part-22): 2004	1 (24hrs)	<0.002
Nickel (Ni)	ng/m ³	IS 5182(Part-26):2020	20 (Annual)	<6.0
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01:2021	6 (Annual)	<2.0

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



CIN: U74999JH2014PTC011125

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA
HATIA, RANCHI-834003 (JHARKHAND)
GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103

Website : www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2319	Report Release Date : 11.11.2022
--------------------------------------	----------------------------------

Parameter	Unit	Test Protocol	Regulatory Limit	Result
Benzene*	$\mu\text{g}/\text{m}^3$	ASTM D3687:2007	05(Annual)	<2.0
Benzo (a) Pyrene*	ng/m^3	USEPA 8270 C to -13A	01(Annual)	<0.20

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).

"Save Environment, Save Future"



Annexure 3

Date – 01.09.2022

Office Order

Environmental Cell has been re-constituted at Chiro Kukud Bauxite Mine (Area 152.57 ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

1. Mr. Vijay Chauhan (Coordinator)
2. Mr. Praveen Pradhan -Geologist
3. Mr. Abhay Kumar – Environment Engineer

The Undersigned is the in charge of above Environment Management Cell constituted for the purpose of ensuring compliances of environmental act rule and regulation for the above mine.

A handwritten signature in blue ink, appearing to read "Basudev", is positioned above the name of the signatory.

Basudev Gangopadhyay
AVP (Planning, Environment & Compliance)


Annexure 4

Production, Mined Out, Back Filled and Over Burden removal from April'22 to September'22								
S No	Name of the Mines	Mining lease area (ha)	Production Capacity (MT)*	Lease Period*	Production (MT)	Mined out area (ha)	Back filled area (ha)	Over burden (Cu.M)
1	Bagru bauxite Mine	75.41	85000	22.01.1974 to 31.03.2030	NIL	NIL	NIL	NIL
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981 to 31.03.2030	116176	0.78	0.34	82296.15
3	Hisri (New) Bauxite Mine	14.55	100000	19.07.1981 to 31.03.2030	63046	0.34	0.23	47769.44
4	Kujam - I Bauxite Mine	80.87	150000	13.03.2006 to 12.03.2056	53620	1.74	1.18	39931.13
5	Kujam - II Bauxite Mine	157.38	300000	24.03.2006 to 23.03.2056	147610	4.79	2.56	181309.80
6	Amtipani Bauxite Mine	190.95	150000	13.03.2006 to 12.03.2056	96500	2.12	2.050	126569.80
7	Gurdari Bauxite Mine	584.19	325000	23.03.1985 to 22.03.2035	114070	3.65	2.68	292766.10
8	Shrengdag A Bauxite Mine	155.81	260000	16.10.1974 to 31.03.2030	53600	1.2	0.9	40876.3
9	Shrengdag B Bauxite Mine	140.07	100000	04.10.1978 to 31.03.2030	45750	0.8157	0.6184	44264.72
10	Jalim & Sanai Bauxite Mine	12.14	50000	16.10.1974 to 31.03.2030	25000	0.2413	0.2	8656.24
11	Orsapat Bauxite Mine	196.36	200000	17.07.1986	NIL	NIL	NIL	NIL

Annexure 4

				to 16.07.2036				
12	Chiro Kukud bauxite Mine	152.57	100000	29.01.1985 to 28.01.2035	NIL	NIL	NIL	NIL
13	Pakhar (8.09)	8.09	80000	16.05.1973 to 31.03.2030	NIL	NIL	NIL	NIL
14	Pakhar (35.12)	35.12	200000	17.04.1975 to 31.03.2030	NIL	NIL	NIL	NIL
15	Pakhar (115.13)	115.13	300000	19.07.1996 to 31.03.2030	87500	1.52	0.57	242684.08
Minerals & Minerals Limited								
16	Pakhar (15.58)	15.58	60000	28.04.1965 to 31.03.2030	NIL	NIL	NIL	NIL
17	Pakhar (109.507)	109.507	280000	26.07.2008 to 25.07.2058	129700	0.29	0.00	26032.12
18	Bimarla Bauxite Mine	134.526	300000	18.07.2009 to 17.07.2059	54050	1.34	0.60	118183.21
19	Amtipani Chirodih Bauxite Mine (130.01 ha)	130.01	450000	11.01.2017 to 10.01.2067	NIL	NIL	NIL	NIL

*Static information about the mines included in the above table


 for
Basudev Gangopadhyay
 AVP (Planning, Environment & Compliance)

Annexure-5

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2022-23

The composite cost during the year 2022-23 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 ha), Pakhar (15.58 ha), Pakhar (109.507 ha), Pakhar (8.09 ha), Pakhar (35.12 ha), Serengdag (140.06 ha), Serengdag (155.81 ha), Jalim & Sanai (12.14 ha), Gurdari (584.19 ha), Amtipani (190.95 ha), Kujam I (80.97 ha) Kujam II (157.38 ha), Bagru (75.41 ha), Hisri New (14.55 ha), Chiro kukud (152.57 ha), Orsa pat (196.36 ha), Bhusar (65.31 ha), Bimarla Bauxite Mines (134.52 ha) and Amtipani Chirodih (130.01 ha) Bauxite Mine.

S No	Description	Budget (in Rupees) FY 2022-23	Actual (in Rupees) FY 2022-23 (From April'22 to September'22)
1	Pollution Control & Environment monitoring	49,75,923.00	33,83,623.92
2	Reclamation/ Back filing & Rehabilitation**	5,83,65,000.00	5,07,53,126.66
3	Green belt, Plantation & Water sprinkling arrangement	48,76,825.00	45,85,322.59
4	Rural Development	3,10,21,250.00	2,39,91,751.19

**Part of OB removed cost.

for
Basudev Gangopadhyay
AVP (Planning, Environment & Compliance)