



Ref No: HIL/LHD/VP (M)/MoEF/633

Date: 28.11.12

To,
Mr S Kerketta
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharapur,
Bhubaneshwar- 751023 (Orissa)

Sub: **Compliance Report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period April' 2012 - Sep' 2012.**

Ref: **Environmental Clearance letter no J-11015/138/2006-IA II (M) dated 10th April 2007**


Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Jalim & Sanai Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period **April' 2012 - Sep' 2012.**

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED


(Bijesh Kumar Jha)
VP (Mines)

Enclosure:- As Above

Compliance of conditions laid down in Environmental Clearance

JALIM & SANAI BAUXITE MINES

Period : April'12 - Sep'12

J-11015/138/2006-IA.II (M) Dated 10.4.2007

Sl No	Conditions	Compliance Status
Specific Conditions		
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Complied
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted / renewed by the State Govt. after due consideration & cabinet approval on recommendation of D.C. who are competent authority for diversion of agricultural land for non-agricultural use. Copy already submitted with previous six monthly compliance report.
3	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Bauxite mining is being done at shallow depth, hence at no point it will intersect the ground water table. Hence there will be no interference.
4	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	It is being ensured. No natural water course is obstructed during mining operation
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	It is being ensured & the top soil is being used for reclamation & rehabilitation of mined out areas. Details of land reclamation is enclosed as Annexure
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Waste generated is used in backfilling, data enclosed

7	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<p>No runoff is generated from mining activities. However, to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Sediment rain water is being used for watering the mine area, roads, green belt development etc.</p>
8	<p>Plantation shall be raised in an area of 10.58 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.</p>	<p>In 2012, we have planted 1000 no. of plants. Rest to be complied during project period.</p>
9.	<p>The project proponent shall ensure that there shall be no discharge from the mine.</p>	<p>Ensured. There is no discharge from the mine.</p>
10.	<p>The project proponent shall carry out regular monitoring of spring discharge and its quality near Shrengdag village on long term basis.</p>	<p>It is being carried out.</p>
11	<p>The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.</p>	<p>A plan is drawn on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for his further suggestions. Recommendation of CGWB shall be implemented to augment the ground water resources of the area. Copy of letter already submitted.</p>
12	<p>Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent</p>	<p>It is being monitored. Monitoring report is enclosed as Annexure</p>

	regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	
13	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Agreed.
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	To keep vehicular emissions in control, company vehicles are periodically checked & repaired. All measures are being taken to control vehicular emission.
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	Drilling is done with water pouring in the holes intermittently for dust suppression which is the best method for jackhammer type drilling.
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period of 12.00 Noon to 1.00 Pm on working days. Mobile mining activities are stopped during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest generation of fly rocks is being exercised
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Obtained & copy being submitted enclosed as Annexure
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine, hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sullage is collected to an integrated soak pit.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <i>Presbytis phayrei</i> etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Action plan for conservation of flora and fauna spotted in the study area has been prepared based on discussions with D.F.O of the area for implementation and a copy of the same is submitted to the D.F.O on receipt of any suggestion to our action plan the same will be intimated to MOEF. A copy of Action plan drawn and of letter for submission to DFO is al ready submitted to regional office.

20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine closure plan dully approved by Indian Bureau of Mines exists with us. The same has been submitted to Regional office. FMCP related statue will be compiled.
----	--	--

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Complied. Mining is as per Mining plan.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of over burden & bauxite are within calendar plan. details submitted for the financial year FY11
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Monitoring locations has been fixed and regular monitoring is being done with available in-house facilities. Monitoring Reports of AAQ data is attached as Annexure
4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Monitoring Reports of AAQ data is attached as Annexure
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Two no of water tanker with sprinkling facility have been provided along haul roads, loading unloading,& at transfer points.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is done regularly. Workers engaged in operation of HEMM, etc. are provided with ear plug / muffs. monitoring report enclosed as annexure.

7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine , Discharge of Workshop effluents is being passed through Oil catchment pit to trap Oil and grease.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied Use of Personal Protective Equipment is provided & used by the individuals. we have an well equipped hospital at mine site where health checkup of workmen is carried out regularly. Training on safety, health & environmental aspects of mining is being regularly imparted through VT training & other training programmes.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate management cell is functioning with in-house members. Copy enclosed.(Annexure)
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Not applicable. The mine is a running mine since 1 st nov 1983.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of Budgetary provision & actual expenses for environmental protection measure is submitted.(Annexure).
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Complied.
13.	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Lucknow, Central Pollution Control Board and State Pollution Control	Being complied

	Board.	
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied .Copy submitted to regional office.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Not applicable to this project.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copy of paper cuttings containing advertisements is already submitted vide letter no.HIL/GMO(M)/ENV/141 dated 23.04.07.



झारखण्ड राज्य प्रदूषण नियंत्रण पर्वद

JHARKHAND STATE POLLUTION CONTROL BOARD

CONSTITUTED UNDER SECTION 4 OF THE WATER (PREVENTION & CONTROL OF POLLUTION ACT, 1974)

T.A.DIVISION BUILDING (GROUND FLOOR),HEC COMPLEX, DHURWA, RANCHI-834004.

Phone No:-0651- 2400852, 2400851, Fax No:- 2400850.

Ref.No. PC/RNC 2 07 9781

Dated- 16.4.12

CONSENT TO OPERATE

With reference to the application dated 27.02.2012 of G.M. (Operation), M/s Hindalco Industries Ltd; Court Road, P.O.+ Dist Lohardaga, I/C Jalim & Sanai Bauxite Mines-12.42 Ha. for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act,1981, he (they) is (are) granted consent to bring into use his(their) new/altered/existing outlet(s) for discharge of trade effluent and (or) domestic sewage and to operate his (their) industrial plant to produce maximum 50,000 TPA of Bauxite ore At- Jalim & Sanai, P.O – Bishunpur, Dist-Gumla for the period from 01.01.2012 to 31.12.2012 with the following conditions :


1. That. he(they) shall make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board.
2. That. he(they) shall abide by the obligations provided under section 24, 31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and shall extend co-operation to the Board in performing its functions entrusted under section 20, 21, 23, 30 and 32 of the Act.
3. That. he(they) shall comply with the requirements of the Water (Prevention & Control of Pollution) Cess Act, 1977 read with the Water (Prevention & Control of Pollution) Cess Rules, 1978.
4. That. he(they) shall abide by the obligations provided under section 22, 23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and shall extend co-operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act.
5. That. he(they) shall abide by the obligations provided under sections 5, 7, 8 and 9 of the Environment (Protection) Act, 1986 and shall extend co-operation in performing the functions entrusted under section 3, 10 and 11 of the Act.
6. That. he(they) shall abide by the applicable provisions of the Environment (Protection) Rules, 1986, the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008; the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989; the Bio-medical Waste (Management & Handling) Rules, 1998; the Municipal Solid Wastes (Management & Handling) Rules, 2000 and the Batteries (Management & Handling) Rules, 2001.
7. That. he(they) shall maintain the quality of discharge and (or) emission and (or) noise level of environmental pollutants in conformity with the standards as laid under Rule 3 of the Environment (Protection) Rules, 1986.


MA

8. That, he(they) shall monitor his(their) effluent(s), emission(s) and the ambient air, noise level regularly and shall submit the report to the Board in compliance of the condition laid in paragraph 7.
9. That, he(they) shall establish well equipped environmental laboratory with the facilities of system(s) of continuous monitoring of effluent(s), emission(s) ambient water quality(ies), ambient air quality(ies) and ambient noise level(s) and transferring them (monitoring results) to his(their) website(s) and to the e-mail address(es) of the key persons of Jharkhand State Pollution Control Board, Zonal Office, Kolkata and Ministry of Environment & Forests, Regional Office, Bhubneshwar with simultaneous displaying at prominent locations in front of his(their) premises. [*Unit(s) of medium and large scale under 17 categories of polluting industries of category A of EIA Notification, 2006.]
10. That, he(they) shall submit the environmental statement every year by 30th September and shall harvest all rain water precipitating in the premises and do three tier tree plantation in the premises as air barrier.
11. That, he(they) shall submit application for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 again 120 days before the expiration of the consent order 31.12.2012 or within 120 days from the date of receipt of the order, whichever is earlier.
12. *That, unit shall submit quality report of Ambient Air Quality and Ground Water Quality every quarter of the year.*
13. *That, the unit shall submit the status of compliance Environmental Clearance every quarter to the Board*
14. *That the unit shall reclaim the mined out area in phased manner as per EIA/EMP report.*
15. *That the unit shall implement harvest rain water of the mine and recharge it to the ground by the method of Central Ground Water Board Guideline that fits most to the mine .*
16. *That, the unit shall make arrangement to control the fugitive emissions occurring during the mining activities and plying of vehicles on haul as well as transport road;*
17. *That, the unit shall ensure that no transport vehicle should ply on road without covering the materials;*

To,

M/s Hindalco Industries Ltd;
(I/C Jalim & Sanai Bauxite Mines- 12.42 Ha.)
At- Jalim & Sanai, P.O. Bishunpur,
Dist- Gumla.


(Sanjay Kumar Sinha)
Member Secretary.





TEST REPORT

Report No. : CA:GL:3120010718

Date : 19.07.2012

JOL No 1212804732

Report Control No 3125010861

SAMPLE DRAWN BY SGS INDIA PVT. LTD.


SAMPLE DESCRIPTION	MEASUREMENT OF NOISE LEVEL
COMPANY NAME	M/S. HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS	MINES DIVISION, LOHARDAGA, JHARKHAND, PIN – 835 302
SAMPLING SITE	SHRENGDAG(155.81)/SERENGDAG(140.07)/JALIM & SANAI BAUXITE MINES (SHRENGDAG PLATEAU)
PROTOCOL	GENSOP/CALLAB/116
DATE OF SAMPLING	03.07.2012 TO 04.07.2012
TEST START DATE	19.07.2012
TEST END DATE	19.07.2012

LOCATION	RESULT		LIMIT IN dB(A) Leq (INDUSTRIAL AREA)	
	Day Time (L _{eq}) in dB(A)	Night time (L _{eq}) in dB(A)	Day Time	Night time
MINE LEASE AREA (NEAR SITE OFFICE)	65	59	75	70


*****End of Report*****

- Note: (i) The value is the Leq of One Hundred Seventy readings taken in day time and sixty-nine reading taken in night time
(ii) Day time shall mean from 6:00 am to 10:00 pm
(iii) Night time shall mean from 10:00 pm to 6:00 am

Checked by


Dipankar De Sarkar
Asst. Manager (Operations)

per pro SGS India Private Ltd.


Dr. Nimai Ghosh
Manager-Laboratory

Page 1 of 1

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010809-14

Date : 20.07.2012

DOI No: 1212804776

Report Control No: 3125010933

SAMPLE DRAWN BY SGS INDIA PRIVATE LTD.

SAMPLE DESCRIPTION : MEASUREMENT OF NOISE LEVEL

NAME OF THE CLIENT : M/S. HINDALCO INDUSTRIES LIMITED

ADDRESS : MINES DIVISION, LOHARDAGA, JHARKHAND, PIN – 835 302

SAMPLING METHOD : INSTRUMENTAL, USING SOUND LEVEL METER

SAMPLING SITE : SHRENGDAG(155.8)/SERENGDAG(140.07)/JALIM & SANAI BAUXITE MINES (SHRENGDAG PLATEAU)

PROTOCOL : GENSOP/CALLAB-116

TEST START DATE : 20.07.2012

TEST END DATE : 20.07.2012

SL NO.	SAMPLING LOCATION	DATE & TIME OF SAMPLING	DAY TIME NOISE LEVEL dB (A) Leq	LIMIT IN dB(A) Leq DAY TIME (INDUSTRIAL AREA)
1	POCKLEN (L & TPC -300)	04.07.2012 (14:30 Hrs)	81	75
2	DUMPER (ASHOK LEYLAND-H6DTI)	04.07.2012 (14:40 Hrs)	80	75
3	PAYLODER (TWL 3036)	04.07.2012 (14:50 Hrs)	89	75
4	JACK HAMMER	04.07.2012 (15:00 Hrs)	94	75
5	COMPRESSOR (INGERSOLL RAND P-400)	04.07.2012 (15:10 Hrs)	89	75
6	WAGON DRILL (ATLAS COPCOROC -200)	04.07.2012 (15:20 Hrs)	89	75

****End of Report****

Note: (i) The value is the Leq of twenty readings taken in each location (Day time)
(ii) Day time shall mean from 6:00 am to 10:00 pm

Checked by

for Sujit Meher
Dipankar De Sarkar
Asst. Manager (Operations)

per pro SGS India Private Ltd.

Dr. Nirmal Ghosh
Dr. Nirmal Ghosh
Manager-Laboratory

Page 1 of 1

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained here on reflect the company finding at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010512

DATE : 24/07/2012

JOE No. : 1212804665

Report Control No. 3125011205

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR


MARKS ON SAMPLE SITE: SHRENGDAG (155.81)SERENGDAG(140.07)JALIM & SANAI(BAUXITE MINES) (SHERENGDAG PLATEAU), LOCATION : SHRENGDAG(155.81)(COREZON)
DATE OF SAMPLING 02.07.2012 TO 03.07.2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6 2006	7.6 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	66.8 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	22.4 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182 PART 2 2001	< 4.0 µg/m ³		80 µg/m ³

* Analysed at site

***** End of Report *****

per pro SGS India Private Ltd.


Dr. Nimai Ghosh
 Manager Laboratory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010513

DATE : 24/07/2012

JOE No. : 1212804665

Report Control No.:3125011204

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE SHRENGDAG (155 81)SERENGDAG(140 07)JALIM &SANAI(BAUXITE MINES)
 (SHERENGDAG PLATEAU), LOCATION PAURNI VILLAGE(BUFFER ZONI)
DATE OF SAMPLING 02.07.2012 TO 03.07.2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	7.1 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	80.2 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	45.2 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182.PART 2:2001	< 4.0 µg/m3		80 µg/m3

* Analysed at site.

**** End of Report ****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone: 91-33-64996700, 64996701, Fax: 91-33-24470267
 Regd & Corp. Off: SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010514

DATE : 24/07/2012

JOE No 1212804665

Report Control No 3125011203

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N A
SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE SHRENGDAG (155.81)SERENGDAG(140.07)JALIM & SANAI(BAUXITE MINES) (SHERENGDAG PLATEAU), LOCATION : SERENGDAG(140.07)(COREZON)
DATE OF SAMPLING 03.07.2012 TO 04.07.2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6 2006	8.2 µg/m3		80 µg/m3
PARTICULATE MATTER(10)	IS:5182(PART 23)2006	85.3 µg/m3		100 µg/m3
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	43.6 µg/m3		60 µg/m3
SULPHUR DIOXIDE (SO2)	IS 5182 PART 2:2001	< 4.0 µg/m3		80 µg/m3

* Analysed at site.

**** End of Report ****

per pro SGS India Private Ltd.

Dr. Nimai Ghosh
Manager Laboratory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full without prior written approval of the Company.

TEST REPORT

Report No. : CA:GL:3120010515

DATE : 24/07/2012

JOE No. 1212804665

Report Control No. 3125011202

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
 ADDRESS LOHARDAGA, JHARKHAND
 CITY 835302
 COUNTRY INDIA
 SAMPLING METHOD N A
 SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE SHRENGDAG (155 81)SERENGDAG(140 07)JALIM & SANAI(BAUXITE MINES)
 (SHERENGDAG PLATEAU), LOCATION JALIM & SANAI(COREZONE)
 DATE OF SAMPLING 03.07.2012 TO 04.07.2012
 SAMPLE RECD ON 18/07/2012
 TEST START DATE 18/07/2012
 TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NO _x)	IS 5182 PART 6:2006	9.0 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS 5182(PART 23)2006	93.8 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	37.3 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182 PART 2:2001	< 4.0 µg/m ³		80 µg/m ³

* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.

Dr. Nemai Ghosh
 Manager Laboratory

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010516

DATE : 24/07/2012

JOE No 1212804665

Report Control No 3125011201

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N A
SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE SHRENGDAG (155.81)SERENGDAG(140.07)JALIM &SANAI(BAUXITE MINES)
(SHERENGDAG PLATEAU), LOCATION KACHKI VILLAGE(BUFFER ZONE)

DATE OF SAMPLING 04 07 2012 TO 05 07 2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

Table with 4 columns: TESTS, PROTOCOL, RESULT, REQUIREMENT/LIMIT. Rows include CARBON MONOXIDE (AT SITE), OXIDES OF NITROGEN (NOx), PARTICULATE MATTER(10), PARTICULATE MATTER(2.5), and SULPHUR DIOXIDE (SO2).

* Analysed at site

**** End of Report ****

per pro SGS India Private Ltd.

Dr. Nimai Ghosh
Manager Laboratory

* This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm...



TEST REPORT

Report No. : CA:GL:3120010517

DATE : 24/07/2012

JOE No. : 1212804665

Report Control No. 3125011200

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A
SAMPLE DESCRIPTION AMBIENT AIR

MARKS ON SAMPLE SITE SHRENGDAG (155 81)SERENGDAG(140 07)JALIM &SANAI(BAUXITE MINES)
(SHERENGDAG PLATEAU), LOCATION JALIM VILLAGE(BUFFER ZONE)
DATE OF SAMPLING 04.07.2012 TO 05.07.2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

Table with 5 columns: TESTS, PROTOCOL, RESULT, REQUIREMENT/LIMIT (As per CPCB Residential area), MIN, MAX. Rows include CARBON MONOXIDE (AT SITE), OXIDES OF NITROGEN (NOx), PARTICULATE MATTER(10), PARTICULATE MATTER(2.5), and SULPHUR DIOXIDE (SO2).

* Analysed at site

per pro SGS India Private Ltd.
Dr.Nemai Ghosh
Manager Laboratory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm...

TEST REPORT

Report No. : CA:GL:3120010518

DATE : 24/07/2012

JOE No : 1212804665

Report Control No. 3125011199

SAMPLE DRAWN BY SGS INDIA PRIVATE LIMITED

SAMPLE IDENTIFIED AS : AMBIENT AIR

CUSTOMER NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
COUNTRY INDIA
SAMPLING METHOD N.A.
SAMPLE DESCRIPTION AMBIENT AIR


MARKS ON SAMPLE SITE SHRENGDAG (155.81)SERENGDAG(140.07)JALIM & SANAI(BAUXITE MINES) (SHERENGDAG PLATEAU), LOCATION HARUP VILLAGE(BUFFER ZONE)
DATE OF SAMPLING 05.07.2012 TO 06.07.2012
SAMPLE RECD ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 24/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per CPCB (Residential area)	
			MIN	MAX
CARBON MONOXIDE (AT SITE)	GEN/SOP/CALLAB-88	<0.1 ppm*		1.7ppm(8h)
OXIDES OF NITROGEN (NOx)	IS 5182 PART 6:2006	8.9 µg/m ³		80 µg/m ³
PARTICULATE MATTER(10)	IS 5182(PART 23)2006	62.4 µg/m ³		100 µg/m ³
PARTICULATE MATTER(2.5)	USPEA CFR40(50), Appendix L	32.4 µg/m ³		60 µg/m ³
SULPHUR DIOXIDE (SO ₂)	IS 5182 PART 2:2001	< 4.0 µg/m ³		80 µg/m ³

* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.


Dr. Nema Ghosh
 Manager Laboratory

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or fabrication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010561

DATE : 26/07/2012

JOE No : 1212804675

Control No : 3125011416

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : GROUND WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
SAMPLING METHOD APHA 1060B/9060A
SAMPLE DESCRIPTION GROUND WATER
SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE
SAMPLE QTY. 6.5L APP
MARKS ON SAMPLE SITE:SHRENGDAG(155.81)/SERENGDAG(140.07)/JALIM & SANAI BAUXITE MINES(SHRENGDAG PLATEAU) LOCATION : SHRENGDAG VILLAGE(BOREWELL HAND PUMP)
COLLECTED ON 05.07.2012
REGISTERED ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 26/07/2012

Table with 5 columns: TESTS, PROTOCOL, RESULT, REQUIREMENT/LIMIT (As per IS 10500:1991(REAFF 1993)), and sub-columns for Desirable and Permissible. Rows include ALKALINITY (as CaCO3), ALUMINIUM (as Al), ANIONIC DETERGENTS (as MBAS), ARSENIC (as As), and BORON.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp. Off : SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010561

DATE : 26/07/2012

JOE No. 1212804675

Control No. 3125011416

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	4.04 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	9.29 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	10	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	0.05 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS 3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	5.81 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	<0.005 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff 1999)	<1.0 mg/l	30mg/l	100mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp Off. SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010561

DATE : 26/07/2012

JOE No. : 1212804675

Control No.:3125011416

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MANGANESE	IS:3025(PART 59) 2006	0.05 mg/l	0.1mg/l	0.3mg/l
MERCURY (as Hg)	IS 3025 PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	1.36 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	6.72 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff.2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025 PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	13.13 mg/l	300mg/l	600mg/l

Page 3 of 4

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267

Regd & Corp Off SGS House 4B, A S Marg, Vikhroli (West) Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010561

DATE : 26/07/2012

JOE No. : 1212804675

Control No. 3125011416

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	89.4	5 ONTU	10NTU
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.11 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025 PART 16:1984(Reaff.2002)	34 mg/l	500mg/l	2000mg/l

* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010578

DATE : 28/07/2012

JOE No. 1212804680

Control No. 3125011550

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : DRINKING WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS LOHARDAGA, JHARKHAND
CITY 835302
SAMPLING METHOD APHA 1060B/9060A
SAMPLE DESCRIPTION DRINKING WATER
SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE
AMPLE QTY. 6.5L APP
MARKS ON SAMPLE SITE : SHRENGDAG(155.81), SERENGDAG(140.07)
 JALIM & SONAL BAUXITE MINES(SHRENGDOG PLATEAU)
 LOCATION : SPRING SHRENGDOG VILLAGE
COLLECTED ON 05.07.2012
REGISTERED ON 18/07/2012
TEST START DATE 18/07/2012
TEST END DATE 28/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
ALKALINITY (as CaCO ₃)	IS 3025:PART 23 :1986(Reaff.1998)	6.27 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	<0.02 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Bahala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
 Regd & Corp Off SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com



TEST REPORT

Report No. : CA:GL:3120010578

DATE : 28/07/2012

JOE No. : 1212804680

Control No. 3125011550

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			As per IS 10500:1991(REAFF 1993)	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff.1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff.2003)	1.62 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	<2.0 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	<0.05 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	<0.005 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1 0 mg/l	30mg/l	100mg/l

Page 2 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp Off SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010578

DATE : 28/07/2012

JOE No. 1212804680

Control No. 3125011550

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MANGANESE	IS:3025(PART 59) 2006	<0.01 mg/l	0.1mg/l	0.3mg/l
MERCURY (as Hg)	IS 3025:PART 48 :1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 :1988(Reaff.1999)	<0.50 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject.	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	6.62 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025:PART 7 :1984(Reaff.2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 :1983(Reaff.2002)	7.07 mg/l	300mg/l	600mg/l

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp Off | SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010578

DATE : 28/07/2012

JOE No. : 1212804680

Control No.:3125011550

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
			<u>As per IS</u> <u>10500:1991(REAFF</u> <u>1993)</u>	
TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	0.44	5.0NTU	10NTU
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.02 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	16 mg/l	500mg/l	2000mg/l

Based on the above parameters the sample complies with maximum desirable and maximum permissible limit as per IS:10500:1991 (Reaff 1993) , BDL=Below Detection Limit ; DL=Detection Limit
* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.



TEST REPORT

Report No. : CA:GL:3120010579

DATE : 28/07/2012

JOE No. : 1212804680

Control No.:3125011551

SAMPLE COLLECTED BY SGS

SAMPLE IDENTIFIED AS : DRINKING WATER

COMPANY NAME HINDALCO INDUSTRIES LIMITED (MINES DIVISION)

ADDRESS LOHARDAGA, JHARKHAND
CITY 835302

SAMPLING METHOD APHA 1060B/9060A

SAMPLE DESCRIPTION DRINKING WATER

SAMPLE CONDITION IN PLASTIC AND STERILISED BOTTLE

SAMPLE QTY. 6.5L APP

MARKS ON SAMPLE SITE : SHRENGDAG(155.81), SERENGDAG(140.07)
JALIM & SONAL BAUXITE MINES(SHRENGDOG PLATEAU)
LOCATION : SPRING CHIROPAT VILLAGE

COLLECTED ON 05.07.2012

REGISTERED ON 18/07/2012

TEST START DATE 18/07/2012

TEST END DATE 28/07/2012

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
			<u>As per IS</u> <u>10500:1991(REAFF</u> <u>1993)</u>	
ALKALINITY (as CaCO3)	IS 3025:PART 23 :1986(Reaff.1998)	5.48 mg/l	200mg/l	600mg/l
ALUMINIUM (as Al)	IS 3025 : Part 55 : 2003	0.03 mg/l	0.03mg/l	0.2mg/l
ANIONIC DETERGENTS (as MBAS)	ANNEX. K of IS 13428: 2005	<0.05 mg/l	0.2mg/l	1mg/l
ARSENIC (as As)	IS 3025:PART 37:1988(Reaff.1999)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
BORON	Annex.H OF IS:13428:2005	<0.05 mg/l	1.0mg/l	5.0mg/l

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 820, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp Off SGS House, 4B A S Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



TEST REPORT

Report No. : CA:GL:3120010579 DATE : 28/07/2012

JOE No. : 1212804680

Control No.:3125011551

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
CADMIUM (as Cd)	IS 3025:PART 41 :1992(Reaff. 1998)BY ICPOES	<0.005 mg/l	0.01mg/l	No Relax.
CALCIUM (as Ca)	IS 3025:PART 40 :1991(Reaff. 2003)	1.62 mg/l	75mg/l	200mg/l
CHLORIDE (as Cl)	Clause 2 of IS 3025 Part 32:1988(Reaff. 1999)	<2.0 mg/l	250mg/l	1000mg/l
CHROMIUM (Cr6+)	IS 3025:PART 52:2003	<0.01 mg/l	0.05mg/l	No Relax.
COLOUR (HAZEN UNITS)	IS 3025:PART 4 :1983(Reaff.2002)	5	5.0	25
COPPER	IS 3025: PART 42:1992(Reaff. 2003) BY ICPOES	<0.01 mg/l	0.05mg/l	1.5mg/l
CYANIDE (as CN)	IS 3025:PART 27 :1986(Reaff.1998)	<0.02 mg/l	0.05mg/l	No Relax.
E.coli	IS 1622:1981(Reaff.2003)	Absent/100ml		ABS/100ml
Faecal coliforms	IS 1622:1981(Reaff2003)	Absent/100ml		ABS/100ml
FLUORIDE	IS:3025(PART 60):2008	<0.10 mg/l	1.0mg/l	1.5mg/l
IRON (as Fe)	IS 3025:PART 53:2003 (BY ICPOES)	0.05 mg/l	0.3mg/l	1 mg/l
LEAD (as Pb)	IS 3025:PART 47:1994(Reaff.2003) BY ICPOES	<0.005 mg/l	0.05mg/l	No Relax.
MAGNESIUM (as Mg)	IS 3025:PART 46 :1994(Reaff.1999)	<1.0 mg/l	30mg/l	100mg/l

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
 Regd & Corp. Off SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



TEST REPORT

Report No. : CA:GL:3120010579	DATE : 28/07/2012
--------------------------------------	--------------------------

JOE No. : 1212804680

Control No.:3125011551

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible
MANGANESE	IS:3025(PART 59) 2006	0.01 mg/l	0.1mg/l	0.3mg/l
MERCURY (as Hg)	IS 3025:PART 48 .1994(Reaff.1999)BY ICPOES	<0.001 mg/l	0.001mg/l	No Relax.
MINERAL OIL	CLAUSE 6 OF IS 3025:PART 39:1991(Reaff. 2003)	BDL(DL-0.01 mg/l)	0.01mg/l	0.03mg/l
NITRATE	IS 3025:PART 34 1988(Reaff.1999)	<0.50 mg/l	45mg/l	No Relax.
ODOUR	IS 3025:PART 5:1983(Reaff.2002)	Unobjectionable	Unobject	Unobject.
pH	IS 3025:PART 11:1983(Reaff.2002)	6.7 *	6.5-8.5	No Relax.
PHENOLIC COMPOUNDS (as C6H5OH)	IS 3025(Part 43)1992(Reaff 2005)	<0.001 mg/l	0.001mg/l	0.002mg/l
RESIDUAL FREE CHLORINE	GEN/SOP/CALLAB-13 3	<0.10 mg/l *	0.2mg/l	--
SELENIUM	IS 3025:PART 56:2003 (BY ICPOES)	<0.005 mg/l	0.01mg/l	No Relax.
SULPHATE	CLAUSE 4 OF IS 3025:PART 24:1986(Reaff. 2003)	<2.0 mg/l	200mg/l	400mg/l
TASTE	IS 3025 PART 7 .1984(Reaff 2002)	Agreeable	Agreeable	-
Total Coliforms	IS 1622:1981(Reaff.2003)	<2 MPN/100ml		10/100 ml
TOTAL HARDNESS (as CaCO3)	IS 3025:PART 21 .1983(Reaff.2002)	6.06 mg/l	300mg/l	600mg/l

Page 3 of 4

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700,64996701, Fax : 91-33-24470267
Regd & Corp Off SGS House, 4B, A S Marg, Vikholi (West), Mumbai-400083 Tel (022) 25798421 to 28 Fax (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CA:GL:3120010579 DATE : 28/07/2012

JOE No. : 1212804680

Control No. 3125011551

TESTS	PROTOCOL	RESULT	REQUIREMENT/LIMIT	
			Desirable	Permissible

TURBIDITY(in NTU)	IS 3025:PART 10 :1984(Reaff.2002)	2.12	5.0NTU	10NTU
ZINC (as Zn)	IS 3025 Part 49:1991(Reaff.2003) BY ICPOES	0.08 mg/l	5mg/l	15mg/l
TOTAL DISSOLVED SOLIDS	IS 3025:PART 16:1984(Reaff.2002)	14 mg/l	500mg/l	2000mg/l

Based on the above parameters the sample complies with maximum desirable and maximum permissible limit as per IS:10500:1991 (Reaff 1993) , BDL=Below Detection Limit ; DL=Detection Limit

* Analysed at site.

***** End of Report *****

per pro SGS India Private Ltd.

Dr.Nemai Ghosh
Manager Laboratory

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. Laboratory, Behala Industrial Complex, Phase II, First Floor, 620, Diamond Harbour Road, Kolkata-700034 Phone : 91-33-64996700, 64996701, Fax : 91-33-24470267
Regd & Corp. Off SGS House, 4B, A. S. Marg, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2012-13 (Up to-Sep)

The composite cost during the year 2012-13 (April to Sep) for environmental protection & pollution control by Jharkhand Mines division of Hindalco Industries Ltd for implementation the suggested measures in EC at all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Chiro kukud,& Orsa pat.

Sl No	Description	Budget (in Lakh Rs.)	Actual (in Lakh Rs.)
1	Pollution Control & Environment monitoring	7.50	4.50
2	Reclamation/ Back filing & Rehabilitation	**	20.60
3	Green belt & Plantation	25.00	33.04
4	Rural Development	65.00	36.30

**part of OB removed cost.



OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:

The Environment Management Cell will consist of:

1. B. K. Mahapatra, Sr. Manager (Geology), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. S. Joshi, Manager (Bagru Mines)
4. A. Anbarasu, Mines Manager (Serengdag A)
5. Ajay Pandey, Mines Manager (Pakhar)
6. Kiran Sankar Singh, Mines Manager (Gurdari)
7. Vidya Sagar Singh, Mines Manager (Serengdag B)
8. Ashish Upadhyay, Mines Manager (Kujam I & II)
9. Amar Bharati, Mines Manager (Amtipani)
10. Manoj Kumar Singh, Mines Manager (Pakhar 109.507 Ha)
11. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order

A handwritten signature in blue ink, appearing to read "bkh".

Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-12 TO SEP-12

Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Shrengdag Bauxite Mines	155.81	6.52	6.6	133955.00	178177.00
Gurdari Bauxite Mines	584.19	7.5	7	165423.00	123688.52
Jalim & Sanai	12.14	0.9	0.1	15425.00	19280.00
Serangdag	140.06	2.5	1.6	52707.00	50247.00
Pakhar Buxite Mines	115.13	1.45	0.5	72233.00	124920.48
Pakhar Buxite Mines	8.09	0.5	0	3760.00	10500.00
Kujam-I	80.87	1.9	1.2	12998.00	3074.30
Kujam-II	157.38	8.33	6.43	134992.00	209109.49
Amtipani	190.95	7.68	6.74	67025.00	87430.64
Chiro-Kukud	152.57	2	1.2	36700.00	27525.00
Orsa Bauxite Mines	196.36	0	0	0.00	0.00
Hisri New	14.55	1.24	0	99651.00	51620.92
Bagru	75.41	1.78	1.5	84320	84477.09
Minerals & Minerals Limited					
Pakhar Buxite Mines	109.507	5.5	3	67850.00	75608.15
Pakhar Buxite Mines	15.58	0.8	0.2	9075.00	28863.15