

HIL/LHD/ENV/KUJAM II/JSPCB/ 275

Date: 29.09.2021

To
The Member Secretary
Jharkhand State Pollution Control Board
TA building, Ground floor
HEC Complex, PO Dhurwa
Ranchi-834003

Sub: Environment Statement for Kujam II Bauxite Mines (Area-157.38 ha) of M/s Hindalco Industries Limited, Lohardaga for the year 2020-21.

Sir,

This has reference to Rule 14 of Environment Protection Act 1986. We are submitting herewith Environment Statement in prescribed Form V for Kujam II Bauxite Mines (Area-157.38 ha) of M/s Hindalco Industries Limited, Lohardaga for the financial year 2020-21.

Kindly acknowledge receipt for the same.

Thanking you,

Yours truly,
For M/s Hindalco Industries Limited


Basudev Gangopadhyay Sr GM (Geology & Environment)

Encl: Form-V with Annexure

CC:-

1. The Regional Officer, Jharkhand State Pollution Board, Dhurwa, Ranchi.

2. The Scientist (E) / Additional Director, MoEF&CC, Regional Office, Ranchi.



(FORM-V) (See Rule-14)

Environment Statement for the financial year ending the 31st March 2021

PART-A

(i)	Name & address of the owners/occupier of the industry/operation/ process	Kujam II Bauxite Mines (157.38 ha) Hindalco Industries Limited Lohardaga -835302, Jharkhand
(ii)	Industry Category: Primary (STC code), Secondary (SIC code)	-
(iii)	Production Capacity :	1.5 LTPA (Bauxite)
(iv)	Year of establishment	2011
(v)	Date of last environmental statement submitted	26.09.2020

PART-B

Water & Raw material Consumption

Water Consumption (m3/day): 16.88 m3/day (Water sprinkling on haul road for dust suppression, plantation and drinking water)

Process: As the operation is mining of Bauxite by open cast method with shallow depth, therefore water is not required for processing.

Name of	me of Process water consumption per unit of product output		
products	During the previous financial year (2019-20)	During the current financial year (2020-21)	
	(1)	(2)	
Bauxite	Nil	Nil	

Bauxite is a natural product. As such no water is required for processing.

(1) Raw material Consumption

Name of raw Name of products materials		Consumption of raw material per unit of output		
			During the previous financial year (2019-20)	
Not Applicable		Bauxite	Nil	Nil

Since Bauxite is a natural product, it is produced by heavy-duty mining machinery. As such no raw material is required in mining process.

PART-C

Pollutants discharge to environment/unit of output. (Parameters as specified in the consent issued)

(1) Pollutants Quality of pollutants Concentrations Percentage of discharged pollutants discharges variation from (mass/day) (mass/volume) prescribed standards with reasons (a) Water No waste water Not applicable Not applicable discharge. Negligible amount of domestic waste water generated is being disposed off through septic tank. (b) Air Ambient air quality monitoring report is being submitted at

Remarks: The limits are well below than the prescribed limit.

your good office at the time of EC compliance report.

PART-D

HAZARDOUS WASTE

(As specified under Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016)

Hazardous wastes	Total Quantity (lts)		
	During the previous financial year (2019-20)	During the current financial year (2020-21)	
From process (Used/Spent oil)	5653 ltr	4957.5 ltr	
(b) From pollution Nil control facilities		Nil	

Combined figure of Amtipani/Gurdari/Kujam I & II called Netarhat Plateau.

PART-E

Solid Wastes

Solid wastes		Total Quantity		
		During the previous financial year (2019-20)	During the current financial year (2020-21)	
(a)	From	132382.81 Cu.M	195814.60 Cu.M	
process	5			
(b)	Form	Nil	Nil	
pollution				
Control				
facility				
(c)(1)		Total over burden (OB) is being used in	Total over burden (OB) is being	
Quantit	ty	subsequent back filling.	used in subsequent back filling.	
recycled or				
re-utilized				
within	the			
unit.				
(2) Sold		Nil	Nil	
(3) Disposed		Nil	Nil	

PART-F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Hazardous Waste

- 1) Used/Spent Oil 4957.5 ltr, Mines having proper storage & handling facility for used/spent oil. Used/spent oil generated from mining machineries is being stored at earmarked place in closed barrels provided with proper roofing and impervious flooring.
- 2) Solid Waste 195814.6 Cu.M (over burden i.e. soil, morrum and laterite, utilized for reclamation)

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production:

Plantation programme has been carried out on reclaimed area in Kujam II Mines. Around 90% are fruit bearing and having green canopy. Objective is to develop local economy, generate livelihood of local people. Product of specimen will have medicine value.

PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

Plantation programme/biodiversity growth activity to continue in years to come.

PART-I

Any other particulars for improving the quality of the environment.

Hindalco, Mines Division is an ISO 14001:2004, ISO 9001:2008, OHSAS 9001:2007 & SA 8000:2008 certified company and under QEHS management system, every care is being taken to conserve and improve the natural environment in all its mines. QEHS (Quality Environment, Occupational Health & Safety) Management system implemented at all Mines of Hindalco and operational control procedures to prevent and control pollution are in practice.

Environmental training programme are conducted departmentally to generate awareness among masses to save environment.