MINERALS & MINERALS LIMITED

Regd. Office- Court Road, P.O. & Distt.-Lohardaga, Jharkhand-835302 Tel.-06526-223163

CIN NO. U26990JH1970PLC000875

Date

M&M/LHD/ENV/MoEF/ 400

Date: 25.11.2022

To,

Ref ·

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Pakhar (109.507 ha) Bauxite Mining project of M/s Minerals & Minerals Limited located in the District of Lohardaga, Jharkhand for the period April'22 to September'22.

Ref: Environmental Clearance letter no J-11015/518/2008-IA II (M) dated 21st Oct 2010.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Pakhar (109.507 ha) Bauxite Mining project of M/s Minerals & Minerals Limited, located in Lohardaga, Jharkhand for the period April'22 to September'22.

The lease detail is as below.

| Lease area (ha) | Production Capacity (MT) | Lease Period |
|-----------------|--------------------------|--------------------------|
| 109.507 | 280000 | 26.07.2008 to 25.07.2058 |

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR Minerals & Minerals Limited

(Basudev Gangopadhyay)

AVP (Planning, Environment & Compliance)

Enclosure: - As Above

CC: ro.ranchi-mef@gov.in, mef@ori.nic.in, mef@nic.in, mef.or@nic.in, mscb.cpcb@nic.in, zokolkatta.cpcb@nic.in, ranchijspcb@gmail.com, roranchi47@gmail.com

Name of the Project

: Pakhar Bauxite Mine (109.507 ha) M/s Minerals & Minerals Ltd

Environment Clearance No. & date : J-11015/518/2008-IA.II(M), dated 21.10.2010

Period of compliance Report

: From 1st April 2022 to 30th September 2022

| S No | Conditions | Compliance Status |
|------|--|--|
| | Specific Conditions | |
| 1 | The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board and effectively implement all the conditions stipulated therein. | Implementations of stipulated conditions in NOC are fulfilled post which consent to operate has been granted by SPCB from time to time. The existing consent to operate is valid up to 31.03.2025. |
| | | Productions of bauxite are within limits specified in consent to operate. |
| 2 | The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use. | Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. |
| | | The land lease agreement is being done with raiyat (Landowner) for 20 years with permission of State Govt with provision of returning the land as per the norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus, land acquisition has the approval of State Government. |
| 3 | The mining operation shall be confined to the hill tops only and restricted to above ground water table and it should not intersect the ground water table. In case of working below ground water table, prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained, for which a detailed hydro – geological study shall be carried out. | Working zone is being restricted to above ground water table It is not intersecting ground water table during mining operation. We undertake that no mining is/was carried out below ground water table and the same status will be maintained in |
| 4 | The project proponent shall ensure that no natural watercourse and/or water resources are obstructed due to any mining operations. Adequate measures shall be taken for protection of seasonal channels, if any emanating from the | future also. No natural watercourse has been obstructed. Adequate precaution is being taken to protect water bodies including seasonal channels while mining operations. |

| | mine lease, during the course of mining operation. | |
|----|---|--|
| 5 | The topsoil shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation. | Sequential backfilling and reclamation of mined out area are being implemented during mining operation. Topsoil is being used to reclaim and restore the backfilled area up to the extent possible. Topsoil is being stored at earmarked site temporarily with the progress of mining activity as applicable. |
| 6 | The over burden (OB) generated shall be temporarily stacked in the earmarked area for a period of one year and thereafter concurrently backfilled. There shall be no external overburden dump. The backfilled area shall be progressively afforested. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneshwar on six monthly basis. | Sequential backfilling and reclamation of mined out area are being practiced. Backfill data is enclosed as Annexure 4. Monitoring and management of rehabilitated areas is continuing until vegetation becomes self-sustaining through supervision. Old small OB dump (approx. 4 meter) is stabilized and grass siding activity is completed. |
| 7. | The void left unfilled in an area of 0.41 ha shall be converted into water body. The higher benches of excavated void/ mining pits shall be terraced and plantation done to stabilize the slopes. The slopes of higher benches shall be made gentler for easy accessibility by local people to use the water body. Peripheral fencing shall be carried out along the excavated area. | Implementation of condition is in progress. Mining is being carried out in a scientific manner. Rainwater harvesting pond of 1.26 ha has been provided. Fencing provided. |

| 8 | Catch drains and siltation ponds of appropriate size should be constructed around the mine working, soil and mineral dumps to prevent run off of water and flow of sediments directly into the agricultural fields, the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains | No run-off is generated from mining activities. However, to collect & manage rainwater during monsoon, part of mined out area is used as settling tank for the runoff. Rainwater stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary. |
|----|--|--|
| | should be regularly desilted, particularly after monsoon and maintained properly. Garland drain, settling tanks and check dams of appropriate size, gradient and length shall be constructed around the mine pit, topsoil, dumps and the mineral dumps to prevent runoff water and flow sediments directly into the agricultural fields, the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains | Catch drains, Garland drains of appropriate size are being constructed in both around the mine pit to prevent runoff of water and flow of sediments directly into the agricultural field and water bodies, if applicable. Sump of adequate capacity is being provided and maintained as required. |
| 9 | and desilted at regular intervals. Dimension of the retaining wall at the toe of the OB benches within the mine to check run-off and siltation should be based on the rainfall data. | The dimension of the retaining wall of OB dumps is based on the average rainfall. |
| 10 | Plantation shall be raised in an area of 6.3 ha including a 7.5 m. wide statutory barrier all around the mining lease, reclaimed and rehabilitated areas, around water body, etc. by planting the native species in consultation with the local DFO / Agriculture Department. The density of the trees should be around 2000 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years. | Progressive plantation is being carried out in consultation with local forest department. Total 10.68 ha has been covered with plantation till date. Green belt development programme is in progress with progress of mining activities. Nos of sapling planted between April'22 to September'22 is 3586 nos. In addition to these agricultural activities is going on reclaimed land as per consent from land owners. |
| Ī1 | Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air | Water tankers have been provided for sprinkling of water on haul roads and are being engaged at the places where active mining is in progress to arrest fugitive dust emission. AAO parameters are being regularly |

| | Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. | monitored. Report is enclosed as Annexure 2. |
|-----|---|---|
| 12 | Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained. | Spring is being monitored, Analysis report is attached as Annexure 2. |
| 13 | The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. | Implementation of suitable conservation measures to augment ground water resources in the area viz Rainwater harvesting pond and non-use of ground water etc. are implemented. |
| 14 | Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in cach season)] shall be carried out in consultation with the State Ground Water Board/Central Ground water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional office Bhubaneshwar, The Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity, necessary corrective measures shall be carried out. | Working zone is being restricted to above ground water table. There is no chance to intersect ground water table during mining operation present and in future. Piezometer has been installed for monitoring of ground water level. Water quality and water level report are attached herewith as Annexure 1. |
| 15 | Appropriate mitigative measures shall be taken to prevent pollution of the Kisko Nadi, the Sankh Nadi, the Surang River, the Chaupat Nadi in consultation with the State Pollution Control Board. | No natural watercourse has been obstructed. |
| 16. | The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water (from natural spring) required for the project. | Water is being drawn from water harvesting pond. No Natural spring is being used for mining purposes. No Objection Certificate (NOC) for ground water abstraction for Pakhar (109.507 ha) mines has been obtained for drinking purpose only. |
| 17 | Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board. | Suitable rainwater harvesting such as rainwater harvesting pond, garland drain and non-use of ground water etc being implemented with the process of mining. |

| 18 | Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral within the mine lease up to the stock yard. The mineral transportation within the mine lease shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded. | Regular maintenance of vehicles are undertaken to minimize vehicular emission. All the transporters have been instructed to obtain PUC for their vehicles from competent authority and submit to the concerned officer for verification. Vehicles are having PUC and emissions are under control. |
|----|--|--|
| 19 | Blasting operation should be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented. | Blasting time is fixed during Lunch Time i.e. 1.00 PM -2.00 PM. Controlled blasting method is in practice. Ground vibration study has been conducted by IIT, Kharagpur. All efforts are being taken to mitigate |
| 20 | Drills shall either be operated with dust extractors or equipped with water injection | impact of blasting. Wet drilling is in practice. |
| | system. | |
| 21 | Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated. | Water sprinkling is being carried out regularly at loading, unloading and mineral handling areas. |
| 22 | Sewage treatment plant should be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operations. | The sewage water from domestic uses is being collected through individual Septic Tank and Soak Pits. Effluent treatment mechanism (Oil-grease trap) are installed at suitable site in Pakhar plateau. |
| 23 | The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 Km. from proposed minc. | - |
| 24 | Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. | System is already in place. |
| 25 | The land Oustees and land losers/ affected people shall be compensated/ rehabilitation as per the National Policy of Resettlement and Rehabilitation of project Affected Families (NPRR) | Land acquisition activities is done as per CNT Act and with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) with lease agreement Raiyat (Land Owner) for 20 years period and the land will be returned |

,

| 26. | Door to door sample survey should be | so acquired as per the norms set by D.C. in land purchased agreement. The compensation and rehabilitation benefit is also being provided through this agreement as per norms set in agreement. Company's CSR team is doing regular |
|-----|--|--|
| | undertaken within the impact zone to assess the family-based need of the tribals and it should be appropriately addressed in the CSR activities to be undertaken in the area. An action plan in this regard should be prepared and submitted. | assessment of the family-based need of the tribals and it appropriately addressed. |
| 27. | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of the temporary structures to be removed after the completion of the project. | Necessary infrastructure is already in place. |
| 28. | The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora and fauna (python etc.) found in the study area. Action plan for conservation of flora and fauna prepared shall be implemented in consultation with the State Forest and Wildlife Department. All the safeguard measured brought out in the Wildlife conservation plan prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar. | Suitable precautionary measures during mining operation are being implemented for conservation and protection of endangered flora and fauna. Action taken for conservation of flora and fauna as under: 1) Permanent pillars are established within the mine lease area. 2) Maintenance of the forest road 3) Ensured necessary air and noise pollution control measures. 4) Daily water sprinkling is being carried out on the forest road 5) Transportation is being done during daytime. 6) Patrolling is being done. However, Draft WLCP report has already been prepared by EX PCCF in consultation with state forest department. The final report will be submitted soon for its approval. |
| 27 | The critical parameters such as RSPM (Particulate matter with size less than 10 µm (i.e. PM ₁₀) and NO _x in the ambient air within the impact zone, peak particle velocity at 300 m. distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharge water | Complied Monitoring Reports is enclosed as Annexure-2. Presently, there is no discharge of water from the mines. In case of discharge monitoring will be ensured. |

| | shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)], The monitored data shall be uploaded on the website of the Company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in Public domain. The Circular no. J-20012/1/2006-IA.II (M) dated | |
|----|--|--|
| | 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance. | |
| 28 | A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval. | Progressive Mine Closure Plan duly approved by Indian Bureau of Mines. FMCP related provision will be compiled as per statue. Based on the present |
| | | resource estimate, and peak rated production capacity mentioned in EC, Mining operation is being carried out. |

General Conditions

| S No | Conditions | Compliance Status |
|------|---|--|
| 1 | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests. | Noted. |
| 2 | No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made. | Calendar plan including excavation, quantum of mineral bauxite and waste is being done as per IBM approved mining plan scheme. Report is attached herewith as Annexure 4. |
| 3 | At least four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 µm (i.e. PM ₁₀) & NO _X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. | We have already established four ambient air quality monitoring stations in core zone as well as buffer zone. Monitoring is being carried out and reported to concern authorities. Report is attached as Annexure 2. |
| 4 | Data on ambient air quality RSPM [(Particulate matter with size less than 10 µm i.e. PM ₁₀) & NO _X] should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months. | Monitoring Reports is enclosed as Annexure-2. |

| 5 | Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained. | Water tankers have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to contain fugitive dust. |
|----|--|---|
| 6 | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs. | Noise monitoring is being carried out at various locations of the work zone area and a monitoring report for the period of reporting six monthly compliance is enclosed. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and earmuffs. |
| 7 | Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents. | There is no industrial wastewater generated from workshop within mine lease area. We are not discharging any wastewater outside mine lease area. Oil and grease trap installed at Pakhar plateau at suitable site. |
| 8 | Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. Mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the State Government, recognized agencies, etc. |
| 9 | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Or anization. | Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy is enclosed as Annexure-3. |
| 10 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneshwar. | Statement of budgetary provision and actual expenses for environmental protection measure is enclosed as Annexure-5. |
| 11 | The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final | This as an operational mine, hence this provision is not applicable. Currently, the Regional Office is located at |

.

| | approval of the project by the concerned authorities and the date of start of land development work. | Ranchi. |
|----|---|--|
| 12 | The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. | Agreed. Currently, the Regional Office is located at Ranchi. |
| 13 | The project proponent shall submit six monthly report on the status of the compliance of the stipulated environmental Clearance conditions including results of monitoring data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Officer, Bhubaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneshwar, the respective Zonal Office of Central Pollution Control Board and State Pollution Control Board. | Duly submitted. Currently, the Regional Office is located at Ranchi. |
| 14 | A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. | Complied. |
| 15 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days. | Displayed. |
| 16 | The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned Stated pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of environmental clearance | Submitted. Currently, the Regional Office is located at Ranchi. |

| | onditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhubaneswar by e-mail. | |
|----|--|---|
| 17 | The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneshwar. | Complied. (Documents already submitted). Currently, the Regional Office is located at Ranchi. |

Signature

Pakhar Bauxite Mines (109.507 Ha)



Plantation at Reclaimed area



New Plantation



Rainwater Harvesting Pond

Pakhar Bauxite Mines (109.507 Ha)



Photographs of Oil and Grease Trap



Photographs of covered truck

| | Annexure 1 | | | | | |
|------|--|---------------|--|--|--|--|
| Piez | Piezometer Reading - Pakhar 109.507 ha | | | | | |
| S No | Month | Depth (meter) | | | | |
| 1 | April'21 | 42.38 | | | | |
| 2 | May'21 | 41.9 | | | | |
| 3 | June'21 | 39.8 | | | | |
| 4 | July'21 | 38.79 | | | | |
| 5 | August'21 | 38.74 | | | | |
| 6 | Sept'21 | 38.42 | | | | |



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940A | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1053A : Near Mine Quarry No-K7 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Pakhar (109.507 ha) Bauxite Mine : 25/04/2022 to 26/04/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 28 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|---|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) μg/m ³ | | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 65 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 37 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 12.1 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.024 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.9 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940A | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 3.1 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.28 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940B | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1053B : Near Mine Quarry No-K9 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 25/04/2022 to 26/04/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | | | |
|----|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 28 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37"7.83"E | 6 | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 68 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 40 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 6.1 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 11.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.034 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 3.6 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940B | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 3.6 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.32 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940C | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1053C : Near Mine Quarry No-K10 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 25/04/2022 to 26/04/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 28 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 61 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 32 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 9.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.021 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.3 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940C | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.9 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.35 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940D | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1053D : Pakhar Loading Area | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 25/04/2022 to 26/04/2022 | |
| | 100 | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 28 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 71 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 38 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 6.9 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 9.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.032 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.3 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/0940D | Report Release Date | : 12.05.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.9 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.29 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

****End of Report****

Page 2 of 2

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT.LTD.

Plot No.30, Mansarovar Enclave, Tupudana, Hatia, Ranchi-834003, Jharkhand.

Pakhar (109.507) Bauxite Mine-Environmental Monitoring Report

May 2022



CONTENT

| Mine | rals & Minerals : Pakhar (109,507) | Environmental Monitoring Report | May2022 |
|------|--|---------------------------------|---------|
| Hime | THIS CONTINUE TO THE PARTY OF T | Pakhar (109.507) | |
| | AMBIENT AIR QUALITY- CORE | ZONE | |
| 1 | Near Mine Quarry No-K7 | | |
| 2 | Near Mine Quarry No-K9 | | |
| 3 | Near Mine Quarry No-K10 | | |
| 4 | Pakhar Loading Area | | |
| | AMBIENT AIR QUALITY- BUFFI | ER ZONE | |
| 1 | Near Bunglapart Village | | |
| 2 | Yatri Shed (Near K-10) | | |
| 3 | Near Utkarmit Rajkiya Prathmik Vidy | alaya Bunglapart Village | |
| 4 | Near Utkarmit Rajkiya Prathmik Vidy | alaya Dumrapart Village | |
| | AMBIENT NOISE | | |
| | WORKZONE/SPOT NOISE | | |
| | WORKSHOP EFFLUENT | | |
| | DRINKING WATER ANALYSIS | | |





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349A | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1357A : Near Mine Quarry No-K7 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 10/05/2022 to 11/05/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOI | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | _ | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 61 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 32 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 10.5 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.021 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 3.1 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349A | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.5 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349B | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1357B : Near Mine Quarry No-K9 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 10/05/2022 to 11/05/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOI | RMATION | 1000 | | |
|---|--------------------------|----------------|------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'7.83"E | 6 | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 73 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 36 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 6.6 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 10.5 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.042 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 3.4 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349B | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 3.2 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.44 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report***

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349C | Report Release Date | : 14.06.2022 |
|-----------------|-----------------------|---------------------|--------------|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1357C : Near Mine Quarry No-K10 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 10/05/2022 to 11/05/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFO | RMATION | - 10- | | |
|---|--------------------------|-----------------|-------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 66 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 31 |
| Sulphur Di-Oxide (SO ₂) | μg/m ³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.6 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 12.2 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.016 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 3.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349C | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.3 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.26 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349D | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|-----------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1357D : Pakhar Loading Area | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 10/05/2022 to 11/05/2022 | |
| | | Type of Sample | : Ambient Air | |
| | | Sampling Procedure | : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 69 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 66 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 40 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.8 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 10.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.029 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.7 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1349D | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.6 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.23 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: Infa@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348E | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1356E : Near Bunglapart Village | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Pakhar Bauxite Mine : 09/05/2022 to 10/05/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOI | RMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°35'36.40"E | 6 | Latitude | : 23°33'6.92"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 38 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 20 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 7.2 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.003 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO-20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.eiespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348E | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20A4ECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103 Website : www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348F | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1356F : Yatri Shed (Near K-10) | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar Bauxite Mine : 09/05/2022 to 10/05/2022 | |
| Diens Carre | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.76"E | 6 | Latitude | : 23°33'12.96"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 56 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 26 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.2 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.024 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.3 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348F | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.6 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.27 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: Info@elespt.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348G | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|---|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1356G : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Vidyalaya Bunglapart Village : 09/05/2022 to 10/05/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'4.75"E | 6 | Latitude | : 23°32'40.97"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 36 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 16 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.004 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348G | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

SENIOR MANAGER
ELES PVT, LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348H | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1356H : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Vidyalaya Dumrapart Village : 09/05/2022 to 10/05/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.39"E | 6 | Latitude | : 23°33'39.63"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 39 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 21 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.7 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | <0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.2 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1348H | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SANDIP BERA SENIOR MANAGER

ELES PVT. LTD.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1355T | Report Release Date | : 14.06.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|---------------------------------------|--|
| Customer Name | : Minerals & Minerals Limited | Sample Date | : 11.05.2022 | |
| Address | : Lohardaga, Jharkhand-835302 | Type of Sample Sampling procedure | : Ambient Noise : ELES/DOC/SMPL/03 | |
| Plant Status | : Operational | Sample Drawn By | : ELES Pvt. Ltd. | |

| Location | Unit Test Protocol Result | | Unit | Unit Test Protocol Resu | | Regulatory Limit (Industrial Zone) |
|--|---------------------------|------------------------|------------|-------------------------|---|---------------------------------------|
| Near Office - | | | Time | Leq | | |
| Pakhar Bauxite Mines (109.507 ha) Sample ID: ELES/RNC/2022/AN/1363T | dB(A) | IS 9989:1981, Day Time | Day Time | 69 | 75 dB(A) Day Time & 70 dB(A) Night Time | |
| | | RA 2020 | | | | |
| | | | Night Time | 52 | Tright Time | |

****End of Report****

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 1 of 1



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1356S | Report Release Date | : 14.06.2022 |
|-----------------|-----------------------|---------------------|--------------|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01.04.2022 |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|--------------------------|--|---|--|--|
| Customer Name Address | : Minerals & Minerals Limited : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample Sampling procedure | : 11.05.2022 : Workzone Noise : ELES/DOC/SMPL/03 | |
| Plant Status | : Operational | Sample Drawn By | : ELES Pvt. Ltd. | |

| Location | Unit | Test Protocol | Result | | Regulatory Limit (Industrial Zone) |
|---------------------------------------|-------|--------------------------|-------------|----------|---------------------------------------|
| Loading Point Near Dumper - | | | Time | Leq | |
| Pakhar Bauxite Mines (109.507 ha.) | dB(A) | IS 9989:1981, RA 2020 | | | 75 dB(A) |
| Sample ID: ELES/RNC/2022/AN/1364S | | KA 2020 | Day Time 71 | Day Time | |

****End of Report****

Authorized Signman BERA SENIOR MANAGER ELES PVT. LTD.

Page 1 of 1



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1359S | Report Release Date | : 14/06/2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/DW/1367S : Drinking Water | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar Bauxite Mines (109.507 ha) : 11/05/2022 | |
| | | Type of Sample Sampling Procedure | : Drinking Water : ELES/DOC/SMPL/01 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| Parameter | Unit | Test Protocol | Result | Regulatory Limit as per IS:10500:2012 Acceptable Limit |
|------------------------------|-------|-----------------------------------|-----------|---|
| pH | - | APHA 23rd Edition 2017,4500-H+-B | 7.3 | 6.5-8.5 |
| Color | Hazen | IS 3025 (Part-04): 1983 | <1.0 | 5 |
| Odour | - | IS 3025 (Part-05): 1983 | Agreeable | Agreeable |
| Taste | ·- | IS 3025 (Part-07): 1984 | Agreeable | Agreeable |
| Turbidity | NTU | APHA 23rd Edition 2017,2130 B | 0.12 | 1 |
| Free Residual Chlorine | mg/L | IS 3025 (Part-26): 1986 | <0.1 | 0.2 |
| Total Dissolved Solids (TDS) | mg/L | IS 3025 (Part-16):1984 | 175 | 500 |
| Monochloramines | mg/L | APHA 23rd Edition 2017, 4500 CI-G | <1.0 | 4 |
| Dichloramines | mg/L | APHA 23rd Edition 2017, 4500 CI-G | <1.0 | 4 |
| Total Hardness (as CaCO3) | mg/L | APHA 23rd Edition 2017, 2340 C | 39.8 | 200 |
| Total Alkalinity (as CaCO3) | mg/L | IS 3025 (Part-23):1986 | 40.2 | 200 |
| Chloride (as CI) | mg/L | IS 3025 (Part-32): 1988: RA 2014 | 6.8 | 250 |

Page 1 of 4



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

 Test Report No.
 : ELES/RNC/2022/1359S
 Report Release Date
 : 14/06/2022

 Order No.
 : M&M/LHD/FY22-23/001
 Order Date
 : 01/04/2022

| | | | | Regulatory Limit |
|-----------------------------------|------|--|----------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| Sulphate (as SO4) | mg/L | IS 3025 (Part-24):1986 | 2.5 | 200 |
| Nitrate (as NO3) | mg/L | IS 3025 (Part-34): 1988 | 1.98 | 45 |
| Fluoride (as F) | mg/L | APHA 23rd Edition 2017,4500-FD | 0.1187 | 1 |
| Ammoniacal Nitrogen (as NH3-N) | mg/L | APHA 23rd Edition 2017, 4500 Norg-C | <0.1 | 0.5 |
| Cyanide (as CN) | mg/L | IS 3025 (Part-27): 1986 | < 0.0125 | 0.05 |
| Phenolic Compounds (as C6H5OH) | mg/L | IS 3025 (Part-43): 1992 | <0.00002 | 0.001 |
| Sulphide (as S) | mg/L | IS 3025 (Part-29): 1986 | <0.04 | 0.05 |
| Boron (as B) | mg/L | APHA 23rd Edition, 3125 B | <0.2 | 0.5 |
| Calcium (as Ca) | mg/L | APHA 23rd Edition 2017, 3500 B | 11.6 | 75 |
| Magnesium (as Mg) | mg/L | IS 3025 (Part-46):1994 | 2.6 | 30 |
| Iron (as Fe) | mg/L | APHA 23rd Edition, 3111 B&C | 0.169 | 1 |
| Manganese (as Mn) | mg/L | APHA 23rd Edition, 3111 B&C | <0.05 | 0.1 |
| Aluminum (as Al) | mg/L | APHA 23rd Edition, 3125 B | <0.02 | 0.03 |
| Cadmium (as Cd) | mg/L | APHA 23rd Edition, 3111 B&C | <0.003 | 0.003 |
| Total Chromium (as Cr) | mg/L | APHA 23rd Edition, 3111 B&C | <0.03 | 0.05 |
| Copper (as Cu) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.03 | 0.05 |
| Lead (as Pb) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.01 | 0.01 |
| Zinc (as Zn) | mg/L | APHA 23rd Edition, 3111 B&C | <0.1 | 5 |

Page 2 of 4



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1359S | Report Release Date | : 14/06/2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| | | | | Regulatory Limit |
|--|---------------|-----------------------------|--------------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| Arsenic (as As) | mg/L | APHA 23rd Edition, 3111 B&C | <0.005 | 0.01 |
| Selenium (as Se) | mg/L | APHA 23rd Edition, 3125 B | <0.01 | 0.01 |
| Mercury (as Hg) | mg/L | IS 3025 (Part-48): 2000 | <0.001 | 0.001 |
| Nickel (as Ni) | mg/L | APHA 23rd Edition, 3111 B&C | <0.01 | 0.02 |
| Mineral Oil* | mg/L | IS 3025 (Part-39): 1991 | <0.01 | 0.5 |
| Anionic Detergents (as MBAS)* | mg/L | Annex K of IS 13428:2005 | <0.05 | 0.2 |
| Polynuclear Aromatic Hydrocarbons (PAHs)* | mg/L | SO-IN-MUL-TE-023 | <0.00005 | 0.0001 |
| Polychlorinated Biphenyls (PCBs)* | mg/L | SO-IN-MUL-TE-022 | <0.00005 | 0.0005 |
| Total Coliforms | MPN/ 100ml | IS 15185:2016 | Not Detected | Should Not Detected |
| Escheria Coli | MPN/ 100ml | IS 15185:2016 | Not Detected | Should Not Detected |
| Pesticides | | | | |
| Alachlor* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 20 |
| Atrazine* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 2 |
| Aldrin/ Dieldrin* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 0.03 |
| Alpha HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.01 |
| Beta HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.04 |
| Butachlor* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 125 |

Page 3 of 4



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1359S | Report Release Date | : 14/06/2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| | | | | Regulatory Limit | |
|--|------|------------------|--------|-------------------------|--|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 | |
| | | | | Acceptable Limit | |
| Chlorpyriphos* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 30 | |
| Delta HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.04 | |
| 2,4- Dichlorophenoxyacetic acid* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 30 | |
| DDT (o, p and p, p - Isomers of DDT)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 | |
| Endosulfan (alpha, beta, and sulphate)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.4 | |
| Ethion* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 3 | |
| Gamma — HCH (Lindane)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 2 | |
| Isoproturon* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 9 | |
| Malathion* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 190 | |
| Methyl parathion* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.3 | |
| Monocrotophos* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 | |
| Phorate* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 2 | |
| DDE (o, p and p, p - Isomers of DDE)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 | |
| DDD (o, p and p, p – Isomers of DDD)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 | |

Remarks: (*) All the parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA

SENIOR MANAGEN

Page 4 of 4 eral Terms and Co

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT.LTD.

Plot No.30, Mansarovar Enclave, Tupudana, Hatia, Ranchi-834003, Jharkhand.

Pakhar (109.507) Bauxite Mine-Environmental Monitoring Report

June 2022



CONTENT

| Mine | rals & Minerals : Pakhar (109.507) Bauxite Mine Environmental Monitoring Report June2022 |
|------|--|
| | Pakhar (109,507) Bauxite Mine |
| | AMBIENT AIR QUALITY- CORE ZONE |
| 1 | Near Mine Quarry No-K7 |
| 2 | Near Mine Quarry No-K9 |
| 3 | Near Mine Quarry No-K10 |
| 4 | Pakhar Loading Area |
| | AMBIENT AIR QUALITY- BUFFER ZONE |
| 1 | Near Bunglapart Village |
| 2 | Yatri Shed (Near K-10) |
| 3 | Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village |
| 4 | Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village |
| | SPRING WATER |





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | . EL ECONOMICA CONTRACTOR | 1I Report Release Date : 15.07.2022 | | |
|-----------------|---------------------------|-------------------------------------|--------------|--|
| • | : ELES/RNC/2022/1611I | Report Release Date | : 15.07.2022 | |
| Work Order No. | : M&M/LHD/FY22-23/001 | | 1 1010/12022 | |
| | 1122-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | |
|--------------------------|--|--|--|
| Customer Name Address | : Minerals & Minerals Limited : Lohardaga, Jharkhand-835302 | Sample Ref. No. Location Sampling Date Type of Sample | : ELES/RNC/2022/AA/1792A : Near Mine Quarry No-K7 Pakhar (109.507 ha) Bauxite Min : 10/06/2022 to 11/06/2022 : Ambient Air |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved |

| Average Temperature | | | | |
|-------------------------|-----------------|---|----------------------------|-----------------|
| | | 2 | Barometric Pressure (mmHg) | . 742 |
| 3 Relative Humidity (%) | : 70 | | Weather Condition | |
| 5 Longitude | . 9492742 9785 | | | : Clear |
| Dongitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Dasuli |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | Result |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 70 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 36 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.1 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | | 8.6 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 100 (8hrs) | <20.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 400 (24hrs) | <10.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 2 (8hrs) | <1.0 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 1 (24hrs) | 0.027 |
| Arsenic (As) | ng/m³ | | 20 (Annual) | <6.0 |
| | g.iii | ELES/AIR/SOP/01:2021 | 6 (Annual) | 3.6 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611I | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Unit | Test Protocol | Regulatory Limit | Result |
|-------|----------------------|---|---|
| μg/m³ | ASTM D3687:2007 | | 2.9 |
| ng/m³ | USEPA 8270 C to -13A | | 0.22 |
| | μg/m³ | μg/m³ ASTM D3687:2007 ng/m³ USEPA 8270 C to -13A | μg/m³ ASTM D3687:2007 05(Annual) ng/m³ USEPA 8270 C to -13A 01(Annual) |

(*)-Parameters are outsourced to other Lab.

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611J | Report Release Date | : 15.07.2022 | |
|-----------------|---|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | | |
| | 1.1.00111111111111111111111111111111111 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | |
|--------------------------|--|--|--|
| Customer Name Address | : Minerals & Minerals Limited : Lohardaga, Jharkhand-835302 | Sample Ref. No. Location Sampling Date Type of Sample | : ELES/RNC/2022/AA/1792B : Near Mine Quarry No-K9 Pakhar (109.507 ha) Bauxite Mine : 10/06/2022 to 11/06/2022 |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|----------------|---|----------------------------|-----------------|
| | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | . 742 |
| 3 | Relative Humidity (%) | : 70 | | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'7.83"E | | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 62 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 42 |
| Sulphur Di-Oxide (SO ₂) | μg/m ³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 6.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.036 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.6 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1611J Report Release Date : 15.07.2022 Work Order No. : M&M/LHD/FY22-23/001 Work Order Date : 01.04.2022

| | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 3.7 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.34 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| RNC/2022/1611K | Report Release Date | : 15.07.2022 | |
|-----------------|---------------------|----------------------------------|----------------------------------|
| LHD/FY22-23/001 | Work Order Date | | |
| | | /LHD/FY22-23/001 Work Order Date | TEPOTE Refease Date : 15.07.2022 |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|--------------------------------------|---|--|--|
| Customer Name Address Plant Status | : Minerals & Minerals Limited : Lohardaga, Jharkhand-835302 : Operational | Sample Ref. No. Location Sampling Date Type of Sample Sampling Procedure Sample Condition | : ELES/RNC/2022/AA/1792C : Near Mine Quarry No-K10 Pakhar (109.507 ha) Bauxite Mine : 10/06/2022 to 11/06/2022 : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved |

| _ | ETEOROLOGICAL INFO | | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | . 742 |
| 3 | Relative Humidity (%) | : 70 | | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'21.94"E | | | . Cicar |
| | Longitude | : 84°37'21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | . 52 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 26 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.7 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 2001 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | 0.018 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <6.0 <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611K | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |
| | | The second second | · 01.04.2022 | |

| | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.8 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.21 |

marks: (*)-Parameters are outsourced to other Lab.

****End of Report****

SANDIP SENIOR MANAGEMENT ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611L | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|--------------------------|--|---|--|
| Customer Name Address | : Minerals & Minerals Limited : Lohardaga, Jharkhand-835302 | Sample Ref. No. Location Sampling Date Type of Sample | : ELES/RNC/2022/AA/1792D : Pakhar Loading Area Pakhar (109.507 ha) Bauxite Mine : 10/06/2022 to 11/06/2022 : Ambient Air |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved |

| M | ETEOROLOGICAL INFO | RMATION | - 1-1-1 | | |
|---|--------------------------|-----------------|---------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 70 | | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter_ | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 59 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 34 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 7.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.1 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.023 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.6 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D174

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611L | Report Release Date | : 15.07.2022 |
|-----------------|-----------------------|---------------------|--------------|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 |
| | | | . 01.04.2022 |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.4 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.31 |

KS: (*)-Parameters are outsourced to other Lab.

****End of Report****

SANDIP BERA
SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Emoil: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611E | Report Release Date | : 15.07.2022 |
|-----------------|-----------------------|---------------------|--------------|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1791E : Near Bunglapart Village | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample | Pakhar Bauxite Mine : 09/06/2022 to 10/06/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°35'36.40"E | 6 | Latitude | : 23°33'6.92"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 37 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 19 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 5.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespt.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611E | Report Release Date | : 15.07.2022 |
|-----------------|-----------------------|---------------------|--------------|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report***



Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-934003 (JHARKHAND) GST NO:- 20A4ECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles,ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611F | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1791F : Yatri Shed (Near K-10) | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Pakhar Bauxite Mine : 09/06/2022 to 10/06/2022 | |
| DI C | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 741 |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 3 | Relative Humidity (%) | : 68 | | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.76"E | 6 | Latitude | : 23°33'12.96"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 59 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 23 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 5.9 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.023 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.7 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20A4ECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611F | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | 2.2 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | 0.22 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report***

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611G | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1791G : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Vidyalaya Bunglapart Village : 09/06/2022 to 10/06/2022 | |
| Plant Status | : Operational | Type of Sample Sampling Procedure Sample Condition | : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOI | RMATION | | | |
|---|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'4.75"E | 6 | Latitude | : 23°32'40.97"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 33 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 17 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.003 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611G | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

SENIOR MANAGER

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: 20A4ECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ronchi@amail.com

Phone no: 0651-2290103 Website: www.clespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611H | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | |
|---------------|-------------------------------|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/1791H : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Vidyalaya Dumrapart Village : 09/06/2022 to 10/06/2022 | |
| | | Type of Sample | : Ambient Air | |
| Plant Status | ; Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 29 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.39"E | 6 | Latitude | : 23°33'39.63"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 30 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 13 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 5.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | <0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9733D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1611H | Report Release Date | : 15.07.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : HIL/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|----------------------|------------------|--------|
| Benzene* | μg/m³ | ASTM D3687:2007 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | USEPA 8270 C to -13A | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report***

SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1629H | Report Release Date | : 15/07/2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/SW/1800H : Spring Water - Pakhar | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | (109.507 ha) Bauxite Mines : 11/06/2022 | |
| | | Type of Sample Sampling Procedure | : Surface Water : ELES/DOC/SMPL/01 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| Parameter | Unit | Test Protocol | Result | As per CPCB & IS2296:1982 (Class-C) |
|------------------------------|-------|----------------------------------|-----------------|---|
| | | | | Tolerance Limit |
| pH | | APHA 23rd Edition 2017,4500-H+-B | 7.4 | 6.5-8.5 |
| Color | Hazen | IS 3025 (Part-04): 1983 | 5 | 300 |
| Odour | - | IS 3025 (Part-05): 1983 | Unobjectionable | Unobjectionable |
| Turbidity | NTU | APHA 23rd Edition 2017,2130 B | 0.28 | |
| Free Residual Chlorine | mg/L | IS 3025 (Part-26): 1986 | <0.1 | |
| Total Dissolved Solids (TDS) | mg/L | IS 3025 (Part-16):1984 | 1007 | 1500 |
| Total Hardness (as CaCO3) | mg/L | APHA 23rd Edition 2017, 2340 C | 260 | |
| Total Alkalinity (as CaCO3) | mg/L | IS 3025 (Part-23):1986 | 245 | ** |
| Chloride (as Cl) | mg/L | IS 3025 (Part-32): 1988: RA 2014 | 83.8 | 600 |
| Sulphate (as SO4) | mg/L | IS 3025 (Part-24):1986 | 42.7 | 400 |
| Fluoride (as F) | mg/L | APHA 23rd Edition 2017,4500-F-D | 0.1028 | 1.5 |
| Cyanide (as CN) | mg/L | IS 3025 (Part-27): 1986 | < 0.0125 | 0.05 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1629H Report Release Date : 15/07/2022

Work Order No. : M&M/LHD/FY22-23/001 Work Order Date : 01.04.2022

| Parameter | Unit | Test Protocol | Result | As per CPCB & IS2296:1982 (Class-C) |
|------------------------|------|--------------------------------|---------|---|
| | | | | Tolerance Limit |
| Boron (as B) | mg/L | APHA 23rd Edition, 3125 B | <0.2 | |
| Calcium (as Ca) | mg/L | APHA 23rd Edition 2017, 3500 B | 69.4 | 1.55 |
| Magnesium (as Mg) | mg/L | IS 3025 (Part-46):1994 | 21.0 | |
| Iron (as Fe) | mg/L | APHA 23rd Edition, 3111 B&C | 0.588 | 50 |
| Manganese (as Mn) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.05 | |
| Cadmium (as Cd) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.003 | 0.01 |
| Total Chromium (as Cr) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.03 | 0.05 |
| Copper (as Cu) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.03 | 1.5 |
| Lead (as Pb) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.01 | 0.1 |
| Zinc (as Zn) | mg/L | APHA 23rd Edition, 3111 B&C | 0.257 | 15 |
| Arsenic (as As) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.005 | 0.2 |
| Selenium (as Se) | mg/L | APHA 23rd Edition, 3125 B | < 0.01 | 0.05 |
| Mercury (as Hg) | mg/L | IS 3025 (Part-48): 2000 | < 0.001 | |
| Dissolved Oxygen (DO) | mg/L | IS 3025 (Part-38): 2014 | 7.4 | 4.0 (Minimum) |

****End of Report****

Authorized Signatory

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT.LTD.

Plot No.30, Mansarovar Enclave, Tupudana, Hatia, Ranchi-834003, Jharkhand.

Pakhar (109.507) Bauxite Mine-Environmental Monitoring Report

July 2022



CONTENT

| Mine July2 | erals & Minerals : Pakhar (109.507) Bauxite Mine Environmental Monitoring Report |
|---------------|--|
| - 75 | Pakhar (109.507) Bauxite Mine |
| | AMBIENT AIR QUALITY- CORE ZONE |
| 1 | Near Mine Quarry No-K7 |
| 2 | Near Mine Quarry No-K9 |
| 3 | Near Mine Quarry No-K10 |
| 4 | Pakhar Loading Area |
| | AMBIENT AIR QUALITY- BUFFER ZONE |
| 1 | Near Bunglapart Village |
| 2 | Yatri Shed (Near K-10) |
| 3 | Near Utkarmit Rajkiya Prathmik Vidvalaya Bunglapart Village |
| 4 | Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village |





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767I | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199I : Near Mine Quarry No-K7 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Pakhar (109.507 ha) Bauxite Mine : 22/07/2022 to 23/07/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 53 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 26 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 10.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.012 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.3 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

 Test Report No.
 : ELES/RNC/2022/1767I
 Report Release Date
 : 18.08.2022

 Work Order No.
 : M&M/LHD/FY22-23/001
 Work Order Date
 : 01.04.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.3 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767J | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|---|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199J : Near Mine Quarry No-K9 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 22/07/2022 to 23/07/2022 | |
| | 20 NOV. 20 10 10 10 10 10 10 10 10 10 10 10 10 10 | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | | | |
|----|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'7.83"E | 6 | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 53 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 25 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.2 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 9.5 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.016 |
| Nickel (Ni) | ng/m³ | IS:5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.3 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767J Report Release Date : 18.08.2022

Work Order No. : M&M/LHD/FY22-23/001 Work Order Date : 01.04.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.3 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.32 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767K | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199K : Near Mine Quarry No-K10 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Pakhar (109.507 ha) Bauxite Mine : 22/07/2022 to 23/07/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFO | RMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 51 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 25 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.7 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.012 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.2 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

 Test Report No.
 : ELES/RNC/2022/1767K
 Report Release Date
 : 18.08.2022

 Work Order No.
 : M&M/LHD/FY22-23/001
 Work Order Date
 : 01.04.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report***

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767L | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199L : Pakhar Loading Area | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 22/07/2022 to 23/07/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 27 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 68 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 50 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 32 |
| Sulphur Di-Oxide (SO ₂) | μg/m ³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.6 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.011 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767L | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.4 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: Info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| 700 | re-con- | TOTAL TAKE | | |
|-----------------|-----------------------|---------------------|--------------|--|
| Test Report No. | : ELES/RNC/2022/1767E | Report Release Date | : 18.08.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | |
|------------------------------------|---|--|---|
| Customer Name Address Plant Status | : Hindalco Industries Limited : Lohardaga, Jharkhand-835203 : Operational | Sample Ref. No. Location Sampling Date Type of Sample Sampling Procedure Sample Condition | : ELES/RNC/2022/AA/5199E : Near Bunglapart Village Pakhar Bauxite Mine : 21/07/2022 to 22/07/2022 : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved |

| | Average Temperature (°C) | - 27 | | | |
|---|--------------------------|----------------------|-----|----------------------------|----------------|
| | | : 20 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 70 | | Weather Condition | 10.10271 10.1 |
| 5 | Longitude | . 9.402.612.6 4.6115 | - 1 | weather Condition | : Clear |
| - | Longitude | : 84°35'36.40"E | 6 | Latitude | : 23°33'6.92"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 38 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 2000 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.4 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.003 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <6.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20A4ECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No.

: ELES/RNC/2022/1767E

Report Release Date

: 18.08.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767F | Report Release Date | : 18.08.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|

| CUSTOMER DETAILS | | SAMPLE DETAILS | |
|------------------|-------------------------------|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199F : Yatri Shed (Near K-10) |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Pakhar Bauxite Mine : 21/07/2022 to 22/07/2022 |
| | | Type of Sample | : Ambient Air |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 26 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 70 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.76"E | 6 | Latitude | : 23°33'12.96"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 50 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 24 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.3 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.7 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25); 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.019 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.2 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 204AECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767F Report Release Date : 18.08.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.5 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.eiespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1767G | The state of the s | | |
|-----------------|-----------------------|--|--------------|--|
| | . ELES/RNC/2022/1/6/G | Report Release Date | : 18.08.2022 | |
| CUSTOMER DETA | II C | | | |
| Costoniek DE1/ | III.S | SAMPLE DETAILS | | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|--------------------------|--|---|---|
| Customer Name Address | : Hindalco Industries Limited : Lohardaga, Jharkhand-835203 | Sample Ref. No. Location Sampling Date Type of Sample Sampling Procedure | : ELES/RNC/2022/AA/5199G : Near Utkarmit Rajkiya Prathmil Vidyalaya Bunglapart Village : 21/07/2022 to 22/07/2022 : Ambient Air |
| Plant Status | : Operational | Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved |

| | ETEOROLOGICAL INFOR | | | | | |
|---|--------------------------|----------------|---|----------------------------|-------------------|---------|
| | Average Temperature (°C) | : 26 | 2 | Barometric Pressure (mmHg) | 744 | |
| 3 | Relative Humidity (%) | : 70 | | | : 741 | |
| 5 | | and the t | | 4 | Weather Condition | : Clear |
| - | 1 minghane | : 84°36'4.75"E | 6 | Latitude | : 23°32'40.97"N | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|---------------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 30 |
| Sulphur Di-Oxide (SO ₂) | μg/m ³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 20 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | 6.1 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <20.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <10.0 |
| .ead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | | <1.0 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 1 (24hrs) | 0.004 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 20 (Annual) 6 (Annual) | <6.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAMA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No.

: ELES/RNC/2022/1767G

Report Release Date

: 18.08.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | <0.20 |

marks: (*)-Parameters are outsourced to other Lab.

****End of Report***

Authorized Signatory Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| 777 | | | | |
|-----------------|-----------------------|---------------------|--------------|--|
| Test Report No. | : ELES/RNC/2022/1767H | Report Release Date | : 18.08.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|--------------------------------------|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/5199H : Near Utkarmit Rajkiya Prathmik |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Vidyalaya Dumrapart Village : 21/07/2022 to 22/07/2022 |
| | 19 | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 26 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 70 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.39"E | 6 | Latitude | : 23°33'39.63"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 32 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 18 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.0 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.004 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAHA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1767H

Report Release Date

: 18.08.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

****End of Report***

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT.LTD.

Plot No.30, Mansarovar Enclave, Tupudana, Hatia, Ranchi-834003, Jharkhand.

Pakhar (109.507 ha) Bauxite Mine-Environmental Monitoring Report

August 2022



CONTENT

| | rals & Minerals : Pakhar (109.507 ha) Bauxite Mine Environmental Monitoring Report |
|------|--|
| Augu | Pakhar (109.507 ha) Bauxite Mine |
| 1 | AMBIENT AIR QUALITY- CORE ZONE |
| 1 | Near Mine Quarry No-K7 |
| 2 | Near Mine Quarry No-K9 |
| 3 | Near Mine Quarry No-K10 |
| 4 | Pakhar Loading Area |
| | AMBIENT AIR QUALITY- BUFFER ZONE |
| 1 | Near Bunglapart Village |
| 2 | Yatri Shed (Near K-10) |
| 3 | Near Utkarmit Rajkiya Prathmik Vidyalaya Bunglapart Village |
| 4 | Near Utkarmit Rajkiya Prathmik Vidyalaya Dumrapart Village |





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@qmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887I | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004I : Near Mine Quarry No-K7 |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 09/08/2022 to 10/08/2022 |
| Plant Status | : Operational | Type of Sample Sampling Procedure Sample Condition | : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 55 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 33 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | 5.5 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 7.3 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.017 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.6 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887I Report Release Date : 16.09.2022

Work Order No. : M&M/LHD/FY22-23/001 Work Order Date : 01.04.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.7 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887J | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004J : Near Mine Quarry No-K9 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 09/08/2022 to 10/08/2022 | |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37°7.83"E | 6 | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 47 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 30 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.012 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.4 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887J | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.7 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887K | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|--|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004K : Near Mine Quarry No-K10 | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 09/08/2022 to 10/08/2022 | |
| Plant Status | : Operational | Type of Sample Sampling Procedure Sample Condition | : Ambient Air : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| MI | ETEOROLOGICAL INFOR | RMATION | Tax : | 10 | |
|----|--------------------------|-----------------|-------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | ; 25 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37°21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 43 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 19 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m ³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.9 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.006 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no : 0651-2290103 Website : www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887K | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|---|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | - |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.26 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887L | Report Release Date | : 16.09.2022 | _ |
|-----------------|-----------------------|---------------------|--------------|---|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004L : Pakhar Loading Area | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample | Pakhar (109.507 ha) Bauxite Mine : 09/08/2022 to 10/08/2022 : Ambient Air | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter | Unit | , Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 52 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 29 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 5.9 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.006 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887L Report Release Date : 16.09.2022

Work Order No. : M&M/LHD/FY22-23/001 Work Order Date : 01.04.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.3 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.25 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Dr. Deependra Kumar Sinn.
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Factorial Control Control Control Control | A ACAD STANDARD AND STANDARD S | THE RESIDENCE OF THE PROPERTY OF THE PARTY O | Will Of Wilds (PVIIIO) | |
|---|--|--|------------------------|--|
| Test Report No. | : ELES/RNC/2022/1887E | Report Release Date | : 16.09.2022 | |
| | | | | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|---|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004E : Near Bunglapart Village |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample Sampling Procedure | Pakhar Bauxite Mine : 08/08/2022 to 09/08/2022 : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| _ | | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°35'36.40"E | 6 | Latitude | : 23°33'6.92"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|---------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 33 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 14 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 5.4 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | < 0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887E Report Release Date : 16.09.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha

Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles,ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| | | Contract of the Contract of th | | |
|-----------------|-----------------------|--|--------------|--|
| Test Report No. | ; ELES/RNC/2022/1887F | Report Release Date | : 16.09.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------|----------------------------|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. | : ELES/RNC/2022/AA/3004F | |
| | 50.00 - 0.00 | Location | : Yatri Shed (Near K-10) | |
| Address | : Lohardaga, Jharkhand-835203 | | Pakhar Bauxite Mine | |
| | 7 | Sampling Date | : 08/08/2022 to 09/08/2022 | |
| | 1 | Type of Sample | : Ambient Air | |
| | | Sampling Procedure | : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| METEOROLOGICAL INFORMATION | | | | | |
|----------------------------|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.76"E | 6 | Latitude | : 23°33'12.96"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 41 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 17 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.9 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.008 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/1887F Report Release Date : 16.09.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.2 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory

Dr. Deependra Kumar Sinha
Ph. D. Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| | TO THE REAL PROPERTY OF THE PERSON OF THE PE | The contract of the contract o | | |
|-----------------|--|--|--------------|--|
| Test Report No. | : ELES/RNC/2022/1887G | Report Release Date | : 16.09.2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|---|--------------------|----------------------------------|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. | : ELES/RNC/2022/AA/3004G | |
| | V 10 4 10 10 10 10 10 10 10 10 10 10 10 10 10 | Location | : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835203 | | Vidyalaya Bunglapart Village | |
| | | Sampling Date | : 08/08/2022 to 09/08/2022 | |
| | | Type of Sample | : Ambient Air | |
| | | Sampling Procedure | : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| METEOROLOGICAL INFORMATION | | | | | |
|----------------------------|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'4.75"E | 6 | Latitude | : 23°32'40.97"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|---------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 32 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 15 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.5 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | < 0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNO

: ELES/RNC/2022/1887G

Report Release Date

: 16.09.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg.

ELES Pvt. Ltd. Technical Manager

****End of Report***

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/1887H | Report Release Date | : 16.09.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|-----------------------------|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3004H : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date | Vidyalaya Dumrapart Village : 08/08/2022 to 09/08/2022 | |
| | | Type of Sample | : Ambient Air | |
| | | Sampling Procedure | : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| METEOROLOGICAL INFORMATION | | | | | |
|----------------------------|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 25 | 2 | Barometric Pressure (mmHg) | ; 741 |
| 3 | Relative Humidity (%) | ; 67 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37°29.39"E | 6 | Latitude | : 23°33'39.63"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------------------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 36 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 17 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m ³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.005 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

Test Report No.

: ELES/RNC/2022/1887H

Report Release Date

: 16.09.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

Authorized Signatory

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. ELES Pvt. Ltd. Technical Manager

****End of Report****

Page 2 of 2

ENVIRONMENTAL LABORATORIES & ENGINEERING SERVICES PVT.LTD.

Plot No.30, Mansarovar Enclave, Tupudana, Hatia, Ranchi-834003, Jharkhand.

Pakhar (109.507) Bauxite Mine-Environmental Monitoring Report

September 2022

CONTENT

| Mine | rals & Minerals : Pakhar (109.507) | Environmental Monitoring Report | September2022 |
|-----------|--|---------------------------------|---------------|
| - Indiana | This Co. This country is a second of the sec | Pakhar (109.507) | |
| | AMBIENT AIR QUALITY- CORE Z | ONE | |
| 1 | Near Mine Quarry No-K7 | | |
| 2 | Near Mine Quarry No-K9 | | |
| 3 | Near Mine Quarry No-K10 | | |
| 4 | Pakhar Loading Area | | |
| | AMBIENT AIR QUALITY- BUFFEI | R ZONE | |
| 1 | Near Bunglapart Village | | |
| 2 | Yatri Shed (Near K-10) | | |
| 3 | Near Utkarmit Rajkiya Prathmik Vidyal | aya Bunglapart Village | |
| 4 | Near Utkarmit Rajkiya Prathmik Vidyal | aya Dumrapart Village | |
| | DRINKING WATER ANALYSIS | | |
| | | | |





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@qmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2340 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|--------------------------------------|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3345 : Near Mine Quarry No-K7 |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 13/09/2022 to 14/09/2022 |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| M | ETEOROLOGICAL INFOR | RMATION | - 20 | | |
|---|--------------------------|-----------------|------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'43.86"E | 6 | Latitude | : 23°33'29.12"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 46 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 19 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.015 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2340 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--------|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | E - 27 |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.2 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | <0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2341 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|--------------------------------------|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3346 : Near Mine Quarry No-K9 |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 13/09/2022 to 14/09/2022 |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | ; Sealed & Preserved |

| M | ETEOROLOGICAL INFOI | RMATION | - 565 | | |
|---|--------------------------|----------------|-------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'7.83"E | 6 | Latitude | : 23°33'30.72"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 48 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 26 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 7.1 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.011 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | 2.2 |

Page 1 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2341 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.4 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.25 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2342 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|--------------------------------------|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3347 : Near Mine Quarry No-K10 |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar (109.507 ha) Bauxite Mine : 13/09/2022 to 14/09/2022 |
| | | Type of Sample Sampling Procedure | : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| MI | ETEOROLOGICAL INFO | RMATION | 7/4 (5 | | |
|----|--------------------------|-----------------|--------|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'21.94"E | 6 | Latitude | : 23°33'14.59"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 48 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 23 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.005 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30 days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2342 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | 2.3 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.24 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2343 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|---|---|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3348 : Pakhar Loading Area |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date Type of Sample Sampling Procedure | Pakhar (109.507 ha) Bauxite Mine : 13/09/2022 to 14/09/2022 : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| M | ETEOROLOGICAL INFOR | RMATION | | | 220.2 |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 742 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'53.77"E | 6 | Latitude | : 23°33'15.01"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 46 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 26 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.009 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of centext, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of released/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2343 | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Work Order No. | : M&M/LHD/FY22-23/001 | Work Order Date | : 01.04.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | 0.22 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

SANDIP BERA SENIOR MANAGER ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2352B | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|--------------------------------------|---|--|
| Customer Name | : Minerals & Minerals Limited | Sample Ref. No. Location | : ELES/RNC/2022/DW/3260B : Drinking Water | |
| Address | : Lohardaga, Jharkhand-835302 | Sampling Date | Pakhar Bauxite Mines (109.507 ha) : 14/09/2022 | |
| | | Type of Sample Sampling Procedure | : Drinking Water : ELES/DOC/SMPL/01 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| | | | | Regulatory Limit |
|------------------------------|-------|-----------------------------------|-----------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| pH | - | APHA 23rd Edition 2017,4500-H+-B | 7.4 | 6.5-8.5 |
| Color | Hazen | IS 3025 (Part-04): 1983 | <1.0 | 5 |
| Odour | - | IS 3025 (Part-05): 1983 | Agreeable | Agreeable |
| Taste | | IS 3025 (Part-07): 1984 | Agreeable | Agreeable |
| Turbidity | NTU | APHA 23rd Edition 2017,2130 B | 0.18 | 1 |
| Free Residual Chlorine | mg/L | IS 3025 (Part-26): 1986 | <0.1 | 0.2 |
| Total Dissolved Solids (TDS) | mg/L | IS 3025 (Part-16):1984 | 192 | 500 |
| Monochloramines | mg/L | APHA 23rd Edition 2017, 4500 CI-G | <1.0 | 4 |
| Dichloramines | mg/L | APHA 23rd Edition 2017, 4500 CI-G | <1.0 | 4 |
| Total Hardness (as CaCO3) | mg/L | APHA 23rd Edition 2017, 2340 C | 37.2 | 200 |
| Total Alkalinity (as CaCO3) | mg/L | IS 3025 (Part-23):1986 | 39.4 | 200 |
| Chloride (as Cl) | mg/L | IS 3025 (Part-32): 1988: RA 2014 | 9.6 | 250 |

Page 1 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2352B | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| | | | | Regulatory Limit |
|-----------------------------------|------|--|-----------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| Sulphate (as SO4) | mg/L | IS 3025 (Part-24):1986 | 3.45 | 200 |
| Nitrate (as NO3) | mg/L | IS 3025 (Part-34): 1988 | 2.34 | 45 |
| Fluoride (as F) | mg/L | APHA 23rd Edition 2017,4500-FD | 0.1099 | 1 |
| Ammoniacal Nitrogen (as NH3-N) | mg/L | APHA 23rd Edition 2017, 4500 Norg-C | <0.1 | 0.5 |
| Cyanide (as CN) | mg/L | IS 3025 (Part-27): 1986 | < 0.0125 | 0.05 |
| Phenolic Compounds (as C6H5OH) | mg/L | IS 3025 (Part-43): 1992 | < 0.00002 | 0.001 |
| Sulphide (as S) | mg/L | IS 3025 (Part-29): 1986 | < 0.04 | 0.05 |
| Boron (as B) | mg/L | APHA 23rd Edition, 3125 B | <0.2 | 0.5 |
| Calcium (as Ca) | mg/L | APHA 23rd Edition 2017, 3500 B | 10.2 | 75 |
| Magnesium (as Mg) | mg/L | IS 3025 (Part-46):1994 | 2.8 | 30 |
| Iron (as Fe) | mg/L | APHA 23rd Edition, 3111 B&C | 0.234 | 1 |
| Manganese (as Mn) | mg/L | APHA 23rd Edition, 3111 B&C | <0.05 | 0.1 |
| Aluminum (as Al) | mg/L | APHA 23rd Edition, 3125 B | < 0.02 | 0.03 |
| Cadmium (as Cd) | mg/L | APHA 23rd Edition, 3111 B&C | <0.003 | 0.003 |
| Total Chromium (as Cr) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.03 | 0.05 |
| Copper (as Cu) | mg/L | APHA 23rd Edition, 3111 B&C | <0.03 | 0.05 |
| Lead (as Pb) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.01 | 0.01 |
| Zinc (as Zn) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.1 | 5 |

Page 2 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refler or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

 Test Report No.
 : ELES/RNC/2022/2352B
 Report Release Date
 : 11.11.2022

 Order No.
 : M&M/LHD/FY22-23/001
 Order Date
 : 01/04/2022

| | | | + | Regulatory Limit |
|--|---------------|-----------------------------|--------------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| Arsenic (as As) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.005 | 0.01 |
| Selenium (as Se) | mg/L | APHA 23rd Edition, 3125 B | < 0.01 | 0.01 |
| Mercury (as Hg) | mg/L | IS 3025 (Part-48): 2000 | < 0.001 | 0.001 |
| Nickel (as Ni) | mg/L | APHA 23rd Edition, 3111 B&C | < 0.01 | 0.02 |
| Mineral Oil* | mg/L | IS 3025 (Part-39): 1991 | <0.01 | 0.5 |
| Anionic Detergents (as MBAS)* | mg/L | Annex K of IS 13428:2005 | <0.05 | 0.2 |
| Polynuclear Aromatic Hydrocarbons (PAHs)* | mg/L | SO-IN-MUL-TE-023 | <0.00005 | 0.0001 |
| Polychlorinated Biphenyls (PCBs)* | mg/L | SO-IN-MUL-TE-022 | <0.00005 | 0.0005 |
| Total Coliforms | MPN/ 100ml | IS 15185:2016 | Not Detected | Should Not Detected |
| Escheria Coli | MPN/ 100ml | IS 15185:2016 | Not Detected | Should Not Detected |
| Pesticides | | | | |
| Alachlor* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 20 |
| Atrazine* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 2 |
| Aldrin/ Dieldrin* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 0.03 |
| Alpha HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.01 |
| Beta HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.04 |
| Butachlor* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 125 |

Page 3 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report reflects only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2352B | Report Release Date | : 11.11.2022 | |
|-----------------|-----------------------|---------------------|--------------|--|
| Order No. | : M&M/LHD/FY22-23/001 | Order Date | : 01/04/2022 | |

| | | | | Regulatory Limit |
|--|------|------------------|--------|-------------------------|
| Parameter | Unit | Test Protocol | Result | as per IS:10500:2012 |
| | | | | Acceptable Limit |
| Chlorpyriphos* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 30 |
| Delta HCH* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.04 |
| 2,4- Dichlorophenoxyacetic acid* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 30 |
| DDT (o, p and p, p - Isomers of DDT)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 |
| Endosulfan (alpha, beta, and sulphate)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 0.4 |
| Ethion* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 3 |
| Gamma — HCH (Lindane)* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 2 |
| Isoproturon* | µg/L | SO-IN-MUL-TE-020 | < 0.01 | 9 |
| Malathion* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 190 |
| Methyl parathion* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 0.3 |
| Monocrotophos* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 1 |
| Phorate* | μg/L | SO-IN-MUL-TE-020 | < 0.01 | 2 |
| DDE (o, p and p, p - Isomers of DDE)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 |
| DDD (o, p and p, p - Isomers of DDD)* | μg/L | SO-IN-MUL-TE-020 | <0.01 | 1 |

Remarks: (*) All the parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory SANDIP BERA

SENIOR MANAGER

Page 4 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letters properly Laboratory under General Terms and Conditions, only on Company letters properly to the Laboratory under General Terms and Conditions, only on Company letters are conditions. shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAHA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| | | | and the last of arts are to the property of the last o | |
|-----------------|----------------------|---------------------|--|--|
| Test Report No. | : ELES/RNC/2022/2276 | Report Release Date | : 11.11.2022 | |

| CUSTOMER DET | CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|---------------|-------------------------------|---|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3281 : Near Bunglapart Village | | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample Sampling Procedure | Pakhar Bauxite Mine : 12/09/2022 to 13/09/2022 : Ambient Air : ELES/DOC/SMPL/02 | | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | | |

| MI | ETEOROLOGICAL INFOR | CMATION | | | |
|----|--------------------------|-----------------|---|----------------------------|----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°35'36.40"E | 6 | Latitude | : 23°33'6.92"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|---------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 34 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 12 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 6.5 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | < 0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refler or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124 ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2276 Report Release Date : 11.11.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 3Cdays from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespt.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| | 71.00 | | | |
|-----------------|----------------------|---------------------|--------------|--|
| Test Report No. | : ELES/RNC/2022/2277 | Report Release Date | : 11.11.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | |
|---------------|-------------------------------|---|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3282 : Yatri Shed (Near K-10) |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample Sampling Procedure | Pakhar Bauxite Mine : 12/09/2022 to 13/09/2022 : Ambient Air : ELES/DOC/SMPL/02 |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved |

| METEOR | OLOGICAL INFOR | RMATION | | | |
|-----------|---------------------|-----------------|---|----------------------------|-----------------|
| 1 Averag | ge Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 Relativ | ve Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 Longit | ude | : 84°37'29.76"E | 6 | Latitude | : 23°33'12.96"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|--------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 38 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 14 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO ₂) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 8.4 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.004 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without price written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest excent of the law. All the samples are retained for 30 days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: Info@elespl.co.in, eles.ranchi@gmail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2277 | Report Release Date | : 11.11.2022 | |
|-----------------|----------------------|---------------------|--------------|--|

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2278 | Report Release Date | : 11.11.2022 |
|------------------|------------------------------|---------------------|--------------|
| Test report 110. | · ELECTRON POLYCLEVER AND TO | Report Release Date | · 11.11.6044 |

| CUSTOMER DETAILS | | SAMPLE DETAILS | | |
|------------------|-------------------------------|---|---|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3283 : Near Utkarmit Rajkiya Prathmik | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample Sampling Procedure | Vidyalaya Bunglapart Village : 12/09/2022 to 13/09/2022 : Ambient Air : ELES/DOC/SMPL/02 | |
| Plant Status | : Operational | Sample Condition | : Sealed & Preserved | |

| M | ETEOROLOGICAL INFOR | RMATION | | | |
|---|--------------------------|----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°36'4.75"E | 6 | Latitude | : 23°32'40.97"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|---------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 30 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24); 2019 | 60 (24hrs) | 13 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 7.2 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | < 0.002 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: Info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No. : ELES/RNC/2022/2278 Report Release Date : 11.11.2022

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fallest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report refleased/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDAHA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| periodical control of the control of | E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 | | | |
|--|---|---------------------|--------------|--|
| Test Report No. | : ELES/RNC/2022/2279 | Report Release Date | : 11.11.2022 | |

| CUSTOMER DET | AILS | SAMPLE DETAILS | | | |
|---------------|-------------------------------|--|--|--|--|
| Customer Name | : Hindalco Industries Limited | Sample Ref. No. Location | : ELES/RNC/2022/AA/3284 : Near Utkarmit Rajkiya Prathmik | | |
| Address | : Lohardaga, Jharkhand-835203 | Sampling Date Type of Sample | Vidyalaya Dumrapart Village : 12/09/2022 to 13/09/2022 : Ambient Air | | |
| Plant Status | : Operational | Sampling Procedure Sample Condition | : ELES/DOC/SMPL/02 : Sealed & Preserved | | |

| M | ETEOROLOGICAL INFO | RMATION | | | |
|---|--------------------------|-----------------|---|----------------------------|-----------------|
| 1 | Average Temperature (°C) | : 24 | 2 | Barometric Pressure (mmHg) | : 741 |
| 3 | Relative Humidity (%) | : 65 | 4 | Weather Condition | : Clear |
| 5 | Longitude | : 84°37'29.39"E | 6 | Latitude | : 23°33'39.63"N |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------------------------|-------|---------------------------------|------------------|--------|
| Particulate Matter (PM10) | μg/m³ | IS 5182 (Part-23): 2006; RA2017 | 100 (24hrs) | 38 |
| Particulate Matter (PM2.5) | μg/m³ | IS 5182 (Part- 24): 2019 | 60 (24hrs) | 15 |
| Sulphur Di-Oxide (SO ₂) | μg/m³ | IS 5182 (Part-2): 2001; RA2017 | 80 (24hrs) | <5.0 |
| Nitrogen Di-Oxide (NO2) | μg/m³ | IS 5182 (Part-6): 2001; RA2017 | 80 (24hrs) | 7.8 |
| Ozone (O ₃) | μg/m³ | IS 5182 (Part-9): 1974; RA2014 | 100 (8hrs) | <20.0 |
| Ammonia (NH ₃) | μg/m³ | IS 5182 (Part- 25): 2018 | 400 (24hrs) | <10.0 |
| Carbon Monoxide (CO) | mg/m³ | IS 5182 (Part-10): 1999; RA2019 | 2 (8hrs) | <1.0 |
| Lead (Pb) | μg/m³ | IS 5182 (Part-22): 2004 | 1 (24hrs) | 0.007 |
| Nickel (Ni) | ng/m³ | IS 5182(Part-26):2020 | 20 (Annual) | <6.0 |
| Arsenic (As) | ng/m³ | ELES/AIR/SOP/01:2021 | 6 (Annual) | <2.0 |

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in, eles.ranchi@amail.com

Phone no: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

| Test Report No. | : ELES/RNC/2022/2279 | Report Release Date | : 11.11.2022 | |
|--------------------|----------------------|---------------------|--------------|--|
| x est reclose 1101 | · DEEDSTELL COMMERCE | report release Date | . 11.11.2022 | |

| Parameter | Unit | Test Protocol | Regulatory Limit | Result |
|-------------------|-------|--------------------------|------------------|--------|
| Benzene* | μg/m³ | IS 5182 (Part- 11): 2004 | 05(Annual) | <2.0 |
| Benzo (a) Pyrene* | ng/m³ | IS 5182 (Part- 12): 2006 | 01(Annual) | < 0.20 |

Remarks: (*)-Parameters are outsourced to other Lab.

****End of Report****

Authorized Signatory
SANDIP BERA
SENIOR MANAGER
ELES PVT. LTD.

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit); LDL (Lower Detection Limit).

MINERALS & MINERALS LIMITED

Regd. Office- Court Road, P.O. & Distt.-Lohardaga, Jharkhand-835302 Tel.-06526-223163

CIN NO. U26990JH1970PLC000875

| Ref.: | |
|--------|------|
| 176111 | Date |

Annexure 3

Date - 01.09.2022

Office Order

Environmental Cell has been re-constituted at Pakhar Bauxite Mine (Area 109.507 ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Minerals & Minerals Limited.

- 1. Mr. Kiran Shankar Singh (Coordinator)
- 2. Mr. Anupam Kumar Member
- 3. Ms. Abhilasha Singh-Environment Engineer
- 4. Mr. Abhay Kumar Environment Engineer

The Undersigned is the in charge of above Environment Management Cell constituted for the purpose of ensuring compliances of environmental act rule and regulation for the above mine.

Basudev Gangopadhyay

AVP (Planning, Environment & Compliance)

Annexure 4

| S No | Production, M Name of the Mines | Mining lease area (ha) | Production Capacity (MT)* | Lease Period* | Production (MT) | Mined out area (ha) | Back filled area (ha) | Over burden (Cu.M) |
|------|------------------------------------|---------------------------|------------------------------|--------------------------------|--------------------|------------------------|--------------------------|-----------------------|
| 1 | Bagru bauxite Mine | 75.41 | 85000 | 22.01.1974 to 31.03.2030 | NIL | NIL | NIL | NIL |
| 2 | Bhusar Bauxite Mine | 65.31 | 280000 | 11.07.1981 to 31.03.2030 | 116176 | 0.78 | 0.34 | 82296.15 |
| 3 | Hisri (New) Bauxite Mine | 14.55 | 100000 | 19.07.1981 to 31.03.2030 | 63046 | 0.34 | 0.23 | 47769.44 |
| 4 | Kujam - I Bauxite Mine | 80.87 | 150000 | 13.03.2006 to 12.03.2056 | 53620 | 1.74 | 1.18 | 39931.13 |
| 5 | Kujam - II Bauxite Mine | 157.38 | 300000 | 24.03.2006 to 23.03.2056 | 147610 | 4.79 | 2.56 | 181309.80 |
| 6 | Amtipani Bauxite Mine | 190.95 | 150000 | 13.03.2006 to 12.03.2056 | 96500 | 2.12 | 2.050 | 126569.80 |
| 7 | Gurdari Bauxite Mine | 584.19 | 325000 | 23.03.1985 to 22.03.2035 | 114070 | 3.65 | 2.68 | 292766.10 |
| 8 | Shrengdag A Bauxite Mine | 155.81 | 260000 | 16.10.1974 to 31.03.2030 | 53600 | 1.2 | 0.9 | 40876.3 |
| 9 | Shrengdag 8 Bauxite Mine | 140.07 | 100000 | 04.10.1978 to 31.03.2030 | 45750 | 0.8157 | 0.6184 | 44264.72 |
| 10 | Jalim & Sanai Bauxite Mine | 12.14 | 50000 | 16.10.1974 to 31.03.2030 | 25000 | 0.2413 | 0.2 | 8656.24 |
| 11 | Orsapat Bauxite Mine | 196.36 | 200000 | 17.07.1986 | NIL | NIL | NIL | NIL |

Annexure 4

| | | | | to 16.07.2036 | | | | |
|------|--|---------|--------|--------------------------------|--------|------|------|-----------|
| 12 | Chiro Kukud bauxite Mine | 152.57 | 100000 | 29.01.1985 to 28.01.2035 | NIL | NIL | NIL | NIL |
| 13 | Pakhar (8.09) | 8.09 | 80000 | 16.05.1973 to 31.03.2030 | NIL | NIL | NIL | NIL |
| 14 | Pakhar (35.12) | 35.12 | 200000 | 17.04.1975 to 31.03.2030 | NIL | NIL | NIL | NIL |
| 15 | Pakhar (115.13) | 115.13 | 300000 | 19.07.1996 to 31.03.2030 | 87500 | 1.52 | 0.57 | 242684.08 |
| Mine | rals & Minerals Limited | | | | | | | |
| 16 | Pakhar (15.58) | 15.58 | 60000 | 28.04.1965 to 31.03.2030 | NIL | NIL | NIL | NIL |
| 17 | Pakhar (109.507) | 109.507 | 280000 | 26.07.2008 to 25.07.2058 | 129700 | 0.29 | 0.00 | 26032.12 |
| 18 | Bimarla Bauxite Mine | 134.526 | 300000 | 18.07.2009 to 17.07.2059 | 54050 | 1.34 | 0.60 | 118183.21 |
| 19 | Amtipani Chirodih Bauxite Mine (130.01 ha) | 130.01 | 450000 | 11.01.2017 to 10.01.2067 | NIL | NIL | NIL | NIL |

^{*}Static information about the mines included in the above table

Basudev Gangopadhyay

AVP (Planning, Environment & Compliance)

Annexure-5

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2022-23

The composite cost during the year 2022-23 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 ha), Pakhar (15.58 ha), Pakhar (109.507 ha), Pakhar (8.09 ha), Pakhar (35.12 ha), Serengdag (140.06 ha), Serengdag (155.81 ha), Jalim & Sanai (12.14 ha), Gurdari (584.19 ha), Amtipani (190.95 ha), Kujam I (80.97 ha) Kujam II (157.38 ha), Bagru (75.41 ha), Hisri New (14.55 ha), Chiro kukud (152.57 ha), Orsa pat (196.36 ha), Bhusar (65.31 ha), Bimarla Bauxite Mines (134.52 ha) and Amtipani Chirodih (130.01 ha) Bauxite Mine.

| S No | Description | Budget (in Rupees) FY 2022-23 | Actual (in Rupees) FY 2022-23 (From April'22 to September'22) |
|------|---|----------------------------------|---|
| 1 | Pollution Control & Environment monitoring | 49,75,923.00 | 33,83,623.92 |
| 2 | Reclamation/ Back filing & Rehabilitation** | 5,83,65,000.00 | 5,07,53,126.66 |
| 3 | Green belt, Plantation & Water sprinkling arrangement | 48,76,825.00 | 45,85,322.59 |
| 4 | Rural Development | 3,10,21,250.00 | 2,39,91,751.19 |

^{**}Part of OB removed cost.

Basudev Gangopadhyay

AVP (Planning, Environment & Compliance)