



Ref No: HIL/LHD/VP (M)/MoEF/ 420

Date: 22.11.2013

To,
Joint Director(S)
MoEF ,GOI, Eastern Regional Office
A/3,Chandrashekharpur,
Bhubaneshwar- 751023 (Orissa)

Sub: Compliance Report of EC conditions for Shrengdag (155.81 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period April' 2013 -Sep' 2013

Ref: Environmental Clearance letter no J-11015/125/2006-IA II(M) dated 13th April 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Shrengdag (155.81 ha) Bauxite Mining project of M/s Hindalco** located in Gumla, Jharkhand for the period **April' 2013 -Sep' 2013**
Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED

BKJ
(Bijesh Kumar Jha)
VP (Mines)

Enclosure: - As Above

HINDALCO INDUSTRIES LIMITED

Hindalco Complex
Court Road, Lohardaga-835302
Distt. Lohardaga (Jharkhand)

Telephone: +91 6526 224112/224015/223113
Fax: +91 6526 224118

Website: www.hindalco.com

Compliance of conditions laid down in Environmental Clearance

SHRENGDAG BAUXITE MINES(155.81 Ha)

Period : April'13 – Sep'13

J-11015/125/2006-IA.II (M)Dated 13.4.2007

Sl No	Conditions	Compliance Status
Specific Conditions		
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Being Complied.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted/renewed by the State Govt. after due consideration and Cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose
3	The exploration shall be completed within 2.5 years and thereafter the proponent shall come up with a firm proposal for mining, based on the estimated reserves. The reclamation plan, post mine land use and progressive greenbelt development plan shall also be prepared and submitted with the revised proposal.	Mining is going on as per duly approved mining plan. The reclamation plan, post mine land use and progressive greenbelt development plan have been covered in Mining Plan.
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Now, maximum depth of mining is 20 m. As per the survey, the ground water table is reported at 45-60 m below ground level. Hence there will be no intersecting of the ground water table due to mining activities.
5	The Project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	It is being ensured. No natural water course has been obstructed as yet.
6	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Sequential backfilling and reclamation of the mined out area are being exercised during mining operation. Whenever backfilling will be done to the mined out area, subsoil will be used for backfilling to reclaim and restore the damage area up to the extent possible.
7	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance	Overburden and waste rock from the crushing pit are being used for back filling. Year wise backfilling and plantation raised over the back filled are is provided. (Enclosed Annexure).

	status should be submitted to the Ministry of Environment & Forest on six month basis.	
8	<p>Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.</p> <p>Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.</p>	No run off is being generated from mining activities. However, to collect and manage rainwater during monsoon, part of mined out area is used as settling tank. Settled water is being used for sprinkling of quarry, roads, green belt development, etc.
9	Plantation shall be raised in an area of 70.68 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	In 2013-14, we have planted 1500 saplings on 3.5 acres land during Fy 2013-14. Rest to be complied during the life of project.
10	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	A plan has already been prepared on the basis of discussions with Scientists of State unit office of Central Ground Water Board, Ranchi to implement suitable conservation measures to augment ground water resources in the area and is also submitted to the Regional Director, Central Ground Water Board, Patna, for any suggestions. Recommendation of CGWB shall be implemented to augment the ground water resources of the area. Copy of letter already submitted to regional office.
11	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon	It is being monitored. Monitoring report is enclosed as Annexure

	(August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	
12	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. Spring water is drawn from the down the hill pockets ponds for drinking purposes. Hence, as per the terms and conditions in Part III, Clause 6 of Mining lease deed, we have obtained permission from the Deputy Commissioner for drawl of water from the surface water bodies. Water cess is being paid to JSPCB on regular basis.
13	Water monitoring both for quality and quantity shall be carried out at four locations namely one spring and three streams. Sixmonthly report should be submitted to the Ministry of Environment and Forest and its Regional Office located at Bhubneshwar.	Analysis of water quality at four locations is being carried out. Analysis data for period of reporting is enclosed in Annexure
14	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	To keep vehicular emissions in control, company vehicles are periodically checked and repaired as and when required. All the transporters have been instructed to obtain PUC for their vehicles from the competent authority and submit to the concerned officer for verification
15	Drills should either be operated with dust extractors or should be equipped with water injection system.	Wet drilling is being done in the drill holes for dust suppression.
16	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting at Mines is done at fixed blasting period i.e. 12.00 Noon to 1.00 PM on working days. Mobile mining activities are not being practiced during blasting. All the precautionary and mitigative measures to control ground vibration and to arrest fly rocks is being exercised.
17	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	Has been obtained and enclosed in Annexure
18	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine, hence ETP has not been installed. The sewage water from domestic uses is being

		collected through individual Septic Tank and Soak Pits.
19	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <i>Presbytis phayrei</i> , <i>Melurus ursinus</i> etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Action plan for conservation of flora and fauna spotted in the study area was prepared after due consultation with the local DFO and a copy of the same has already been submitted to the DFO for his comments, any suggestion and modification. On receipt of the same after vetting of State Forest Department, the action plan will be submitted to the MoEF
20	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Final Mine Closure Plan duly approved by Indian Bureau of Mines.

GENERAL CONDITIONS

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Complied.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Excavation of Over Burden and Bauxite is being done as per the approved calendar plan. Details of excavation, quantum of mineral, OB, etc have been furnished for the financial year 2013-14 is Annexed
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Monitoring locations have been fixed after due consultation of SPCB and regular monitoring is being carried out. Monitoring Reports is enclosed as Annexure
4	Data on ambient air quality (RPM, SPM, SO ₂ , NO _x) should be regularly submitted to the Ministry including its Regional office located	Monitoring locations have been fixed after due consultation of SPCB. Monitoring Reports is enclosed as Annexure

	at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Two nos. of water tanker have been provided for sprinkling of water on haul roads and are generally being engaged at the places where active mining is in progress to contain fugitive dust. Water spraying at loading, unloading, etc is also being done manually.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being done regularly at various locations of the work zone area. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs.
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease. It is being ensured to make it operational and effective as and when required and accordingly the O&M department is taking its due care.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All the mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the State Government, recognized agencies, etc.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Not applicable. The mine is running since 1976.

11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of budgetary provision and actual expenses for the year 13-14 for environmental protection measure is enclosed. Separate funds earmarked for environmental protection measures.
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Complied
13	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Officer, Bhubaneshwar, Central Pollution Control Board and State Pollution Control Board.	Complied
14	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied.
15	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Complied.
16	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office.



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004488.001

JOE No : KG13-004488

Report Control No : KGR0000023792
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location : Shrengdag A-Pit, date : 29.05.2013
 Sampling Site : Shrengdag(155.81)/(140.07)/Jillin & Sanai Buxite Mines(Shrengdag Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	23	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	10.47	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	9.98	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna
 Section Incharge - ENVI
 Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p) ,Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 84996700/6701
 Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004488.002

JOE No : KG13-004488

Report Control No : KGR0000023792

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location : Shrengdag B-Pit, date : 29.05.2013
 Sampling Site : Shrengdag(155.81)/(140.07)/Jillin & Sanai Buxite Mines(Shrengdag Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	47	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	10.18	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	10.43	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	5.02	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna
 Section Incharge - ENVI
 Authorized Signatory

****End of Report****

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Private Limited, CS Plot-512(p), Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 64996700/6701
 Read & Corp Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004488.003

JOE No : KG13-004488

Report Control No : KGR0000023792
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location : Jalim Sanai-Pit, date : 30.05.2013
 Sampling Site : Shrengdag(155.81)/(140.07)/Jillin & Sanai Buxite Mines(Shrengdag Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	31	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	15.82	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	10.96	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Manna
Section Incharge - ENVI
Authorized Signatory

****End of Report****

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Private Limited, CS Plot -512(p) Mouza, Hanspukuria, Diamond Harbour Road, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone : +91 33 64996700/6701
Regd & Corp. Off : SGS House, 4B, A S Marg, Vikhroli (West), Mumbai-400083. Tel. : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 18/06/2013

Report No : KG13-004488.004

JOE No : KG13-004488

Report Control No : KGR0000023792

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 12/06/2013
 Registered : 13/06/2013
 Marks on Sample : Location :In & Around Shrengdag(Kachki Village), date : 30.05.2013
 Sampling Site : Shrengdag(155.81)/(140.07)/Jillin & Sanai Buxite Mines(Shrengdag Plateau)
 Test Start/End Date : 13/06/2013 - 18/06/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	39	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	19.39	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	10.08	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	5.14	ug/m3	-	80
Carbon Monoxide	By NDIR Spectroscopy.	<1.00	mg/m3		

Per pro SGS India Private Ltd

Satya Mania
 Section Incharge - ENVI
 Authorized Signatory

****End of Report****

Page 1 of 1

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

*This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd. | SGS India Private Limited, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Road PO-Joka, South 24 Parganas Kolkata - 700104 Phone: +91 33 64996700/6701
 Read & Corp. Off : SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.009

JOE No : KG13-004447

Report Control No : KGR0000037652

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Serendag-Hrapath
 Quantity : 5.5L app
 Sample Collected on : 10.6.13,time: 11.00 am
 Test Start/End Date : 12/06/2013 - 21/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	15.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.20		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	4.53	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	18.71	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	0.21	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	13.20	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622:1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.01	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt. Ltd., CS Plot -512(p), Mouza: Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 85009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.009

JOE No : KG13-004447

Report Control No : KGR0000037652

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.10	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	1.40	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	0.03	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	7.73	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	468.00	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas,Kolkata - 700104,Phone +91 33 65009334/9335,Fax +91 033-24361022
Regd & Corp. Off - SGS House, 4B, A.S. Marq, Vikroli (West), Mumbai-400083 Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004447.009

JOE No : KG13-004447

Report Control No : KGR0000037652

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Pkt -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Reqd & Corp Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.010

JOE No : KG13-004447

Report Control No : KGR0000037654

Sample Described by Customer as : GROUND WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : GROUND WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Serendag-Bondapath
 Quantity : 5.5L app
 Sample Collected on : 10.6.13,time: 1.30pm
 Test Start/End Date : 12/06/2013 - 21/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	15.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.10*		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	10.06	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	15.91	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	23.20	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		Absent/100m
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Absent	per 100ml		Absent/100m
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	2.42	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(p), Mouza, Hanspukuria,Diamond Harbour Rd PO-Joka, South 24 Paraganas Kolkata - 700104.Phone:+91 33 65009334/9335.Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.010

JOE No : KG13-004447

Report Control No : KGR0000037654

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	0.03	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	0.08	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	2.37	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	1.60	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	15.46	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	0.04	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	365.00	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104 Phone: +91 33 65009334/9335 Fax: +91 033-24381022
 Regd & Corp. Off: SGS House, 4B, A.S. Maro, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004447.010

JOE No : KG13-004447

Report Control No : KGR0000037654

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Paraganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-26381022
Head & Corp. Off : SGS House, 4B, A S Maru, Vikhroli (West), Mumbai-400063. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : KG13-004503.002

Date : 13.06.2013

Client Ref No. : 201304503

Report Control No. : KGR0000029172

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

SAMPLE DESCRIPTION	MEASUREMENT OF NOISE LEVEL
COMPANY NAME	M/S. HINDALCO INDUSTRIES LIMITED (MINES DIVISION)
ADDRESS	MINES DIVISION, LOHARDAGA, JHARKHAND, PIN - 835 302
SAMPLING SITE	SHRENGDAG(155.81)/SERENGDAĞ(140.07)/JALIM & SANAI (LAUXITE MINES (SHRENGDAG PLATEAU))
PROTOCOL	IS:9989/IS:7194
DATE OF SAMPLING	29.05.2013 TO 30.05.2013
TEST START DATE	13.06.2013
TEST END DATE	13.06.2013

LOCATION	RESULT		LIMIT IN dB(A) Leq (INDUSTRIAL AREA)	
	Day Time (L _{eq}) in dB(A)	Night time (L _{eq}) in dB(A)	Day Time	Night time
MINE LEASE AREA (NEAR OFFICE)	58	47	75	70

Note: (i) The value is the Leq of One Hundred Seventy readings taken in day time and seventy readings taken in night time.
(ii) Day time shall mean from 6:00 am to 10:00 pm
(iii) Night time shall mean from 10:00 pm to 6:00 am

Checked by

Dipankar De Sarkar
Manager (Operations)

per pro SGS India Private Ltd.

Dr. Asish Chakraborty
Manager-Laboratory

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com/eng. Attention is drawn to the provisions of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained hereon refers to the Company, and only at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.



TEST REPORT

Report No. KG13-004499.003-005

Date - 13.06.2013

JCF No. K111714499

Report Control No. KGP000023175

SAMPLE DRAWN BY SGS INDIA PRIVATE LTD.

SAMPLE DESCRIPTION MEASUREMENT OF NOISE LEVEL
NAME OF THE CLIENT M/S. HINDALCO INDUSTRIES LIMITED
ADDRESS MINES DIVISION, LOHARDAGA, JHARKHAND. PIN - 835 302
SAMPLING METHOD INSTRUMENTAL, USING SOUND LEVEL METER
SAMPLING SITE SHRENGDAG(155.81)/SERENGDAG(140.07)/JALIM & SANAI BAUXITE MINES (SHRENGDAG PLATEAU)
PROTOCOL IS:9989/IS:7194
TEST START DATE 13.06.2013
TEST END DATE 13.06.2013

SL NO.	SAMPLING LOCATION	DATE & TIME OF SAMPLING	DAY TIME NOISE LEVEL dB (A) Leq	LIMIT AS PER WEST FACTORIES ACT dB(A) L _{eq} / 8 Hrs. Exposure
1	POCKLEN	29.05.2013 (11:30 Hrs)	80	85
2	DUMPER (ASHOK LEYLAND H6DT)	29.05.2013 (11:40 Hrs)	82	85
3	PAYLODER (TWL 3036)	29.05.2013 (11:50 Hrs)	81	85

Note: (i) The value is the Leq of twenty readings taken at each location (Day time)
(ii) Day time shall mean from 6:00 am to 10:00 pm

End of Report

Checked by

Dipankar De Sarkar
Manager (Operations)

per pro SGS India Private Ltd.

Dr. Asish Chakraborty
Manager-Laboratory

Page 1 of 1

This document is issued by the Company subject to its General Conditions of Service accessible at www.sgs.com under the heading "SGS India Private Ltd". Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Any holder of this document is advised that information contained here in reflects the company making at the time of its intervention only and with in the limit of client instructions, if any. The company sole responsibility is to its client and this document does not exonerate party to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 90 days for all other samples. The sample from regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. Laboratory, CS Plot-51/2st, Mouza, Harnaspuria, Diamond Harbour Road, PO, Juke South 24 Parganas, Kolkata 700104 Phone : 91-33-64986700-64996701
Fax : 91-33-64986702-64986703-64986704-64986705-64986706-64986707-64986708-64986709-64986710-64986711-64986712-64986713-64986714-64986715-64986716-64986717-64986718-64986719-64986720-64986721-64986722-64986723-64986724-64986725-64986726-64986727-64986728-64986729-64986730-64986731-64986732-64986733-64986734-64986735-64986736-64986737-64986738-64986739-64986740-64986741-64986742-64986743-64986744-64986745-64986746-64986747-64986748-64986749-64986750-64986751-64986752-64986753-64986754-64986755-64986756-64986757-64986758-64986759-64986760-64986761-64986762-64986763-64986764-64986765-64986766-64986767-64986768-64986769-64986770-64986771-64986772-64986773-64986774-64986775-64986776-64986777-64986778-64986779-64986780-64986781-64986782-64986783-64986784-64986785-64986786-64986787-64986788-64986789-64986790-64986791-64986792-64986793-64986794-64986795-64986796-64986797-64986798-64986799-64986800-64986801-64986802-64986803-64986804-64986805-64986806-64986807-64986808-64986809-64986810-64986811-64986812-64986813-64986814-64986815-64986816-64986817-64986818-64986819-64986820-64986821-64986822-64986823-64986824-64986825-64986826-64986827-64986828-64986829-64986830-64986831-64986832-64986833-64986834-64986835-64986836-64986837-64986838-64986839-64986840-64986841-64986842-64986843-64986844-64986845-64986846-64986847-64986848-64986849-64986850-64986851-64986852-64986853-64986854-64986855-64986856-64986857-64986858-64986859-64986860-64986861-64986862-64986863-64986864-64986865-64986866-64986867-64986868-64986869-64986870-64986871-64986872-64986873-64986874-64986875-64986876-64986877-64986878-64986879-64986880-64986881-64986882-64986883-64986884-64986885-64986886-64986887-64986888-64986889-64986890-64986891-64986892-64986893-64986894-64986895-64986896-64986897-64986898-64986899-64986900-64986901-64986902-64986903-64986904-64986905-64986906-64986907-64986908-64986909-64986910-64986911-64986912-64986913-64986914-64986915-64986916-64986917-64986918-64986919-64986920-64986921-64986922-64986923-64986924-64986925-64986926-64986927-64986928-64986929-64986930-64986931-64986932-64986933-64986934-64986935-64986936-64986937-64986938-64986939-64986940-64986941-64986942-64986943-64986944-64986945-64986946-64986947-64986948-64986949-64986950-64986951-64986952-64986953-64986954-64986955-64986956-64986957-64986958-64986959-64986960-64986961-64986962-64986963-64986964-64986965-64986966-64986967-64986968-64986969-64986970-64986971-64986972-64986973-64986974-64986975-64986976-64986977-64986978-64986979-64986980-64986981-64986982-64986983-64986984-64986985-64986986-64986987-64986988-64986989-64986990-64986991-64986992-64986993-64986994-64986995-64986996-64986997-64986998-64986999-64987000-64987001-64987002-64987003-64987004-64987005-64987006-64987007-64987008-64987009-64987010-64987011-64987012-64987013-64987014-64987015-64987016-64987017-64987018-64987019-64987020-64987021-64987022-64987023-64987024-64987025-64987026-64987027-64987028-64987029-64987030-64987031-64987032-64987033-64987034-64987035-64987036-64987037-64987038-64987039-64987040-64987041-64987042-64987043-64987044-64987045-64987046-64987047-64987048-64987049-64987050-64987051-64987052-64987053-64987054-64987055-64987056-64987057-64987058-64987059-64987060-64987061-64987062-64987063-64987064-64987065-64987066-64987067-64987068-64987069-64987070-64987071-64987072-64987073-64987074-64987075-64987076-64987077-64987078-64987079-64987080-64987081-64987082-64987083-64987084-64987085-64987086-64987087-64987088-64987089-64987090-64987091-64987092-64987093-64987094-64987095-64987096-64987097-64987098-64987099-64987100-64987101-64987102-64987103-64987104-64987105-64987106-64987107-64987108-64987109-64987110-64987111-64987112-64987113-64987114-64987115-64987116-64987117-64987118-64987119-64987120-64987121-64987122-64987123-64987124-64987125-64987126-64987127-64987128-64987129-64987130-64987131-64987132-64987133-64987134-64987135-64987136-64987137-64987138-64987139-64987140-64987141-64987142-64987143-64987144-64987145-64987146-64987147-64987148-64987149-64987150-64987151-64987152-64987153-64987154-64987155-64987156-64987157-64987158-64987159-64987160-64987161-64987162-64987163-64987164-64987165-64987166-64987167-64987168-64987169-64987170-64987171-64987172-64987173-64987174-64987175-64987176-64987177-64987178-64987179-64987180-64987181-64987182-64987183-64987184-64987185-64987186-64987187-64987188-64987189-64987190-64987191-64987192-64987193-64987194-64987195-64987196-64987197-64987198-64987199-64987200-64987201-64987202-64987203-64987204-64987205-64987206-64987207-64987208-64987209-64987210-64987211-64987212-64987213-64987214-64987215-64987216-64987217-64987218-64987219-64987220-64987221-64987222-64987223-64987224-64987225-64987226-64987227-64987228-64987229-64987230-64987231-64987232-64987233-64987234-64987235-64987236-64987237-64987238-64987239-64987240-64987241-64987242-64987243-64987244-64987245-64987246-64987247-64987248-64987249-64987250-64987251-64987252-64987253-64987254-64987255-64987256-64987257-64987258-64987259-64987260-64987261-64987262-64987263-64987264-64987265-64987266-64987267-64987268-64987269-64987270-64987271-64987272-64987273-64987274-64987275-64987276-64987277-64987278-64987279-64987280-64987281-64987282-64987283-64987284-64987285-64987286-64987287-64987288-64987289-64987290-64987291-64987292-64987293-64987294-64987295-64987296-64987297-64987298-64987299-64987300-64987301-64987302-64987303-64987304-64987305-64987306-64987307-64987308-64987309-64987310-64987311-64987312-64987313-64987314-64987315-64987316-64987317-64987318-64987319-64987320-64987321-64987322-64987323-64987324-64987325-64987326-64987327-64987328-64987329-64987330-64987331-64987332-64987333-64987334-64987335-64987336-64987337-64987338-64987339-64987340-64987341-64987342-64987343-64987344-64987345-64987346-64987347-64987348-64987349-64987350-64987351-64987352-64987353-64987354-64987355-64987356-64987357-64987358-64987359-64987360-64987361-64987362-64987363-64987364-64987365-64987366-64987367-64987368-64987369-64987370-64987371-64987372-64987373-64987374-64987375-64987376-64987377-64987378-64987379-64987380-64987381-64987382-64987383-64987384-64987385-64987386-64987387-64987388-64987389-64987390-64987391-64987392-64987393-64987394-64987395-64987396-64987397-64987398-64987399-64987400-64987401-64987402-64987403-64987404-64987405-64987406-64987407-64987408-64987409-64987410-64987411-64987412-64987413-64987414-64987415-64987416-64987417-64987418-64987419-64987420-64987421-64987422-64987423-64987424-64987425-64987426-64987427-64987428-64987429-64987430-64987431-64987432-64987433-64987434-64987435-64987436-64987437-64987438-64987439-64987440-64987441-64987442-64987443-64987444-64987445-64987446-64987447-64987448-64987449-64987450-64987451-64987452-64987453-64987454-64987455-64987456-64987457-64987458-64987459-64987460-64987461-64987462-64987463-64987464-64987465-64987466-64987467-64987468-64987469-64987470-64987471-64987472-64987473-64987474-64987475-64987476-64987477-64987478-64987479-64987480-64987481-64987482-64987483-64987484-64987485-64987486-64987487-64987488-64987489-64987490-64987491-64987492-64987493-64987494-64987495-64987496-64987497-64987498-64987499-64987500-64987501-64987502-64987503-64987504-64987505-64987506-64987507-64987508-64987509-64987510-64987511-64987512-64987513-64987514-64987515-64987516-64987517-64987518-64987519-64987520-64987521-64987522-64987523-64987524-64987525-64987526-64987527-64987528-64987529-64987530-64987531-64987532-64987533-64987534-64987535-64987536-64987537-64987538-64987539-64987540-64987541-64987542-64987543-64987544-64987545-64987546-64987547-64987548-64987549-64987550-64987551-64987552-64987553-64987554-64987555-64987556-64987557-64987558-64987559-64987560-64987561-64987562-64987563-64987564-64987565-64987566-64987567-64987568-64987569-64987570-64987571-64987572-64987573-64987574-64987575-64987576-64987577-64987578-64987579-64987580-64987581-64987582-64987583-64987584-64987585-64987586-64987587-64987588-64987589-64987590-64987591-64987592-64987593-64987594-64987595-64987596-64987597-64987598-64987599-64987600-64987601-64987602-64987603-64987604-64987605-64987606-64987607-64987608-64987609-64987610-64987611-64987612-64987613-64987614-64987615-64987616-64987617-64987618-64987619-64987620-64987621-64987622-64987623-64987624-64987625-64987626-64987627-64987628-64987629-64987630-64987631-64987632-64987633-64987634-64987635-64987636-64987637-64987638-64987639-64987640-64987641-64987642-64987643-64987644-64987645-64987646-64987647-64987648-64987649-64987650-64987651-64987652-64987653-64987654-64987655-64987656-64987657-64987658-64987659-64987660-64987661-64987662-64987663-64987664-64987665-64987666-64987667-64987668-64987669-64987670-64987671-64987672-64987673-64987674-64987675-64987676-64987677-64987678-64987679-64987680-64987681-64987682-64987683-64987684-64987685-64987686-64987687-64987688-64987689-64987690-64987691-64987692-64987693-64987694-64987695-64987696-64987697-64987698-64987699-64987700-64987701-64987702-64987703-64987704-64987705-64987706-64987707-64987708-64987709-64987710-64987711-64987712-64987713-64987714-64987715-64987716-64987717-64987718-64987719-64987720-64987721-64987722-64987723-64987724-64987725-64987726-64987727-64987728-64987729-64987730-64987731-64987732-64987733-64987734-64987735-64987736-64987737-64987738-64987739-64987740-64987741-64987742-64987743-64987744-64987745-64987746-64987747-64987748-64987749-64987750-64987751-64987752-64987753-64987754-64987755-64987756-64987757-64987758-64987759-64987760-64987761-64987762-64987763-64987764-64987765-64987766-64987767-64987768-64987769-64987770-64987771-64987772-64987773-64987774-64987775-64987776-64987777-64987778-64987779-64987780-64987781-64987782-64987783-64987784-64987785-64987786-64987787-64987788-64987789-64987790-64987791-64987792-64987793-64987794-64987795-64987796-64987797-64987798-64987799-64987800-64987801-64987802-64987803-64987804-64987805-64987806-64987807-64987808-64987809-64987810-64987811-64987812-64987813-64987814-64987815-64987816-64987817-64987818-64987819-64987820-64987821-64987822-64987823-64987824-64987825-64987826-64987827-64987828-64987829-64987830-64987831-64987832-64987833-64987834-64987835-64987836-64987837-64987838-64987839-64987840-64987841-64987842-64987843-64987844-64987845-64987846-64987847-64987848-64987849-64987850-64987851-64987852-64987853-64987854-64987855-64987856-64987857-64987858-64987859-64987860-64987861-64987862-64987863-64987864-64987865-64987866-64987867-64987868-64987869-64987870-64987871-64987872-64987873-64987874-64987875-64987876-64987877-64987878-64987879-64987880-64987881-64987882-64987883-64987884-64987885-64987886-64987887-64987888-64987889-64987890-64987891-64987892-64987893-64987894-64987895-64987896-64987



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.008

JOE No : KG13-004451

Report Control No : KGR0000037722

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : SPRING WATER
 Received : 12/06/2013
 Registered : 12/06/2013
 Marks on Sample : Location: Serendag-Dongy Jogla
 Quantity : 5.5L app
 Sample Collected on : 10.6.2013,time: 11.30 am
 Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.0 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	2.52	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	<0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	10.80	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	<1.00	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd., PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24581022
 Read & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.008

JOE No : KG13-004451

Report Control No : KGR0000037722

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO ₄)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO ₃)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C ₆ H ₅ OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005 Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO ₃)	IS:3025 (Part-23):1986 (Reaff.2003)	5.16	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.79	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(p),Mouza, Hanspukuria,Diamond Harbour Rd PO-Joka, South 24 Parganas,Kolkata - 700104,Phone: +91 33 65009334/9335,Fax: +91 033-26381022
 Regd & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004451.008

JOE No : KG13-004451

Report Control No : KGR0000037722

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Regd & Corp Off : SGS House, 48, A.S. Marg, Vikhroli (West), Mumbai-400063. Tel : (022) 25798421 to 28 Fax : (022) 25758431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.009

JOE No : KG13-004451

Report Control No : KGR0000037729

Sample Described by Customer as : SPRING WATER

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : SPRING WATER
Received : 12/06/2013
Registered : 12/06/2013
Marks on Sample : Location: Serendag-Chirupath
Quantity : 5.5L app
Sample Collected on : 10.6.13, time: 12.30 pm
Test Start/End Date : 12/06/2013 - 24/06/2013

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Colour	IS:3025 (Part-4):1983 (Reaff.2006)	5.0	Hz	5	15
Odour	IS:3025 (Part-5):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
Taste	IS:3025 (Part-8):1983 (Reaff.2006)	Agreeable		Agreeable	Agreeable
pH	IS:3025 (Part-11):1983 (Reaff.2006)	7.2 *		6.5	8.5
Total Hardness (as CaCO ₃)	IS:3025 (Part-21):1983 (Reaff.2006)	4.54	mg/L	200	600
Iron (as Fe)	IS:3025 (Part-2)	<0.05	mg/L	0.3	No relaxation
Fluoride (as F)	IS:3025 (Part-60):2008	<0.10	mg/L	1.0	1.5
Residual Free Chlorine	IS:3025 (Part-26):1986 (Reaff.2003)	<0.10	mg/L	0.2	1.0
Chloride (as Cl)	IS:3025 (Part-32):1988 (Reaff.1999)	<5.00	mg/L	250	1000
Total Dissolved Solids	IS:3025 (Part-16):1984 (Reaff.1996)	14.00	mg/L	500	2000
E.coli	IS:1622:1981(Reaff.2003)	Absent	per 100ml		
Coliform bacteria	IS:1622-1981 (Reaffirmation 2003)	Present	per 100ml		
Calcium (as Ca)	IS:3025 (Part-40):1991 (Reaff.2003)	1.21	mg/L	75	200

Page 1 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Pvt. Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas, Kolkata - 700104. Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Regd & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

Print Date : 28/10/2013

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Report No : KG13-004451.009

JOE No : KG13-004451

Report Control No : KGR0000037729

Analysis	Method	Result	Unit	Requirement/Limit As per IS:10500:2012	
				Acceptable	Permissible
Magnesium (as Mg)	IS:3025 (Part-46):1994 (Reaff.1999)	<1.00	mg/L	30	100
Copper (as Cu)	IS:3025 (Part-2)	<0.01	mg/L	0.05	1.5
Manganese (as Mn)	IS:3025 (Part-2)	<0.01	mg/L	0.1	0.3
Sulphate (as SO4)	IS:3025 (Part-24):1986 (Reaff.1998)	<2.00	mg/L	200	400
Nitrate (as NO3)	IS:3025 (Part-34):1988 (Reaff.1999)	<0.50	mg/L	45	No relaxation
Phenolic Compound (as C6H5OH)	IS:3025 (Part-43):1992 (Reaff.2003)	<0.001	mg/L	0.001	0.002
Mercury (as Hg)	IS:3025 (Part-48):1994 (Reaff.1999)	<0.001	mg/L	0.001	No relaxation
Cadmium (as Cd)	IS:3025 (Part-41):1992 (Reaff.2003)	<0.003	mg/L	0.003	No relaxation
Selenium (as Se)	IS:3025 (Part-2)	<0.005	mg/L	0.01	No relaxation
Arsenic (as As)	IS:3025 (Part-37):1988 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Cyanide (as CN)	IS:3025 (Part-27):1986 (Reaff.2003)	<0.020	mg/L	0.05	No relaxation
Lead (as Pb)	IS:3025 (Part-47):1994 (Reaff.1999)	<0.005	mg/L	0.01	No relaxation
Zinc (as Zn)	IS:3025 (Part-2)	<0.01	mg/L	5	15
Anionic Surface Active Agent (as MBAS)	IS:13428:2005: Annex K	<0.05	mg/L	0.2	1.0
Chromium (as Cr)	IS:3025 (Part-2)	<0.01	mg/L	0.05	No relaxation
Mineral Oil	IS:3025 (Part-39):1991 (Reaff.2003)	<0.01	mg/L	0.5	No relaxation
Total Alkalinity (as CaCO3)	IS:3025 (Part-23):1986 (Reaff.2003)	7.73	mg/L	200	600
Aluminium (as Al)	IS:3025 (Part-55):2003	<0.03	mg/L	0.03	0.2
Boron (as B)	IS:3025 (Part-57):2005	<0.05	mg/L	0.5	1.0
Turbidity	IS:3025 (Part-10):1984 (Reaff.2006)	0.26	NTU	1	5

Remark : *Analyzed at site.

Page 2 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd. | SGS India Pvt. Ltd., CS Plot -512(p), Mouza, Hanspukana, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Head & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel: (022) 25758421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE COLLECTED BY SGS INDIA PVT. LTD.

Print Date : 28/10/2013

Report No : KG13-004451.009

JOE No : KG13-004451

Report Control No : KGR0000037729

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 3 of 3

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335. Fax: +91 033-24381022
Head & Corp. Off: SGS House, 4B, A.S. Marq, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 08/10/2013

Report No : KG13-007327.001

JOE No : KG13-007327

Report Control No : KGR0000035847
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Shrengdag A Pit, date : 24.09.2013
Sampling Site : Shrengdag
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	14	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	5.84	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-
Analyzed at site.					

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt.Ltd.,CS Plot -512(D), Mouza, Hanspukuria,Diamond Harbour Rd PO-Joka, South 24 Parganas,Kolkata - 700104,Phone: +91 33 65009334/9335,Fax: +91 033-24381022
Regd & Corp. Off: SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083, Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 08/10/2013

Report No : KG13-007327.002

JOE No : KG13-007327

Report Control No : KGR0000035847

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
 Client Address : Lohardaga,
 Postal Code : 835203
 State : Jharkhand
 Country : India
 Sample Type : AMBIENT AIR QUALITY MONITORING
 Received : 30/09/2013
 Registered : 30/09/2013
 Marks on Sample : Location : Quarry No. 3, date : 24.09.2013
 Sampling Site : Shrengdag
 Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	21	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	5.68	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3		

Analyzed at site.

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(a), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
 Regd & Corp. Off : SGS House, 4B, A.S. Mara, Vikhroli (West), Mumbai-400083, Tel. (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 08/10/2013

Report No : KG13-007327.003

JOE No : KG13-007327

Report Control No : KGR0000035847

Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga.
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location : Jalim & Sanai Pit, date : 25.09.2013
Sampling Site : Shrengdag
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	31	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	13.64	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3	-	-

Analyzed at site.

Per pro SGS India Private Ltd

Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd, CS Plot -512(p), Mouza, Hanspukura, Diamond Harbour Rd, PO-Joka, South 24 Parganas, Kolkata - 700104, Phone: +91 33 65009334/9335, Fax: +91 033-24381022
Head & Corp. Off : SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



Test Report

SAMPLE DRAWN BY SGS INDIA PVT. LTD.

Print Date : 08/10/2013

Report No : KG13-007327.004

JOE No : KG13-007327

Report Control No : KGR0000035847
Sample Described by Customer as : AMBIENT AIR QUALITY MONITORING

Client Name : Hindalco Industries Limited(Mines Division)
Client Address : Lohardaga,
Postal Code : 835203
State : Jharkhand
Country : India
Sample Type : AMBIENT AIR QUALITY MONITORING
Received : 30/09/2013
Registered : 30/09/2013
Marks on Sample : Location :Kachki Village(Near Na Primary School) date : 25.09.2013
Sampling Site : Shrengdag
Test Start/End Date : 30/09/2013 - 07/10/2013

Analysis	Method	Result	Unit	Requirement/Limit as Per NAAQS	
				Min	Max
Particulate Matter (PM10)	IS:5182 (PART 23)	15	ug/m3	-	100
Particulate Matter (PM2.5)	USEPA CFR(40) Appendix-L	<5.00	ug/m3	-	60
Oxides of Nitrogen (NOx)	IS:5182 (Part-6):1975 (Reaff.2004)	<5.00	ug/m3	-	80
Sulphur Dioxide (SO2)	IS:5182 (Part-2):2001 (Reaff.2006)	<5.00	ug/m3	-	80
Carbon Monoxide	EPA 600/P-99/001F	<1.00	mg/m3		

Analyzed at site.

Per pro SGS India Private Ltd


Satya Manna

Section Incharge - ENVI

Authorized Signatory

****End of Report****

Page 1 of 1

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (in case of perishable items) and 30 days for all other samples. The samples from regulatory bodies are to be retained as specified. This document cannot be reproduced except in full, without prior written approval of the Company.

SGS India Pvt. Ltd.

SGS India Pvt Ltd., CS Plot -512(p), Mouza, Hanspukuria, Diamond Harbour Rd, PO-Joka, South 24 Parganas Kolkata - 700104. Phone: +91 33 65009334/9335 Fax: +91 033-24381022
Regd & Corp. Off: SGS House, 4B, A.S. Maru, Vikhroli (West), Mumbai-400083. Tel: (022) 25798421 to 28 Fax: (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



झारखण्ड राज्य प्रदूषण नियंत्रण पर्वद
JHARKHAND STATE POLLUTION CONTROL BOARD
[CONSTITUTED UNDER SECTION 4 OF THE WATER (PREVENTION & CONTROL OF POLLUTION ACT, 1974)
T.A.DIVISION BUILDING (GROUND FLOOR),HEC COMPLEX, DHURWA, RANCHI-834004.
Phone No:-0651- 2400852, 2400851, Fax No:- 2400850

Ref.No- PC/RNC/198/02-


Date.....

CONSENT TO OPERATE

With reference to the application dated 28.08.2012 of G.M. (Operation), M/s Hindalo Industries Ltd; Court Road, I/C Sherengdag Bauxite Mines-155.81 Ha, P.O+Dist- Gumla for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act,1981, he (they) is (are) granted consent to bring into use his(their) new/altered/existing outlet(s) for discharge of trade effluent and (or) domestic sewage and to operate his (their) industrial plant to produce maximum 2,60,000 TPA of Bauxite At – Sherengdag, P.O + Dist- Gumla for the period from 01.01.2013 to 31.12.2013 with the following conditions :

1. That, he(they) shall not make any alteration, addition, deletion or modification in the mines without the prior clearance from the Board.
2. That, he(they) shall abide by the obligations provided under section 24, 31 and 33A of the Water (Prevention & Control of Pollution) Act, 1974 and shall extend co-operation to the Board in performing its functions entrusted under section 20, 21, 23, 30 and 32 of the Act.
3. That, he(they) shall comply with the requirements of the Water (Prevention & Control of Pollution) Cess Act, 1977 read with the Water (Prevention & Control of Pollution) Cess Rules, 1978.
4. That, he(they) shall abide by the obligations provided under section 22, 23 and 31A of the Air (Prevention & Control of Pollution) Act, 1981 and shall extend co-operation to the Board in performing its functions entrusted under sections 24, 25 and 26 of the Act.
5. That, he(they) shall abide by the obligations provided under sections 5, 7, 8 and 9 of the Environment (Protection) Act, 1986 and shall extend co-operation in performing the functions entrusted under section 3, 10 and 11 of the Act.
6. That, he(they) shall abide by the applicable provisions of the Environment (Protection) Rules, 1986, the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008; the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989; the Bio-medical Waste (Management & Handling) Rules, 1998; the Municipal Solid Wastes (Management & Handling) Rules, 2000 and the Batteries (Management & Handling) Rules, 2001.
7. That, he(they) shall maintain the quality of discharge and (or) emission and (or) noise level of environmental pollutants in conformity with the standards as laid under Rule 3 of the Environment (Protection) Rules, 1986.
8. That, he(they) shall monitor his(their) effluent(s), emission(s) and the ambient air, noise level regularly and shall submit the report to the Board in compliance of the condition laid in paragraph 7.

9. That, he(they) shall establish well equipped environmental laboratory with the facilities of system(s) of continuous monitoring of effluent(s), emission(s) ambient water quality(ies), ambient air quality(ies) and ambient noise level(s) and transferring them (monitoring results) to his(their) website(s) and to the e-mail address(es) of the key persons of Jharkhand State Pollution Control Board, Zonal Office, Kolkata and Ministry of Environment & Forests, Regional Office, Bhubaneswar with simultaneous displaying at prominent locations in front of his(their)premises. [*Unit(s) of medium and large scale under 17 categories of polluting industries of category A of EIA Notification, 2006.]
10. That, he(they) shall submit the environmental statement every year by 30th September and shall harvest all rain water precipitating in the premises and do three tier tree plantation in the premises as air barrier.
11. That, he(they) shall submit application for consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and that under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 again 120 days before the expiration of the consent order 31.12.2013 or within 120 days from the date of receipt of the order, whichever is earlier.
12. That, unit shall submit quality report of Ambient Air Quality and Ground Water Quality every quarter of the year.
13. That, unit shall submit the status of compliance Environmental Clearance every quarter to the Board.
14. That, unit) shall reclaim the mined out area in phased manner as per EIA/EMP report.
15. That, the unit shall implement harvest rain water of the mine and recharge it to the ground by the method of Central Ground Water Board Guideline that fits most to the mine.
16. That, the unit shall make arrangement to control the fugitive emissions occurring during the mining activities and plying of vehicles on haul as well as transport roads.
17. That, the unit shall ensure that no transport vehicle should ply on road without covering the materials.
18. That, the proponent shall submit compliance report of Environmental Clearance dated 13.04.2007 and submit photographs in compliance of special condition No. ~~VII~~ and ~~IX~~ of the same.



Sd/-


(Sanjay Kumar Sinha)

MEMBER SECRETARY

Memo no. PC/RNC/198/02- 4336

Ranchi, Dated30.1.13

Copy forwarded to:- G.M. (Operation), M/S Hindalco Industries Ltd; (I/C Sherendag Bauxite Mines- 155.81 Ha.), Court Road, P.O+Dist- Lohardaga/ Deputy Commissioner, Gumla/ D.F.O, Ranchi West Forest Division, Lohardaga/ D.M.O, Gumla/ Regional Officer, Regional Office, Ranchi for information & necessary action.



(Sanjay Kumar Sinha)

MEMBER SECRETARY



ADITYA BIRLA



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2013-14

The composite cost during the year 2013-14 (April to Sep) for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri, Chiro kukud, Orsa pat, Bhusar & Bimarla Bauxite Mines.

Sl No	Description	Budget (in Lakh Rs.) FY 2013-2014	Actual (in Lakh Rs.) FY 2013-2014 from April to Sep'13
1	Pollution Control & Environment monitoring	10.00	6.44
2	Reclamation/ Back filing & Rehabilitation	**	153.60
3	Green belt & Plantation	40.00	30.75
4	Rural Development	70.00	67.72

**Part of OB removed cost.

Convener

Environment Management Cell.



Date: 30.10.13

OFFICE ORDER

In connection with the earlier office order dated 12.11.2011 the re constituted team of Environment management cell to ensure compliance of various environmental Acts, regulations & rules at Mines Division, Hindalco, Lohardaga as follows:


The Environment Management Cell will consist of:

1. B. K. Mahapatra, AGM (Quality & Environment), Convenor.

Members:

2. Utpal Gupta, Manager (Environment)
3. Biplab Mukherjee (Asst Manager Geology)
4. S. Joshi, Mines Manager (Bagru Mines)
5. A. Anbarasu, Mines Manager (Serengdag A)
6. Ajay Pandey, Mines Manager (Pakhar 109.507 Hect)
7. Kiran Sankar Singh, Mines Manager (Gurdari)
8. Vidya Sagar Singh, Mines Manager (Kujam)
9. Amar Bharati, Mines Manager (Amtipani)
10. S P Jha, Mines Manager (Pakhar)
11. Rajesh Ambastha, Mines Manager (Chiro Kukud & Orsa)

By order


Bijesh Kumar Jha
VP (Mines)

Cc to: - All Mines Manager
All Department head
Notice Board.

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-13 TO SEP-13

Name of Mines	Mining lease area (Ha)	Mined Out area (in Acres)	Backfilled area (in Acres)	Production (in MT)	Overburden Removal (in Cub.M.)
Shrengdag Bauxite Mines	155.81	12.9	10.4	122730.00	176390
Gurdari Bauxite Mines	584.19	17.5	17.0	160515.00	280160
Jalim & Sanai	12.14	1.50	2.64	34760.00	23984
Serangdag	140.06	3.23	1.82	49625.00	39219
Pakhar Buxite Mines	115.13	1.50	2.90	161470.00	220120
Pakhar Buxite Mines	8.09	1.95	1.60	48570.00	23675
Kujam-I	80.87	5.96	6.54	71920.00	56720
Kujam-II	157.38	2.47	8.47	109580.00	26906
Amtipani	190.95	7.12	7.23	94155.00	85884
Chiro-Kukud	152.57	3.50	2.50	27939.00	25795
Orsa Bauxite Mines	196.36	0.00	0.00	0.00	0.00
Hisri New	14.55	0.47	0.00	92649.00	5021
Bagru	75.41	0.38	0.10	54180.00	3384
Minerals & Minerals Limited					
Pakhar Buxite Mines	109.507	1.97	4.19	55920.00	55805
Pakhar Buxite Mines	15.58	1.10	1.50	25360.00	26712

Monitored Ground water level

Location (Mines)	Elevation (feet)	Elevation (Mtr)	Well type	Monsoon 2013		Post Monsoon 2013	
				Inside ML	Outside ML	Inside ML	Outside ML
Bagru	2970	905.4878049	Open Well		21.70		24.10
	2985	910.0609756	Open Well		24.20		24.50
	3001	914.9390244	Open Well		29.30		28.40
	2963	903.3536585	Open Well		22.90		33.10
	2983	909.4512195	Open Well		17.60		28.70
	3279	999.695122	Open Well		24.90		22.60
Pakhar	3552	1082.926829	Hand Pump	35.40		31.60	
Sherengdag	3370	1027.439024	Open Well		25.80		28.30
	3587	1093.597561	Hand Pump	41.80		39.58	
	3546	1081.097561	Hand Pump	39.60		31.26	
	3459	1054.573171	Hand Pump	33.10		27.50	
	3495	1065.54878	Hand Pump	27.70		26.13	
	3428	1045.121951	Hand Pump	29.34		27.85	
Gurdari	3481	1061.280488	Hand Pump	28.30		24.87	
	3472	1058.536585	Hand Pump	38.10		36.63	
	3527	1075.304878	Hand Pump	28.20		26.83	
	3526	1075	Hand Pump	28.30		29.32	
	3412	1040.243902	Open Well		33.90		21.80
	3414	1040.853659	Open Well		33.70		24.80
Kujam	3491	1064.329268	Hand Pump	31.50		28.60	
	3450	1051.829268	Hand Pump				21.12
	3765	1147.865854	Hand Pump	33.40		28.35	
Chiro Kukud	3776	1151.219512	Hand Pump	37.60		31.84	
	3556	1084.146341	Hand Pump	34.30		36.85	