

Ref No: HIL/LHD/GM (GEO)/MoEF/ 67

Date: 27.05.2019

To, The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

**Sub:** Compliance Report of EC conditions for Amtipani Bauxite Mining project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period October'18 to March'19.

Ref: Environmental Clearance letter no J-11015/241/2005-IA II (M) dated 14th August 2006

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Amtipani** Bauxite Mining project of **M/s Hindalco Industries Limited** located in Gumla, Jharkhand for the period October'18 to March'19.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO-INDUSTRIES LIMITED

(Basudev Gangopadhyay)
GM (Geology & Environment)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi

RO, JSPCB, Ranchi

CPCB, Zonal Office, Kolkata

<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

# Compliance of conditions laid down in Environmental Clearance <u>AMTIPANI BAUXITE MINES (190.95 Ha)</u> <u>Period: October'18- March'19</u>

### MoEF Environment Clearance ref: No J - 11015/241/2005-IA.II (M) dated 14 Aug'06

Sl. No	Conditions	Compliance Status
	Specific Conditions	
1	All the conditions stipulated by the State Pollution Control Board in their NOC should be effectively implemented.	Implementations of stipulated conditions in NOC are full filled post which consent to operate has been granted by SPCB from time to time. The existing consent to operate is valid upto 31.12.2020. Productions of bauxite are within limits specified in Consent to Operate.
2	The mining operations shall not intersect groundwater table. Prior approval of the MoEF and CGWA shall be obtained for mining below water table.	The mining operation confined within shallow depth (20 m max) and not intersected ground water. The EC also mentions ground water is at depth of 80-100 mts, thus there is no chance to intersect ground water table during mining operation. In future also, working zone will be restricted to above ground water table.  We undertake that no mining is/was carried out below ground water table and the same statusco will be maintain in future also.
3	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement is being done with raiyat (Land Owner) for 20 years with permission of State Govt with provision of returning the land as per the norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus the provision is taken care off.
4	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked separately with proper slope & is being used for reclamation and rehabilitation simultaneously with mining operation.

The waste generated in the initial period shall be During mining concurrent backfilling of dumped temporarily and backfilled in the mined out waste in worked out quarry is in practice. We are reviewing progress on continuous area. There shall be no permanent external OB dump in the project area. Concurrent backfilling should basis. Monitoring and management of start from the fifth year onwards. Monitoring and rehabilitation is continuous through management of rehabilitated areas should continue supervision. There will not be any until the vegetation becomes self-sustaining. permanent external dump at the end of Compliance status should be submitted to the the mine life. Compliance status is being submitted to Ministry of Environment & Forests on six monthly the Ministry of Environment & Forests & basis. Climate Change on six monthly basis. This is in progress with progress of Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment mining activity. Catch drains, siltation flows from soil and mineral dump. The water so ponds, garland drains, settling ponds and collected should be utilized for watering the mine toe walls are being constructed as per area, roads, green belt development etc. The drains, suitability. roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and To obviate surface run off going out of maintained our lease hold area, we have arrangement properly. Garland drain (size, gradient and length) shall be water harvesting pond, constructed for mine pit and sump capacity should be mansoon water is challnelised into water designed keeping 50% safety margin over and above harvesting pond where silt are getting peak sudden rainfall (based on 50 years data) and arrested. maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt Sump of adequate capacity is being material. Sedimentation pits should be constructed at provided and maintained as required. the corners of the garland drains and desilted at regular intervals.

Progressive plantation is under progress.

During above period total 2000 nos. plantations have been carried out. Green

belt development programme is in

of

mining

with progress

progress

activities.

Plantation shall be raised in an area of 79.3 ha

including a green belt of adequate width by planting

the native species around the ML area, roads, etc. in

Department. The density of the trees should be

local DFO/Agriculture

consultation with the

around 1500 plants per ha.

8	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	We have already implemented suitable conservation measures to augment ground water resources in area.  Rain water harvesting pond is provided. Conservation Measures viz. contour bunds, gullies in mining lease area is so designed that all rain water within lease are collected in to pit, No water allowed to flow out of the lease.  Report suggesting above measures is available and being implemented.  However, there is no chance to intersect ground water table during mining operation.
9	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director Central Ground Water Board.	The EC mentions that ground water table is at depth of 80-100 mts and it is not intersecting ground water table during mining operation.  We are not using ground water for any mining purpose.  Drinking water quality report attached as Annexure- 1
10	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. We are using water harvested by us and not stream water/surface water bodies for mining purposes.  There is no chance to intersect ground water table during mining operation as total mining depth is around 20m and depth of ground water table is around 100m.

12	The project proponent shall monitor the spring discharge on long term basis (at least one major spring) both in terms of quantity and quality of water and records maintained. Six monthly report should be submitted to the Ministry of Environment and Forests and its Regional Office located at Bhubneshwar.  Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.  Drills should either be operated with dust extractors	The quality parameter of nearby spring season has been monitored, report attached as Annexure 1.  Regular maintenance of vehicles is being done to minimize vehicular emission. All measures are being taken to control vehicular emission. The vehicles are being covered with tarpaulin while transportation of mineral.  Wet drilling is being done in drill holes
	or should be equipped with water injection system	for dust suppression by pumping water.
14	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Blasting time is fixed during Lunch Time i.e. 1.00 PM -2.00 PM. Controlled blasting method is in practice. All efforts such as use of nonel and delay, reduction in charge per blast-hole etc. are being taken to mitigate impact of blasting.
15	Consent to operate should be obtained from SPCB prior to start of production of mine	Consent to operate has been obtained prior to start of production. The existing consent to operate validity is upto 31.12.2020.
16	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sewage is collected to an integrated soak pit.
17	Land ouster and land loser/affected people should be compensated and rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR), 2003	Land ouster and land loser/affected people are being compensated and rehabilitated as per statute/guidelines.
18	The higher benches of the excavated void to be converted into water reservoir shall be terraced and afforested to stabilize the slopes. Peripheral fencing shall be done along the excavated area.	Water harvesting pond has been terraced and afforested to stabilize slopes. Peripheral fencing provided along excavated area.
19	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Mining Plan along with progressive mine closure plan has been approved by Indian Bureau of Mines. Final Mine Closure Plan will be submitted in due time. Based on present resource estimate and peak rated production capacity mentioned in EC, tentative balance life is around 23 years. However, after completion of further detailed exploration, resources

	estimate vis-à-vis balance life of mine
	may change based on final resource
	estimate, EC capacity and cut-off grade at
	that point of time.

### **General Conditions.**

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Being adhered to. Bauxite productions are in line with calendar plan. Quantum of mineral and OB excavated during the month October'18 to March'19 has been annexed as Annexure-4.
3	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife departments.	Safeguard Measures already Implemented are as follows:  1. Minimum level of Noise during Mining.  2. Fuel woods are being provided to labourers.  3. Permanent pillars are established within in the mine lease area.  4. Daily water sprinkling on haul road.  5. Transportation is carried out during day time only.  6. Social activities is being undertaken in nearby areas etc.  Further Plan for conservation measures for protection of flora and fauna in the core & buffer zone is already prepared and submitted to PCCF, Ranchi for approval. Presentation already made before PCCF and other forest officials.
4	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM, SPM, SO2, NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation	Being adhered to Monitoring report annexed as Annexure- 1.

	with the State Pollution Control Board.	
5	Data on ambient air quality (RPM, SPM, SO2 and NOx) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Being adhered to Monitoring report annexed as Annexure- 1.
6	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Mobile water tanker with sprinkling facility has been provided along haul roads, loading, unloading & at transfer points to arrest dust emission.
7	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Being Complied. PPEs are provided to workers.
8	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Presently, there is no effluent discharge from mine.
9	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	PPE's provided. Periodic training on safety & occupational health is being imparted to workers and health checks up conducted.
10	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization	A separate environmental management cell with suitable qualified personnel already formed and informed. (Annexure-3)
11	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Mining Plan along with progressive mine closure plan has been approved by IBM, Ranchi. This is an operating mine, hence provision related to financial closure not applicable.
12	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Separate budget is being prepared for purpose and expenditure is being reported to the ministry.  (Annexure-2)

13	The project authorities should inform to the	Vide Point no. 11 above.
	Regional Office located at Bhubneshwar regarding	
	date of financial closures and final approval of the	
	project by the concerned authorities and the date of	
	start of land development work.	
14	The Regional Office of this Ministry located at	Agreed and is being done.
	Bhubneshwar shall monitor compliance of the	
	stipulated conditions. The project authorities	
	should extend full cooperation to the officer (s) of	
	the Regional Office by furnishing the requisite data	
	/ information / monitoring reports.	
15	A copy of clearance letter will be marked to	Complied.
	concerned Panchayat / local NGO, if any, from	
	whom and suggestion / representation has been	
	received while processing the proposal.	
16	State Pollution Control Board should display a	Displayed.
	copy of the clearance letter at the Regional office,	
	District Industry Centre and Collector's office/	
	Tehsildar's Office for 30 days.	
17	The project authorities should advertise at least in	Complied. (Documents already
	two local newspapers widely circulated, one of	submitted).
	which shall be in the vernacular language of the	
	locality concerned, within 7 days of the issue of	
	the clearance letter informing that the project has	
	been accorded environmental clearance and a copy	
	of the clearance letter is available with the State	
	Pollution Control Board and also at web site of the	
	Ministry of Environment and Forests at http:/	
	/envfor.nic.in and a copy of the same should be	
	forwarded to the Regional Office of this Ministry	
	located Bhubneshwar.	



# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

# Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

### **NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT**

**OCTOBER TO DECEMBER 2018** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE regularity by

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

#### **CONTENT**

	LOCATION
	AMBIENT AIR QUALITY
1	Gurdari Mines Quarry 6B
2	Gurdari Mines Weigh Bridge
3	Kujam II Weigh Bridge
4	Kujam II Quarry
5	Kujam I Quarry I
6	Kujam I Quarry II
7	Amtipani Mines Near Office
8	Amtipani Mines Near Quarry



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0183/2018-19

183/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B* 

Sample collected on: 19.12.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	69.4		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	32.9		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.5		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.0		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	6.8		
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	10.7		
07.	Carbon Monoxide (CO)	mg/m³	02	0.32		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.1		
10.	Arsenic (As)	μg/m³	06	1.8		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0184/2018-19 Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge* 

Sample collected on: 19.12.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	80.2		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	44.6		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.9		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.3		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.5		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.1		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.37		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.4		
10.	Arsenic (As)	μg/m³	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0185/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Kujam II Weigh Bridge** 

Sample collected on: 19.12.2018

	LOCATION / IDENTIFICATION: Kujam II Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	73.8		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	34.6		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.9		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.7		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.1		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	11.2		
07.	Carbon Monoxide (CO)	mg/m³	02	0.41		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	1.9		
10.	Arsenic (As)	μg/m³	06	2.3		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.1		
12.	Benzo (a) Pyrene	μg/m³	01	0.35		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0186/2018-19

Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: 19.12.2018

	LOCATION / IDENTIFICATION: Kujam II Quarry				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	84	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	40	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.3	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.9	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.6	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	11.7	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.34	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.7	
10.	Arsenic (As)	μg/m³	06	2.0	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.1	
12.	Benzo (a) Pyrene	μg/m³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0187/2018-19 Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 20.12.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry I				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	87	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	40	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.7	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	5.3	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.8	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.6	
07.	Carbon Monoxide (CO)	mg/m³	02	0.31	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.1	
10.	Arsenic (As)	μg/m³	06	2.3	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.32	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE regeneral put.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0188/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 20.12.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry II				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	70	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	32	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	2.9	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.7	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	5.5	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.4	
07.	Carbon Monoxide (CO)	mg/m³	02	0.38	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.6	
10.	Arsenic (As)	μg/m³	06	2.1	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.32	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0189/2018-19** 

Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

**Client Address**: Lohardaga **Postal Code:** 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 20.12.2018

	LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	75.9	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	33.2	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.3	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.8	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	8.5	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	11.7	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.33	
08.	Lead (Pb)	μg/m³	1.0	0.02	
09.	Nickel (Ni)	μg/m³	20	2.5	
10.	Arsenic (As)	μg/m³	06	1.7	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.31	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0190/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga

**Postal Code:** 835203 **State:** Jharkhand **Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 20.12.2018

	LOCATION / IDENTIFICATION: Amtipani Mines Near Quarry				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	82.7	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	38.3	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.2	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.9	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.1	
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	11.7	
07.	Carbon Monoxide (CO)	mg/m³	02	0.33	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.1	
10.	Arsenic (As)	μg/m³	06	1.9	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016
Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

## Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

### **NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT**

**JANUARY TO MARCH 2019** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

#### **CONTENT**

	LOCATION
	AMBIENT AIR QUALITY
1	Gurdari Mines Quarry 6B
2	Gurdari Mines Weigh Bridge
3	Kujam II Weigh Bridge
4	Kujam II Quarry
5	Kujam I Quarry I
6	Kujam I Quarry II
7	Amtipani Mines Near Office
8	Amtipani Mines Near Quarry
	NOISE LEVEL
1	Gurudari Pit (584.19 ha. ) Netarhat Plateau
2	Kujam-I (80.87 ha. ) Netarhat Plateau
3	Kujam-II (157.38 ha. ) Netarhat Plateau
4	Amtipani Mines Pit
	SPOT NOISE LEVEL
1	Poclain at Haralagda Pit
2	Compressor Near Quarry 4 at Kujam-II
3	Drill Rig at Working Pit Kujam-I



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0215/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B* 

Sample collected on: 12.03.2019

	LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	73.9	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	34.3	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	2.9	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.7	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	5.1	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	8.3	
07.	Carbon Monoxide (CO)	mg/m³	02	0.20	
08.	Lead (Pb)	μg/m³	1.0	0.04	
09.	Nickel (Ni)	μg/m³	20	2.0	
10.	Arsenic (As)	μg/m³	06	1.6	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	1.9	
12.	Benzo (a) Pyrene	μg/m³	01	0.27	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0216/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge* 

Sample collected on: **12.03.2019** 

	LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	84.7	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	47.3	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.4	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.1	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	2.8	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.5	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.28	
08.	Lead (Pb)	μg/m³	1.0	0.05	
09.	Nickel (Ni)	μg/m³	20	2.5	
10.	Arsenic (As)	μg/m³	06	2.3	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.1	
12.	Benzo (a) Pyrene	μg/m³	01	0.32	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0217/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: **Hindalco Industries Limited** 

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand** 

Country: **India** 

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Kujam II Weigh Bridge* 

Sample collected on: **13.03.2019** 

	LOCATION / IDENTIFICATION: Kujam II Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	77.2	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	36.7	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.8	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	2.3	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	4.5	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.1	
07.	Carbon Monoxide (CO)	mg/m³	02	0.32	
08.	Lead (Pb)	μg/m³	1.0	0.02	
09.	Nickel (Ni)	μg/m³	20	1.8	
10.	Arsenic (As)	μg/m³	06	2.0	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.4	
12.	Benzo (a) Pyrene	μg/m³	01	0.29	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0218/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: 13.03.2019

	LOCATION / IDENTIFICATION: Kujam II Quarry				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	88.1	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	45.3	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.1	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	1.9	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	2.7	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.0	
07.	Carbon Monoxide (CO)	mg/m³	02	0.18	
08.	Lead (Pb)	μg/m³	1.0	0.01	
09.	Nickel (Ni)	μg/m³	20	2.2	
10.	Arsenic (As)	μg/m³	06	1.5	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	1.8	
12.	Benzo (a) Pyrene	μg/m³	01	0.4	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0219/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: **835203** State: **Jharkhand** Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 13.03.2019

	LOCATION / IDENTIFICATION: Kujam I Quarry I				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	81.4	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	42.3	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.2	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.6	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	3.0	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.8	
07.	Carbon Monoxide (CO)	mg/m³	02	0.24	
08.	Lead (Pb)	μg/m³	1.0	0.04	
09.	Nickel (Ni)	μg/m³	20	1.9	
10.	Arsenic (As)	μg/m³	06	2.1	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.6	
12.	Benzo (a) Pyrene	μg/m³	01	0.34	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0220/2019-20 **Date:** 21<sup>st</sup> May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 13.03.2019

	LOCATION / IDENTIFICATION: Kujam I Quarry II				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	76.5	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	38.1	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.6	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.7	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	5.1	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.7	
07.	Carbon Monoxide (CO)	mg/m³	02	0.33	
08.	Lead (Pb)	μg/m³	1.0	0.02	
09.	Nickel (Ni)	μg/m³	20	2.4	
10.	Arsenic (As)	μg/m³	06	1.3	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.7	
12.	Benzo (a) Pyrene	μg/m³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL/**MAY0221/2019-20 Date: 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 12.03.2019

	LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	79.4	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	37.0	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.0	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.8	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	5.6	
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	9.5	
07.	Carbon Monoxide (CO)	mg/m³	02	0.23	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.3	
10.	Arsenic (As)	μg/m³	06	2.0	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	1.6	
12.	Benzo (a) Pyrene	μg/m³	01	0.29	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0222/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga

**Postal Code:** 835203 **State:** Jharkhand **Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 12.03.2019

	LOCATION / IDENTIFICATION: Amti	pani Mines N	Near Quarry	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	μg/m³	100	84.9
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	41.2
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.7
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.1
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	6.3
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.3
07.	Carbon Monoxide (CO)	mg/m³	02	0.21
08.	Lead (Pb)	μg/m³	1.0	0.04
09.	Nickel (Ni)	μg/m³	20	2.3
10.	Arsenic (As)	μg/m³	06	2.1
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	1.6
12.	Benzo (a) Pyrene	μg/m³	01	0.34

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0223/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand** 

State: **Jnarkha**n Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Gurdari Pit (584.19 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	64.7	70	54.6

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0224/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-I (80.87 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	66.6	70	53.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0225/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-II (157.38 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	68.2	70	55.8

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0226/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

**Client Name: Hindalco Industries Limited** 

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Amtipani Mines Pit	dB (A) L <sub>eq</sub>	75	62.1	70	55.4

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0227/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

Location/Identification	Unit	Limit (day)	Result
<b>Gurudari Mines (584.19 ha.)</b> Poclain at Haralagda Pit	dB (A) L <sub>eq</sub>	75	69.6

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0228/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: **Hindalco Industries Limited** 

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand** 

State: **Jharkhan** Country: **India** 

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

Location/Identification	Unit	Limit (day)	Result
<b>Kujam-II Mines (157.38 ha.)</b> Compressor at Quarry No.4	dB (A) L <sub>eq</sub>	75	71.9

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0229/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

Location/Identification	Unit	Limit (day)	Result
<b>Kujam-I Mines (80.87 ha.)</b> Drill rig at Working Pit	dB (A) L <sub>eq</sub>	75	67.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



### Annexure-2

### BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2018-19

The composite cost during the year 2018-19 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha), Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud (152.57 ha), Orsa pat (196.36 Ha), Bhusar (65.31 Ha) and Bimarla Bauxite Mines (134.52 Ha).

S. No	Description	Budget (in Rupees) FY 2018-19	Actual (in Rupees) FY 2018-19 (from April'18 to Sep'18)	Actual (in Rupees) FY 2018-19 (from October'18 to March'19)
1	Pollution Control & Environment monitoring	15,21,000	8,82,300.00	8,43,969.95
2	Reclamation/ Back filing & Rehabilitation**	2,92,00,000	1,49,78,461.39	2,94,16,735.87
3	Green belt, Plantation & Water spraying arrangement	45,00,256	25,38,864.95	47,17,862.62
4	Rural Development	2,60,25,236	1,32,42,312.42	6,26,47,100.13

<sup>\*\*</sup>Part of OB removed cost.

(Basudev Gangopadhyay)
Convenor (Quality & Environment)

mexune -3



Date: 10.01.19

### Office Order

Environmental Cell has been re-constituted at Amtipani Bauxite Mines (Area 190.95 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Amar Bharti (Coordinator)
- 2. Mr. Preet Ranjan (Member)
- 3. Mr. Satish Kumar (Member)

Basudev Gangopadhyay Convenor (Quality & Environment)

SNo	Name of the Mines	Mining lease area	Production Capacity	Lease Period*	2			Mined out area (ha)
		(ha)	(MT)*		14	(IMI)		
1	Bagru bauxite Mine	75.41	85000	22.01.1974	7	ining op	lining operation is stoppe	Mining operation is stopped due to legal problem
				to 31.03.2030				
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981	190	190078	0078 1.638	
				to				
				31.03.2030				
3	Hisri (New) Bauxite	14.55	100000	19.07.1981		90674	90674 1.366	
	Mine			ę				
				31.03.2030				
4	Kujam - I Bauxite Mine	80.87	150000	13.03.2006		131115	131115 4.36	
				to 12.03.2056				
5	Kujam - II Bauxite Mine	157.38	300000	24.03.2006		260995	260995 14.29	
				to 23.03.2056				
6	Amtipani Bauxite Mine	190.95	150000	13.03.2006		144670	144670 8.38	
				to				
7	Gurdari Bauxite Mine	584.19	325000	23.03.1985		322340	322340 13 57	
				to 22.03.2035				
<b>∞</b>	Shrengdag A Bauxite	155.81	260000	16.10.1974		255430	255430 3.65	
	Mine			to 31.03.2030				
9	Shrengdag B Bauxite Mine	140.07	100000	04.10.1978 to		73190	73190 1.04	
				31.03.2030	A Tree To			
10	Jalim& Sanai Bauxite	12.14	50000	16.10.1974		40395	40395 1.04	
	Viine			to 31 03 2030				

		18			17			16				15			14			13			12			11
		Bimarla Bauxite Mine			Pakhar (109.507)			Pakhar (15.58)				Pakhar (115.13)			Pakhar (35.12)			Pakhar (8.09)		Mine	Chiro Kukud bauxite			Orsapat Bauxite Mine
		134.526			109.507			15.58	Minerals & N			115.13			35.12			8.09			152.57			196.36
		300000			280000			60000	Minerals & Minerals Limited			300000			200000			80000			100000			200000
17.07.2059	to	18.07.2009	25.07.2058	6	26.07.2008	31.03.2030	ф	28.04.1965		31.03.2030	to	19.07.1996	31.03.2030	ť	17.04.1975	31.03.2030	to	16.05.1973	28.01.2035	to	29.01.1985	16.07.2036	to to	17.07.1986
		185715			247130			35500				294000		<u>N</u>			N.				1970			1470
		8.09			2.37			0.65				3.31		N.			Z.				0.113			0.00
		8.65			2.82			0.92				2.43		₹			Z				0.00			0.00
		409391.00			378979			93116				521370		₹			Ľ				13168.924			2185.422

<sup>\*</sup>Static information about the mines included in the above table



Basudev Gangopadhyay
Convenor (Quality & Environment)