

Ref No: HIL/LHD/GM (GEO)/MoEF/ 7 3

Date: 27.05.2019

To, The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

**Sub:** Compliance Report of EC conditions for Chiro-Kukud (152.57 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period October'18 to March'19.

Ref: Environmental Clearance letter no J-11015/240/2006-IA II(M) dated 17th May 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Chiro-Kukud** (152.57 ha) Bauxite Mining project of **M/s Hindalco Industries Limited** located in Gumla, Jharkhand for the period October'18 to March'19.

Hope you will find the same in order.

Thanking You

Yours Sincerely
FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay) GM (Geology & Environment)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi
RO, JSPCB, Ranchi
CPCB, Zonal Office, Kolkata
<mef@ori.nic.in>, <mef.or@nic.in>, mef.or@nic.in>, mef.or@nic.in

### **Compliance of conditions laid down in Environmental Clearance**

# CHIRO KUKUD BAUXITE MINES Period: October'18- March'19

J-11015/240/2006-IA.II (M) Dated 17.5.2007

| Sl<br>No | Conditions   | Compliance Status  |
|----------|--|--|
|          | Specific Conditions  |  |
| 1        | Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa foundation Vs Union of India in writ petition (civil) no 460 of 2004, as may be applicable to this project                              | Noted.   |
| 2.       | Environmental Clearance is subject to obtaining clearance from Wildlife (Protection) Act '1972 from the competent authority.   | The Mine is not is operation since 24 April 2018 as this matter is subjudice.  |
| 3.       | All the conditions stipulated by SPCB in their NOC shall be effectively implemented.   | Implementations of the stipulated conditions in NOC are fulfilled post which consent to operate has been obtained from time to time when mine was in operation. The Mine is not in operation since 24 April 2018.  |
| 4        | The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.  | The Mine is not in operation since 24 April 2018. The land acquisition was being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement was being done with Raiyat (Land Owner) for 20 years with permission of State Govt with provision of returning the land as per as per the norms set by D.C. |
| 5        | Mining shall not intersect groundwater. The mine working shall be restricted to above ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table. | The Mine is not in operation since 24 April 2018. At no point of time mining activities was intersected the ground water table when mine was operational. In future also, post resumption of mining, it will be restricted above ground water table.  We undertake that no mining is/was carried out below ground water table  |
|          |  | and the same statusco will be maintain in future also.   |

| 6   | The project proponent shall ensure that the mining shall be carried out in small blocks and at a given point of time active mining shall not be more than 2.0 ha.  | The Mine is not in operation since 24 April 2018.  |
|-----|--|--|
| 7.  | The project proponent shall ensure that no natural water course shall be obstructed due to any mining operations.  | The Mine is not in operation since 24 April 2018. No natural water course obstructed when mine was operational.  |
| 8   | Top soil, if any, shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.   | The Mine is not in operation since 24 April 2018. Sequential backfilling and reclamation of the mined out area practiced when mine was operational.  |
| 9.  | The overburden generated during the initial year shall be kept as temporary dump. Concurrent backfilling starts from the 2 <sup>nd</sup> year onwards and there shall be no external dump at the end of the mine life.   | The Mine is not in operation since 24 April 2018. The overburdens generated during the initial year are kept as temporary dump. Concurrent backfilling started from the 2 <sup>nd</sup> year onwards. There is no external dump as on date and earlier dump were re-handled.  Data enclosed. Annexure 4. |
| 10. | The entire excavated area of 86 ha shall be reclaimed, out of which 66 ha land shall be returned to raiyats for agricultural purpose and in 20 ha plantation shall be raised. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis. | This is being complied and also will be complied with in future post resumption of mining work.  |

| size should be constructed to arrest silt and<br>sediment flows from mine working. The water so<br>collected should be utilized for watering the   | The Mine is not in operation since 24 April 2018.  During operation period of mines Catch  |
|--|--|
| The drains should be regularly desilted particularly after monsoon and maintained properly.  | drains and siltation ponds of appropriate size have been constructed to arrest silt and sediment flows from mine working. The water so collected was utilized for  |
| Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge  | watering the mine area, roads, green belt development etc. The drains were regularly desilted particularly after monsoon and maintained properly.  |
| in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at   | Garland drains and sump of appropriate size were provided during above period as required.   |
| Dimension of the retaining wall at the OB benches within the mine to check run-off and siltation should be based on rainfall data.   | The Mine is not in operation since 24 April 2018 hence not applicable as of now.   |
| Plantation shall be raised in an area of 20.0 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha. | Plantation carried out progressively. Total 2450 saplings have been planted during the FY 2018-19.   |
| The project authority should implement suitable conservation measures to augment ground water  | The Mine is not in operation since 24 April 2018.  |
| Regional Director, Central Ground Water Board.   | Suitable measures such as recharge pit, check dam, garland drain have been adopted to augment ground water resources in the area when mine was operational.  |
|  | It may be noted that there is no chance to intersect ground water table during mining operation.   |
| Regular monitoring of ground water level and quality should be carried out by establishing a   | It is being monitored.   |
| network of existing wells and constructing new<br>piezometers during the mining operation. The<br>monitoring should be carried out four times in a   | The ground water table is at depth of 80 mts approx. The working was restricted to shallow depth. Thus there was no  |
|  | sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.  Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.  Dimension of the retaining wall at the OB benches within the mine to check run-off and siltation should be based on rainfall data.  Plantation shall be raised in an area of 20.0 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.  The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. |

| 16 | year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.  Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies. | possibility of intersection of ground water table.  Monitoring report of potable water is enclosed as Annexure-1.  The Mine is not in operation since 24 April 2018.  Not used any natural water for mining purpose when mine was operational Water used for sprinkling and gardening was drawn from rain water harvesting pond. |  |  |
|----|--|--|--|--|
| 17 | Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.  | The Mine is not in operation since 24 April 2018.  Vehicle engaged in mining operation were regularly checked and maintained The vehicles used were covered with tarpaulin while transportation of mineral.  |  |  |
| 18 | Drills should either be operated with dust extractors or should be equipped with water injection system.   | The Mine is not in operation since 24 April 2018. Wet drilling done for dust suppression when mine was in operation.   |  |  |
| 19 | Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.   | The Mine is not in operation since 24 April 2018. However for this mine Blasting time was fixed during Lunch Time i.e. 1.00 PM -2.00 PM. Controlled blasting method practiced when mine was in operation. All efforts were taken to mitigate impact of blasting.   |  |  |
| 20 | Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.   | There is no proposal for production enhancement.   |  |  |
| 21 | Sewage treatment plant should be installed for<br>the colony. ETP should also be provided for<br>workshop and wastewater generated from mining<br>operations.  | The Mine is not in operation since 24 April 2018.  There was no effluent discharge from Mine, hence ETP is not required to install.  |  |  |
| 22 | The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Leopard, Indian Wolf, Indian  | The Mine is not is operation since 24 April 2018.  Plan for conservation measures for  |  |  |

|    | elephant, Indian small civet, Indian Python, etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months. | protection of flora and fauna in the core & buffer zone is already prepared and submitted to PCCF, Ranchi for approval.  |
|----|---|--|
| 23 | A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.  | Progressive Mine closure plan and Final mine closure plan (part) has been approved by IBM. FMCP for entire lease will be prepared & will be submitted in due time as per procedure mentioned in law. Based on the present resource estimate, and peak rated production capacity mentioned in EC, the tentative balance life is around 25 years. However, after completion of further detailed exploration, the resources estimate vis-à-vis balance life of the mine may change based on final resource estimate, EC capacity and cut-off grade at that point of time. |

### **GENERAL CONDITIONS**

| Sl | Conditions  | Compliance Status  |
|----|---|--|
| No |   | -  |
| 1  | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest   | Noted.   |
| 2  | No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.   | Noted but the Mine is not in operation since 24 April 2018.  |
| 3  | Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO <sub>2</sub> , NO <sub>X</sub> monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control | The Mine is not in operation since 24 April 2018.  Monitoring Reports of AAQ data is attached as Annexure-1. |

|    | Board.   |  |
|----|--|--|
|    |  |  |
| 4  | Data on ambient air quality (RPM, SPM, SO <sub>2</sub> , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.   | The Mine is not in operation since 24 April 2018.  Monitoring Reports is attached as Annexure-1.   |
| 5  | Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.  | The Mine is not in operation since 24 April 2018.  Water tankers with sprinkling facility have been provided for haul roads, loading unloading & at transfer points when mine was operational. |
| 6  | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.  | The Mine is not in operation since 24 April 2018.  PPE provided to operators within the work zone during operation of mines.   |
| 7  | Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.            | The Mine is not in operation since 24 April 2018.  |
| 8  | Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects.  Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | The Mine is not in operation since 24 April 2018.  PPE provided to workers during operation of mines. Training is provided through VT centre.  PME is conducted for all workers.               |
| 9  | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.   | Complied. A suitable environmental management cell has been developed with qualified personnel. Copy enclosed as Annexure- 3.  |
| 10 | The project authorities should inform to the<br>Regional Office located at Bhubneshwar<br>regarding date of financial closures and final<br>approval of the project by the concerned   | The Mine is not in operation since 24 April 2018. This was an operating Mine and hence provision related to financial closure not  |

|    | authorities and the date of start of land development work.  | applicable.   |
|----|--|---|
| 11 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.  | The funds earmarked for environmental protection measures are budgeted separately. Cost of environmental protection measures annexed as Annexure-2. |
| 12 | The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.   | Agreed.   |
| 13 | The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests its Regional Office, Bhubneshwar CPCB and State Pollution Control Board.   | Duly submitted.   |
| 14 | A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.   | Complied  |
| 15 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.  | Displayed.  |
| 16 | The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar. | Already done and copies submitted with earlier six monthly compliance report.   |



# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016
Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

## Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

#### ORSA & CHIRO PLATEAU- ENVIRONMENTAL MONITORING REPORT

**OCTOBER TO DECEMBER 2018** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

### **CONTENT**

|    | LOCATION                      |
|----|-------------------------------|
| A. | AMBIENT AIR QUALITY           |
| 1  | Chirokukad Weigh Bridge       |
| 2  | Kukad Village                 |
| 3  | Rajendrapur                   |
| 4  | Orsa Village                  |
| 5  | Near Chiro Kukud Mines Office |
| 6  | Near Saraidih Hospital        |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0177/2018-19 **Date:** 30<sup>th</sup> January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

**Sample type:** AMBIENT AIR QUALITY MONITORING **Marks on Sample: Location: Chiro Kukad Weigh Bridge** 

Sample collected on: 21.12.2018

|         | LOCATION / IDENTIFICATION: ChiroKukad Weigh Bridge           |       |                   |               |  |
|---------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 61.6          |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 29.2          |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.7           |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.1           |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.5           |  |
| 06.     | Ozone (0 <sub>3</sub> )                                      | μg/m³ | 180               | 10.2          |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.30          |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 1.9           |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.1           |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.40          |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0178/2018-19 Date: 30th January, 2019** 

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kukad Village

Sample collected on: 21.12.2018

|         | LOCATION / IDENTIFICATION: Kukad Village                     |       |                   |               |  |
|---------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 49            |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 22            |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.8           |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.3           |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.2           |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 9.1           |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.21          |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 2.4           |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.1           |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.0           |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.32          |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL**/JAN0179/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand

**Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Rajendrapur

Sample collected on: 21.12.2018

|         | LOCATION / IDENTIFICATION: Rajendrapur                       |       |                   |               |  |
|---------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 59            |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 27            |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 3.2           |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.8           |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 3.2           |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 11.4          |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.25          |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.02          |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 1.5           |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 3.0           |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.29          |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0180/2018-19 Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

**Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Orsa Village

Sample collected on: 21.12.2018

| LOCATION / IDENTIFICATION: Orsa Village |  |                     |     |               |  |
|---|--|---------------------|-----|---------------|--|
| Sl. No.                                 | PARAMETERS   | PARAMETERS UNIT Sta |     | Concentration |  |
| 01.                                     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³               | 100 | 46            |  |
| 02.                                     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³               | 60  | 22            |  |
| 03.                                     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³               | 80  | 2.4           |  |
| 04.                                     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³               | 80  | 3.9           |  |
| 05.                                     | Ammonia (NH <sub>3</sub> )                                   | μg/m³               | 400 | 4.2           |  |
| 06.                                     | Ozone (O <sub>3</sub> )                                      | μg/m³               | 180 | 9.8           |  |
| 07.                                     | Carbon Monoxide (CO)   | mg/m³               | 02  | 0.27          |  |
| 08.                                     | Lead (Pb)  | μg/m³               | 1.0 | 0.03          |  |
| 09.                                     | Nickel (Ni)  | ng/m³               | 20  | 1.5           |  |
| 10.                                     | Arsenic (As)   | ng/m³               | 06  | 2.0           |  |
| 11.                                     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³               | 05  | 2.1           |  |
| 12.                                     | Benzo (a) Pyrene   | μg/m³               | 01  | 0.30          |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0181/2018-19 Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Near ChiroKukud Mines Office

Sample collected on: 21.12.2018

|         | LOCATION / IDENTIFICATION: Near Chiro Kukud Mines Office     |       |                   |               |  |
|---------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) $PM_{10}$     | μg/m³ | 100               | 61            |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 33            |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.5           |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.9           |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.8           |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 11.7          |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.34          |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 2.2           |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.1           |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.32          |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE ROCHI LE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

OCTOBER - DECEMBER 2018

**Report no: MEEPL/JAN0182/2018-19 Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

**Country:** India **Sample type:** AMBIENT AIR QUALITY MONITORING **Marks on Sample:** Location: Near Saraidih Hospital

Sample collected on: 21.12.2018

|         | LOCATION / IDENTIFICATION: Near Saraidih Hospital            |                   |                   |               |  |  |
|---------|--|-------------------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT              | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³             | 100               | 53            |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³             | 60                | 28            |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³             | 80                | 2.9           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³             | 80                | 4.5           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³             | 400               | 4.0           |  |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³             | 180               | 10.6          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m <sup>3</sup> | 02                | 0.25          |  |  |
| 08.     | Lead (Pb)  | μg/m³             | 1.0               | 0.02          |  |  |
| 09.     | Nickel (Ni)  | ng/m³             | 20                | 1.8           |  |  |
| 10.     | Arsenic (As)   | ng/m³             | 06                | 2.1           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³             | 05                | 2.0           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³             | 01                | 0.32          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE ROCHI LE



# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

## Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

#### ORSA & CHIRO PLATEAU- ENVIRONMENTAL MONITORING REPORT

**JANUARY TO MARCH 2019** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

### **CONTENT**

|    | LOCATION                                      |
|----|---|
| A. | AMBIENT AIR QUALITY                           |
| 1  | Chirokukad Weigh Bridge                       |
| 2  | Kukad Village                                 |
| 3  | Rajendrapur                                   |
| 4  | Orsa Village                                  |
| 5  | Near Chiro Kukud Mines Office                 |
| 6  | Near Saraidih Hospital                        |
| B. | NOISE LEVEL                                   |
| 1  | Chiro Kukad Mining Area                       |
| C. | SPOT NOISE LEVEL                              |
| 1  | Near Poclain at Chiro Kukad Mine (152.57 ha.) |
| D. | DRINKING WATER                                |
| 1  | Chiro Kukud Mines Office                      |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0206/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

**Country:** India

**Sample type:** AMBIENT AIR QUALITY MONITORING **Marks on Sample: Location: Chiro Kukad Weigh Bridge** 

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: ChiroKukad Weigh Bridge           |       |                   |               |  |  |
|---------|--|-------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 66.4          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 34.0          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.2           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.7           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.0           |  |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 11.7          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.33          |  |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 2.4           |  |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.1           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.40          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0207/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kukad Village

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: Kukad Village                     |       |                   |               |  |  |
|---------|--|-------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 54.9          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 25.1          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.6           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.8           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.6           |  |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 9.7           |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.24          |  |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 2.2           |  |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.1           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.0           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.32          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0208/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Rajendrapur

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: Rajendrapur                       |       |                   |               |  |  |
|---------|--|-------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 65.7          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 30.9          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 3.8           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 4.5           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 3.6           |  |  |
| 06.     | Ozone (0 <sub>3</sub> )                                      | μg/m³ | 180               | 11.0          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.22          |  |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.02          |  |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 1.85          |  |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 3.0           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.27          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE Raychi (1)

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0209/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Orsa Village

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: Orsa Village                      |       |                   |               |  |  |
|---------|--|-------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 58.2          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 23.9          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.9           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 4.0           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.5           |  |  |
| 06.     | Ozone (0 <sub>3</sub> )                                      | μg/m³ | 180               | 10.3          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.27          |  |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 1.7           |  |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.1           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.30          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0210/2019-20 **Date:** 21<sup>st</sup> May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Near ChiroKukud Mines Office

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: Near Chiro Kukud Mines Office     |       |                   |               |  |  |
|---------|--|-------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT  | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³ | 100               | 70.3          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³ | 60                | 37.1          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³ | 80                | 2.8           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³ | 80                | 3.5           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³ | 400               | 4.4           |  |  |
| 06.     | Ozone (O <sub>3</sub> )                                      | μg/m³ | 180               | 11.2          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m³ | 02                | 0.36          |  |  |
| 08.     | Lead (Pb)  | μg/m³ | 1.0               | 0.03          |  |  |
| 09.     | Nickel (Ni)  | ng/m³ | 20                | 2.6           |  |  |
| 10.     | Arsenic (As)   | ng/m³ | 06                | 2.0           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³ | 05                | 2.1           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³ | 01                | 0.31          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE ROCHI L

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL/**MAY0211/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Near Saraidih Hospital

Sample collected on: 09.03.2019

|         | LOCATION / IDENTIFICATION: Near Saraidih Hospital            |                   |                   |               |  |  |
|---------|--|-------------------|-------------------|---------------|--|--|
| Sl. No. | PARAMETERS   | UNIT              | Standard<br>Limit | Concentration |  |  |
| 01.     | Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$    | μg/m³             | 100               | 61.0          |  |  |
| 02.     | Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub> | μg/m³             | 60                | 36.3          |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                           | μg/m³             | 80                | 2.6           |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                          | μg/m³             | 80                | 4.1           |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )                                   | μg/m³             | 400               | 3.7           |  |  |
| 06.     | Ozone (0 <sub>3</sub> )                                      | μg/m³             | 180               | 10.2          |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m <sup>3</sup> | 02                | 0.22          |  |  |
| 08.     | Lead (Pb)  | μg/m³             | 1.0               | 0.02          |  |  |
| 09.     | Nickel (Ni)  | ng/m³             | 20                | 1.9           |  |  |
| 10.     | Arsenic (As)   | ng/m³             | 06                | 2.1           |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                     | μg/m³             | 05                | 2.0           |  |  |
| 12.     | Benzo (a) Pyrene   | μg/m³             | 01                | 0.33          |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0212/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand

Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 09.03.2019

| Location/Identification | Unit       | Limit (day) | Result | Limit (night) | Result |
|-------------------------|------------|-------------|--------|---------------|--------|
| Chiro Kukad Mining Area | dB (A) Leq | 75          | 64.8   | 70            | 51.3   |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0213/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Iharkhand

State: Jharkhan Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 09.03.2019

| Location/Identification                        | Unit                   | Limit (day) | Result |
|--|------------------------|-------------|--------|
| Chiro Kukad Mines (152.57 ha.)<br>Near Poclain | dB (A) L <sub>eq</sub> | 75          | 72.9   |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Report no: MEEPL**/MAY0214/2019-20 **Date:** 21st May, 2019

Sample described by customer: **DRINKING WATER-POTABILITY** 

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **DRINKING WATER-POTABILITY**Marks on Sample: Location: **Chiro Kukud Mines Office** 

Sample collected on: 09.03.2019

| Sl. No. | Parameters                   | Unit  | Result    | Acceptable Limit (IS 10500:2012) | Method reference                                      |  |  |  |  |
|---------|------------------------------|-------|-----------|----------------------------------|---|--|--|--|--|
| 1       | Colour                       | Hazen | <1        | 5 Max                            | APHA 22 <sup>nd</sup> Ed. 2012, 2120-<br>B, 2-6       |  |  |  |  |
| 2       | Odour                        |       | Agreeable | Agreeable                        | IS 3025 (Part 7): 1983,<br>Reaffirmed 2006            |  |  |  |  |
| 3       | Taste                        |       | Agreeable | Agreeable                        | IS 3025 (Part 7): 1983,<br>Reaffirmed 2006            |  |  |  |  |
| 4       | Turbidity                    | NTU   | 0.4       | 1 Max                            | APHA 22 <sup>nd</sup> Ed. 2012, 2130-<br>B, 2-13      |  |  |  |  |
| 5       | рН                           |       | 7.1       | 6.5-8.5                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>H+-B, 4-92   |  |  |  |  |
| 6       | Free Chlorides (Residual)    | mg/l  | <0.5      | 0.2 min                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>CI-G, 4-69   |  |  |  |  |
| 7       | Total Dissolved Solids       | mg/l  | 469       | 500 max                          | IS 3025 (Part 16): 1984,<br>Reaffirmed 2006           |  |  |  |  |
| 8       | Monochloramines              | mg/l  | <0.05     |                                  | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>CIG, 4-69    |  |  |  |  |
| 9       | Dichioramines                | mg/l  | <0.05     |                                  | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>CIG, 4-69    |  |  |  |  |
| 10      | Total hardness (as CaCO3)    | mg/l  | 59        | 200 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>CIG, 4-69    |  |  |  |  |
| 11      | Alkalinirty Total (as CaCO3) | mg/l  | 67        | 200 max                          | IS 3025 (Part 237): 1986,<br>Reaffirmed 2009          |  |  |  |  |
| 12      | Chloride (as CI)             | mg/l  | 19.3      | 250 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>CI-b, 4-72   |  |  |  |  |
| 13      | Sulphate (as SO4)            | mg/l  | 11.6      | 200 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-<br>so4-e, 4-190 |  |  |  |  |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

**Continuation Sheet** *MEEPL/ MAY0214/2019-20* 

| Sl. No. | Parameters                              | Unit | Result | Acceptable Limit (IS 10500:2012) | Method Reference  |
|---------|---|------|--------|----------------------------------|---|
| 14      | Nitrate (as NO3)                        | mg/l | 0.75   | 45 max                           | APHA 22 <sup>nd</sup> Ed. 2012, 4500-NO3-E, 4-125             |
| 15      | Fluoride (as F)                         | mg/l | 0.04   | 1 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 4500-FB & D, 4-84, 4-87       |
| 16      | Boron (as B)                            | mg/l | 0.02   | 0.5 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 4500-BB, 4-25                 |
| 17      | Calcium (as Ca)                         | mg/l | 16.4   | 75 max                           | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Ca-B, 3-67               |
| 18      | Magnesium (as Mg)                       | mg/l | 4.1    | 30 max                           | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Mg-B, 3-84               |
| 19      | Ammonical Nitrogen/Total Ammonia        | mg/l | <0.1   |                                  | APHA 22 <sup>nd</sup> Ed. 2012, 4500-NH3-F, 4-115             |
| 20      | Iron (as Fe)                            | mg/l | 0.08   | 0.3 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 21      | Manganese (as Mn)                       | mg/l | N.D    | 0.1 max                          | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 22      | Aluminium (as Al)                       | mg/l | 0.01   | 0.03 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Al-B, 3-61               |
| 23      | Cadmium (as Cd)                         | mg/l | N.D    | 0.003 max                        | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 24      | Chromium Total (as Cr)                  | mg/l | N.D    | 0.05 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 25      | Copper (as Cu)                          | mg/l | N.D    | 0.05 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 26      | Lead (as Pb)                            | mg/l | N.D    | 0.01 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 27      | Zinc (as Zn)                            | mg/l | 0.03   | 5 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 28      | Arsenic (as As)                         | mg/l | < 0.01 | 0.01 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38                  |
| 29      | Selenium (as Se)                        | mg/l | N.D    | 0.001 max                        | APHA 22 <sup>nd</sup> Ed. 2012, 3112-B, 3-23                  |
| 30      | Mercury (as hg)                         | mg/l | N.D    | 0.01 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38                  |
| 31      | Nickel (as Ni)                          | mg/l | < 0.01 | 0.02 max                         | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 32      | Mineral Oil                             | mg/l | N.D    | 0.5 max                          | IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1             |
| 33      | Cyanide (as CN)                         | mg/l | N.D    | 0.05 max                         | APHA 22 <sup>nd</sup> ED. 2012, 4500-CN.C & 4-39<br>& 4-44    |
| 34      | Anionic detergents as MBAS              | mg/l | <0.1   | 0.2 max                          | APHA 22 <sup>nd</sup> ED. 2012, 5540-C.C & 5-53               |
| 35      | Phenolic compounds (as C6H5OH)          | mg/l | N.D    | 0.001 max                        | APHA 22 <sup>nd</sup> ED. 2012, 5530-B & C 5-4753             |
| 36      | Polynuclear aromatic hydrocarbons (PAH) | mg/l | N.D    | 0.0001 max                       | APHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93                    |
| 37      | Polychlorinated Biphenyls (PCBs)        | mg/l | N.D    | 0.0005 max                       | USEPA Method 8082   |
| 38      | Sulphide (as S)                         | mg/l | N.D    | 0.05 max                         | APHA 22 <sup>nd</sup> ED. 2012, 4500-S2-C 4- 175<br>& F 4-178 |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JANUARY - MARCH 2019

Continuation Sheet MEEPL/ MAY0214/2019-20

| Sl. No.   | Parameters          | Unit      | Result | Acceptable Limit (IS 10500:2012) | Method Reference       |  |  |  |  |
|-----------|---------------------|-----------|--------|----------------------------------|------------------------|--|--|--|--|
| Microbio  | logical Analysis    | -         |        | •                                |                        |  |  |  |  |
|           | T                   |           |        |                                  | APHA 22nd Ed. 2012,    |  |  |  |  |
| 1         | Total Colliforms    | MPN/100mL | N.D    | <1.1                             | 9221-B & C, 9-66, 9-69 |  |  |  |  |
|           |                     |           |        |                                  | and 9-67               |  |  |  |  |
|           |                     |           |        |                                  | APHA 22nd Ed. 2012,    |  |  |  |  |
| 2         | E-Coli              | MPN/100mL | N.D    | Absent                           | 9221-B & C, 9-66, 9-69 |  |  |  |  |
|           |                     |           |        |                                  | and 9-76               |  |  |  |  |
| Pesticide | s Residues          |           |        |                                  |                        |  |  |  |  |
| 3         | p.p DDT             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 4         | o.p DDT             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 5         | p.p DDE             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 6         | o.p DDE             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 7         | p.p DDD             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 8         | o.p DDD             | μg/L      | N.D    | 1                                | US EPA 508-1995        |  |  |  |  |
| 9         | γ-HCH (Lindance)    | μg/L      | < 0.01 | 2                                | US EPA 508-1995        |  |  |  |  |
| 10        | α –НСН              | μg/L      | < 0.01 | 0.01                             | US EPA 508-1995        |  |  |  |  |
| 11        | β-НСН               | μg/L      | N.D    | 0.04                             | US EPA 508-1995        |  |  |  |  |
| 12        | Б- НСН              | μg/L      | N.D    | 0.04                             | US EPA 508-1995        |  |  |  |  |
| 13        | Butachlor           | μg/L      | N.D    | 125                              | US EPA 508-1995        |  |  |  |  |
| 14        | Alachlor            | μg/L      | N.D    | 20                               | US EPA 508-1995        |  |  |  |  |
| 15        | Atrazine            | μg/L      | N.D    | 2                                | US EPA 508-1995        |  |  |  |  |
| 16        | α Endosulfan        | μg/L      | N.D    | 0.4                              | US EPA 508-1995        |  |  |  |  |
| 17        | β Endosulfan        | μg/L      | N.D    | 0.4                              | US EPA 508-1995        |  |  |  |  |
| 18        | Endosulfan Sulphate | μg/L      | N.D    | 0.4                              | US EPA 508-1995        |  |  |  |  |
| 19        | Ethion              | μg/L      | N.D    | 3                                | US EPA 8141A-1994      |  |  |  |  |
| 20        | Malathion           | μg/L      | N.D    | 190                              | US EPA 8141A-1994      |  |  |  |  |
| 21        | Methoyl Parathion   | μg/L      | N.D    | 0.3                              | US EPA 8141A-1994      |  |  |  |  |
| 22        | Monocrotophos       | μg/L      | N.D    | 1                                | US EPA 8141A-1994      |  |  |  |  |
| 23        | Phorate             | μg/L      | N.D    | 2                                | US EPA 8141A-1994      |  |  |  |  |
| 24        | Chlorpyrifos        | μg/L      | N.D    | 30                               | US EPA 8141A-1994      |  |  |  |  |
| 25        | Aldrin              | μg/L      | N.D    | 0.03                             | US EPA 508-1995        |  |  |  |  |
| 26        | Dieldrin            | μg/L      | N.D    | 0.03                             | US EPA 508-1995        |  |  |  |  |

Conclusion: The Physical & Chemical Analysis report indicates that the water is not contaminated and potable

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



### Annexure-2

### BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2018-19

The composite cost during the year 2018-19 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha), Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud (152.57 ha), Orsa pat (196.36 Ha), Bhusar (65.31 Ha) and Bimarla Bauxite Mines (134.52 Ha).

| S. No | Description   | Budget (in<br>Rupees)<br>FY 2018-19 | Actual (in Rupees) FY 2018-19 (from April'18 to Sep'18) | Actual (in Rupees) FY 2018-19 (from October'18 to March'19) |
|-------|---|-------------------------------------|---|---|
| 1     | Pollution Control & Environment monitoring                | 15,21,000                           | 8,82,300.00   | 8,43,969.95   |
| 2     | Reclamation/ Back filing & Rehabilitation**               | 2,92,00,000                         | 1,49,78,461.39  | 2,94,16,735.87  |
| 3     | Green belt, Plantation<br>& Water spraying<br>arrangement | 45,00,256                           | 25,38,864.95  | 47,17,862.62  |
| 4     | Rural Development   | 2,60,25,236                         | 1,32,42,312.42  | 6,26,47,100.13  |

<sup>\*\*</sup>Part of OB removed cost.

(Basudev Gangopadhyay)
Convenor (Quality & Environment)





Date: 10.01.19

## Office Order

Environmental Cell has been re-constituted at Chiro Kukud Bauxite Mines (Area 152.57 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Rajesh Ambastha (Coordinator)
- 2. Mr. Tapas Gachhayat (Member)
- 3. Mr. Satyendra Sharma –Foreman (Member)
- 4. Mr. Nagendar Singh Mining Mate (Member)

Basudev Gangopadhyay Convenor (Quality & Environment)

| SNo | Name of the Mines           | Mining<br>lease area | Production<br>Capacity | Lease<br>Period* | *   |           |                             | Production (MT)                                  |
|-----|-----------------------------|----------------------|------------------------|------------------|-----|-----------|-----------------------------|--|
| 1   | Bagru bauxite Mine          | 75.41                | 85000                  | 22.01.1974       |     | lining on | Aining operation is stopped | Mining operation is stopped due to legal problem |
|     |                             |                      |                        | to<br>31.03.2030 |     |           | 1                           |  |
| 2   | Bhusar Bauxite Mine         | 65.31                | 280000                 | 11.07.1981       | 19  | 190078    | 90078 1.638                 |  |
| 1   |                             |                      |                        | to               |     |           |                             |  |
| ٠   | Hieri (New) Ramyito         | 1/1 55               | 100000                 | 19 07 1991       |     | 17200     |                             | 1 366  |
|     | Mine                        |                      |                        | to               |     | 00017     | 1:300                       |  |
|     |                             |                      |                        | 31.03.2030       |     |           |                             |  |
| 4   | Kujam - I Bauxite Mine      | 80.87                | 150000                 | 13.03.2006       |     | 131115    | 131115 4.36                 |  |
|     |                             |                      |                        | to<br>12.03.2056 |     |           |                             |  |
| 5   | Kujam - II Bauxite Mine     | 157.38               | 300000                 | 24.03.2006       |     | 260995    | 260995 14.29                |  |
|     |                             |                      |                        | to<br>23.03.2056 |     |           |                             |  |
| 6   | Amtipani Bauxite Mine       | 190.95               | 150000                 | 13.03.2006       |     | 144670    | 144670 8.38                 |  |
|     |                             |                      |                        | to<br>12.03.2056 |     |           |                             |  |
| 7   | Gurdari Bauxite Mine        | 584.19               | 325000                 | 23.03.1985       |     | 322340    | 322340 13.57                |  |
|     |                             |                      |                        | to<br>22.03.2035 |     |           |                             |  |
| 8   | Shrengdag A Bauxite         | 155.81               | 260000                 | 16.10.1974       | 100 | 255430    | 255430 3.65                 |  |
|     | Mine                        |                      |                        | to<br>31.03.2030 |     |           |                             |  |
| 9   | Shrengdag B Bauxite<br>Mine | 140.07               | 100000                 | 04.10.1978<br>to |     | 73190     | 73190 1.04                  |  |
| 10  | Jalim& Sanai Bauxite        | 12.14                | 50000                  | 16.10.1974       |     | 40395     | 40395 1.04                  |  |
|     | Mine                        |                      |                        | to               |     |           |                             |  |

|                  |                      | 1          | 11000 | 2000             | _          | - | 1000           | 1                                      | -          |    |                 |            |          |                | -          |    |               | _          |      | -                   | _          |    |                      |
|------------------|----------------------|------------|-------|------------------|------------|---|----------------|--|------------|----|-----------------|------------|----------|----------------|------------|----|---------------|------------|------|---------------------|------------|----|----------------------|
|                  | 18                   |            |       | 17               |            |   | 16             |  |            |    | 15              |            |          | 14             |            |    | 13            |            |      | 12                  |            |    | 11                   |
|                  | Bimarla Bauxite Mine |            |       | Pakhar (109.507) |            |   | Pakhar (15.58) |  |            |    | Pakhar (115.13) |            |          | Pakhar (35.12) |            |    | Pakhar (8.09) |            | Mine | Chiro Kukud bauxite |            |    | Orsapat Bauxite Mine |
|                  | 134.526              |            |       | 109.507          |            |   | 15.58          | Minerals & N                           |            |    | 115.13          |            |          | 35.12          |            |    | 8.09          |            |      | 152.57              |            |    | 196.36               |
|                  | 300000               |            |       | 280000           |            |   | 60000          | <b>Minerals &amp; Minerals Limited</b> |            |    | 300000          |            |          | 200000         |            |    | 80000         |            |      | 100000              |            |    | 200000               |
| to<br>17.07.2059 | 18.07.2009           | 25.07.2058 | б     | 26.07.2008       | 31.03.2030 | 6 | 28.04.1965     |  | 31.03.2030 | to | 19.07.1996      | 31.03.2030 | to       | 17.04.1975     | 31.03.2030 | to | 16.05.1973    | 28.01.2035 | to   | 29.01.1985          | 16.07.2036 | to | 17.07.1986           |
|                  | 185715               |            |       | 247130           |            |   | 35500          |  |            |    | 294000          |            | <u>N</u> |                |            | N. |               |            |      | 1970                |            |    | 1470                 |
|                  | 8.09                 |            |       | 2.37             |            |   | 0.65           |  |            |    | 3.31            |            | N.       |                |            | Z  |               |            |      | 0.113               |            |    | 0.00                 |
|                  | 8.65                 |            |       | 2.82             |            |   | 0.92           |  |            |    | 2.43            |            | Z        |                |            | ĸ  |               |            |      | 0.00                |            |    | 0.00                 |
|                  | 409391.00            |            |       | 378979           |            |   | 93116          |  |            |    | 521370          |            | ≅        |                |            | Z. |               |            |      | 13168.924           |            |    | 2185.422             |

<sup>\*</sup>Static information about the mines included in the above table



Basudev Gangopadhyay
Convenor (Quality & Environment)