

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	Harendra Singh, -Head Alupuram Works. Hindalco Industries Limited.
	(ii) Name of HCF or CBMWTF	AMBULANCE ROOM
	(iii) Address for Correspondence	HINDALCO INDUSTRIES LIMITED XV/1, ALUPURAM WORKS, ELOOR ROAD, KUTTIKATTUKARA, ERNAKULAM, KERALA- 683501
	(iv) Address of Facility	HINDALCO INDUSTRIES LIMITED XV/1, ALUPURAM WORKS, ELOOR ROAD, KUTTIKATTUKARA, ERNAKULAM, KERALA- 683501
	(v) Tel. No.	0484 2932515
	(vi) E-mail ID	smit.mistry@adityabirla.com dawn.antony@adityabirla.com
	(vii) URL of Website	www.hindalco.com
	(viii) GPS coordinates of HCF or CBMWTF	Latitude – 10.076830 Longitude – 76.325377
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other) Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules: :	Authorisation No.: PCB/HO/EKM/ICO-R/07/2023
	(xi). Status of Consents under Water Act and Air Act :	Valid up to: 30.06.2028

2	Type of Health Care Facility :		
	(i) Bedded Hospital : No. of Beds		NA
	(ii) Non-bedded hospital		NA
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) :		Ambulance Room
	(iii) License number and its date of expiry		N/A
3	Details of CBMWTF :		No CBMWTF available. Bio Medical Waste treated through IMAGE Aff No EKM/0543
	(i) Number healthcare facilities covered by CBMWTF :		N/A
	(ii) No of beds covered by CBMWTF :		N/A
	(iii) Installed treatment and disposal capacity of CBMWTF: : Kg per day		N/A
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		N/A
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category: 19.35 Kg
			Red Category: 13.55 Kg
			White: Nil
			Blue Category :0.30 Kg
			General Solid waste: Nil

5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Bio Medical Waste treated through IMAGE Aff No EKM/0543			
	Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		• Incinerators • Plasma pyrolysis • Autoclaves • Microwave • Hydroclave • Shredder • Needle tip cutter or destroyer • Sharps encapsulation • or concrete pit • Deep burial pits • Chemical disinfection • Any other treatment • equipment			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	NIL			
	(iv) No of vehicles used for collection and transportation of biomedical waste :	N/A			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum :	No incinerator installed / used			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Through IMAGE. Affiliation No EKM/0543			
	(vii) List of member HCF not handed over bio-medical waste.	N/A			
6	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, MOM attached			

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	01
	(ii) number of personnel trained	06
	(iii) number of personnel trained at the time of induction	Nil
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	Nil
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	No Incinerator Installed
	Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a year?	N/A
11	Is the disinfection method or sterilization meeting the log standards? How many times you have not met the standards in a year?	N/A
12	Any other relevant information (Air Pollution Control Devices attached with the Incinerator)	N/A

Certified that the above report is for the period from 01 Jan 2025 to 31 Dec 2025

.....
.....
.....
.....

Name and Signature of the Head of the Institution

Date: 29 June 2026

Place: HINDALCO INDUSTRIES LIMITED
ALUPURAM