

Ref: UAIL-Mines/BBM/31/2024

22nd June 2024

To

The Member secretary State Pollution Control Board, Odisha Parivesh Bhawan, A/118 Nilakanthanagar, unit- VIII Bhubaneswar- 751012

Sub: Submission of Annual return for Bio-medical Waste as per "The Bio-Medical Waste Management Rules, 2016 for the period January 2023 to December 2023.

Sir,

Please find enclosed herewith the Annual return for Biomedical Waste in Form-IV as per "The Bio-Medical Waste Management Rules, 2016" under E (P) Act, 1986 in respect of our Baphlimali Bauxite Mines of M/s Utkal Alumina International limited for the period January 2023 to December 2023.

This is for your kind information and perusal.

Yours faithfully,

For Utkal Alumina International Limited

Vijay Chauhan **Head-Mines**

Baphlimali Bauxite Mine

Encl: As Above

Copy to:

1. Regional Office, OSPCB, Rayagada for kind information & record.

Form- IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI. No	Particulars		
1	Particulars of the Occupier	:	M/s HCU of Baphlimali Bauxite Mine of M/s UAI
	(i) Name of the authorized person (occupier or operator of facility)		Dr. Devi Prasad Mishra
	(ii) Name of HCF or CBMWTF	1:	M/s HCU of Baphlimali Bauxite Mine of M/s UAII
	(iii) Address for Correspondence	:	At: Paikupakhal, Po: Maikanch, Dist: Rayagada Odisha
	(iv) Address of Facility	*	At: Paikupakhal, Po: Maikanch Dist: Rayagada Odisha
9-	(v)Tel. No, Fax. No	:	06865287040/06865287100
	(vi) E-mail ID	:	nepal.nial@adityabirla.com
	(vii) URL of Website	:	www.hindalco.com
	(viii) GPS coordinates of HCF or CBMWTF		HCU- Baphlimali Bauxite Mines GPS Coordinates
			Latitude Longitude
			19°C 20' 366" 82°C 58' 874"
			То То
			19°C 20' 386" N 82°C 58' 924" E
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	•	Authorization No: 2795/SPCB/Authorization (Biomedical Waste)/V/BMW/RO/Rayagada/69/2017 Dt. 11.09.2019
			Valid Upto: Until Further Order
	(xi). Status of Consents under Water Act and Air Act	•	CTO granted by OSPCB for Baphlimali Bauxite Mines M/s Utkal Alumina International Ltd., which is Valid till 31.03.2027.
: 1	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: Not Applicable

(ii) Non-bedded hospital	Ι.	Health Care Unit	- / Direct A	110 1	
		Health Care Unit	TIBLE	did Center	(Mines)
Clinical Laboratory or Research Institute or Veterinary Hospital or any other)					
(iii) License number and its date of expiry	:		Not Ap	plicable	
3 Details of CBMWTF	2			plicable	
(i) Number of health care facilities covered by		· .		plicable	
CBIVI W 1F	- 107	•	110171	pheasic	
(ii) No. of Beds covered by CBMWTF	:		Not Ap	plicable	
(iii) Installed treatment and disposal capacity of CBMWTF;	*		Not Ap	plicable	
(iv) Quantity of bio medical waste treated or disposed			Not Ap	plicable	
Quantity of waste generated or disposed in Kg per	-	Yellow Category:	0.03	38 kg/Ann	
annum (on monthly average basis)		Red Category:		0 kg/Ann	
	1	White:			
	1	Blue Category:	0.10	8 kg/Ann 9 kg/Ann	um um
		General Solid was			
Details of the Storage, Treatment, Transportation, Pr	nces	sing and Disposal	Facility	J kg/Aiiii	
(i) Details of the on-site storage facility					
in Security of the on-site storage facility		Size: Not Ap	plicable		
		Capacity: Not Ap	plicable		
, i'asp	F	Provision of on-sit other provision): N	e storage ot Appli	e : (Cold s cable	torage or an
(ii) Details of the treatment or disposal facilities		Type of treatment equipment	No of Units	Capaci ty Kg/day	Quantity Treated or disposed in kg Per annun
		Incinerators	0	NA	NA
		Plasma Pyrolysis	0	NA	. NA
		Autoclaves	1	3 Ltrs.	0.200
		Microwave .	0	NA	NA
PROBLEM TO THE STATE OF THE STA		Hydroclave	0	NA	NA
	1	Shredder	0	NA	NA
		Needle tip cutter or destroyer	1	NA	0.168
	5	Sharps	0	NA	NA
	I	Encapsulation	0	NA	NA
		Deep burial its :	3	NA	0.815
		Chemical lisinfection	0	NA	. NA

			Any other treatment equipment:	0	NA		NA
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	1	Red Category (lik	ke plastic,	glass, e	etc.): 1	Vil
	(iv) No of vehicles used for collection and transportation of biomedical waste	20		Not Appl	icable		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quanti Genera		Whe	
			· Incineration	Ni	il i		
			Ash	Ni	iI		*
			· ETP Sludge	Ni	il [=
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Waste is disposed o	of only the	rough de	eep bi	urial pits.
	(vii) List of member HCF not handed over bio- medical waste.		. 1	Not Appli	cable		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	-91-79		Yes		William	
7	Details trainings conducted on BMW		e de la companya del companya de la companya del companya de la co				
	(i) Number of trainings conducted on BMW Management			Two)		
	(ii) Number of personnel trained			3			
	(iii) number of personnel trained at the time of induction		·	Nil			
	(iv) Number of personnel not undergone any training so far			Nil			
	(v) Whether standard manual for training is available?		Job specific training	ig is prov	ided to i	ndivi	dual.
8	Details of the accident occurred during the year						\$
	(i) Number of Accidents occurred			Nil			
	(ii) Number of persons affected			Nil			
	(iii) Remedial Action taken (Please attach details if any)		1	Not Appli	cable		•
	(iv)Any Fatality occurred, details.			Nil			7,000
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		N	ot Applica	able		
	Details of Continuous online emission monitoring systems installed		. No	ot Applica	able		

10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable .
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12	Any other relevant information	Not Applicable

Certified that the above report is for the period from January 01, 2023 to December 31 2023.

Vijay Chauhan Head Mines Baphlimali Bauxite Mines

Name & Signature of the Head of the Institution

Date: 22.06.2023 Place: Doraguda



OFFICE ORDER

Date: 20.11.2023

According to the subrule 4(r) of Bio-Medical Waste Management Rules, 2016. to review and monitor the activities related to Bio-Medical Waste Management a Bio-Medical Waste Management Committee at Baphlimali Bauxite Mine of M/s Utkal Alumina International Limited has been constituted.

The name & designations of the committee members are enlisted below.

- 1. Mr. Amar Bharti- Asst. General Manager (Mines-Manager).
- 2. Mr. Nepal Nial, SH- Environment
- 3. Mr. Subhranshu Bhusan Sahoo, Manager- Mines
- 4. Mr. Pradyumna Das, Asst. General Manager- Geology
- 5. Dr Devi Prasad Mishra, Asst. Manager- Medical Services
- 6. Mr. Prabhu Prasad Pattanaik, Deputy officer- Medical Services

Thanking You

For Utkal Alumina International Limited

Vijay Chauhan

Head- Baphlimali Bauxite Mine

<u>Statement regarding spillage and collection of mercury during the period</u> <u>January 2023 to December 2023</u>

22nd June 2024

To

The Member secretary State Pollution Control Board, Odisha Parivesh Bhawan, A/118 Nilakanthanagar, unit- VIII Bhubaneswar- 751012

Sir,

With reference to the special condition no. 8 mentioned in the Biomedical waste authorization, we like to inform you that there is no use of mercury at our HCF/First aid centre of Baphlimali bauxite mine of M/s UAIL either in chemical form or in any instrument. Thus, there was no spillage and collection of mercury during the period January 2023 to December 2023.

This is for your kind information and perusal.

Yours faithfully,

For Utkal Alumina International Limited

Vijay Chauhan

Head-Mines

Baphlimali Bauxite Mine

FORM – I [(See rule 4(o), 5(i) and 15 (2)]

ACCIDENT REPORTING

N.B: - There was no accident including accidents caused by fire hazards, blasts during handling of biomedical waste during the period from January 2023 to December 2023

- 1. Date and time of accident: NA
- 2. Type of Accident: NA
- 3. Sequence of events leading to accident: NA
- 4. Has the Authority been informed immediately: NA
- 5. The type of waste involved in accident: NA
- 6. Assessment of the effects of the accidents on human health and the environment: NA
- 7. Emergency measures taken: NA
- 8. Steps taken to alleviate the effects of accidents: NA
- 9. Steps taken to prevent the recurrence of such an accident: NA
- 10. Does your facility has an Emergency Control policy? If yes give details: NA

Date : 22.06.2024

Place: Doraguda


Signature

Designation: Head-Mines

03/10/2023

Date-03/10/2023 Topic-Bromedical Waste treatment & Disposal Trainer - Dr. D. P Michka Trainer Mame: 1) prabbe patrack Carl (Aditya Birla) Reg. Nor 20762 OMC, Mines Medical Officer Uail (Aditya Birla) Reg.No: 20762(OMC)

18/01/2023, 80 (Pego No.



DATE :- 18/01/2023	Day- Ostronos
Tofic! Biomedical Was	te Treatment & Disposal
Man Men: Dr. Devi F	Basad Mishra.
	a small gansant
Traine manne.	Daniel addance
I mustry Potnewy	and I
1) whith Salays!	Khufesh Serejange
>> Armed flether.	egllo
	41
Managa 10	Dr. Devi Brasad Mis. Mines Medical Officer
Mines Medical Dinesc	(Aditya Birla)
Pcg.No. 20162/09/2)	Reg.No: 20762(OMC)
	And The Park
•	

Member present:
J. Sanjay paretri - AGM Mones

Dr. Dr. Dever praced Mischae Assy Manger

Subhransie Sanoo - AM-EKS

Poent's Discussed:
Cleaning activity near the deep burial put to be followed.

Drsposal of waste according to colorer Code's as per BMW.

Awareness to parametrical state regarding Bromeofical

Waste management System.

~~~	03/11/2023
	Member Present:
	Amar Bhayer Bhante 123 2. Pradycona Das Why Dan
	2. Pradycona Das (1) Dec 63(11)
	. Dr. Deur Prasad Micha Jour
	1. Subhransu Sahoo (1)
	· Subheamanya kang:
•	i. Nofel real. Nepal Nial Shid
Pou	Us Driccesser :-
1~~	
he re	eneration of bearmedical waste has been reviews enerotion of bearmedical waste to be maintained egister according to Colorar Code.  Teaning activity near the deep barrial pri to be
Fo llows	ol. U
4.0	Danagment System.