5/29/25, 11:42 AM Home Page

Your (Half Yearly Compliance Report) has been Submitted with following details		
Proposal No	IA/OR/IND/64028/2017	
Compliance ID	112818214	
Compliance Number(For Tracking)	EC/M/COMPLIANCE/112818214/2025	
Reporting Year	2025	
Reporting Period	01 Jun(01 Oct - 31 Mar)	
Submission Date	29-05-2025	
RO/SRO Name	Shri Senthil Kumar Sampath	
RO/SRO Email	agmu156@ifs.nic.in	
State	ODISHA	
RO/SRO Office Address	Integrated Regional Offices, Bhubaneswar	

Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, ODISHA with Notification to Project Proponent.

## Half Yearly Compliance Report 2025 01 Jun(01 Oct - 31 Mar)

## Acknowledgement

Proposal Name	M/s Utkal Alumina International Limited
Name of Entity / Corporate Office	Utkal Alumina International Limited
Village(s)	N/A
District	RAYAGADA

Proposal No.	IA/OR/IND/64028/2017
Plot / Survey / Khasra No.	N/A
State	ODISHA
MoEF File No.	J-11011/753/2007- IA.II(I)

Category	Industrial Projects - 1
Sub-District	N/A
Entity's PAN	****3008R
Entity name as per PAN	UTKAL ALUMINA INTERNATIONAL LIMITED

# **Compliance Reporting Details**

**Reporting Year** 2025

Half Yearly EC

Remarks (if any) compliance report for the

period 01.10.24 to

31.03.25

**Reporting Period** 01 Jun(01 Oct - 31 Mar)

## **Details of Production and Project Area**

Name of Entity / Corporate Office

Utkal Alumina International Limited

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0	0
Revenue Land	164.391	0
Forest	104.335	0
Others	800.784	629
Total	1069.51	629

# **Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Calcined Alumina	Million Tons per Annum (MTPA)	31/03/2026	3.0	2.4395	2.67
2	Thermal Power	MW	31/03/2026	150	512355 mwh	90

### **Conditions**

## **Specific Conditions**

Sr.No.	<b>Condition Type</b>	Condition Details
1	MISCELLANEOUS	The PP shall implement recommendations of the approved Site-Specific Conservation Plan & Wildlife Management Plan in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report.

#### PPs Submission: Complied

As per the recommendation of the study on Site-Specific Conservation Plan and Wildlife Management Plan, sum of Rs. 1,17,57,852/- has been deposited in the CAMPA fund for the purpose of implementation of various activities within the project impact area by the Forest Department as envisaged in the plan. However, awareness has been created in the periphery of the project site as per the plan.

Date: 23/05/2025

# 2 WASTE MANAGEMENT

The red mud already generated from the existing plant shall be stored in the red mud pond lined with impervious clay prior to use to prevent leakage, designed as per the CPCB guidelines with proper leachate collection system. Ground water shall be monitored regularly all around the red mud disposal area and report submitted to the Regional Office of the Ministry. Proper care shall be taken to ensure no run off or seepage from the red mud disposal site to natural drainage. Plan shall be prepared and implemented for utilising the already generated red mud in a time bound manner.

#### **PPs Submission:** Complied

Red mud pond has been constructed as per the design and drawing approved by State Pollution Control Board vide their Letter No. 19306/IND-IV-HW-931 dated 30.08.2012. The red mud pond is lined with clay and 1.5 mm HDPE liner with sub-soil drainage collection and reuse system, run-off drainage network and leachate collection facility. The semi-dry red mud cake generated from red mud filtration unit is being stored in the active red mud pond A and B. Piezometers have been installed near the Red Mud Pond for monitoring of ground water. Monitoring of ground water is being carried out regularly around the red mud disposal area and the same is attached. The following provisions has been made to ensure the storm water management: i. Garland drains have been provided all around the Red Mud Pond to divert the storm water of adjacent area to natural nallah. ii. Drain and collection pit has been arranged within the mud stacking pond and the accumulated water is being pumped back to the same process or collected in the supernatant water storage pond C for continuous recycle and reuse in the process. iii. Drains have been provided adjacent to dyke of active pond A and B. iv. Water quality of nearby river is being monitored regularly to check contamination if any and the results are attached. Red Mud Utilization Plan: Research Development scheme has been developed with various research laboratories like CRRI, IIT, IMMT, NML, and Cement Industries for its productive utilization in road construction applications, cement production and mine void backfilling. In the FY25 about 32584 MT of red mud has been utilized for road making in NH 130 of Raipur-Visakhapatanam economic corridor near Koraput. Verification and validation completed by CSIR-CRRI and CSIR-IMMT. All other utilization plan for red mud utilization as per red mud notification by CPCB (2023) are in exploratory/pilot stage and the progress status are being shared with the OSPCB periodically.

Date: 23/05/2025

3 L

LAND RECLAMATION

Water spraying on the red mud pond shall be arranged to prevent fine dust from being blown off the stack. Longer- term treatment of the red mud shall include reclamation of the mud ponds, neutralization, covering with topsoil, and planting with vegetation.

#### **PPs Submission:** Complied

Fixed rain gun water sprinkling system, fog cannon of capacity 12 KL are being provided at red mud pond for dust suppression. In addition to this, water tankers are being deployed for water sprinkling

Date: 23/05/2025

on haulage roads of the red mud pond. To cover both the red mud pond, total 6900 meters pipeline laying is planned and out of those 3570 meters completed. Presently, mud stacking is going on in pond B. However, the longer-term treatment will be prepared once the red mud pond is ready to be closed. Also, Pond-A extension work is on progress which can accommodate approx. 100 lakh MT of red mud in the extended 9 Ha. area. CTE obtained for the extension work.

4 WATER QUALITY 4 MONITORING AND PRESERVATION Decanted water from red mud pond is collected in the Process Water Lake during the monsoon and the same water recycled back to the process through pumping arrangements.

## PPs Submission: Complied

Since filter plant is established to produce red mud in semi dry condition, no decant water from red mud pond is generated except the precipitation water collected during monsoon season. Red mud slurry from the plant is fed to Red Mud Filtration unit where in the output dry mud cake is stacked in red mud pond and the filtrate is recycled back to the process. The decanted water (run-off) from the Red Mud Ponds is collected in Pond-C and the same water is entirely recycled back to the process through pumping arrangement.

Date: 23/05/2025

5 WASTE MANAGEMENT

100 % of the fly ash generated shall be utilised.

#### PPs Submission: Complied

At present we are supplying the fly ash to the nearby BMUs, NHAI for road making and various cement plants across the country. 100 percentage ash has been utilized for the reporting period i.e., FY25. 1.3 percentage legacy ash also has been utilized. Monthly reports on generation and utilization of ash has been submitted to OSPCB and FARC.

Date: 23/05/2025

6 MISCELLANEOUS

The company shall construct separate RCC drains for carrying storm water inside the plant.

#### PPs Submission: Complied

A dedicated RCC storm water drainage network has been provided connecting all drains and diverted to a pond; called Guard Pond for sedimentation and neutralisation if required.

Date: 23/05/2025

7 Statutory compliance

The water drawl shall not exceed 20,000 m3/day (existing and the expansion project put together).

#### PPs Submission: Complied

Intake Water drawn and used from San River is within the permissible limit of 20000 m3/day. Average daily drawl of water from October 2024 to March 2025 is 19073 m3/day.

Date: 23/05/2025

8

Corporate Environmental Responsibility

An amount of Rs Rs. 135.8 Crores (2.5% of Project cost of Rs. 5432.00 Crore) proposed towards Corporate Environmental Responsibility shall be utilized as capital expenditure in project mode. The project shall be completed in concurrence with the implementation of the expansion and estimated on the basis of Scheduled Rates.

#### **PPs Submission:** Complied

The project has been completed and presently the plant is running at a production capacity of 2.67 MTPA. As reported in the last EC compliance report, expenditure for the year 2024-25 towards corporate environmental responsibility is attached.

Date: 23/05/2025

9

WASTE MANAGEMENT

Kitchen waste shall be composted or converted to biogas for further use.

#### PPs Submission: Complied

Presently the kitchen wastes are being collected from both the townships and composted in specially designed pits. The manure hence produced is being used in plantation. 2 nos. of OWC have been procured for processing of organic waste and its installation under progress.

Date: 23/05/2025

AIR QUALITY
10 MONITORING AND
PRESERVATION

a. install 24x7 continuous emission monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 742 (E) dated 30th August 1990 and thereafter amended vide G.S.R 46 (E) dated 3rd February 2006 (Aluminium); S.O. 3305 (E) dated 7th December 2015(Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. b. Monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. c. Install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. d. submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring for calibrations of CEMS and manual monitoring of air quality /fugitive emission to Regional Office of MoEF&CC, Zonal office of SPCB along with six monthly monitoring report.

#### **PPs Submission:** Complied

a. Continuous emission monitoring systems (CEMS) have been provided in the running cogeneration thermal power plant and calciners of the alumina refinery. These Continuous Emission monitoring systems have been connected with the servers of the OSPCB and CPCB for real time data transmission through RTDAS. The CEMS is calibrated as per the supplier specification. b. Fugitive emission monitoring is being carried out at specified locations in the plant through NABL accredited 3rd party laboratory and the analysis report is attached in Annexure-III. c. Four numbers of CAAQMS are in operation as per the OSPCB directive to monitor the ambient air quality for the parameters PM10, PM2.5, SO2, NO2 and CO on continuous basis. Real-time data is connected to SPCB server. d. The results of continuous stack emission as per SPCB server (Annexure-IV), manual stack monitoring by NABL accredited laboratory (Annexure-V) and ambient air quality monitoring as per SPCB server (Annexure-VI) and ambient air quality monitoring by NABL accredited laboratory (Annexure-VI) for the period Oct24 to Mar25 are attached.

Date: 23/05/2025

WATER QUALITY
MONITORING AND
PRESERVATION

a. install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R 742 (E) dated 30th August 1990 and further amended vide G.S.R 46 (E) dated 3rd February 2006 (Aluminium); S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories. b. monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratories; and c. submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.

#### PPs Submission: Complied

a. The wastewater generated in the Alumina refinery are alkaline in nature. All these wastewaters from the process is centrally collected through a dedicated drainage system (RCC) in a concrete pond called the Caustic Pond, bottom lined with LDPE. The wastewater so collected is entirely

Date: 23/05/2025

recycled back to the process. Similarly, in the CPP, the blow down water from the Boilers and the Cooling Towers along with the DM Plant wastewater are collected in a Holding Pond after sedimentation and neutralization. This water is also entirely reused for sprinkling in CHP, AHP, Roads and Ash conditioning. Similarly, the surface run-off water is also collected centrally in a pond called the Guard Pond having neutralization system at the inlet with continuous pH monitoring. This water is also entirely recycled into the process for Red Mud washing except during heavy rain fall. Thus, the wastewater generated is being reused in the process and no wastewater is discharged to outside the plant as the plant operates on a Zero Discharge principle. The zero-discharge condition is ensured by continuous surveillance through web camera and flow meter as per CPCB guidelines and the same also connected to the SPCB/CPCB server. b. Ground water quality is being monitored in and around the plant premises through labs recognised under Environment (Protection) Act, 1986 and NABL accredited laboratory M/s Visiontek Consultancy Services PVT. Ltd. Bhubaneswar. Ground Water Analysis report is enclosed in Annexure-VIII. c. Since, it is a Zero discharge plant, no effluent is discharged outside. Surface run-off and storm water during monsoon season is discharged through the guard pond and the same is under continuous surveillance through IP Camera and flow meter which is hooked to CPCB/SPCB server. Hence continuous online effluent monitoring system has not installed. However, manual ground water quality is being monitored in and around the plant premises. Analysis report of Ground Water is enclosed in Annexure-VIII.

12

AIR QUALITY MONITORING AND PRESERVATION a. ensures ambient air quality around the project site as prescribed under National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16th November, 2009 (as amended from time to time). b. provide appropriate Air Pollution Control (APC) system for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards. c. provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags; d. provide sufficient number of mobile or stationery vacuum cleaners to clean plant roads, shop floors, roofs regularly; e. ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generationf. provide covered sheds for raw materials like bauxite, coal, etc;g. recycle alumina dust collected in ESPs installed in calciner.

#### **PPs Submission:** Complied

a. Ambient air quality is being monitored by establishing six nos. of AAQ stations inside and outside the plant premises in addition to four CAAQMS. The summary of the ambient air quality monitoring data for the period Oct 24 to Mar 25 by NABL accredited laboratory and CAAQMS are attached as Annexure- VII and Annexure-VI. b. Electrostatic precipitator (ESPs) designed to control particulate matter emissions within 50 mg/Nm3 and connected to the Three boilers of the Power Plant and Three Calciners of the Alumina Refinery with online continuous emission monitoring system. The following provisions have been made to control fugitive emission: a) Continuous water sprinkling system has been arranged to control fugitive emission in red mud pond area. b) Bag filters have been provided at Bauxite crusher, coal crusher, calciner and alumina handling areas. c) Fixed high jet water spraying system have been installed at bauxite and coal handling areas. Wagon Tippler with dry fog system at coal unloading area and closed type pipe conveyor system have been provided. Fully covered conveyors with dust suppression system at transfer points for bauxite transportation have been provided. d) 2 nos. of wet scrubbers and 3 nos. of vacuum cleaner are provided at lime handling area. c. Bag filters have been provided with differential pressure transmitter which measures pressure of inlet and outlet. We have monthly schedule of filter cloth cleaning and inspection to ensure better reliability of the bag filters. d. Mechanised mobile sweeping machine of 10KL capacity and industrial vacuum cleaners are being used to clean the plant roads, shop floors and other areas. e. Bauxite is transported through state-of-the-art technology, Long Distance Conveyor (LDC). The entire conveyor length of 18.2 kms is covered with hood to prevent spillage and dust generation. Coal is conveyed through a pipe conveyor. Other raw materials like lime and coal are transported through wagon and covered conveyor system inside the plant. f. Covered shed is already provided for coal, lime and Bauxite. For storage of bauxite an 1 lakh MT capacity storage shed g. Alumina dust collected in ESP is recycled through pneumatic conveying system which is part of the design.

Date: 23/05/2025

13 WATER QUALITY

a. adhere to 'zero liquid discharge';b. provide Sewage Treatment

# MONITORING AND PRESERVATION

Plant for domestic wastewater; andc. provide garland drains and collection pits for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.

#### PPs Submission: Complied

a. The concept of zero discharge is being strictly followed. b. 3 nos. of STPs are in operation having total capacity of 440 KLD. The domestic wastewater after treatment is being utilized for green belt development. Analysis Report of STP treated water is attached as Annexure- IX. c. The surface runoff water from bauxite and coal handling area is collected centrally in the RCC lined Settling Pond.

Date: 23/05/2025

WATER QUALITY
MONITORING AND
PRESERVATION

The project proponent shall (Water Conservation):a. practice rainwater harvesting to maximum possible extent; and b. reduce water consumption in bauxite beneficiation and alumina refinery by concentrating the solids in the tailings;

## PPs Submission: Complied

a. The rainwater during rainy season is being collected in guard pond, caustic pond, holding pond, reservoir and RMP is reused in the process avoiding usage of fresh water. However, six recharge pits have been constructed to harvest roof top rainwater for ground water recharge at the township. b. Bauxite beneficiation is not a part of our process. Hence, this not applicable to us. In this regard, we had already requested your good office to waive off this condition vide our letter no. UAIL/ENV/2018-19/96 dated 16.07.2018. However, the tailings from alumina refinery are being disposed using High Concentration Slurry Disposal (HCSD) having 60 percentage solids to state of the art and latest red mud filtration (RMF) unit as per the CREP guidelines. Disposal of red mud through pressure filters having 80 percentage solids on impervious ponds has saved water consumption due to water recycle in the form of filtrate of the RMF unit. Red Mud Filtration has helped in reducing water consumption.

Date: 23/05/2025

ENERGY PRESERVATION MEASURES

a. provide waste heat recovery system (pre-heating of combustion air) at the flue gases.b. provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly; andc. Provide the project proponent for LED lights in their offices and residential areas.

#### PPs Submission: Complied

a. This is part of the design in the Calciner and CPP units. New 5th gen Calciner-3 from M/s FL Smidth and targeted 7 percentage reduction in HFO specific Consumption by reducing skin temp. b. Solar power plant of capacity 5 MW is already installed and commissioned at our township during Jan 20. The entire solar power generated is being utilised both in plant and township. c. LED lights have already been provided at plant as well townships.

Date: 23/05/2025

16 WASTE MANAGEMENT

Used refractories shall be recycled as far as possible.

#### PPs Submission: Complied

The used refractories generated from the refinery are not hazardous in nature. All the used refractories generated has been sent to the recyclers.

Date: 23/05/2025

17

Statutory compliance

100% utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.

## PPs Submission: Complied

Fly ash is being supplied to fly ash brick manufacturing units, cement industries, road making and land development. The agreement/order for lifting the fly ash with the brick manufacturers is attached as Annexure-X.

Date: 23/05/2025

18

Noise Monitoring & Prevention

The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dB(A) during day time and

		70 dB(A) during night time.	
Noise cor	omission: Complied atrol measures have been implemente ysis report for the period Oct 24 to M	d to maintain the noise levels within the norms. Noise far 25 is enclosed as Annexure-XII.	Date: 23/05/2025
19	GREENBELT	Green belt shall be developed in 353 Ha equal to 33% area with a native tree species in accordance with CPC. The greenbelt shall inter alia cover the entire periphery.	B guidelines.
Green bel per CPCE acquired a	Guidelines. Till now an area of 353	enous species during monsoon season of every year as Ha has been covered with green belt against total 3 percentage of total area. During FY 25, 29720 nos. hip.	Date: 23/05/2025
20	MISCELLANEOUS	The Capital cost Rs. 255.00 Crore and annual recurring 5.55 Crores towards the environmental protection measuremental separately. The funds so provided shall not any other purpose.	sures shall be
The funds 20891.36		etion is being utilized for the said purpose only. Total As reported in the last EC compliance report, the detail ned	Date: 23/05/2025
neral Co Sr.No.	onditions  Condition Type	Condition Details	
1	MISCELLANEOUS	Oily scum and metallic sludge recovered from ETP dried, and briquetted and reused.	shall be mixe
There is n	your good office to exclude this con-	ic sludge in the process. In this regard, we had already dition vide our letter no. UAIL/ENV/2018-19/96	Date: 23/05/2025
dated 16.0	J7.2018.		
	MISCELLANEOUS	The project proponent shall prepare GHG emissions shall submit the programme for reduction of the same carbon sequestration including plantation.	
PPs Sul The source of coal and commissi	MISCELLANEOUS  omission: Complied e of GHG emissions is coal fired boid d FO has been reduced by optimizing	shall submit the programme for reduction of the same	including  Date:
The source of coal and commissi	MISCELLANEOUS  omission: Complied e of GHG emissions is coal fired boid d FO has been reduced by optimizing oning of 5 MW solar energy Plant for	shall submit the programme for reduction of the same carbon sequestration including plantation.  lers of CPP and FO used Calciner Burners. Utilization genergy utilization. The other programs are (i)	Date: 23/05/2025

4

Statutory compliance

The project proponent shall carry out heat stress analysis for the

workmen who work in high temperature work zone and provide

Personal Protection Equipment (PPE) as per the norms of Factory

Heat st		perature work zone is being carried out and PPEs like vided as per the norms of Factory Act.	Date: 23/05/202
5	Corporate Environmental Responsibility	The project proponent shall adhere to the corporate of policy and system of the reporting of any infringement compliance of EC conditions at least once in a year to Directors and the copy of the board resolution shall be the MoEF&CC as a part of six-monthly report.	ts/ non- the Board or
	Submission: Complied , followed, and informed.		Date: 23/05/202.
6	MISCELLANEOUS	Ventilation system shall be designed for adequate ai per ACGIH document for all tunnels, motor houses.	r changes as
	Submission: Complied tion systems are Provided for adequate	e air changes.	Date: 23/05/202
7	Corporate Environmental Responsibility	All the recommendations made in the Charter on Co Responsibility for Environment Protection (CREP) fo Aluminium Industry shall be implemented.	
DD <sub>c</sub> (	Submission: Complied		
As per Red mu Concen CREP	CREP guideline, two issues (i) Phasin and come under the purview of Alumina attration Slurry Disposal (HCSD) with	ng out of wet disposal of Red Mud and (ii) Utilisation of a Refinery Plant. Red Mud is disposed using High 60 percentage solids to red mud filtration unit as per the stored in the impervious Bauxite residue pond. arlier conditions.	Date: 23/05/202
As per Red mu Concer CREP g Utilisat	CREP guideline, two issues (i) Phasin and come under the purview of Alumina stration Slurry Disposal (HCSD) with guidelines. The filtered cake is being s	a Refinery Plant. Red Mud is disposed using High 60 percentage solids to red mud filtration unit as per the stored in the impervious Bauxite residue pond.	23/05/202 nnel shall be
As per Red mu Concern CREP gutilisate 8  PPs S An indeenviron manage	CREP guideline, two issues (i) Phasin and come under the purview of Alumina attration Slurry Disposal (HCSD) with guidelines. The filtered cake is being stion plan is made as intimated in the earth Human Health Environment  Submission: Complied ependent environment management centered parameters and implementation	A dedicated environmental cell with qualified perso established. The head of the environment cell shall repthe head of the organization.  All has been established by the unit for monitoring of on of effective control measures related to environment cell is directly reporting to the unit head of UAIL.	nnel shall be port directly  Date:
As per Red mu Concern CREP gutilisate 8  PPs S An indeenviron manage	CREP guideline, two issues (i) Phasing dome under the purview of Alumina attration Slurry Disposal (HCSD) with guidelines. The filtered cake is being stion plan is made as intimated in the east throughout through	A dedicated environmental cell with qualified perso established. The head of the environment cell shall repthe head of the organization.  All has been established by the unit for monitoring of on of effective control measures related to environment cell is directly reporting to the unit head of UAIL.	Date: 23/05/202
As per Red mu Concern CREP (Utilisat 8)  PPs S An independent of the concern manage Organo 9  PPs S Mobile	CREP guideline, two issues (i) Phasin and come under the purview of Alumina stration Slurry Disposal (HCSD) with guidelines. The filtered cake is being stration plan is made as intimated in the earlier Human Health Environment  Submission: Complied ependent environment management comental parameters and implementation ement. The head of the environment congram of the environment cell is attach MISCELLANEOUS  MISCELLANEOUS	A dedicated environmental cell with qualified person established. The head of the environment cell shall repthe head of the organization.  All has been established by the unit for monitoring of on of effective control measures related to environment cell is directly reporting to the unit head of UAIL.  Provision shall be made for the housing of construct within the site with all necessary infrastructure and far fuel for cooking, mobile toilets, mobile STP, Safe drin medical health care, creche etc. The housing may be it temporary structures to be removed after the completi	Date: 23/05/202  Date: 23/05/202  ion labour cilities such nking water, n the form of on of the
As per Red mu Concern CREP (Utilisat 8)  PPs S An independent of the property of the period of the p	CREP guideline, two issues (i) Phasin and come under the purview of Alumina stration Slurry Disposal (HCSD) with guidelines. The filtered cake is being stration plan is made as intimated in the earlier Human Health Environment  Submission: Complied ependent environment management comental parameters and implementation ement. The head of the environment congram of the environment cell is attach MISCELLANEOUS  MISCELLANEOUS	A dedicated environmental cell with qualified personestablished. The head of the environment cell shall repetite head of the organization.  All has been established by the unit for monitoring of effective control measures related to environment cell is directly reporting to the unit head of UAIL.  Provision shall be made for the housing of construct within the site with all necessary infrastructure and far fuel for cooking, mobile toilets, mobile STP, Safe drin medical health care, creche etc. The housing may be in temporary structures to be removed after the completi project.	Date: 23/05/202.  Date: 23/05/202.  ion labour cilities such a hking water, in the form of on of the  Date: 23/05/202.

11	Statutory compliance	No further expansion or modifications in the plant s out without prior approval of the Ministry of Environ and Climate Change (MoEF&CC).	
	abmission: Complied agreed.		Date: 23/05/2025
12	Statutory compliance	The waste oil, grease and other hazardous waste sha of as per the Hazardous & Other waste (Management Transboundary Movement) Rules, 2016	
Hazardo Hazardo return in UAIL/E	us and Other waste (Management a form IV has been submitted to OS	uthorized recyclers/ coprocessors of SPCB as per the and Transboundary Movement) Rules, 2016. Annual SPCB on 21.06.2024 for 2023-24 vide letter no. and Other Wastes (Management and Transboundary, 16(6) and 20 (2)).	Date: 23/05/2025
13	Human Health Environment	Occupational health surveillance of the workers sha regular basis and records maintained as per the Factor	
1. Pre-er 2. As per	r The Factories Act 1948 periodica	ng carried out for all the employees at the time of joining.  Il Health check-up is being carried out on annual basis for ed and submitted to the Director of Factories and Boilers,	Date: 23/05/2025
14	Statutory compliance	The project proponent shall also comply with all the protection measures and safeguards recommended in report.	
All the e	<b>abmission:</b> Complied environmental protection measures d with and followed.	and safeguards recommended in the EIA/EMP report are	Date: 23/05/2025
15	Statutory compliance	a. send a copy of environmental clearance letter to the Local Bodies, Panchayat, Municipal bodies and relevative the Government; b. put on the clearance letter on the company for access to the public. c. inform the public advertisement within seven days from the date of issure clearance letter, at least in two local newspapers that a circulated in the region of which one shall be in the velanguage that the project has been accorded environment by the Ministry and copies of the clearance letter are at the SPCB and may also be seen at Website of the Min Environment, Forests and Climate Change (MoEF&C http://envfor.nic.in. d. upload the status of compliance stipulated environment clearance conditions, includin monitored data on their website and update the same proposed monitor the criteria pollutants level namely; PM10, Se (ambient levels as well as stack emissions) or critical parameters, indicated for the projects and display the convenient location for disclosure to the public and provenient location for disclosure to the	ant offices of web site of the through e of the are widely ernacular ental clearance available with histry of CC) at of the g results of periodically; eO2, NOx sectoral same at a ut on the s on the status editions es as well as the pective Zonal mental incerned State

(Protection) Rules, 1986, as amended subsequently and put on the website of the company; h. inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work. PPs Submission: Complied a. Complied. b. Complied. Environmental Clearance (EC) was uploaded in our company website (http://www.hindalco.com/upload/pdf/EC-alumina-refinery-expansion-power-plant-90MW-2018.pdf) c. The same was published in local newspapers namely The political business daily in English and The Sambada Kalika in Odia that are widely circulated in the region. d. The status of compliance of the stipulated environmental clearance conditions including the results of monitored data is being submitted along with half yearly compliance report vide letter no. UAIL/ENV/2024-25/49, Dated 25.11.2024 and the same is uploaded periodically in our website six-monthly-eccompliance-april-2024-to-sep-2024.pdf e. Ambient air quality and stack emission monitoring is Date: being carried out and the results of the monitored parameters are displayed through digital display 23/05/2025 board provided at main gate for the public view. These monitored results along with six monthly compliance report vide letter no. UAIL/ENV/2024-25/49, Dated 25.11.2024 are uploaded periodically in our website six-monthly-ec-compliance-april-2024-to-sep-2024.pdf f. Six monthly reports are being submitted regularly to Regional Office of the Ministry at Bhubaneswar / Central Pollution Control Board / SPCB, Odisha within stipulated time. However, as per the new notification, six monthly compliance report is being submitted in soft copy by uploading the compliances in MoEF CC website PARIVESH g. Environment Statement for each financial year is being submitted annually to SPCB. The latest Environment Statement for 2023-24 was submitted to SPCB and MoEF CC on 26-10-2024 vide letter no. UAIL/ENV/2024-25/33 and uploaded in the Company Website environment-statement-form-V-UAIL-2023-24.pdf h. Date of financial approval: 06.01.2018 Date of land development work: 24.08.2018 The Ministry may revoke or suspend the clearance, if 16 Statutory compliance implementation of any of the above conditions is not satisfactory. Date: PPs Submission: Complied 23/05/2025 Agreed. The PP shall abide by all the commitments and recommendations made in the EIA/EMP report and that during their presentation to the 17 Statutory compliance EAC. The commitment made by the project proponent to the issue raised during Public Hearing shall be implemented by the proponent Date: **PPs Submission:** Complied 23/05/2025 All the commitments and recommendations made in the EIA/EMP report were complied. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes 18 Statutory compliance (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules. Date: PPs Submission: Complied 23/05/2025 Noted This EC is issued in suppression of the earlier EC vide F. No. J-19 Statutory compliance 11011/753/2007-IA-II(I) dated 29.01.2018 Date: **PPs Submission:** Complied 23/05/2025 Noted.

20	MISCELLANEOUS	This is EC issued subject to the outcome of the cour W.P.No. 5697 if 2007 (Prafulla Samantray Vs Union Others) before High Court of Odisha.	
The said W.P. issu compliance	ed by High Court of Odisha is su	nissed as withdrawn being infructuous. The outcome of the abmitted to your good office along with six monthly o Sept 19 vide our letter no. UAIL/ENV/2019-20/25 dated	Date: 23/05/2025
21	MISCELLANEOUS	Any appeal against this EC shall lie with the National Tribunal, if preferred, within a period of 30 days as preferred to 16 of the National Green Tribunal Act, 2010.	
PPs Sul Noted.	bmission: Complied		Date: 23/05/2025
22	Statutory compliance	The Ministry reserves the right to stipulate additional found necessary. The company in a time bound manner implement these conditions.	
	bmission: Complied	<u>'</u>	Date: 23/05/2025

## **Visit Remarks**

Noted and agreed.

Last Site Visit Report Date:	N/A
Additional Remarks:	Dear Sir, Pleased find enclosed herewith half yearly compliance status on Environmental Clearance pertaining to Alumina Refinery, M/s Utkal Alumina International Ltd, Doraguda for the period from October 2024 to March 2025 with respect to our Expansion Project of Alumina Refinery (1.5 to 3.0 MTPA) and Co- Generation Power Plant (90 to 150 MW) vide Ministry s letter No. J-11011/753/2007-IA II (I) dated 25.06.2018 This is for your kind information and necessary record please. Thanking you,

**Note:** This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.