

# Ref No: HIL/LHD/GM (GEO)/MoEF/0080

Date: 25.05.2018

To, The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

# Sub: Compliance Report of EC conditions for Amtipani Bauxite Mining project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period Oct'17 to March'18.

Ref: Environmental Clearance letter no J-11015/241/2005-IA II (M) dated 14th August 2006

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Amtipani Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period Oct'17 to March'18.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

> (Basudev Gangopadhyay) GM (Geology)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi RO, JSPCB, Ranchi CPCB, Zonal Office, Kolkata <mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

Hindalco Industries Limited

Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PLC011238

### <u>Compliance of conditions laid down in Environmental Clearance</u> <u>AMTIPANI BAUXITE MINES (190.95 Ha)</u> <u>Period: Oct'17- Mar'18</u>

# MoEF Environment Clearance ref: No J - 11015/241/2005-IA.II (M) dated 14 Aug'06

Sl.	Conditions	Compliance Status						
No								
	Specific Conditions							
1	All the conditions stipulated by the State Pollution Control Board in their NOC should be effectively implemented.	Implementations of the stipulated conditions are fulfilled.						
2	The mining operations shall not intersect groundwater table. Prior approval of the MoEF and CGWA shall be obtained for mining below water table.	The mining operation confined within shallow depth (20 m max) and as per the previous study conducted by Center for Ground Water Studies, Kolkata (WB) there is no chance to intersect ground water table during mining operation. In future also, working zone will be restricted to above ground water table.						
3	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non- agricultural use.	This provision has been taken care of during land acquisition with permission of competent authority i.e. concerned Deputy Commissioner (D.C.) and consent of Raiyat (Land Owner) for 20 years period and the land so acquired will be return as per the norms set by D.C. in land purchased agreement. (Documents already submitted).						
4	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked separately with proper slope & is being used for reclamation and rehabilitation simultaneously with the mining operation.						
5	The waste generated in the initial period shall be dumped temporarily and backfilled in the mined out area. There shall be no permanent external OB dump in the project area. Concurrent backfilling should start from the fifth year onwards. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests on six monthly basis.	Concurrent backfilling of the waste in worked out quarry is being practiced. Also, the Wastes generated previously & stacked separately are being used for backfilling. Monitoring and management of rehabilitation is continuing through supervision.						

6	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil and mineral dump. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	This is in progress with the progress of mining activity. Catch drains, siltation ponds, Garland drains, settling ponds and toe walls are constructed as per suitability. Sump of adequate capacity is being provided and maintained as required
8	Plantation shall be raised in an area of 79.3 ha including a green belt of adequate width by planting the native species around the ML area, roads, etc. in consultation with the local DFO/Agriculture Department. The density of the trees should be around 1500 plants per ha. The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	Progressive plantation is under progress. During 2017-18 around 4500 plantation have been carried out. Green belt development programme is in progress with progress of mining activities. A study has been conducted by Centre for Ground Water Studies, Kolkata and combined Netarhat plateau. We are in the process of implementation of suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board. Conservation Measures to augment water viz. check dams, contour bunds, gullies in the mining lease area is so designed that all the rain water within the lease are collected in to the pit, No water allowed to flow out of the lease.
9	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year - pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground Water Authority and Regional Director	This is being monitored in all season. Report enclosed.

	Central Ground Water Board.			
10	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy seaso is being used for sprinkling on haul road and raising plantation. We are usin water harvested by us and not stread water/surface water bodies.		
11	The project proponent shall monitor the spring discharge on long term basis (at least one major spring) both in terms of quantity and quality of water and records maintained. Six monthly report should be submitted to the Ministry of Environment and Forests and its Regional Office located at Bhubneshwar.	The quality parameter of the nearby spring for off monsoon season has been monitored, report attached.		
12	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	done to minimize vehicular emission. All measures are being taken to control		
13	Drills should either be operated with dust extractors or should be equipped with water injection system			
14	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	i.e. 12.00 Noon -1.00 PM. Controlled blasting method is in practice. All efforts		
15	Consent to operate should be obtained from SPCB prior to start of production of mine	Consent to operate has been obtained prior to start of production.		
16	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent discharge from Mine; hence ETP has not been installed. The sewage water from domestic uses is being collected through individual septic tanks & soak pits. Sewage is collected to an integrated soak pit.		
17	Land ouster and land loser/affected people should be compensated and rehabilitated as per the National Policy on Resettlement and Rehabilitation of project Affected Families (NPRR), 2003	Land ouster and land loser/affected people are being compensated and rehabilitated as per the statute/guidelines.		
18	The higher benches of the excavated void to be converted into water reservoir shall be terraced and afforested to stabilize the slopes. Peripheral fencing shall be done along the excavated area.	Water harvesting pond has been terraced and afforested to stabilize the slopes. Peripheral fencing has been done along the excavated area.		
19	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	Mining Plan along with Progressive mine Closure Plan has been approved by Indian Bureau of Mines. Final Mine Closure Plan will be submitted in due		

time. Based on the present resource estimate, and peak rated production
capacity mentioned in EC, the tentative
balance life is around 23-24 years.
However, after completion of further
detailed exploration, the resources
estimate vis-à-vis balance life of the mine
may change based on final resource
estimate, EC capacity and cut-off grade at
that point of time.

# **GENERAL CONDITIONS**

Sl No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	Being adhered to.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Being adhered to. Excavation & bauxite production are in line with calendar plan Quantum of mineral and OB excavated during the FY 2017-18 has been annexed as Annex-4.
3	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife departments.	A plan has been prepared for conservation of flora and fauna in past. However, revised Wildlife Conservation Plan is under preparation by our Consultant M/s Gems Projects Pvt. Ltd. Ranchi for conservation of flora and fauna.
4	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RPM, SPM, SO2, NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Ambient air monitoring stations established and monitoring is being undertaken in consultation with State Pollution Control Board. Monitoring report annexed as Annexure-1.
5	Data on ambient air quality (RPM, SPM, SO2 and NOx) should be regularly submitted to the Ministry including its Regional office located at Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.	Monitoring report annexed as Annexure- 1.

6		
6	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and	Mobile water tanker with sprinkling facility has been provided along haul roads, loading, unloading & at transfer points to arrest dust emission.
	properly maintained.	points to unost dust offission.
7	Measures should be taken for control of noise	Being Complied.
-	levels below 85 dBA in the work environment.	PPEs are provided to workers.
	Workers engaged in operations of HEMM, etc.	L
	should be provided with ear plugs / muffs.	
8	Industrial waste water (workshop and waste water	Presently, there is no effluent discharge
	from the mine) should be properly collected,	from Mine.
	treated so as to conform to the standards prescribed	
	under GSR 422 (E) dated 19th May, 1993 and 31st	
	December, 1993 or as amended from time to time.	
	Oil and grease trap should be installed before	
	discharge of workshop effluents.	
9	Personnel working in dusty areas should wear	PPE's provided.
	protective respiratory devices and they should also be provided with adequate training and	Periodic training on safety & occupational health is being imparted to
	information on safety and health aspects.	workers and health checks up conducted.
	Occupational health surveillance program of the	workers and nearth enceks up conducted.
	workers should be undertaken periodically to	
	observe any contractions due to exposure to dust	
	and take corrective measures, if needed.	
10	A separate environmental management cell with	A separate environmental management
	suitable qualified personnel should be set-up under	cell with suitable qualified personnel
	the control of a Senior Executive, who will report	already formed and informed. (Annexure-
	directly to the Head of the Organization	3)
11	The project authorities should inform to the	Mining Plan along with Progressive mine
	Regional Office located at Bhubneshwar regarding	Closure Plan has been approved by IBM,
	date of financial closures and final approval of the	Ranchi. This is an operating Mine, hence
	project by the concerned authorities and the date of	-
12	start of land development work.The funds earmarked for environmental protection	applicable. Separate budget is being prepared for the
12	measures should be kept in separate account and	purpose and expenditure is being prepared for the
	should not be diverted for other purpose. Year wise	to the Ministry. (Annexure-2)
	expenditure should be reported to the Ministry and	to the Ministry. (Ministare 2)
	its Regional Office located at Bhubneshwar.	
13	The project authorities should inform to the	Vide Point no. 11 above.
	Regional Office located at Bhubneshwar regarding	
	date of financial closures and final approval of the	
	project by the concerned authorities and the date of	
	start of land development work.	
14	The Regional Office of this Ministry located at	Agreed and is being done.
	Bhubneshwar shall monitor compliance of the	
	stipulated conditions. The project authorities	
	should extend full cooperation to the officer (s) of the Bagianal Office by furnishing the requisite data	
	the Regional Office by furnishing the requisite data	

	/ information / monitoring reports.	
15	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom and suggestion / representation has been received while processing the proposal.	Complied.
16	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.	Displayed.
17	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at httD:/ /envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. ( <b>Documents already</b> submitted).



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: <u>ecoventures.mumbai@gmail.com</u> /<u>ecoventures@eco-ventures.in</u>

# Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

# **NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT**

# **JANUARY TO MARCH 2018**

For Mahabal Enviro Engineers Pvt. Ltd.





# Mahabal Enviro Engineers Pvt. Ltd.

#### Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

JANUARY - MARCH 2018

## CONTENT

	LOCATION
	AMBIENT AIR QUALITY
1	Gurdari Mines Quarry 6B
2	Gurdari Mines Weigh Bridge
3	Kujam II Weigh Bridge
4	Kujam II Quarry
5	Kujam I Quarry I
6	Kujam I Quarry II
7	Amtipani Mines Near Office
8	Amtipani Mines Near Quarry
	NOISE LEVEL
1	Gurudari Pit (584.19 ha. ) Netarhat Plateau
2	Kujam-I (80.87 ha. ) Netarhat Plateau
3	Kujam-II (157.38 ha. ) Netarhat Plateau
4	Amtipani Mines Pit
	SPOT NOISE LEVEL
1	Poclain at Haralagda Pit
2	Compressor Near Quarry 4 at Kujam-II
3	Drill Rig at Working Pit Kujam-I





Mahabal Enviro Engineers Pvt. Ltd.

#### **Branch Office:**

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

**Hindalco Industries :** 

#### Environmental Monitoring Report

**JANUARY - MARCH 2018** 

Report no: MEEPL/APR0092/2018-19 Date: 20<sup>th</sup> April, 2018 Sample described by customer: AMBIENT AIR QUALITY MONITORING Client Name: Hindalco Industries Limited **Client Address: Lohardaga** Postal Code: 835203 State: Iharkhand Country: India Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Gurdari Mines Quarry 6B

Sample collected on: 15.03.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m <sup>3</sup>	100	75.2	
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	37.7	
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	5.0	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.7	
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	12.1	
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.0	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.30	
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03	
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.8	
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.1	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0	
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0093/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
Sample described by customer: AMBIENT AIR QUALITY MONITORING	
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Gurdari Mines - Weigh Bridge</i>	
Sample collected on: 15.03.2018	

	LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m <sup>3</sup>	100	70.4	
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	36.1	
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.7	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.0	
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.1	
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.8	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.40	
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03	
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.8	
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.0	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.2	
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

	LOCATION / IDENTIFICATION: Kujam II Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m³	100	68.6	
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m³	60	34.1	
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.2	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.0	
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.5	
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.7	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.41	
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03	
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.9	
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.2	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.1	
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.33	

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Date: 20th April, 2018

Report no: MEEPL/APR0095/2018-19Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Kujam II QuarrySample collected on: 16.03.2018

	LOCATION / IDENTIFICATION: Kujam II Quarry					
Sl. No.	PARAMETERS	UNIT Standard Limit		Concentration		
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m <sup>3</sup>	100	77.0		
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	39.3		
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.5		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.3		
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	11.5		
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.8		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.40		
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03		
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.2		
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.0		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.7		
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.30		

Vijay Pandey SENIOR EXECUTIVE





# Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

**Environmental Monitoring Report** 

JANUARY - MARCH 2018

Report no: MEEPL/APR0096/2018-19Date: 20th April, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Kujam I Quarry ISample collected on: 16.03.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry I					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m³	100	80.3		
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	39.9		
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.9		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m³	80	7.5		
05.	Ammonia (NH <sub>3</sub> )	µg/m³	400	11.0		
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.7		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.40		
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03		
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	3.0		
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	3.0		
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.38		

For Mahabal Enviro Engineers Pvt. Ltd.





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Date: 20th April, 2018

Report no: MEEPL/APR0097/2018-19Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Kujam I Quarry IISample collected on: 16.03.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry II					
Sl. No.	PARAMETERS	UNIT Standard Limit		Concentration		
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m <sup>3</sup>	100	66.1		
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	34.7		
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.8		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.2		
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.8		
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.9		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.42		
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03		
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.0		
10.	Arsenic (As)	µg/m <sup>3</sup>	06	2.3		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	3.0		
12.	Benzo (a) Pyrene	µg/m <sup>3</sup>	01	0.40		

For Mahabal Enviro Engineers Pvt. Ltd.





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0098/2018-19	Date: 20 <sup>th</sup> April, 2018
Sample described by customer: AMBIENT AIR QUALITY MONITORING	
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Amtipani Mines Near Office	
Sample collected on: 15.03.2018	

	LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 $\mu m)$ $PM_{10}$	µg/m³	100	81.6			
02.	Particulate Matter (size less than 2.5 $\mu m$ ) $PM_{2.5}$	µg/m³	60	41.2			
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.4			
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.0			
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.5			
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	13.2			
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.40			
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.02			
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.4			
10.	Arsenic (As)	µg/m³	06	1.9			
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	05	2.0			
12.	Benzo (a) Pyrene	µg/m³	01	0.34			

For Mahabal Enviro Engineers Pvt. Ltd.

2





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

Environmental Monitoring Report

JANUARY - MARCH 2018

Report no: MEEPL/APR0099/2018-19Date: 20th April, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203Postal Code: 835203State: JharkhandState: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Amtipani Mines – Near QuarrySample collected on: 15.03.2018Date: 20th April, 2018

SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>	µg/m <sup>3</sup>	100	77.3
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	µg/m <sup>3</sup>	60	38.0
03.	Sulphur Dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	80	4.7
04.	Nitrogen Dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	80	7.0
05.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	400	10.8
06.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	180	12.3
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.42
08.	Lead (Pb)	µg/m <sup>3</sup>	1.0	0.03
09.	Nickel (Ni)	µg/m <sup>3</sup>	20	2.4
10.	Arsenic (As)	µg/m³	06	1.8
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m³	05	2.0
12.	Benzo (a) Pyrene	μg/m <sup>3</sup>	01	0.31

For Mahabal Enviro Engineers Pvt. Ltd.

ar





**Hindalco Industries :** 

#### Environmental Monitoring Report

JANUARY - MARCH 2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Gurdari Pit (584.19 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	66.5	70	53.9

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries :

#### Environmental Monitoring Report

JANUARY - MARCH 2018

Report no: MEEPL/APR0101/2018-19Date: 20th April, 2018Sample described by customer: Measurement of NoiseImage: Client Name: Hindalco Industries LimitedClient Address: LohardagaImage: Client Address: LohardagaPostal Code: 835203Image: State: JharkhandState: JharkhandImage: Country: IndiaSample Description: Measurement of NoiseImage: Sampling Method: Instrumental, using Sound level MetterData Collection Date: 16.03.2018Image: Client Address

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-I (80.87 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	65.3	70	56.7

### For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0102/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
Sample described by customer : Measurement of Noise	
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: <b>835203</b>	
State: Jharkhand	
Country: India	
Sample Description: Measurement of Noise	
Sampling Method: Instrumental, using Sound level Metter	
Data Collection Date: 16.03.2018	

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-II (157.38 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	69.5	70	57.2

Vijay Pandey SENIOR EXECUTIVE





**Hindalco Industries :** 

#### Environmental Monitoring Report

JANUARY - MARCH 2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Amtipani Mines Pit	dB (A) L <sub>eq</sub>	75	60.4	70	54.5

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0104/2018-19Date: 20th April, 2018Sample described by customer: Measurement of Spot NoiseClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Description: Measurement of Spot NoiseSampling Method: Instrumental, using Sound level Metter

Data Collection Date: 15.03.2018

Location/Identification	Unit	Limit (day)	Result
<b>Gurudari Mines (584.19 ha.)</b> Poclain at Haralagda Pit	dB (A) L <sub>eq</sub>	75	72.9

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0105/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
Sample described by customer : Measurement of Spot Noise	
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: <b>835203</b>	
State: Jharkhand	
Country: India	
Sample Description: Measurement of Spot Noise	
Sampling Method: Instrumental, using Sound level Metter	
Data Collection Date: 16.03.2018	

Location/Identification	Unit	Limit (day)	Result
Kujam-II Mines (157.38 ha.) Compressor at Quarry No.4	dB (A) L <sub>eq</sub>	75	73.5

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries :

#### **Environmental Monitoring Report**

JANUARY - MARCH 2018

Report no: MEEPL/APR0106/2018-19	<b>Date:</b> 20 <sup>th</sup> April, 2018
Sample described by customer : Measurement of Spot Noise	
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: <b>835203</b>	
State: Jharkhand	
Country: India	
Sample Description: Measurement of Spot Noise	
Sampling Method: Instrumental, using Sound level Metter	
Data Collection Date: 16.03.2018	

Location/Identification	Unit	Limit (day)	Result
<b>Kujam-I Mines (80.87 ha.)</b> Drill rig at Working Pit	dB (A) L <sub>eq</sub>	75	73.2

Vijay Pandey SENIOR EXECUTIVE



#### BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2017-18

The composite cost during the year 2017-18 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha),*Pakhar (8.09 Ha)*,*Pakhar (35.12Ha)*, Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

SI No	Description	Budget (in Rupees) FY 2017-18	Actual (in Rupees) FY 2017-18 (from April'17 to Sep'2017)	Actual (in Rupees) FY 2017-18 (from Oct'17 to March'2018)
1	Pollution Control & Environment monitoring	1316000	651832	984450
2	Reclamation/ Back filing & Rehabilitation**	30000000	131262375	31383827
3	Green belt, Plantation & Water spraying arrangement	3400000	3373300	2921501
4	Rural Development	40000000	18500000	10439844

\*\*Part of OB removed cost.

(Basudev Gangopadhyay) Convenor (Quality & Environment)

mexure-3



Date: 03.04.17

# **Office Order**

Environmental Cell has been re-constituted at Amtipani Bauxite Mines (Area 190.95 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. R.K.Parida (Coordinator)
- 2. Mr. Avijit Maji (Member)
- 3. Mr Ajoy Singh (Member)
- 4. Satish Kumar (Member)

**Basudev Gangopadhyay** Convenor (Quality & Environment)

Hindalco Industries Limited

Knnexwe-4

PRC	PRODUCTION, MINED OUT, BACKFIL	LED, PRODUCTION AND OV	BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM April-17 to March-18	M April-17 to March-18	
NAME OF THE MINES	MINING LEASE AREA (IN HA)	MINED OUT AREA (HA)	BACK FILLED AREA (HA)	PRODUCTION (In MT)	OVERBURDEN (In Cu.M)
Shrengdag Bauxite	155.81	4.37	2.91	236504.00	404146.00
Gurdari Bauxite Mines	584.19	10.72	6.30	324060.00	529722.00
Jalim & Sanai	12.14	1.75	0.70	36037.00	43750.00
Serangdag	140.06	1.00	0.70	43825.00	66636.00
Pakhar Buxite Mines	115.13	2.60	3.01	264505.00	400330.00
Pakhar Buxite Mines	8.09	0.00	0.00	0.00	0.00
Kujam-I	80.87	3.95	1.54	141655.00	254013.00
Kujam-II	157.38	6.97	6.93	291458.00	596397.00
Amtipani	190.95	7.05	6.81	149560.00	262112.00
Chiro-Kukud	152.57	3.54	3.59	90130.00	127590.00
Orsa Bauxite Mines	196.36	0.30	0.00	6620.00	38007.00
Hisri New	14.55	1.05	0.91	90001.00	46929.00
Bhusar	65.31	0.19	2.24	108666.00	209691.00
Bagru	75.41	0.00	0:00	0.00	0.00
Minerals & Minerals Limited	mited				
Pakhar Buxite Mines	109.51	2.61	2.84	277605.00	414049.00
Pakhar Buxite Mines	15.58	0.46	0.29	28560.00	67552.00
<b>Bimarla Bauxite Mines</b>	134.53	9.92	8.39	156420.00	251775.00
~					

AN AN

(Basudev Gangopadhyay) Convenor (Quality & Environement)