

Ref No: HIL/LHD/GM (GEO)/MoEF/ 289

Date: 25.11.2018

To,

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Serengdag Bauxite Mining (140.07 Ha) project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period April'18 to Sept'18.

Ref: Environmental Clearance letter no J-11015/243/2005-IA II (M) dated 23th June 2006

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Serengdag (140.07 Ha)** Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period **April'18 to Sept'18**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

> (Basudev Gangopadhyay) GM (Geology)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi RO, JSPCB, Ranchi CPCB, Zonal Office, Kolkata <mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

Hindalco Industries Limited

Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PLC011238

## **Compliance of conditions laid down in Environmental Clearance**

## SERENDAG BAUXITE MINES (140.07 Ha) Period: April'18- Sep'18

## MoEF Environment Clearance ref: No. J-11015/243/2005-IA.II (M) dated 23 June'06

| Sl<br>No | Conditions   | Compliance Status  |  |  |  |  |
|----------|--|--|--|--|--|--|
|          | Specific Conditions  |  |  |  |  |  |
| 1        | All the conditions stipulated by the State Pollution<br>Control Board in their consent to establish should<br>be effectively implemented.  | Implementations of the stipulated conditions in<br>consent to establish are fulfilled post which<br>consent to operate has been obtained from time<br>to time. Existing consent to operate is valid<br>upto 31.03.2020. Production of bauxite are<br>within limits specified in consent to operate.  |  |  |  |  |
|          |  | Implementations of the stipulated conditions<br>mentioned in consent to operate are being<br>complied with.  |  |  |  |  |
| 2        | The environmental clearance is subject to approval<br>of the state land use Department, Government of<br>Jharkhand for diversion of agricultural land for<br>non-agricultural use.   | Land acquisition is being done with permission<br>of competent authority of State Government<br>i.e. concerned Deputy Commissioner (D.C.)<br>under CNT Act. The land lease agreement is<br>being done with raiyat (Land Owner) for 20<br>years with permission of State Govt with<br>provision of returning the land as per as per<br>the norms set by D.C. The compensation and<br>facilities are being provided as per norms set in<br>agreement. Thus the provision is taken care<br>off. |  |  |  |  |
| 3        | Necessary forestry clearance under the Forest<br>(Conservation) Act, 1980 for an area of 62.18 ha<br>forestland shall be obtained before starting mining<br>operation in that area   | Mining is being carried out in non-forest area<br>only. The forest land has been surrendered by<br>the company. The necessary formality is under<br>process at forest department for same.   |  |  |  |  |
| 4        | Top soil shall be stacked properly with proper<br>slope with adequate measures and should be used<br>for reclamation and rehabilitation of mined out<br>areas.   | Top soil is being spread over the backfilled<br>area adequately for reclamation and<br>rehabilitation of mined out areas.  |  |  |  |  |
| 5        | The waste generated in the initial period shall be<br>dumped temporarily and backfilled in the mined<br>out area. There shall be no permanent external OB<br>dump in the project area. Concurrent backfilling<br>should start from the fifth year onwards.<br>Monitoring and management of rehabilitated areas<br>should continue until the vegetation becomes self- | Waste/OB generated is used in backfilling,<br>data enclosed.<br>There is no external dump as on date.<br>Concurrent backfilling is under progress.   |  |  |  |  |

|    | sustaining. Compliance status should be submitted   | Monitoring and management of rehabilitated  |  |  |
|----|---|---|--|--|
|    | to the Ministry of Environment & Forests on six monthly basis.  | areas continuing with regular supervision.  |  |  |
| 6  | Catch drains and siltation ponds of appropriate size<br>should be constructed to arrest silt and sediment<br>flows from soil and mineral dump. The water so<br>collected should be utilized for watering the mine<br>area, roads, green belt development etc. The drains<br>should be regularly de-silted particularly after<br>monsoon and maintained properly.<br>Garland drain (size, gradient and length) shall be<br>constructed for mine pit and sump capacity should<br>be designed keeping 50% safety margin over and<br>above peak sudden rainfall (based on 50 years<br>data) and maximum discharge in the area adjoining<br>the mine site. Sump capacity should also provide<br>adequate retention period to allow proper settling<br>of silt material. Sedimentation pits should be | No runoff is generated from mining activities.<br>However, to collect & manage rain water<br>during monsoon, part of mined out area is used<br>as settling tank for the runoff. Sediment rain<br>water is being used for watering the mine area,<br>roads, green belt development etc.<br>Catch drains, siltation ponds and Garland drain<br>are being constructed and maintained as and<br>when required with the progress of mining.<br>Sump of adequate capacity is being provided<br>and maintained as required |  |  |
|    | constructed at the corners of the garland drains and  |   |  |  |
| 7  | desilted at regular intervals.<br>Plantation shall be raised in an area of 37.1 ha  | During year 2018, around 1000 saplings have   |  |  |
|    | including a green belt of adequate width by<br>planting the native species around the ML area,<br>roads, 06 dump sites etc. in consultation with the<br>local DFO/Agriculture Department. The density of<br>the trees should be around 1500 plants per ha.  | planted in this mine. Rest to be complied<br>during project period.   |  |  |
|    | The mining operations shall not intersect   | No natural water course and/or water resource   |  |  |
| 8  | groundwater table. Prior approval of the Ministry<br>of Environment & Forests and Central Ground  | has been obstructed due to any mining operations.   |  |  |
|    | Water Authority shall be obtained for mining  |   |  |  |
|    | below water table.  |   |  |  |
| 9  | The project authority should implement suitable<br>conservation measures to augment ground water<br>resources in the area in consultation with the<br>Regional Director, Central Ground Water Board.  | As of now, to augment the ground water<br>resources, measures like check dams, contour<br>bunds, gullies, sump are being constructed.   |  |  |
| 10 | Regular monitoring of ground water level and<br>quality should be carried out by establishing a<br>network of existing wells and constructing new   | The EC mentions that ground water is at depth of 90-100 mts   |  |  |
|    | piezometers during the mining operation. The<br>monitoring should be carried out four times in a<br>year - pre-monsoon (April-May), monsoon   | Quality of pot able water report attached.  |  |  |
|    | (August), post-monsoon (November) and winter  |   |  |  |
|    | (January) and the data thus collected may be sent   |   |  |  |
|    | regularly to MOEF, Central Ground Water<br>Authority and Regional Director Central Ground   |   |  |  |
|    | Water Board.  |   |  |  |

| 11 | Prior permission from the competent authority   | Water is collected from rain water harvesting   |  |  |
|----|---|---|--|--|
|    | should be obtained for drawl of water from the  | pond of Serengdag plateau.  |  |  |
|    | surface water bodies.   | We are not using natural water bodies, ground water for mining purposes.  |  |  |
| 12 | The project proponent shall monitor the spring<br>discharge on long term basis (at lease one major<br>spring) both in terms of quantity and quality of  | There is no spring within the mining lease area.  |  |  |
|    | water and records maintained. Six monthly report<br>should be submitted to the Ministry of<br>Environment and Forests and its Regional Office<br>located at Bhubneshwar.  | Water quality report of nearby spring attached.   |  |  |
| 13 | Vehicular emissions should be kept under control  | To keep vehicular emissions in control,   |  |  |
|    | and regularly monitored. Measures shall be taken<br>for maintenance of vehicles used in mining<br>operations and in transportation of mineral. The<br>vehicles should be covered with a tarpaulin and<br>shall not be overloaded. | company vehicles are periodically checked & repaired. All measures are being taken to control vehicular emission.   |  |  |
| 14 | The higher benches of the excavated void to be<br>converted into water reservoir shall be terraced and<br>afforested to stabilize the slopes. Peripheral<br>fencing shall be done along the excavated area.                       | This work is in progress with the progress of mining activity.<br>Mined out pit will be converted into water  |  |  |
|    | Tenenig shan be done along the excavated area.  | reservoir, plantation will be carried out to stabilize the slopes and get them terraced.  |  |  |
| 15 | Drills should either be operated with dust<br>extractors or should be equipped with water<br>injection system   | Drilling is done with water pouring in the holes intermittently for dust suppression.   |  |  |
| 16 | Blasting operation should be carried out only<br>during the daytime. Controlled blasting should be<br>practiced. The mitigative measures for control of<br>ground vibrations and to arrest fly rocks and                          | Blasting time is fixed during Lunch Time i.e.<br>1.00 PM -2.00 PM. Controlled blasting method<br>is in practice.  |  |  |
|    | boulders should be implemented  | Efforts and mitigative measures are being taken to mitigate impact of blasting.   |  |  |
| 17 | Consent to operate should be obtained from SPCB prior to start of production of mine  | Existing Consent to operate is valid till 31-03-20.   |  |  |
| 18 | Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.  | There is no effluent discharge from Mine,<br>hence ETP has not been installed There is no<br>residential accommodation in the mine area<br>hence STP is not required. |  |  |
| 19 | The project proponent should take all<br>precautionary measures during mining operation<br>for conservation and protection of endangered flora  | No endangered species of Flora and Fauna have been reported in the project area.  |  |  |
|    | and fauna spotted in the study area. Action plan for conservation of endangered flora and fauna shall   | Suitable conservation measures to protect<br>endangered flora & fauna implemented as  |  |  |
|    | be prepared and implemented in consultation with<br>the State Forest and Wildlife Department.   | under<br>1. Permanent pillars are established   |  |  |
|    | *   | · · · · ·   |  |  |

|    | Necessary allocation of funds for implementation<br>of the conservation plan shall be made and the<br>funds so allocated shall be included in the project<br>cost. Copy of action plan may be submitted to the<br>Ministry and its Regional Office within 3 months. | <ul> <li>within the mine lease area.</li> <li>2. Maintenance of the forest road being done</li> <li>3. Ensured necessary air and noise pollution control measures.</li> <li>4. Regular water sprinkling is being carried out on the forest road</li> <li>5. Transportation done only in day time</li> <li>6. Patrolling is being done.</li> </ul> |  |  |
|----|---|---|--|--|
| 20 | A Final Mine Closure Plan along with details of<br>Corpus Fund should be submitted to the Ministry<br>of Environment & Forests 5 years in advance of<br>final mine closure for approval.  | Final mine Closure Plan will be prepared & submitted at appropriate time. Presently we are  |  |  |

## **GENERAL CONDITIONS**

| Sl<br>No | Conditions  | Compliance Status   |
|----------|---|---|
| 1        | No change in mining technology and scope of<br>working should be made without prior<br>approval of the Ministry of Environment &<br>Forests.  | Noted and Being adhered to.   |
| 2        | No change in the calendar plan including<br>excavation, quantum of mineral bauxite and<br>waste should be made  | Bauxite production are in line with calendar<br>plan. Details attached as Annexure 4 for the year<br>April to Sep 2018. |
| 3        | Four ambient air quality-monitoring stations<br>should be established in the core zone as well<br>as in the buffer zone for RPM, SPM, SO2,<br>NOx monitoring. Location of the stations<br>should be decided based on the meteorological<br>data, topographical features and<br>environmentally and ecologically sensitive<br>targets and frequency of monitoring should be<br>undertaken in consultation with the State<br>Pollution Control Board. | Monitoring is being done. AAQ monitoring<br>report attached. Annexure-1.  |

| 4  | Data on ambient air quality (RPM, SPM, SO2,<br>NOx) should be regularly submitted to the<br>Ministry including its Regional office located<br>at Bhopal and the State Pollution Control<br>Board / Central Pollution Control Board once<br>in six months.<br>Fugitive dust emissions from all the sources   | Monitoring is being done. AAQ monitoring<br>report attached. Annexure-1.<br>One mobile water tanker with sprinkling facility  |
|----|---|---|
| 5  | should be controlled regularly. Water spraying<br>arrangement on haul roads, loading and<br>unloading and at transfer points should be<br>provided and properly maintained.   | has been provided along haul roads, loading<br>unloading & at transfer points to arrest dust<br>emissions.  |
| 6  | Measures should be taken for control of noise<br>levels below 85 dBA in the work environment.<br>Workers engaged in operations of HEMM, etc.<br>should be provided with ear plugs / muffs.  | Noise monitoring is done regularly. Workers<br>engaged in operation of HEMM, etc. are<br>provided with ear plug / muffs. Monitoring<br>report enclosed as Annexure 1.   |
| 7  | Industrial waste water (workshop and waste<br>water from the mine) should be properly<br>collected, treated so as to conform to the<br>standards prescribed under GSR 422 (E) dated<br>19th May, 1993 and 31st December, 1993 or as<br>amended from time to time. Oil and grease trap<br>should be installed before discharge of<br>workshop effluents.                                       | There is no effluent discharge from Mine.   |
| 8  | Personnel working in dusty areas should wear<br>protective respiratory devices and they should<br>also be provided with adequate training and<br>information on safety and health aspects.<br>Occupational health surveillance program of<br>the workers should be undertaken periodically<br>to observe any contractions due to exposure to<br>dust and take corrective measures, if needed. | Complied.<br>Use of Personal Protective Equipment is<br>provided & used by the individuals. We have a<br>well-equipped hospital at mine site where health<br>checkup of workmen is carried out regularly.<br>Training on safety, health & environmental<br>aspects of mining is being regularly imparted<br>through VT training & other training<br>programmes. |
| 9  | A separate environmental management cell<br>with suitable qualified personnel should be set-<br>up under the control of a Senior Executive,<br>who will report directly to the Head of the<br>Organization  | Separate management cell is functioning with<br>qualified in-house members. Copy<br>enclosed.(Annexure-3)   |
| 10 | The project authorities should inform to the<br>Regional Office located at Bhubneshwar<br>regarding date of financial closures and final<br>approval of the project by the concerned<br>authorities and the date of start of land<br>development work.  | Provisions related to financial closure is not<br>applicable as this is an operating mine.<br>Currently, the Regional Office is located at<br>Ranchi  |
| 11 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other   | Statement of actual expenses for environmental protection measure is attached. (Annexure-2).  |

|    | purpose. Year wise expenditure should be          |   |
|----|---|---|
|    | reported to the Ministry and its Regional         |   |
|    | Office located at Bhubneshwar.                    |   |
| 12 | The project authorities should inform to the      | Vide sl. No. 10.                        |
|    | Regional Office located at Bhubneshwar            |   |
|    | regarding date of financial closures and final    |   |
|    | approval of the project by the concerned          |   |
|    | authorities and the date of start of land         |   |
|    | development work.                                 |   |
| 13 | The Regional Office of this Ministry located at   | Agreed                                  |
| 10 | Bhubneshwar shall monitor compliance of the       | 1 Grood                                 |
|    | stipulated conditions. The project authorities    |   |
|    | should extend full cooperation to the officer (s) |   |
|    | of the Regional Office by furnishing the          |   |
|    | requisite data / information / monitoring         |   |
|    | reports.  |   |
| 14 | A copy of clearance letter will be marked to      | Complied                                |
| 1. | concerned Panchayat / local NGO, if any, from     | Compiled                                |
|    | whom and suggestion / representation has been     |   |
|    | received while processing the proposal.           |   |
| 15 | State Pollution Control Board should display a    | Displayed.                              |
|    | copy of the clearance letter at the Regional      |   |
|    | office, District Industry Centre and Collector's  |   |
|    | office/ Tehsildar's Office for 30 days.           |   |
| 16 | The project authorities should advertise at least | Complied. (Documents already submitted) |
|    | in two local newspapers widely circulated, one    |   |
|    | of which shall be in the vernacular language of   |   |
|    | the locality concerned, within 7 days of the      |   |
|    | issue of the clearance letter informing that the  |   |
|    | project has been accorded environmental           |   |
|    | clearance and a copy of the clearance letter is   |   |
|    | available with the State Pollution Control        |   |
|    | Board and also at web site of the Ministry of     |   |
|    | Environment and Forests at http://envfor.nic.in   |   |
|    | and a copy of the same should be forwarded to     |   |
|    | the Regional Office of this Ministry located      |   |
|    | Bhubneshwar.                                      |   |
|    |   |   |



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: <u>ecoventures.mumbai@gmail.com</u> /<u>ecoventures@eco-ventures.in</u>

## Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

## SHERENGDAG PLATEAU- ENVIRONMENTAL MONITORING REPORT

**APRIL TO JUNE 2018** 

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

**APRIL - JUNE 2018** 

## CONTENT

|    | LOCATION   |
|----|--|
| А. | AMBIENT AIR QUALITY                                      |
| 1  | Sherengdag Plateau-Sherengdag A Weigh Bridge             |
| 2  | Sherengdag Plateau- Jalim & Sanai Mines Pit              |
| 3  | Sherengdag Plateau-Sherengdag A Mines Pit                |
| 4  | Sherengdag Plateau-Sherengdag B Mines Pit                |
| 5  | Sherengdag Plateau- Nav Prathmik Vidyalay ( Dhanka Toli) |
| 6  | Sherengdag Plateau-Sherengdag B Village                  |
| В. | NOISE LEVEL  |
| 1  | Near Weigh Bridge  |
| 2  | Shrengdag A Mines Pit                                    |
| С. | SPOT NOISE LEVEL   |
| 1  | Near Poclain Shrengdag Mines (155.81 ha.)                |
| D. | DRINKING WATER   |
| 1  | Sherengdag Mines Office                                  |





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

### Environmental Monitoring Report

**APRIL – JUNE 2018** 

Report no: MEEPL/JULY0175/2018-19Date: 14th July, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau - Sherengdag A Weigh BridgeSample collected on: 08.06.2018

| LOCATION / IDENTIFICATION: Sherengdag Plateau - Sherengdag A Weigh Bridge |   |                   |                   |               |
|---|---|-------------------|-------------------|---------------|
| Sl. No.   | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.   | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m <sup>3</sup> | 100               | 67.2          |
| 02.   | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m <sup>3</sup> | 60                | 32.7          |
| 03.   | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m³             | 80                | 4.6           |
| 04.   | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m³             | 80                | 6.5           |
| 05.   | Ammonia (NH <sub>3</sub> )  | µg/m³             | 400               | 11.9          |
| 06.   | Ozone (O <sub>3</sub> )   | µg/m³             | 180               | 12.2          |
| 07.   | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.31          |
| 08.   | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |
| 09.   | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 2.5           |
| 10.   | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.0           |
| 11.   | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m <sup>3</sup> | 05                | 2.2           |
| 12.   | Benzo (a) Pyrene  | µg/m <sup>3</sup> | 01                | 0.3           |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

### **Environmental Monitoring Report**

APRIL – JUNE 2018

R Report no: MEEPL/JULY0176/2018-19Date: 14th July, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203Postal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau - Jalim & Sanai Mines PitSample collected on: 08.06.2018

|         | LOCATION / IDENTIFICATION: Sherengdag Plateau - Jalim & Sanai Mines Pit |                   |                   |               |  |
|---------|---|-------------------|-------------------|---------------|--|
| Sl. No. | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |  |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>         | µg/m <sup>3</sup> | 100               | 70.5          |  |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>       | µg/m <sup>3</sup> | 60                | 35.0          |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                      | µg/m <sup>3</sup> | 80                | 4.6           |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                                     | µg/m <sup>3</sup> | 80                | 6.0           |  |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 10.6          |  |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 12.5          |  |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.2           |  |
| 08.     | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |  |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 2.2           |  |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.0           |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                                | µg/m <sup>3</sup> | 05                | 1.8           |  |
| 12.     | Benzo (a) Pyrene  | µg/m³             | 01                | 0.30          |  |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

#### **Environmental Monitoring Report**

**APRIL – JUNE 2018** 

Report no: MEEPL/JULY0177/2018-19Date: 14th July, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau - Sherengdag A Mines PitSample collected on: 08.06.2018

| LOCATION / IDENTIFICATION: Sherengdag Plateau - Sherengdag A Mines Pit |   |                   |                   |               |
|--|---|-------------------|-------------------|---------------|
| Sl. No.  | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.  | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m <sup>3</sup> | 100               | 64.6          |
| 02.  | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m <sup>3</sup> | 60                | 33.1          |
| 03.  | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m <sup>3</sup> | 80                | 3.7           |
| 04.  | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m <sup>3</sup> | 80                | 5.8           |
| 05.  | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 9.5           |
| 06.  | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 12.5          |
| 07.  | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.2           |
| 08.  | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |
| 09.  | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 2.2           |
| 10.  | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.3           |
| 11.  | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m <sup>3</sup> | 05                | 2.0           |
| 12.  | Benzo (a) Pyrene  | µg/m <sup>3</sup> | 01                | 0.3           |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

### **Environmental Monitoring Report**

**APRIL - JUNE 2018** 

| Report no: MEEPL/JULY0178/2018-19                                    | Date: 14th July, 2018 |
|--|-----------------------|
| Sample described by customer: AMBIENT AIR QUALITY MONITORING         |                       |
| Client Name: Hindalco Industries Limited                             |                       |
| Client Address: Lohardaga  |                       |
| Postal Code: 835203  |                       |
| State: Jharkhand   |                       |
| Country: India   |                       |
| Sample type: AMBIENT AIR QUALITY MONITORING                          |                       |
| Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Mines Pit |                       |
| Sample collected on: 08.06.2018                                      |                       |
|  |                       |

|         | LOCATION / IDENTIFICATION: Sherengdag Plateau - Sherengdag B Mines Pit |                   |                   |               |  |  |  |
|---------|--|-------------------|-------------------|---------------|--|--|--|
| Sl. No. | No. PARAMETERS   |                   | Standard<br>Limit | Concentration |  |  |  |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>        | µg/m³             | 100               | 71.3          |  |  |  |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>      | µg/m³             | 60                | 36.2          |  |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                     | µg/m³             | 80                | 4.7           |  |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                                    | µg/m³             | 80                | 6.2           |  |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )   | µg/m <sup>3</sup> | 400               | 9.1           |  |  |  |
| 06.     | Ozone (O <sub>3</sub> )  | µg/m <sup>3</sup> | 180               | 12.4          |  |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m <sup>3</sup> | 02                | 0.21          |  |  |  |
| 08.     | Lead (Pb)  | µg/m³             | 1.0               | 0.02          |  |  |  |
| 09.     | Nickel (Ni)  | ng/m <sup>3</sup> | 20                | 2.3           |  |  |  |
| 10.     | Arsenic (As)   | ng/m <sup>3</sup> | 06                | 2.1           |  |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                               | µg/m³             | 05                | 2.0           |  |  |  |
| 12.     | Benzo (a) Pyrene   | µg/m³             | 01                | 0.3           |  |  |  |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

### **Environmental Monitoring Report**

APRIL – JUNE 2018

Report no: MEEPL/JULY0179/2018-19Date: 14th July, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau – Nav Prathmik Vidyalay (Dhanka Toli)Sample collected on: 08.06.2018

| LO      | LOCATION / IDENTIFICATION: Sherengdag Plateau- Nav Prathmik Vidyalay (Dhanka Toli) |                   |                   |               |  |  |  |
|---------|--|-------------------|-------------------|---------------|--|--|--|
| Sl. No. | PARAMETERS   |                   | Standard<br>Limit | Concentration |  |  |  |
| 01.     | Particulate Matter (size less than 10 $\mu m)$ $PM_{10}$                           | µg/m³             | 100               | 57.1          |  |  |  |
| 02.     | Particulate Matter (size less than 2.5 $\mu m$ ) $PM_{2.5}$                        | µg/m <sup>3</sup> | 60                | 29.3          |  |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )   | µg/m <sup>3</sup> | 80                | 3.5           |  |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )  | µg/m <sup>3</sup> | 80                | 5.1           |  |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )   | µg/m <sup>3</sup> | 400               | 6.5           |  |  |  |
| 06.     | Ozone (O <sub>3</sub> )  | µg/m <sup>3</sup> | 180               | 11.3          |  |  |  |
| 07.     | Carbon Monoxide (CO)   | mg/m <sup>3</sup> | 02                | 0.25          |  |  |  |
| 08.     | Lead (Pb)  | µg/m <sup>3</sup> | 1.0               | 0.03          |  |  |  |
| 09.     | Nickel (Ni)  | ng/m <sup>3</sup> | 20                | 2.6           |  |  |  |
| 10.     | Arsenic (As)   | ng/m <sup>3</sup> | 06                | 2.1           |  |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )   | µg/m <sup>3</sup> | 05                | 3.0           |  |  |  |
| 12.     | Benzo (a) Pyrene   | µg/m <sup>3</sup> | 01                | 0.4           |  |  |  |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

### Environmental Monitoring Report

**APRIL – JUNE 2018** 

| Report no: MEEPL/JULY0180/2018-19                                 | Date: 14th July, 2018 |
|---|-----------------------|
| Sample described by customer: AMBIENT AIR QUALITY MONITORI        | NG                    |
| Client Name: Hindalco Industries Limited                          |                       |
| Client Address: Lohardaga   |                       |
| Postal Code: 835203   |                       |
| State: Jharkhand  |                       |
| Country: India  |                       |
| Sample type: AMBIENT AIR QUALITY MONITORING                       |                       |
| Marks on Sample: Location: Sherengdag Plateau- Sherengdag B Villa | ge                    |
| Sample collected on: 08.06.2018                                   |                       |

|         | LOCATION / IDENTIFICATION: Sherengdag Plateau- Sherengdag B Village |                   |                   |               |  |  |  |
|---------|---|-------------------|-------------------|---------------|--|--|--|
| Sl. No. | Io. PARAMETERS  |                   | Standard<br>Limit | Concentration |  |  |  |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>     | µg/m <sup>3</sup> | 100               | 55.0          |  |  |  |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>   | µg/m <sup>3</sup> | 60                | 23.9          |  |  |  |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                  | µg/m <sup>3</sup> | 80                | 3.6           |  |  |  |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                                 | µg/m <sup>3</sup> | 80                | 5.0           |  |  |  |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 6.4           |  |  |  |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 11.7          |  |  |  |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.23          |  |  |  |
| 08.     | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |  |  |  |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 2.1           |  |  |  |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.2           |  |  |  |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                            | µg/m <sup>3</sup> | 05                | 2.0           |  |  |  |
| 12.     | Benzo (a) Pyrene  | µg/m³             | 01                | 0.3           |  |  |  |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

### Environmental Monitoring Report

APRIL – JUNE 2018

Report no: MEEPL/JULY0181/2018-19Date: 14th July, 2018Sample described by customer: Measurement of NoiseClient Name: Hindalco Industries LimitedClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Description: Measurement of NoiseSampling Method: Instrumental, using Sound level MetterData Collection Date: 08.06.2018

| Location/Identification                  | Unit                   | Limit (day) | Result | Limit (night) | Result |
|--|------------------------|-------------|--------|---------------|--------|
| Near Weigh Bridge -<br>Shrengdag Plateau | dB (A) L <sub>eq</sub> | 75          | 62.0   | 70            | 55.1   |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

## Environmental Monitoring Report

**APRIL - JUNE 2018** 

| <b>Date:</b> 14 <sup>th</sup> July, 2018 |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

| Location/Identification | Unit                   | Limit (day) | Result | Limit (night) | Result |
|-------------------------|------------------------|-------------|--------|---------------|--------|
| Sherengdag A Mines Pit  | dB (A) L <sub>eq</sub> | 75          | 66.1   | 70            | 54.9   |

2

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

## Environmental Monitoring Report

APRIL - JUNE 2018

| <b>Date:</b> 14 <sup>th</sup> July, 2018 |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

| Location/Identification   | Unit                   | Limit (day) | Result |
|---|------------------------|-------------|--------|
| <b>Sherengdag Mines (155.81 ha.) Sherengdag Plateau</b><br>Near Poclain | dB (A) L <sub>eq</sub> | 75          | 71.3   |

Vijay Pandey SENIOR EXECUTIVE





## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

#### **Environmental Monitoring Report**

APRIL – JUNE 2018

Report no: MEEPL/JULY0184/2018-19

**Date:** 14<sup>th</sup> July, 2018

Sample described by customer : DRINKING WATER-POTABILITY

Client Name: **Hindalco Industries Limited** Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: **DRINKING WATER-POTABILITY** Marks on Sample: Location: **Sherengdag Mines Office** Quantity: 5 L X 2 No. PVC Can Sample collected on: 08.06.2018

| Sl. No. | Parameters                   | Unit  | Result    | Acceptable<br>Limit<br>(IS10500:2012) | Method reference                                     |
|---------|------------------------------|-------|-----------|---------------------------------------|--|
| 1       | Colour                       | Hazen | <1        | 5 Max                                 | APHA 22 <sup>nd</sup> Ed. 2012, 2120-B, 2-6          |
| 2       | Odour                        |       | Agreeable | Agreeable                             | IS 3025 (Part 7): 1983,<br>Reaffirmed 2006           |
| 3       | Taste                        |       | Agreeable | Agreeable                             | IS 3025 (Part 7): 1983,<br>Reaffirmed 2006           |
| 4       | Turbidity                    | NTU   | 0.1       | 1 Max                                 | APHA 22 <sup>nd</sup> Ed. 2012, 2130-B, 2-<br>13     |
| 5       | рН                           |       | 7.2       | 6.5-8.5                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-H+-B,<br>4-92   |
| 6       | Free Chlorides (Residual)    | mg/l  | <0.5      | 0.2 min                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-G,<br>4-69   |
| 7       | Total Dissolved Solids       | mg/l  | 397       | 500 max                               | IS 3025 (Part 16): 1984,<br>Reaffirmed 2006          |
| 8       | Monochloramines              | mg/l  | <0.05     |                                       | APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-<br>69   |
| 9       | Dichioramines                | mg/l  | <0.05     |                                       | APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-<br>69   |
| 10      | Total hardness (as CaCO3)    | mg/l  | 50.3      | 200 max                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-<br>69   |
| 11      | Alkalinirty Total (as CaCO3) | mg/l  | 60.1      | 200 max                               | IS 3025 (Part 237): 1986,<br>Reaffirmed 2009         |
| 12      | Chloride (as CI)             | mg/l  | 15.3      | 250 max                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-b,<br>4-72   |
| 13      | Sulphate (as SO4)            | mg/l  | 4.1       | 200 max                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-so4-e,<br>4-190 |





## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

**APRIL - JUNE 2018** 

## **Continuation Sheet**

MEEPL/JULY0184/2018-19

| Sl. No. | Parameters                                 | Unit | Result | Acceptable Limit<br>(IS 10500:2012) | Method Reference  |
|---------|--|------|--------|-------------------------------------|---|
| 14      | Nitrate (as NO3)                           | mg/l | 1.04   | 45 max                              | APHA 22 <sup>nd</sup> Ed. 2012, 4500-NO3-E,<br>4-125          |
| 15      | Fluoride (as F)                            | mg/l | 0.03   | 1 max                               | APHA 22 <sup>nd</sup> Ed. 2012, 4500-FB & D,<br>4-84, 4-87    |
| 16      | Boron (as B)                               | mg/l | 0.02   | 0.5 max                             | APHA 22 <sup>nd</sup> Ed. 2012, 4500-BB, 4-<br>25             |
| 17      | Calcium (as Ca)                            | mg/l | 14.7   | 75 max                              | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Ca-B, 3-<br>67           |
| 18      | Magnesium (as Mg)                          | mg/l | 2.6    | 30 max                              | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Mg-B, 3-84               |
| 19      | Ammonical Nitrogen/Total<br>Ammonia        | mg/l | <0.1   |                                     | APHA 22 <sup>nd</sup> Ed. 2012, 4500-NH3-F,<br>4-115          |
| 20      | Iron (as Fe)                               | mg/l | 0.10   | 0.3 max                             | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 21      | Manganese (as Mn)                          | mg/l | N.D    | 0.1 max                             | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 22      | Aluminium (as Al)                          | mg/l | 0.01   | 0.03 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3500-Al-B, 3-<br>61           |
| 23      | Cadmium (as Cd)                            | mg/l | N.D    | 0.003 max                           | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 24      | Chromium Total (as Cr)                     | mg/l | N.D    | 0.05 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 25      | Copper (as Cu)                             | mg/l | N.D    | 0.05 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 26      | Lead (as Pb)                               | mg/l | N.D    | 0.01 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 27      | Zinc (as Zn)                               | mg/l | 0.01   | 5 max                               | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 28      | Arsenic (as As)                            | mg/l | < 0.01 | 0.01 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38                  |
| 29      | Selenium (as Se)                           | mg/l | N.D    | 0.001 max                           | APHA 22 <sup>nd</sup> Ed. 2012, 3112-B, 3-23                  |
| 30      | Mercury (as hg)                            | mg/l | N.D    | 0.01 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38                  |
| 31      | Nickel (as Ni)                             | mg/l | < 0.01 | 0.02 max                            | APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18                  |
| 32      | Mineral Oil                                | mg/l | N.D    | 0.5 max                             | IS 3025 (Part 39): 1991,<br>Reaffirmed 2003: ed. 2.1          |
| 33      | Cyanide (as CN)                            | mg/l | N.D    | 0.05 max                            | APHA 22 <sup>nd</sup> ED. 2012, 4500-CN.C & 4-39 & 4-44       |
| 34      | Anionic detergents as MBAS                 | mg/l | <0.1   | 0.2 max                             | APHA 22 <sup>nd</sup> ED. 2012, 5540-C.C & 5-53               |
| 35      | Phenolic compounds (as<br>C6H5OH)          | mg/l | N.D    | 0.001 max                           | APHA 22 <sup>nd</sup> ED. 2012, 5530-B & C<br>5-4753          |
| 36      | Polynuclear aromatic<br>hydrocarbons (PAH) | mg/l | N.D    | 0.0001 max                          | APHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93                    |
| 37      | Polychlorinated Biphenyls<br>(PCBs)        | mg/l | N.D    | 0.0005 max                          | USEPA Method 8082   |
| 38      | Sulphide (as S)                            | mg/l | N.D    | 0.05 max                            | APHA 22 <sup>nd</sup> ED. 2012, 4500-S2-C 4-<br>175 & F 4-178 |





E-mail:mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

**APRIL – JUNE 2018** 

## **Continuation Sheet**

MEEPL/ JULY0184/2018-19

| Sl. No.   | Parameters Unit     |           | (IS 10500:2012) |        | Method Reference       |  |
|-----------|---------------------|-----------|-----------------|--------|------------------------|--|
| Microbio  | logical Analysis    |           | •               |        |                        |  |
|           |                     |           |                 |        | APHA 22nd Ed. 2012,    |  |
| 1         | Total Colliforms    | MPN/100mL | N.D             | <1.1   | 9221-B & C, 9-66, 9-69 |  |
|           |                     |           |                 |        | and 9-67               |  |
|           |                     |           |                 |        | APHA 22nd Ed. 2012,    |  |
| 2         | E-Coli              | MPN/100mL | N.D             | Absent | 9221-B & C, 9-66, 9-69 |  |
|           |                     |           |                 |        | and 9-76               |  |
| Pesticide | s Residues          |           |                 |        |                        |  |
| 3         | p.p DDT             | μg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 4         | o.p DDT             | μg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 5         | p.p DDE             | µg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 6         | o.p DDE             | µg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 7         | p.p DDD             | µg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 8         | o.p DDD             | µg/L      | N.D             | 1      | US EPA 508-1995        |  |
| 9         | γ-HCH (Lindance)    | µg/L      | < 0.01          | 2      | US EPA 508-1995        |  |
| 10        | α-HCH               | µg/L      | < 0.01          | 0.01   | US EPA 508-1995        |  |
| 11        | β-НСН               | µg/L      | N.D             | 0.04   | US EPA 508-1995        |  |
| 12        | Б- НСН              | µg/L      | N.D             | 0.04   | US EPA 508-1995        |  |
| 13        | Butachlor           | µg/L      | N.D             | 125    | US EPA 508-1995        |  |
| 14        | Alachlor            | µg/L      | N.D             | 20     | US EPA 508-1995        |  |
| 15        | Atrazine            | µg/L      | N.D             | 2      | US EPA 508-1995        |  |
| 16        | α Endosulfan        | µg/L      | N.D             | 0.4    | US EPA 508-1995        |  |
| 17        | β Endosulfan        | µg/L      | N.D             | 0.4    | US EPA 508-1995        |  |
| 18        | Endosulfan Sulphate | µg/L      | N.D             | 0.4    | US EPA 508-1995        |  |
| 19        | Ethion              | µg/L      | N.D             | 3      | US EPA 8141A-1994      |  |
| 20        | Malathion           | µg/L      | N.D             | 190    | US EPA 8141A-1994      |  |
| 21        | Methoyl Parathion   | µg/L      | N.D             | 0.3    | US EPA 8141A-1994      |  |
| 22        | Monocrotophos       | μg/L      | N.D             | 1      | US EPA 8141A-1994      |  |
| 23        | Phorate             | μg/L      | N.D             | 2      | US EPA 8141A-1994      |  |
| 24        | Chlorpyrifos        | μg/L      | N.D             | 30     | US EPA 8141A-1994      |  |
| 25        | Aldrin              | μg/L      | N.D             | 0.03   | US EPA 508-1995        |  |
| 26        | Dieldrin            | μg/L      | N.D             | 0.03   | US EPA 508-1995        |  |

Conclusion : The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

## Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

## SHERENGDAG PLATEAU- ENVIRONMENTAL MONITORING REPORT

## **JULY TO SEPTEMBER 2018**

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

**Environmental Monitoring Report** 

JULY - SEPTEMBER 2018

## CONTENT

|    | LOCATION   |
|----|--|
| А. | AMBIENT AIR QUALITY                                      |
| 1  | Sherengdag Plateau-Sherengdag A Weigh Bridge             |
| 2  | Sherengdag Plateau- Jalim & Sanai Mines Pit              |
| 3  | Sherengdag Plateau-Sherengdag A Mines Pit                |
| 4  | Sherengdag Plateau-Sherengdag B Mines Pit                |
| 5  | Sherengdag Plateau- Nav Prathmik Vidyalay ( Dhanka Toli) |
| 6  | Sherengdag Plateau-Sherengdag B Village                  |





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

### Environmental Monitoring Report

JULY - SEPTEMBER 2018

| <b>Report no: MEEPL</b> /OCT0147/2018-19                          | Date: 10 <sup>th</sup> October, 2018 |
|---|--------------------------------------|
| Sample described by customer: AMBIENT AIR QUALITY MONITORIN       | NG                                   |
| Client Name: Hindalco Industries Limited                          |                                      |
| Client Address: Lohardaga   |                                      |
| Postal Code: 835203   |                                      |
| State: Jharkhand  |                                      |
| Country: India  |                                      |
| Sample type: AMBIENT AIR QUALITY MONITORING                       |                                      |
| Marks on Sample: Location: Sherengdag Plateau - Sherengdag A Weig | gh Bridge                            |
| Sample collected on: 08.09.2018                                   |                                      |
|   |                                      |

|         | LOCATION / IDENTIFICATION: Sherengdag Plateau                     | u - Shereng       | gdag A Weigh      | Bridge        |
|---------|---|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m <sup>3</sup> | 100               | 60            |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m <sup>3</sup> | 60                | 27            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m <sup>3</sup> | 80                | 2.6           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m <sup>3</sup> | 80                | 3.8           |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 5.1           |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 9.3           |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.30          |
| 08.     | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 1.8           |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.0           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m <sup>3</sup> | 05                | 2.2           |
| 12.     | Benzo (a) Pyrene  | µg/m <sup>3</sup> | 01                | 0.3           |

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

**Hindalco Industries :** 

#### **Environmental Monitoring Report**

JULY - SEPTEMBER 2018

Report no: MEEPL/OCT0148/2018-19Date: 10th October, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203Postal Code: 835203State: JharkhandState: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau - Jalim & Sanai Mines PitSample collected on: 09.09.2018Date: 10th October, 2018

|         | LOCATION / IDENTIFICATION: Sherengdag Platea                      | au - <i>Jalim 8</i> | & Sanai Mines     | Pit           |
|---------|---|---------------------|-------------------|---------------|
| Sl. No. | PARAMETERS  | UNIT                | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m³               | 100               | 64            |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m³               | 60                | 29            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m³               | 80                | 2.8           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m³               | 80                | 3.5           |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m³               | 400               | 5.0           |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m³               | 180               | 8.9           |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup>   | 02                | 0.2           |
| 08.     | Lead (Pb)   | µg/m³               | 1.0               | 0.02          |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup>   | 20                | 1.6           |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup>   | 06                | 1.9           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m³               | 05                | 1.8           |
| 12.     | Benzo (a) Pyrene  | µg/m³               | 01                | 0.30          |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries :

#### **Environmental Monitoring Report**

JULY – SEPTEMBER 2018

Report no: MEEPL/OCT0149/2018-19Date: 10th October, 2018Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Sherengdag Plateau - Sherengdag A Mines PitSample collected on: 09.09.2018

|         | LOCATION / IDENTIFICATION: Sherengdag Plate                       | au - Shere        | ngdag A Mine      | es Pit        |
|---------|---|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m³             | 100               | 59.5          |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m³             | 60                | 22            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m³             | 80                | 3.1           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m³             | 80                | 4.3           |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m³             | 400               | 4.9           |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m³             | 180               | 8.5           |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.2           |
| 08.     | Lead (Pb)   | µg/m³             | 1.0               | 0.02          |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 1.5           |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.0           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m³             | 05                | 2.0           |
| 12.     | Benzo (a) Pyrene  | µg/m³             | 01                | 0.3           |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





**Branch Office:** 

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

**Hindalco Industries :** 

### **Environmental Monitoring Report**

JULY - SEPTEMBER 2018

Report no: MEEPL/OCT0150/2018-19 Date: 10<sup>th</sup> October, 2018 Sample described by customer: AMBIENT AIR QUALITY MONITORING **Client Name:** Hindalco Industries Limited **Client Address**: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Sherengdag Plateau-Sherengdag B Mines Pit Sample collected on: 09.09.2018

|         | LOCATION / IDENTIFICATION: Sherengdag Plate                       | au - Sherei       | ngdag B Mine      | s Pit         |
|---------|---|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m <sup>3</sup> | 100               | 66            |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m <sup>3</sup> | 60                | 28            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m <sup>3</sup> | 80                | 2.6           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m <sup>3</sup> | 80                | 3.1           |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 5.3           |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 9.2           |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.20          |
| 08.     | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 1.5           |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.3           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m <sup>3</sup> | 05                | 2.0           |
| 12.     | Benzo (a) Pyrene  | µg/m <sup>3</sup> | 01                | 0.3           |

Vijay Pandey SENIOR EXECUTIVE





**Branch Office:** 

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262. E-mail:mahabalranchi@gmail.com

**Hindalco Industries :** 

### **Environmental Monitoring Report**

JULY - SEPTEMBER 2018

**Report no: MEEPL**/OCT0151/2018-19 Date: 10<sup>th</sup> October, 2018 Sample described by customer: AMBIENT AIR QUALITY MONITORING **Client Name:** Hindalco Industries Limited **Client Address**: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Sherengdag Plateau - Nav Prathmik Vidyalay (Dhanka Toli) Sample collected on: 09.09.2018

| LO      | CATION / IDENTIFICATION: Sherengdag Plateau- Na            | v Prathmik        | x Vidyalay (D     | hanka Toli)   |
|---------|--|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS   | UNIT              | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu m)$ $PM_{10}$   | µg/m³             | 100               | 53            |
| 02.     | Particulate Matter (size less than 2.5 $\mu m)$ $PM_{2.5}$ | μg/m <sup>3</sup> | 60                | 20            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                         | µg/m³             | 80                | 2.4           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                        | µg/m³             | 80                | 3.1           |
| 05.     | Ammonia (NH <sub>3</sub> )                                 | µg/m³             | 400               | 4.0           |
| 06.     | Ozone (O <sub>3</sub> )                                    | µg/m³             | 180               | 9.3           |
| 07.     | Carbon Monoxide (CO)                                       | mg/m <sup>3</sup> | 02                | 0.20          |
| 08.     | Lead (Pb)  | µg/m <sup>3</sup> | 1.0               | 0.03          |
| 09.     | Nickel (Ni)  | ng/m <sup>3</sup> | 20                | 1.8           |
| 10.     | Arsenic (As)   | ng/m <sup>3</sup> | 06                | 2.0           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                   | µg/m <sup>3</sup> | 05                | 3.0           |
| 12.     | Benzo (a) Pyrene   | µg/m <sup>3</sup> | 01                | 0.4           |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey **SENIOR EXECUTIVE** 





## Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

### Environmental Monitoring Report

JULY - SEPTEMBER 2018

| <b>Report no: MEEPL</b> /OCT0152/2018-19                          | Date: 10th October, 2018 |
|---|--------------------------|
| Sample described by customer: AMBIENT AIR QUALITY MONITORI        | NG                       |
| Client Name: Hindalco Industries Limited                          |                          |
| Client Address: Lohardaga   |                          |
| <b>Postal Code:</b> 835203  |                          |
| State: Jharkhand  |                          |
| Country: India  |                          |
| Sample type: AMBIENT AIR QUALITY MONITORING                       |                          |
| Marks on Sample: Location: Sherengdag Plateau- Sherengdag B Villa | ıge                      |
| Sample collected on: 09.09.2018                                   |                          |
|   |                          |

|         | LOCATION / IDENTIFICATION: Sherengdag Plat                        | eau- Shero        | engdag B Villa    | age           |
|---------|---|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS  | UNIT              | Standard<br>Limit | Concentration |
| 01.     | Particulate Matter (size less than 10 $\mu$ m) PM <sub>10</sub>   | µg/m <sup>3</sup> | 100               | 48            |
| 02.     | Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub> | µg/m <sup>3</sup> | 60                | 18            |
| 03.     | Sulphur Dioxide (SO <sub>2</sub> )                                | µg/m <sup>3</sup> | 80                | 2.1           |
| 04.     | Nitrogen Dioxide (NO <sub>2</sub> )                               | µg/m <sup>3</sup> | 80                | 3.4           |
| 05.     | Ammonia (NH <sub>3</sub> )  | µg/m <sup>3</sup> | 400               | 4.0           |
| 06.     | Ozone (O <sub>3</sub> )   | µg/m <sup>3</sup> | 180               | 9.5           |
| 07.     | Carbon Monoxide (CO)  | mg/m <sup>3</sup> | 02                | 0.20          |
| 08.     | Lead (Pb)   | µg/m <sup>3</sup> | 1.0               | 0.02          |
| 09.     | Nickel (Ni)   | ng/m <sup>3</sup> | 20                | 1.5           |
| 10.     | Arsenic (As)  | ng/m <sup>3</sup> | 06                | 2.0           |
| 11.     | Benzene (C <sub>6</sub> H <sub>6</sub> )                          | µg/m <sup>3</sup> | 05                | 2.0           |
| 12.     | Benzo (a) Pyrene  | µg/m <sup>3</sup> | 01                | 0.3           |

Vijay Pandey SENIOR EXECUTIVE



### Annexure-2

## BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING April'18 to Sept'18

The composite cost during <u>April'18 to Sept'18</u> for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), *Pakhar (8.09 Ha)*, *Pakhar (35.12Ha)*, Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, *Orsa pat(196.36 Ha)*, Bhusar (65.31 Ha)& *Bimarla Bauxite Mines (134.52 Ha)*.

| SI No | Description   | Budget (in Rupees)<br>FY 2018-19 | Actual (in Rupees)<br>(from April'18 to Sep'2018) |
|-------|---|----------------------------------|---|
| 1     | Pollution Control & Environment monitoring          | 1521000                          | 8,82,300.00                                       |
| 2     | Reclamation/ Back filing &<br>Rehabilitation**      | 29200000                         | 1,49,78,461.39                                    |
| 3     | Green belt, Plantation & Water spraying arrangement | 4500256                          | 25,38,864.95                                      |
| 4     | Rural Development                                   | 26025236                         | 1,32,42,312.42                                    |

\*\*Part of OB removed cost.

## (Basudev Gangopadhyay) Convenor (Quality & Environment)

mexure - 3



Date: 03.04.17

## **Office Order**

Environmental Cell has been re-constituted at Shrengdag Bauxite Mines (Area 140.06 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Amar Bharti-Mines Manager (Coordinator)
- 2. Mr. Navnit Kr. Jaiswal-Mines Foreman (Member)

Basudev Gangopadhyay Convenor (Quality & Environment)

| SI<br>1 | Name of the Mines<br>Bagru bauxite Mine | 5      | Production,<br>Mining lease<br>area (ha)<br>75.41 | roduction, Mined Out, Bi<br>lining lease Production<br>area (ha) capacity(mt)*<br>75.41 85000 | roduction, Mined Out, Back Filled and<br>lining leaseProductionLeasearea (ha)capacity(mt)*Period *75.418500022-01-1974to | Inoduction, Mined Out, Back Filled and Over BurderIning leaseProductionLeaseProductionarea (ha)capacity(mt)*Period *(MT)75.418500022-01-1974nilto | Production     Lease       capacity(mt)*     Period *       85000     22-01-1974       to     to |
|---------|---|--------|---|---|--|---|--|
|         | Bagru bauxite Mine                      | 75.41  |   | 85000   |  | 22-01-1974<br>to<br>31-03-2030  | 22-01-1974 nil<br>to<br>31-03-2030   |
| 2       | Bhusar Bauxite Mine                     | 65.31  |   | 280000  |  |   | 11-07-1981<br>to<br>31-03-2030   |
| ω       | Hisri (New) Bauxite Mine                | 14.55  |   | 100000  |  |   | 19-07-1981<br>to<br>31-03-2030   |
| 4       | Kujam - I Bauxite Mine                  | 80.87  |   | 150000  |  |   | 13-03-2006<br>to<br>12-03-2056   |
| л       | Kujam - II Bauxite Mine                 | 157.38 |   | 300000  |  |   | 24-03-2006<br>to<br>23-03-2056   |
| 6       | Amtipani Bauxite Mine                   | 190.95 |   | 150000  |  |   | 13-03-2006<br>to<br>12-03-2056   |
| 7       | Gurdari Bauxite Mine                    | 584.19 |   | 325000  |  |   | 23-03-1985<br>to<br>22-03-2035   |
| 8       | Shrengdag A Bauxite Mine                | 155.81 | N   | 260000  |  |   | 16-10-1974<br>to<br>31-03-2030   |
| 9       | Shrengdag B Bauxite Mine                | 140.07 |   | 100000  | .00000 04-10-1978<br>to<br>31-03-2030  |   | 04-10-1978<br>to<br>31-03-2030   |
| 10      | Jalim & Sanai Bauxite Mine              | 12.14  |   | 50000   | 50000 16-10-1974<br>to<br>31-03-2030   |   | 16-10-1974<br>to<br>31-03-2030   |
| 11      | Orsapat Bauxite Mine                    | 196.36 |   | 200000  | 200000 17-07-1986<br>to<br>16-07-2036  |   | 17-07-1986<br>to<br>16-07-2036   |

Annexure-4

Convenor (Quality & Environment)

Basudev Gangopadhyay

\*Static information about the mines included in the above table

1

| βŢ                        | 10                   |    | 17               |            |    | 16             |                             |            |    | 15              |            |    | 14             |            |    | 13            |            |    | 12                       |
|---------------------------|----------------------|----|------------------|------------|----|----------------|-----------------------------|------------|----|-----------------|------------|----|----------------|------------|----|---------------|------------|----|--------------------------|
| טווזומוזם טמעאויב אוווויב | Rimarla Rauxite Mine |    | Pakhar (109.507) |            |    | Pakhar (15.58) |                             |            |    | Pakhar (115.13) |            |    | Pakhar (35.12) |            |    | Pakhar (8.09) |            |    | Chiro Kukud bauxite Mine |
| 134.320                   | 137 236              |    | 109.507          |            |    | 15.58          | Minerals & Minerals Limited |            |    | 115.13          |            |    | 35.12          |            |    | 8.09          |            |    | 152.57                   |
|                           | 00000                |    | 280000           |            |    | 60000          | nerals Limited              |            |    | 300000          |            |    | 200000         |            |    | 80000         |            |    | 100000                   |
| to<br>17-07-2059          | 0002-70-22           | to | 26-07-2008       | 31-03-2030 | to | 28-04-1965     |                             | 31-03-2030 | to | 19-07-1996      | 31-03-2030 | to | 17-04-1975     | 31-03-2030 | to | 16-05-1973    | 28-01-2035 | to | 29-01-1985               |
| CTCEO                     | 8021 E               |    | 151240           |            |    | 27475          |                             |            |    | 111995          |            |    | nil            |            |    | nil           |            |    | 1970                     |
| 0.110                     | 2 100                |    | 1.05             |            |    | 0.35           |                             |            |    | 1.01            |            |    | nil            |            |    | nil           |            |    | 0.113                    |
| 1.01                      | 1 61                 |    | 0.5              |            |    | 0.15           |                             |            |    | 0.65            |            |    | nil            |            |    | nil           |            |    | 0                        |
| att cn7                   | 202116               |    | 78750            |            |    | 26250          |                             |            |    | 70700           |            |    | nil            |            |    | nil           |            |    | 13168                    |