

Ref No: HIL/LHD/GM (GEO)/MoEF/ 287

Date: 25.11.2018

To.

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Gurdari (584.19 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period April'18 to Sept'18.

Ref: Environmental Clearance letter no J-11015/136/2006-IA II (M) dated 7th February 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Gurdari (584.19 ha) Bauxite Mining project of M/s Hindalco located in Gumla, Jharkhand for the period April'18 to Sept'18.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay) GM (Geology)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi RO, JSPCB, Ranchi CPCB, Zonal Office, Kolkata

<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

### **Compliance of conditions laid down in Environmental Clearance**

# GURDARI BAUXITE MINES Period: April'18- Sep'18 J-11015/136/2006-IA.II (M) dated 7.2.2007

Sl No	Conditions	Compliance Status
110	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementations of stipulated conditions in NOC are fulfilled post which consent to operate has been granted by SPCB from time to time. The existing consent to operate is valid upto 31.12.2020. Production of bauxite are within limits specified in consent to operate.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement is being done with raiyat (Land Owner) for 20 years with permission of State Govt with provision of returning the land as per as per norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus the provision is taken care off.
3	The exploration shall be completed within 2.5 years and thereafter the proponent shall come up with a firm proposal for mining, based on the estimated reserves. The reclamation plan, post mine land use and progressive greenbelt development plan shall also be prepared and submitted with the revised proposal.	Mining is in progress. Required exploration is already done. Reserve and resource estimated on basis of explored bore holes in area. Revised reclamation plan, post mine land use, green belt development plan submitted and approved by the IBM. The existing mining scheme is valid upto 31-03-2019
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	Shallow depth mining is being carried out up to maximum depth of 20.00 mts. Hence there will be no intersecting of the ground water table due to mining activities. Mining operation confined within shallow depth (20 m max) and not intersected ground water. As per the survey, the ground water table is at 45-

		60 m below mining horizon. Thus there is no chance to intersect ground water table during mining operation. In future also, working zone will be restricted to above ground water table.
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked properly with proper slope as and when required.  Sequential backfilling and reclamation of mined out area are being exercised.  Topsoil is being spread on backfilled area for reclamation of area.
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Overburden and waste rock are being used for back filling. Data pertaining to backfilling is enclosed as Annexure. 4  Monitoring and management of rehabilitated areas is being done through effective supervision.
7	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly.  Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	No run off is being generated from mining activities. However to collect and manage rainwater during monsoon drains pit sumps are made, part of mined out area is used as settling tank. Settled water is being used for sprinkling of quarry, roads, green belt development, etc.  Garland drain, Catch drains and siltation pond has been constructed and is being progressively developed with progress of mining.  Sump of adequate capacity is being provided and maintained as required.

8	Plantation shall be raised in an area of 78.44 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Plantation is being carried out on regular basis with progress of mining activity in order to create a green belt of adequate width around the ML area.  During above period, total 4300 nos saplings were planted on reclaimed area.
		Rest to be complied during project period.
9	The project authority should implement suitable conservation measures to augment ground water resources in area in consultation with Regional Director, Central Ground Water Board.	Suitable conservation measures to augment ground water have been taken. Viz. Water harvesting pond, garland drain, recharge pit etc.
10	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year — pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	We are not using ground water for any mining purpose.  Drinking water quality Monitoring report

		<u> </u>
11	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation.
		We are not using any water from natural streams/ ground water for mining.
12	Water monitoring both for quality and quantity shall be carried out at four locations namely one spring and three streams. Six monthly report should be submitted to the Ministry of Environment and Forest and its Regional Office located at Bhubneshwar.	The quality parameter of the nearby spring has been monitored, report attached. Annexure 1.
13	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	To keep vehicular emissions in control, company vehicles are periodically checked and repaired. The vehicles are being covered with tarpaulin while transportation of mineral.
14	Drills should either be operated with dust extractors or should be equipped with water injection system.	Wet drilling is done in the drill holes for dust suppression.
15	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting time is fixed during Lunch Time i.e. 1.00 PM -2.00 PM. We have control blasting permission. Controlled blasting method is in practice. Ground vibration study has been conducted by IIT, Kharagpur. Efforts and mitigative measures are being taken to mitigate impact of blasting.
16	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for enhancement of production.
17	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine; hence ETP has not been installed. The used oil in workshop being collected and stored in earmarked area and is being disposed through authorized vendor.  The sewage water from domestic uses is being collected through individual Septic Tank and Soak Pits.

18 The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, Presbytis phayrei, Melsurus ursinus etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.

Action taken for conservation of flora and fauna as under:

Permanent pillars are established within the mine lease area.

Maintenance of the forest road

Ensured necessary air and noise pollution control measures.

Daily water sprinkling is being carried out on the forest road

Transportation is done only in day time.

We have also prepared revised plan recently.

A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.

Progressive mine closure plan along with mining scheme has been approved by Final Mine Closure plan (part) IBM. has been approved by IBM. Final Mine closure plan will be prepared in due Based on the present resource estimate, and peak rated production capacity mentioned in EC, tentative balance life is around 15-16 years. However, after completion of further detailed exploration, resources estimate vis-à-vis balance life of mine may change based on final resource estimate, EC capacity and cut-off grade at that point of time.

### **General Conditions:**

Sl No	Conditions	Compliance Status				
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Noted.  Prior approval will be sought for, if any change in mining technology is proposed.				
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	1				
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO <sub>2</sub> , NO <sub>X</sub> monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Annexure-1.  Annexure-1.  Annexure-1.				
4	Data on ambient air quality (RPM, SPM, SO <sub>2</sub> , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Monitoring Reports for reporting period is enclosed in Annexure-1.				
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	provided for sprinkling of water on haul roads and active mining areas to arrest				
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being done regularly. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs. Monitoring of noise level is being conducted at various locations of the work zone area. Report attached as Annexure 1.				

7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects.  Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by individuals is being ensured. All mine workers are being regularly and periodically sent to our own hospital for health checkup/ Occupational Health check up for any contraction of diseases due to exposure in dusty and noisy areas.
		Training on safety, health and environmental aspects of mining is being regularly imparted through VT training centre and also through various other training programmes conducted by the State Government, recognized agencies, etc.
9	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy Enclosed as Annexure 3.
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This is an operating mine and hence provision related to financial closure not applicable.
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of actual expenses for the month April'18 to September'18 for environmental protection measure is enclosed. (Annexure-2).
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.

13	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	Complied. Copy submitted to regional office.
14	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
15	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubneshwar.	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office Vide letter no HIL/GMO(M)/ENV/140 Dated 23.04.2007.



# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016
Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

# Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

#### NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT

**APRIL TO JUNE 2018** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE Reychi (c)

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

#### **CONTENT**

	LOCATION
	AMBIENT AIR QUALITY
1	Gurdari Mines Quarry 6B
2	Gurdari Mines Weigh Bridge
3	Kujam II Weigh Bridge
4	Kujam II Quarry
5	Kujam I Quarry I
6	Kujam I Quarry II
7	Amtipani Mines Near Office
8	Amtipani Mines Near Quarry
	NOISE LEVEL
1	Gurudari Pit (584.19 ha. ) Netarhat Plateau
2	Kujam-I (80.87 ha. ) Netarhat Plateau
3	Kujam-II (157.38 ha. ) Netarhat Plateau
4	Amtipani Mines Pit
	SPOT NOISE LEVEL
1	Poclain at Haralagda Pit
2	Compressor Near Quarry 4 at Kujam-II
3	Drill Rig at Working Pit Kujam-I
	DRINKING WATER
1.	Gurdari Pit (584.19 ha.)
2.	Amtipani Camp.



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0201/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B* 

Sample collected on: 10.06.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	71.7	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	33.9	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.8	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	6.9	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	11.4	
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	12.5	
07.	Carbon Monoxide (CO)	mg/m³	02	0.33	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.8	
10.	Arsenic (As)	μg/m³	06	2.1	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/**JULY0202/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge* 

Sample collected on: **10.06.2018** 

	LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	79.2		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	38.5		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.3		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	7.7		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	10.6		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	12.2		
07.	Carbon Monoxide (CO)	mg/m³	02	0.40		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.4		
10.	Arsenic (As)	μg/m³	06	2.0		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.2		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0203/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: **Hindalco Industries Limited** 

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Kujam II Weigh Bridge** 

Sample collected on: **11.06.2018** 

	LOCATION / IDENTIFICATION: Kujam II Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	73.1	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	31.4	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.8	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	6.5	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	10.1	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	12.0	
07.	Carbon Monoxide (CO)	mg/m³	02	0.40	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.5	
10.	Arsenic (As)	μg/m³	06	2.2	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.1	
12.	Benzo (a) Pyrene	μg/m³	01	0.33	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0204/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: **Hindalco Industries Limited** 

Client Address: **Lohardaga** 

Postal Code: **835203** State: **Jharkhand** Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: 11.06.2018

	LOCATION / IDENTIFICATION: Kujam II Quarry				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	80.3	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	37.6	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.2	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	6.4	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	11.8	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	12.3	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.38	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.7	
10.	Arsenic (As)	μg/m³	06	2.0	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.3	
12.	Benzo (a) Pyrene	μg/m³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/JULY**0205/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: **835203**State: **Jharkhand**Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 11.06.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry I					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	84.7		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	42.0		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.9		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	8.2		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	11.3		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	12.9		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.40		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.9		
10.	Arsenic (As)	μg/m³	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.35		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey
SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/JULY**0206/2018-19 **Date:** 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: **Hindalco Industries Limited** 

Client Address: **Lohardaga** 

Postal Code: **835203**State: **Jharkhand**Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 11.06.2018

LOCATION / IDENTIFICATION: Kujam I Quarry II					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	70.3	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	33.4	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.1	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	7.0	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	10.3	
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	11.7	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.36	
08.	Lead (Pb)	μg/m³	1.0	0.03	
09.	Nickel (Ni)	μg/m³	20	2.3	
10.	Arsenic (As)	μg/m³	06	2.1	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.40	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

Report no: MEEPL/JULY0207/2018-19 Date: 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 10.06.2018

LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office					
Sl. No.	PARAMETERS		Standard Limit	Concentration	
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	77.2	
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	36.6	
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	4.9	
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	7.2	
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	10.0	
06.	Ozone (O <sub>3</sub> )	μg/m³	180	13.4	
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.37	
08.	Lead (Pb)	μg/m³	1.0	0.02	
09.	Nickel (Ni)	μg/m³	20	2.4	
10.	Arsenic (As)	μg/m³	06	1.7	
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0	
12.	Benzo (a) Pyrene	μg/m³	01	0.34	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

Report no: MEEPL/JULY0208/2018-19 Date: 14th July, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 10.06.2018

	LOCATION / IDENTIFICATION: Amtipani Mines Near Quarry					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	82.0		
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	μg/m³	60	36.1		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	5.0		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	7.3		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	9.5		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	12.8		
07.	Carbon Monoxide (CO)	mg/m³	02	0.40		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.6		
10.	Arsenic (As)	μg/m³	06	1.8		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0209/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 10.06.2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Gurdari Pit (584.19 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	62.7	70	55.2

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0210/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 11.06.2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-I (80.87 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	68.7	70	57.0

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/JULY**0211/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** State: **Jharkhand** 

Country: **India** 

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 11.06.2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Kujam-II (157.38 ha. ) Netarhat Plateau	dB (A) L <sub>eq</sub>	75	71.1	70	59.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0212/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

**Client Address:** Lohardaga **Postal Code:** 835203

State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 10.06.2018

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Amtipani Mines Pit	dB (A) L <sub>eq</sub>	75	65.7	70	59.1

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/JULY**0213/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 10.06.2018

Location/Identification	Unit	Limit (day)	Result
<b>Gurudari Mines (584.19 ha.)</b> Poclain at Haralagda Pit	dB (A) L <sub>eq</sub>	75	73.5

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL/JULY**0214/2018-19 **Date:** 14th July, 2018

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 11.06.2018

Location/Identification	Unit	Limit (day)	Result
Kujam-II Mines (157.38 ha.)	dD (V) I	75	74.3
Compressor at Quarry No.4	dB (A) L <sub>eq</sub>	/3	/4.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

Report no: MEEPL/JULY0215/2018-19 Date: 14th July, 2018

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand** 

State: **Jharkhand** Country: **India** 

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 11.06.2018

Location/Identification	Unit	Limit (day)	Result
<b>Kujam-I Mines (80.87 ha.)</b> Drill rig at Working Pit	dB (A) L <sub>eq</sub>	75	73.9

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0216/2018-19 **Date:** 14th July, 2018

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample Type: DRINKING WATER-POTABILITY

Marks on Sample: Location: Drinking Water of Gurdari Pit (584.19 ha.)

**Sample collected on: 10.06.2018** 

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 <sup>nd</sup> Ed. 2012, 2120-B, 2-6
2	Odour	1	Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.12	1 Max	APHA 22 <sup>nd</sup> Ed. 2012, 2130-B, 2-13
5	рН		6.8	6.5-8.5	APHA 22 <sup>nd</sup> Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	358	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	<0.05		APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	37	200 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	43	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	11.7	250 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	7.1	200 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-so4-e, 4-190
14	Nitrate (as NO3)	mg/l	1.22	45 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-NO3-E, 4-125





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

#### **Continuation Sheet**

15   Fluoride (as F)   mg/l   0.09   0.5 max   APHA 22md Ed. 2012, 4500-BB, 4-25   25   27   27   28   28   28   29   29   30 max   APHA 22md Ed. 2012, 3500-Ca-B, 3-67   3-84   Ammonical Nitrogen/Total Ammonia   mg/l   0.14   0.3 max   APHA 22md Ed. 2012, 3500-Mg-B, 3-84   3-84   Ammonical Nitrogen/Total Ammonia   mg/l   0.14   0.3 max   APHA 22md Ed. 2012, 4500-NH3-F, 4-115   3-18   3-61						<b>MEEPL</b> / JULY0216/2018-19
16   Boron (as B)   mg/l   0.09   0.5 max   APHA 22ad Ed. 2012, 4500-BB, 4-25	15	Fluoride (as F)	mg/l	0.12	1 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-FB &
17			<i>-</i>			D, 4-84, 4-8/
To   Calcium (as Ca)   mg/l   12.9   75 max   APHA 22 md Ed. 2012, 3500-Ca-B, 3-67	16	Boron (as B)	mg/l	0.09	0.5 max	
17						
18	17	Calcium (as Ca)	mg/l	12.9	75 max	
19	10	Manager (and Man)	(1	2.0	20	APHA 22 <sup>nd</sup> Ed. 2012, 3500-Mg-B,
Ammonia	18		mg/i	2.9	30 max	
Ammonia	19	<b>O</b> ,	mg/l	<0.1		
20   Iron (as Fe)   mg/l   0.14   0.3 max   18	1)	Ammonia	1115/1	\0.1		
18	20	Iron (as Fe)	mg/l	0.14	0.3 max	
Manganese (as Mn)		non (ab r c)	1118/1	0.11	olo man	_
18	21	Manganese (as Mn)	mg/l	N.D	0.1 max	
Aluminum (as Al)   mg/l   0.01   0.03 max   3-61		3 ( )	87			
Cadmium (as Cd)	22	Aluminium (as Al)	mg/l	0.01	0.03 max	
Cadmium (as Cd)		,	0,			
24   Chromium Total (as Cr)   mg/l   N.D   0.05 max   APHA 22nd Ed. 2012, 3111-B, 3-18	23	Cadmium (as Cd)	mg/l	N.D	0.003 max	
24			- 0,			
25   Copper (as Cu)   mg/l   N.D   0.05 max   APHA 22nd Ed. 2012, 3111-B, 3-18	24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	
Copper (as Cu)		1				
26         Lead (as Pb)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3111-B, 3-18           27         Zinc (as Zn)         mg/l         0.04         5 max         APHA 22nd Ed. 2012, 3111-B, 3-18           28         Arsenic (as As)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           29         Selenium (as Se)         mg/l         N.D         0.001 max         APHA 22nd Ed. 2012, 3112-B, 3-23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01	25	Copper (as Cu)	mg/l	N.D	0.05 max	
25			-			_
27         Zinc (as Zn)         mg/l         0.04         5 max         APHA 22nd Ed. 2012, 3111-B, 3-18           28         Arsenic (as As)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           29         Selenium (as Se)         mg/l         N.D         0.001 max         APHA 22nd Ed. 2012, 3112-B, 3-23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01	26	Lead (as Pb)	mg/l	N.D	0.01 max	
27   Zinc (as Zh)   mg/l   0.04   5 max   18     28						
28         Arsenic (as As)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           29         Selenium (as Se)         mg/l         N.D         0.001 max         APHA 22nd Ed. 2012, 3112-B, 3-23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01	27	Zinc (as Zn)	mg/l	0.04	5 max	
28         Arsenic (as As)         mg/l         N.D         0.01 max         38           29         Selenium (as Se)         mg/l         N.D         0.001 max         APHA 22nd Ed. 2012, 3112-B, 3-23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         N.D         0.02 max         APHA 22nd Ed. 2012, 3111-B, 3-18           32         Mineral Oil         mg/l         N.D         0.5 max         IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1           33         Cyanide (as CN)         mg/l         N.D         0.05 max         APHA 22nd ED. 2012, 4500-CN.C & 4-39 & 4-44           34         Anionic detergents as MBAS         mg/l         <0.1						
29         Selenium (as Se)         mg/l         N.D         0.001 max         APHA 22nd Ed. 2012, 3112-B, 3-23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01	28	Arsenic (as As)	mg/l	N.D	0.01 max	
29         Selenium (as Se)         mg/l         N.D         0.001 max         23           30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01						
30         Mercury (as hg)         mg/l         N.D         0.01 max         APHA 22nd Ed. 2012, 3114-B, 3-38           31         Nickel (as Ni)         mg/l         <0.01	29	Selenium (as Se)	mg/l	N.D	0.001 max	
Mercury (as hg)   mg/l   N.D   0.01 max   38   31   Nickel (as Ni)   mg/l   <0.01   0.02 max   APHA 22nd Ed. 2012, 3111-B, 3-18   18   IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1   Reaffirmed 2003: ed. 2.1   Reaffirmed 2003: ed. 2.1   APHA 22nd ED. 2012, 4500-CN.C   &4-39 &4-44   APHA 22nd ED. 2012, 5540-C.C &5-53   APHA 22nd ED. 2012, 5540-C.C &5-53   APHA 22nd ED. 2012, 5530-B & C   C6H50H   mg/l   N.D   0.001 max   APHA 22nd ED. 2012, 5530-B & C   5-4753   APHA 22nd ED. 2012, 5530-B & C   S-4753   APHA 22nd ED. 2012, 6440, 6-93   APHA 22nd ED.						
31         Nickel (as Ni)         mg/l         <0.01	30	Mercury (as hg)	mg/l	N.D	0.01 max	
Mineral Oil   mg/l   N.D   0.5 max   18   IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1						
Reaffirmed 2003: ed. 2.1	31	Nickel (as Ni)	mg/l	<0.01	0.02 max	
Reaffirmed 2003: ed. 2.1	22	M: 10:1	Л	ND	0.5	IS 3025 (Part 39): 1991,
33         Cyanide (as CN)         mg/l         N.D         0.05 max         APHA 22nd ED. 2012, 4500-CN.C & 4-39 & 4-44           34         Anionic detergents as MBAS         mg/l         <0.1	32	Mineral Oil	mg/I	N.D	0.5 max	Reaffirmed 2003: ed. 2.1
33   Cyanide (as CN)   mg/l   N.D   0.03 max   & 4-39 & 4-44     34   Anionic detergents as MBAS   mg/l   <0.1   0.2 max   APHA 22 <sup>nd</sup> ED. 2012, 5540-C.C & 5-53     35   Phenolic compounds (as C6H50H)   mg/l   N.D   0.001 max   APHA 22 <sup>nd</sup> ED. 2012, 5530-B & C 5-4753     36   Polynuclear aromatic hydrocarbons (PAH)   mg/l   N.D   0.0001 max   APHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93     37   Polychlorinated Biphenyls (PCBs)   mg/l   N.D   0.0005 max   USEPA Method 8082	22	Cid- ( CNI)	/1	N.D.	0.05	APHA 22 <sup>nd</sup> ED. 2012, 4500-CN.C
34	33	Cyanide (as CN)	mg/i	N.D	0.05 max	& 4-39 & 4-44
S-53	2.4	Anionia determenta as MDAC	c- /1	-0.1	0.2	APHA 22 <sup>nd</sup> ED. 2012, 5540-C.C &
35   C6H5OH)   mg/l   N.D   0.001 max   5-4753	34	Amonic detergents as MDAS	IIIg/I	<0.1	U.Z IIIax	5-53
36 Polynuclear aromatic hydrocarbons (PAH)  37 Polychlorinated Biphenyls (PCBs)  mg/l N.D 0.0001 max  mg/l N.D 0.0005 max  MPHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93  USEPA Method 8082	25	Phenolic compounds (as	m a /l	N D	0.001 may	APHA 22 <sup>nd</sup> ED. 2012, 5530-B & C
hydrocarbons (PAH)  Polychlorinated Biphenyls (PCBs)  mg/l  N.D  max  APHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93  mg/l  N.D  max  USEPA Method 8082	33		IIIg/I	N.D		5-4753
37 Polychlorinated Biphenyls (PCBs) mg/l N.D 0.0005 max USEPA Method 8082	26		ma /1	ND	0.0001	ADHA 22nd ED 2012 6440 6 02
37   (PCBs)   mg/l   N.D   max   USEPA Method 8082	30	hydrocarbons (PAH)	mg/1	ע.ויו		AFTIA 22** ED. 2012, 0440, 0-93
[ PCBS]   max	37		mg/l	ND	0.0005	IISEDA Method 2022
ADIIA 22nd ED 2012 4500 C2 C	37	(PCBs)	mg/1	וא.ט	max	
	38	Sulphide (2s S)	mg/l	ND	0.05 may	APHA 22 <sup>nd</sup> ED. 2012, 4500-S2-C
30   Sulphide (as 3)   Ilig/1   N.D   0.03 max   4- 175 & F 4-178	30	Juipinue (as 5)	mg/1	ע.וע	U.UJ IIIdX	4- 175 & F 4-178



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

APRIL - JUNE 2018

#### **Continuation Sheet**

MEEPL/JULY0216/2018-19

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	ological Analysis			•	
					APHA 22 <sup>nd</sup> Ed. 2012,
1	Total Coliforms	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-67
					APHA 22 <sup>nd</sup> Ed. 2012,
2	E-Coli	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-76
Pesticid	es Residues				
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	μg/L	< 0.01	2	US EPA 508-1995
10	α –НСН	μg/L	N.D	0.01	US EPA 508-1995
11	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	Б- НСН	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995
Remarks	: N.D- Not Detected	1.0	1	L	1

Conclusion: The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

9.

Vijay Pandey
SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

**Report no: MEEPL**/JULY0217/2018-19 **Date:** 14th July, 2018

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample Type: DRINKING WATER-POTABILITY

Marks on Sample: Location: Drinking Water of Amtipani Camp

Sample collected on: 10.06.2018

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 <sup>nd</sup> Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.14	1 Max	APHA 22 <sup>nd</sup> Ed. 2012, 2130-B, 2-13
5	рН		6.8	6.5-8.5	APHA 22 <sup>nd</sup> Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	390	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	<0.05		APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	41	200 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	49	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	12.5	250 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	7.5	200 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-so4-e, 4-190
14	Nitrate (as NO3)	mg/l	1.28	45 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-NO3-E, 4-125





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

APRIL - JUNE 2018

#### **Continuation Sheet**

					<b>MEEPL</b> / JULY0217/2018-19
15	Fluoride (as F)	mg/l	0.12	1 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-FB & D, 4-84, 4-87
16	Boron (as B)	mg/l	0.09	0.5 max	APHA 22 <sup>nd</sup> Ed. 2012, 4500-BB, 4-
		-			25 APHA 22 <sup>nd</sup> Ed. 2012, 3500-Ca-B,
17	Calcium (as Ca)	mg/l	16.5	75 max	3-67
18	Magnesium (as Mg)	mg/l	3.1	30 max	APHA 22 <sup>nd</sup> Ed. 2012, 3500-Mg-B, 3-84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 <sup>nd</sup> Ed. 2012, 4500-NH3- F, 4-115
20	Iron (as Fe)	mg/l	0.13	0.3 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3- 18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22 <sup>nd</sup> Ed. 2012, 3500-Al-B, 3-61
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
27	Zinc (as Zn)	mg/l	0.05	5 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3- 18
28	Arsenic (as As)	mg/l	N.D	0.01 max	APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 <sup>nd</sup> Ed. 2012, 3112-B, 3-23
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 <sup>nd</sup> Ed. 2012, 3114-B, 3-38
31	Nickel (as Ni)	mg/l	<0.01	0.02 max	APHA 22 <sup>nd</sup> Ed. 2012, 3111-B, 3-18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 <sup>nd</sup> ED. 2012, 4500-CN.C & 4-39 & 4-44
34	Anionic detergents as MBAS	mg/l	<0.1	0.2 max	APHA 22 <sup>nd</sup> ED. 2012, 5540-C.C & 5-53
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 <sup>nd</sup> ED. 2012, 5530-B & C 5-4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22 <sup>nd</sup> ED. 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22 <sup>nd</sup> ED. 2012, 4500-S2-C 4- 175 & F 4-178



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries :

**Environmental Monitoring Report** 

APRIL - JUNE 2018

#### **Continuation Sheet**

MEEPL/JULY0217/2018-19

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	ological Analysis	1	<b>.</b>	1	
					APHA 22 <sup>nd</sup> Ed. 2012,
1	Total Coliforms	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-67
					APHA 22 <sup>nd</sup> Ed. 2012,
2	E-Coli	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-76
Pesticide	es Residues				
3	p.p DDT	μg/L	N.D	1	US EPA 508-1995
4	o.p DDT	μg/L	N.D	1	US EPA 508-1995
5	p.p DDE	μg/L	N.D	1	US EPA 508-1995
6	o.p DDE	μg/L	N.D	1	US EPA 508-1995
7	p.p DDD	μg/L	N.D	1	US EPA 508-1995
8	o.p DDD	μg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	μg/L	<0.01	2	US EPA 508-1995
10	α –НСН	μg/L	N.D	0.01	US EPA 508-1995
11	β-НСН	μg/L	N.D	0.04	US EPA 508-1995
12	Б- НСН	μg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	μg/L	N.D	125	US EPA 508-1995
14	Alachlor	μg/L	N.D	20	US EPA 508-1995
15	Atrazine	μg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	μg/L	N.D	0.4	US EPA 508-1995
19	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20	Malathion	μg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995
Remarks	: N.D- Not Detected	•		•	•

Conclusion : The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

For Mahabal Enviro Engineers Pvt. Ltd.

9 -

Vijay Pandey
SENIOR EXECUTIVE





# Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

# Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

#### **NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT**

**JULY TO SEPTEMBER 2018** 

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

JULY - SEPTEMBER 2018

#### **CONTENT**

	LOCATION
	AMBIENT AIR QUALITY
1	Gurdari Mines Quarry 6B
2	Gurdari Mines Weigh Bridge
3	Kujam II Weigh Bridge
4	Kujam II Quarry
5	Kujam I Quarry I
6	Kujam I Quarry II
7	Amtipani Mines Near Office
8	Amtipani Mines Near Quarry



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0163/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B* 

Sample collected on: 10.09.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	60		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	28		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	2.8		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.6		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	6.2		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.0		
07.	Carbon Monoxide (CO)	mg/m³	02	0.30		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.3		
10.	Arsenic (As)	μg/m³	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

**Hindalco Industries:** 

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0164/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge* 

Sample collected on: 10.09.2018

	LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	73		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	31		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.0		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.8		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	6.9		
06.	Ozone (0 <sub>3</sub> )	μg/m³	180	9.5		
07.	Carbon Monoxide (CO)	mg/m <sup>3</sup>	02	0.34		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.1		
10.	Arsenic (As)	μg/m³	06	2.0		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.2		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0165/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Kujam II Weigh Bridge** 

Sample collected on: 10.09.2018

	LOCATION / IDENTIFICATION: Kujam II Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	66		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	25		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.5		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.1		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.4		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.5		
07.	Carbon Monoxide (CO)	mg/m³	02	0.38		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.0		
10.	Arsenic (As)	μg/m³	06	2.2		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.1		
12.	Benzo (a) Pyrene	μg/m³	01	0.33		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0166/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: **10.09.2018** 

	LOCATION / IDENTIFICATION: Kujam II Quarry					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	74		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	35		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.7		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.0		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.2		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.5		
07.	Carbon Monoxide (CO)	mg/m³	02	0.32		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.3		
10.	Arsenic (As)	μg/m³	06	2.0		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.3		
12.	Benzo (a) Pyrene	μg/m³	01	0.30		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0167/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** 

State: **Jharkhand** Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 11.09.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry I					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	78		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	36		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.5		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.3		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.0		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.2		
07.	Carbon Monoxide (CO)	mg/m³	02	0.35		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.5		
10.	Arsenic (As)	μg/m³	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.35		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey
SENIOR EXECUTIVE

regulario English

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0168/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand** 

Country: **India** 

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 11.09.2018

	LOCATION / IDENTIFICATION: Kujam I Quarry II					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	63		
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	29		
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	2.7		
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.4		
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	6.5		
06.	Ozone (O <sub>3</sub> )	μg/m³	180	10.1		
07.	Carbon Monoxide (CO)	mg/m³	02	0.32		
08.	Lead (Pb)	μg/m³	1.0	0.03		
09.	Nickel (Ni)	μg/m³	20	2.0		
10.	Arsenic (As)	μg/m³	06	2.1		
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	3.0		
12.	Benzo (a) Pyrene	μg/m³	01	0.40		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0169/2018-19 **Date:** 10<sup>th</sup> October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

**Client Address**: Lohardaga **Postal Code:** 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 11.09.2018

	LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office											
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration								
01.	Particulate Matter (size less than $10 \mu m$ ) $PM_{10}$	μg/m³	100	70.0								
02.	Particulate Matter (size less than 2.5 μm) PM <sub>2.5</sub>	μg/m³	60	31.3								
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.1								
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	3.9								
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	8.0								
06.	Ozone (O <sub>3</sub> )	μg/m³	180	11.2								
07.	Carbon Monoxide (CO)	mg/m³	02	0.35								
08.	Lead (Pb)	μg/m³	1.0	0.02								
09.	Nickel (Ni)	μg/m³	20	2.2								
10.	Arsenic (As)	μg/m³	06	1.5								
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0								
12.	Benzo (a) Pyrene	μg/m³	01	0.34								

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

**Environmental Monitoring Report** 

**JULY - SEPTEMBER 2018** 

**Report no: MEEPL**/OCT0170/2018-19 **Date:** 10th October, 2018

Sample described by customer: AMBIENT AIR QUALITY MONITORING

**Client Name:** Hindalco Industries Limited

Client Address: Lohardaga

**Postal Code:** 835203 **State:** Jharkhand **Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 11.09.2018

	LOCATION / IDENTIFICATION: Amtipani Mines Near Quarry												
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration									
01.	Particulate Matter (size less than 10 $\mu$ m) $PM_{10}$	μg/m³	100	75									
02.	Particulate Matter (size less than 2.5 $\mu$ m) PM <sub>2.5</sub>	μg/m³	60	32									
03.	Sulphur Dioxide (SO <sub>2</sub> )	μg/m³	80	3.6									
04.	Nitrogen Dioxide (NO <sub>2</sub> )	μg/m³	80	4.3									
05.	Ammonia (NH <sub>3</sub> )	μg/m³	400	7.9									
06.	Ozone (O <sub>3</sub> )	μg/m³	180	9.9									
07.	Carbon Monoxide (CO)	mg/m³	02	0.37									
08.	Lead (Pb)	μg/m³	1.0	0.03									
09.	Nickel (Ni)	μg/m³	20	2.3									
10.	Arsenic (As)	μg/m³	06	1.6									
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	μg/m³	05	2.0									
12.	Benzo (a) Pyrene	μg/m³	01	0.30									

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



#### BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING April'18 to Sept'18

The composite cost during April'18 to Sept'18 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud, Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimarla Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Rupees) FY 2018-19	Actual (in Rupees) (from April'18 to Sep'2018				
1	Pollution Control & Environment monitoring	1521000	8,82,300.00				
2	Reclamation/ Back filing & Rehabilitation**	29200000	1,49,78,461.39				
3	Green belt, Plantation & Water spraying arrangement	4500256	25,38,864.95				
4	Rural Development	26025236	1,32,42,312.42				

<sup>\*\*</sup>Part of OB removed cost.

(Basudev Gangopadhyay)
Convenor (Quality & Environment)

Annexure-3



Date: 03.04.17

#### Office Order

Environmental Cell has been re-constituted at Gurdari Bauxite Mines (Area 584.19 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Kiran Shankar Singh-Mines Manager (Coordinator)
- 2. Mr. Arun Kumar Behera –Geologist (Member)
- 3. Dr. Md. Salim Medical Officer (Member)
- 4. Mr. Om Prakash Jha-Mechanical Engineer (Member)
- 5. Mr. Rakesh Ranjan Singh -Foreman (Member)
- 6. Mr. Ranjan Kumar Dy Officer (HR) (Member)

Basudev Gangopadhyay
Convenor (Quality & Environment)

	11		10		9		8		,	7		6		(	7		t	_		ω	,	2		1	No	SI	
	Orsapat Bauxite Mine		Jalim & Sanai Bauxite Mine		Shrengdag B Bauxite Mine		Shrengdag A Bauxite Mine			Gurdari Bauxite Mine		Amtipani Bauxite Mine			Kujam - II Bauxite Mine		rajaiii - Dauxire miiie	Kuiam - I Bauxite Mine		Hisri (New) Bauxite Mine		Bhusar Bauxite Mine		Bagru bauxite Mine		Name of the Mines	
	196.36		12.14		140.07		155.81			584.19		190.95			157.38		00.07	80.87		14.55		65.31		75.41	area (ha)	Mining lease	Production
	200000		50000		100000		260000			325000		150000			300000		100000	150000		100000		280000		85000	capacity(mt)*	Production	Production, Mined Out, Back Filled and Over Burden removal from April'18 to September'18
to 16-07-2036	17-07-1986	to 31-03-2030	16-10-1974	to 31-03-2030	04-10-1978	31-03-2030	16-10-1974	22-03-2035	to	23-03-1985	to 12-03-2056	13-03-2006	23-03-2056	to	24-03-2006	12-03-2056	to	13-03-2006	to 31-03-2030	19-07-1981	to 31-03-2030	11-07-1981	31-03-2030	22-01-1974	Period *	Lease	ack Filled and
	1470		18600		36100		108900			173295		83810		1	114325		00000	60550		38172		106353		nil	(MT)	Production	d Over Burde
	0		0.36		1.21		1.21			4.6		12			4.68		1.04	1 64		0.742		0.168		nil	area (ha)	Mined out	n removal from
	0		0.12		0.72		1.62			8.59		00		(	3.78		1.37	1 37		0.467		1.711		nil	area (ha)	Back filled	m April'18 to
	2185		49104		46930		162637		201211	251277		96051			122769		40207	40287		29252		112376		nil	(Cu.M)	Over burden	September'18

18	17	16			15		14		13		12
Bimarla Bauxite Mine	Pakhar (109.507)	Pakhar (15.58)			Pakhar (115.13)		Pakhar (35.12)		Pakhar (8.09)		Chiro Kukud bauxite Mine
134.526	109.507	15.58	Minerals & Minerals Limited		115.13		35.12		8.09		152.57
300000	280000	60000	nerals Limited		300000		200000		80000		100000
18-07-2009 to 17-07-2059	26-07-2008 to 25-07-2058	28-04-1965 to 31-03-2030		to 31-03-2030	19-07-1996	to 31-03-2030	17-04-1975	to 31-03-2030	16-05-1973	to 28-01-2035	29-01-1985
89315	151240	27475			111995		nil		nil		1970
3.108	1.05	0.35			1.01		nil		nii		0.113
1.61	0.5	0.15			0.65		nil		nil		0
203116	78750	26250			70700		nil		nii		13168

\*Static information about the mines included in the above table

Basudév Gangopadhyay

Convenor (Quality & Environment)