Environmental Status Report For Kudag Bauxite Mine at

Post & Teh.: Samri, (Kusmi)

Dist: Balrampur-Ramanujganj(C.G.)

Duration: July-August-September-2021

Name of Industry



M/s. Hindalco Industries Limited.,

Name of Laboratory:-



QCI-NABET, MoEF & CC (GOI) ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

60, Bajiprabhu Nagar, Nagpur - 440 033, MS Lab. & Consultancy: FP-34, 35, Food Park, MIDC, Butibori, Nagpur - 441122 Ph.: (0712) 2242077, 9373287475

Email: info@anacon.in, ngp@anacon.in website: www.anaconlaboratories.com

WL



Introduction

1.1 Introduction

Hindalco Industries Limited (Hindalco) is one among the flagship companies of the Aditya Birla Group of Industries and is one of the largest corporate groups in India. This group is a leading manufacturer of Aluminum in India, having integrated facilities encompassing bauxite, mining, refining and smelting to achieve Aluminum.

Various processing units of Hindalco are strategically located in different parts of the nation to achieve optimum benifits. Over the past few decades the group has grown multifold in its production capacities, product mix and diversification in mining. The Chhattisgarh Environment Conservation Board (CECB) granted permission for establishing the Bauxite Mine to Hindalco at block Tatijharia, Kudag and Samri mines inBalrampur District of Chhattisgarh State.

HINDALCO INDUSTRIES LTD., awarded the work to M/s ANACON LABORATORIES PVT. LTD. Nagpur(ALPL) for carrying out Environmental monitoring of parameters for assessing pollution levels and preparation of monthly reports (July-August-September-2021) as per the requirement of Chhattisgarh Environment Conservation Board (CECB) and Ministry of Environment, Forest and Climate Change (MoEF&CC) for Kudag mining lease in Balrampur District, Chhattisgarh State.

1.2 Background Information of KudagMine

Hindalco was granted Kudag Bauxite mining lease over an area of 377.116 hec. In Kudag village, Post office-Dumarkholi, Tehsil-Samri (Kusmi) of Balrampur district, Chhattisgarh on 24/12/1996 for a period of 20 years. As per the Mines and Mineral (Development and Regulation) Amendment Act, 2015, Kudag lease has been extended up to another 30 years i.e 23/12/2046. The mining operations were started on 02/07/1997. The production capacity of Kudag Bauxite Mine is 60,000 Tonne /Year.

1.3 Salient Features of Kudag BauxiteMine

The deposits occur in Kudag block, Post office Dumarkholi, Tehsil-Samri (Kusmi) of Balrampur district. This deposit has been identified as one of the resources to cater the raw material requirements of the Hindalco Alumina refinery at Renukoot, Uttar Pradesh. The salient features of the project are presented below in Table 1.



Introduction

Table: 1

Salient Features of Kudag Bauxite Mines

SI. No.	Particulars	Details
1.	Survey of India Toposheet No.	64 M /15
2.	Latitude	23° 26′ 02″N to 23° 29′00″N
3.	Longitude	83° 51′ 00″E to 83° 59′ 00″E
4.	Elevation	1145-m above Mean Sea Level
5.	Climatic Conditions (as per IMD, Ambikapur)	Annual maximum temperature: 30.3°C Annual minimum temperature: 17.7°C Average annual rainfall: 1401.1 mm
6.	Mining lease area	377.116 Hec.
7.	Method of mining	Open cast (Semi-Mechanized)
8.	Mode of transportation	Trucks
9.	Land use	Agricultural and Barren land
10.	Nearest Road	Samri to Kusmi (17 km)
11.	Nearest Airport	Ranchi Airport (151.09 Km)
12.	Nearest Town	Ambikapur (127 km, SW)

1.4 Environmental Monitoring

Regular monitoring of environmental parameters is of immense importance to assess the status of environment during mining operation. With the knowledge of baseline conditions, the monitoring program will serve as an indicator for any deterioration in environmental conditions due to mining operation of the project. Suitable mitigation steps will be taken in time to safeguard the environment based on monitoring reports. Monitoring is important in the control of pollution since the efficiency of control measures can only be determined by monitoring.

In order to find out the impact of mining activity on sensitive receptors, it is necessary to monitor Environmental Quality to know the level of concentrations of pollutants within and around the mining lease area. Accordingly Hindalco Industries through ALPL has been monitoring air, water and noise quality on monthly basis during these months (Table-2).



Introduction

15 Air Environment

1.5.1 Ambient Air Quality Monitoring:

Ambient Air Quality and Fugitive emission monitored at 8 following locations with reference to Kudag mine lease area shown in (Fig.-1).

Table 2

Locations of Ambient Air Quality Monitoring (AAQM) (377.116 hec.)

Sr. No.	Core Zone	Sr. No.	Buffer Zone
1	Sairaidh Campus	5	Kutku Village
2	New Kudag/Nr.Weigh Bridge	6	Rajendrapur
3	Old Kudag/Mining Area	7	Tatijharia Village
4	SamriGopatu/Nr. Weigh Bridge	8	Virhorepat

The sampling stations are selected at the above mentioned locations, in downwind and upwind directions of the mining site. ALPL is carrying out regular monitoring for PM₁₀, PM_{2.5}, SO₂, NO₂, CO and Pb, Hg, As and Cr at above Ambient Air Quality Monitoring (AAQM) locations. The AAQM sampling sites are selected considering seasonal variation in wind speed and wind direction.

1.5.2 Sampling Duration and Frequency

Ambient air quality monitoring was carried out for the parameters PM₁₀, PM_{2.5}, SO₂, NO₂ CO and Pb, Hg, As & Cr from July-2021 to September-2021 as per CPCB norms.

Data is compared with the present revised standards mentioned in the latest Gazette Notification of the Central Pollution Control Board (CPCB) 18th November, 2009 and as per consent conditions mentioned in consent letter.



Introduction

1.5.3 MONITORED PARAMETERS AND FREQUENCY OF SAMPLING

Methods and Instruments used for Sampling

The air samples were analyzed as per methods specified by Central Pollution Control Board (CPCB).

The levels of Particulate Matter (PM₁₀), Sulphur Dioxide (SO₂), Oxides of Nitrogen (NO₂), CO, Pb, Hg, As and Cr were monitored for establishing the baseline status. PM₁₀ was collected with the help of Respirable particulate sampler operating 24 hours by drawing air which passes through the cyclone at the rate of 1.0 - 1.3 m³/min which collects the particles less than 10 µm diameter over glass fiber filter paper. The dust deposited over the filter paper is measured as PM₁₀ and the smaller particulates from PM_{2.5} are collected into the membrane filter paper, other details are given in (Table3).

Table 3

MONITORED PARAMETERS AND FREQUENCY OF SAMPLING

Parameters	Sampling frequency
Particulate Matter (PM ₁₀)	24 hourly sample twice a week for Three months
Particulate Matter (PM _{2.5})	24 hourly sample twice a week for Three months
Particulate Matter 2.5	24 hourly sample twice a week for Three months
Sulphur dioxide (SO ₂)	24 hourly sample twice a week for Three months
Oxides of Nitrogen (NO ₂)	24 hourly sample twice a week for Three months
CO, Pb, Hg, As, Cr	8 hourly samples for 24 hour twice a week for three months



Introduction

Table 4.0

Measurement Techniques for various pollutants

Sr. No.	Parameter	Technique	Technical Protocol	Minimum Reportable Value(µg/m³)	
1.	Particulate Matter PM ₁₀	Respirable Dust Sampler (Gravimetric Method)	IS-5182 (Part-23)	5	
2.	Particulate Matter PM _{2.5}	ulate Matter Respirable Dust Sampler (Gravimetric Method)		5	
3.	Sulphur Dioxide	Modified West and Gaeke	IS-5182 (Part - II)	4	
4.	Oxide of Nitrogen	Jacob &Hochheiser Method	IS-5182 (Part - VI)	4	
5.	Carbon Monoxide	NDIR Spectroscopy	IS-5182 (Part - X)	2	
6.	Pb, As, Hg, Cr	Acid Digestion Method	EPA Method	0.1	



Details of Salient Features

1.6 Meteorology: Wind Pattern

The data of wind pattern collected during the study period (July-August-Sept-2021) indicates that the wind was blowing predominately from (W and WSW) directions, during study period.

Wind Frequency Distribution Data

Sr. No.	Directions / Wind Classes (m/s)	0.5 - 2.1	2.1 - 3.6	3.6 - 5.7	5.7 - 8.8	8.8 - 11.1	>= 11.1	Total (%)
1	348.75 - 11.25	0.010753	0.002016	0.001344	0.000000	0.000000	0.000000	0.014113
2	11.25 - 33.75	0.007392	0.008737	0.002688	0.000000	0.000000	0.000000	0.018817
3	33.75 - 56.25	0.010753	0,007392	0.004032	0.000000	0.000000	0.000000	0.022177
4	56.25 - 78.75	0.010753	0.005376	0.000672	0.002688	0.000000	0.000000	0.019489
5	78.75 - 101.25	0.009409	0.012769	0.010753	0.000000	0.000000	0.000000	0.032930
6	101.25 - 123.75	0.006048	0.008737	0.020833	0.000000	0.000000	0.000000	0.035618
7	123.75 - 146.25	0.007392	0.020161	0.012769	0.000000	0.000000	0.000000	0.040323
8	146.25 - 168.75	0.006720	0.032258	0.040323	0.001344	0.000000	0.000000	0.080645
9	168.75 - 191.25	0.005376	0.023522	0.031586	0.002016	0.000000	0.000000	0.062500
10	191.25 - 213,75	0.004032	0.030242	0.028898	0.003360	0.000000	0.000000	0.066532
11	213.75 - 236.25	0.026210	0.052419	0.039651	0.010081	0.000000	0.000000	0.128360
12	236.25 - 258.75	0.030914	0.066532	0.034946	0.016129	0.000000	0.000000	0.148522
13	258.75 - 281.25	0.024194	0.054435	0.072581	0.023522	0.000672	0.000000	0.175403
14	281.25 - 303.75	0.014113	0.034946	0.036962	0.012769	0.000000	0.000000	0.098790
15	303.75 - 326.25	0.008065	0.010753	0.009409	0.005376	0.000000	0.000000	0.033602
16	326.25 - 348.75	0.008065	0.005376	0.000672	0.000000	0.000000	0.000000	0.012769
	Sub-Total	0.188844	0.375672	0.348118	0.077285	0.000672	0.000000	0.990591
	Calms							0.009409
	Missing/Incomple	te	ST TARTE					0.000000
	Total	avelet.		ALC: N	HE STE		UR KEEDY	1.000000

Summary of Wind Pattern

Season	First Pre-Dominant	Second Pre-Dominant	Calm	Average Wind	
	Wind Direction	Wind Direction	Condition	Speed	
July-Aug-Sept-2021	W (17.5%)	WSW (14,9%)	0.94	3.41 m/s	






Figure.01: Wind Rose Diagram (July-August-Sept-2021)




Figure.02: Wind Class Frequency Distribution (July-Aug-Sept-2021).



Details of Salient Features

1.7 MONITORED PARAMETERS AND FREQUENCY OF SAMPLING

Methods and Instruments used for Sampling

The air samples were analyzed as per methods specified by Central Pollution Control Board (CPCB). The levels of Particulate Matter (PM₁₀), Sulphur Dioxide (SO₂), Oxides of Nitrogen (NOx),Carbon Monoxide (CO), Pb, Hg, As and Cr were monitored for establishing the baseline status.PM₁₀ was collected with the help of Respirable Particulate Sampler operating 24 hours bydrawing air which passes through the cyclone at the rate of 1.0 -1.3 m³/min which collects the particles less than 10 µm diameter over glass fibre filter paper. The dust deposited over the filter paper is measured as PM₁₀and the smaller particulates from 2.5 µm are collected into the Membrane Filter Paper. The dust fall rate was measured using dust fall jar. The jar was exposed for one month in the mining area and Samri-Gopatu during pre and post monsoon period. The jar was filled with 2 lit of distilled water. The water in the jar is mixed with copper sulphate solution (0.02 N solutions) to prevent any growth of algae. The water level in the jar is constantly maintained in such a way that 2 lit of water is always retained. The measurement techniques used for various pollutantsand other details are given in (Table 3).

Earmarked samples were collected for Particulate Matter- PM_{10} , Particulate Matter- $PM_{2.5}$, SO_2 and NO_X for 24 hourly and CO 8 hourly. Collected samples were sent to Laboratories for analysis.

Table 3.0

Measurement Techniques for various pollutants

SI. No.	Parameter	Technique	Technical Protocol	Minimum Reportable Value (µg/m³)
1.	Respirable Particulate Matter	Respirable Dust Sampler (Gravimetric Method)	IS-5182 (Part-23)	5
2.	Particulate Matter 2.5	Respirable Dust Sampler (Gravimetric Method)	Gravimetric Method	5
3.	Sulphur Dioxide	Modified West and Gaeke	IS-5182 (Part - II)	4
4.	Oxide of Nitrogen	Jacob &Hochhelser Method	IS-5182 (Part - VI)	4
5.	Carbon Monoxide	NDIR Spectroscopy	IS-5182 (Part – X)	2
6.	Pb, As, Hg, Cr	Acid Digestion Method	EPA Method	0.1



Details of Salient Features

Table 4

Statistical Analysis

Location	Month & Year	PM-10 (μg /m ³)	PM-2.5 (μg/m ³)	SO ₂ (μg /m ³)	NO ₂ (μg/m ³)	CO (mg/m ³)	Ръ (µg /m ³)	Hg (μg /m ³)	As (ng/m ³)	Cr (µg/m³
Core Zone			- 3			-				
Sairaidh	July-2021	48.8	18.8	6.8	17.3	0.185	BDL (DL-0.01)	BDL (DL-0,0005)	BDL (DL-0.1)	BDL (DL-0.03)
Campus	Aug-2021	52,2	20.5	8.1	17.2	0.207	0.016	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Sept-2021	59.8	26.6	10.5	21.1	0.215	0.016	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
New Kudag/Nr. Weigh Bridge	July-2021	51.1	19.1	7.3	19.4	0.162	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Aug-2021	54.3	20.6	8.7	17.1	0.237	0.014	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03)
	Sept-2021	55.8	20.1	7.3	18,3	0.254	0.017	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Old Kudag/Mining	July-2021	53.6	18.0	8.6	18.5	0.191	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Area	Aug-2021	53.3	19.0	8.6	16.6	0.193	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Sept-2021	52.8	18.5	7.9	12.5	0.216	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL.
Samri Gopatu/ Nr. Weigh	July-2021	52.0	19.4	8.1	14.5	0.205	BDL (DL-0.01)	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Bridge	Aug-2021	52.7	22.8	8.3	17.4	0.251	0.017	BDL (DL-0.0005)	BDL	BDL (DL-0.03)
	Sept-2021	59.8	23.4	9.4	19.7	0.283	0.020	BDL (DL-0,0005)	BDL	BDL (DL-0.03)
CPCB Standards		100 (24 hrs)	60 (24 hrs)	80 (24 hrs)	80 (24 hrs)	2 (8 hrs)	1.0 (24 hrs)		6.0 (annual)	
Minimum		48.8	18.0	6.8	12.5	0.162				
Maximum		59.8	26.6	10.5	21.1	0.283	0.020	***		
Average		53.9	20,6	8.3	17.5	0.217	0.016	abo.	***	***
98% le		59,8	25.9	10.3	20.8	0.277	0.019	0.777	1.777	

NOTES: • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

- The Average Concentration of PM₁₀ within the Core Zone of Kudag Lease is 53.9µg/m³.
- The Average Concentration of PM25 with int he CoreZone of Kudag Leaseis 20.6µg/m3.
- The Average Concentration of SO₂ within the CoreZone of Kudag Lease is 8.3µg/m³.
- The Average Concentration of NO₂ within the Core Zone of Kudag Lease is 17.5 µg/m³.
- The Average Concentration of CO within the Core Zone of Kudag Lease is 0.217 mg/m³.
- The Average Concentration of Pb within the Core Zone of Kudag Lease is 0.016µg/m³.

Conclusion:-

The Average Concentration within the Core Zone of Kudag Lease during this period (July-August-September-2021), it is within permissible limits as per CPCB Standards.



Details of Salient Features

Location	Month & Year	PM-10 (μg/m ³)	PM-2.5 (μg/m ³)	5O ₂ (μg/m ³)	NO ₂ (μg /m ³)	CO (mg/m ³)	Pb (μg/m ³)	Hg (µg /m ³)	As (ng/m ³)	Cr (µg/m³)
Buffer Zone							T. Breeze	APB (mill)	Lingsin)	I (MB) III
Kutku Village	July-2021	51.0	18.9	7.1	14.9	0.206	BDL (DL-0.01)	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Aug-2021	50.3	21.1	7.3	17.5	0.188	BDL (DL-0.01)	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
到其其	Sept-2021	50.2	18.3	7.8	15.4	0.200	0.014	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Rajendrapur	July-2021	51.6	20.7	9.4	15.7	0.217	0.018	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Aug-2021	56.1	23.5	8.5	17.5	0.235	0.016	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Sept-2021	56.2	19.2	9.4	17.4	0.217	0.017	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Tatijharia	July-2021	51.8	18.5	7.4	17.8	0.165	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Village	Aug-2021	53.1	18.2	7.6	18.8	0.209	0.016	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Sept-2021	53.8	20.6	8.1	18.0	0.211	0.016	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	July-2021	50.9	18.6	7.6	19.1	0.156	BDL (DL-0.01)	BDL DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
Virhorepat	Aug-2021	52.4	21.4	8.4	19.5	0.213	0.015	BDL (DL-0.0005)	BDL (DL-0.1)	BDL (DL-0.03
	Sept-2021	51.3	20.5	7.7	19.9	0.162	BDL (DL-0.01)	BDL (DL-0.0005)	BDL (DL- 0.1)	BDL (DL-0.03
CPCB Sta	ndards	100 (24 hrs)	60 (24 hrs)	80 (24 hrs)	80 (24 hrs)	2 (8 hrs)	1.0 (24 hrs)	_	6.0 (annual)	
Minimum		50.2	18.2	7.1	14.9	0.156		12.5		
Maximum	THE ELECTION	56.2	23.5	9.4	19.9	0.235	0.018	eren.		
Average		52.4	20.0	8.0	17.6	0.198	0.016	****		
98% le		56.2	23.0	9.4	19.8	0.231	0.018	****		0.000

NOTES: • BDL- Below detection limit • DL- Indicates detection limit of instrument/method and shall be considered as 'absent'.

- The Average Concentration of PM₁₀ within the Buffer Zone of Kudag Lease is 52.4 μg/m³.
- The Average Concentration of PM25 within the Buffer Zone of Kudag Lease is 20.0 µg/m3.
- The Average Concentration of SO₂ within the Buffer Zone of KudagLease is 8.0 µg/m³.
- The Average Concentration of NO₂ within the Buffer Zone of KudagLease is 17.6 μg/m³.
- The Average Concentration of CO within the Buffer Zone of Kudagl.ease is 0.198 mg/m³.
- The Average Concentration of Pb within the Buffer Zone of KudagLease is 0.016 μg/m³.

Conclusion :-

The Average Concentration within the Buffer Zone of Kudag Lease during this period (July-Aug-Sept-2021). It is within permissible limits as per CPCB Standards.



Details of Salient Features

Month-wise Summary of Statistical Analysis

Kudag Lease (Core Zone):-

3.1 Ambient Air Quality:

Ambient air quality has been generated as per NAAQS 2009 for the month of July-2021 to September-2021. PM₁₀, PM_{2.5}, SO₂ ,NO₂ and CO the values obtained were then compared vis-a-vis the standards prescribed by CPCB for Industrial/ Rural/ Residential uses.

3.2 Presentation of Results:

The summary of Ambient Air Quality monitoring results from July-2021 to September-2021 are presented in detail in Table 4.0. 98th percentile; maximum and minimum values etc. have been computed from the collected raw data for all the AAQ monitoring station. The data has been compared with the standards prescribed by Central Pollution Control Board (CPCB)/NAAQS for residential and rural zone.

A. Particulate Matter-PM10:

The minimum and maximum concentrations for Particulate Matter- PM_{10} were recorded as 48.8 $\mu g/m^3$ and 59.8 $\mu g/m^3$ respectively. The minimum and maximum concentration was recorded at Sairaidh Campus and Samri Gopatu/Nr, weighbridge, The average concentration of PM_{10} was 53.9 $\mu g/m^3$.

B. Particulate Matter-PM_{2.5}:

The minimum and maximum concentrations for Particulate Matter-PM_{2.5} were recorded as $18.0~\mu g/m^3$ & $26.6~\mu g/m^3$ respectively. The minimum concentration was recorded at Old Kudag/Mining. The maximum concentration was recorded at Sairaidh Campus. The average concentration of PM_{2.5} was $20.6~\mu g/m^3$.

C. Sulphur Dioxide (SO₂):

The minimum and maximum for SO_2 concentrations were recorded as $6.8~\mu g/m^3$ and $10.5~\mu g/m^3$ at respectively. The minimum & maximum concentration was recorded at Sairaidh Campus. The average concentration of SO_2 was $8.3~\mu g/m^3$.



Details of Salient Features

D. Nitrogen Dioxide (NO₂):

The minimum and maximum for NO_2 concentrations were recorded as 12.5 $\mu g/m^3$ and 21.1 $\mu g/m^3$. The minimum concentration was recorded at Old Kudag/Mining. The maximum concentration was also recorded at Sairaidh Campus. The average concentration of NO_2 was 17.5 $\mu g/m^3$.

E. Carbon Monoxide (CO):

The minimum and maximum for CO concentrations were recorded as 0.162 mg/m³ and 0.283 mg/m³. The minimum concentration was recorded at New Kudag/Nr. Weigh Bridge. The maximum concentration was also recorded at Samri Gopatu/Nr. weighbridge. The average concentration of CO was 0.217 mg/m³.

F. Lead (Pb):

Maximum Lead detected in PM₁₀samples was 0.020 μg/m³at Samri Gopatu/Nr. Weighbridge.

No lead could be detected in PM_{2.5}samples at any of the Ambient Air samples at any of the locations.

G. Mercury (Ha):

Mercury was not detected at any of the locations in PM₁₀ samples as well as PM_{2.5}Samples.


H. Arsenic (As):


Arsenic was not detected at any of the locations in PM₁₀ samples as well as PM_{2.5}Samples.


I. Chromium(Cr):

Chromium was not detected at any of the locations in PM_{10} samples as well as $PM_{2.5}$ Samples.






















Details of Salient Features

Kudag Lease (Buffer Zone):-

3.3 Ambient Air Quality:

Ambient air quality has been generated as per NAAQS 2009 for the month of July-2021 to September-2021. PM₁₀, PM_{2.5}, SO₂, NO₂ & CO. The values obtained were then compared vis-a-vis the standards prescribed by CPCB for Industrial/Rural

/ Residential uses.

3.3.1 Presentation of Results:

The summary of Ambient Air Quality monitoring results from July-2021 to September-2021 are presented in detail in Table 4.0. 98th percentile; maximum and minimum values etc. have been computed from the collected raw data for all the AAQ monitoring station. The data has been compared with the standards prescribed by Central Pollution Control Board (CPCB)/NAAQS for residential and rural zone.

A. Particulate Matter-PM10:

The minimum and maximum concentrations for Particulate Matter- PM_{10} were recorded as 50.2 $\mu g/m^3$ and 56.2 $\mu g/m^3$ respectively. The minimum concentration was recorded at Kutku Village. The maximum concentration was also recorded at Rajendrapur. The average concentration of PM_{10} was 52.4 $\mu g/m^3$.

B. Particulate Matter-PM25:

The minimum and maximum concentrations for Particulate Matter- $PM_{2.5}$ were recorded as $18.2 \, \mu g/m^3 \, \& \, 23.5 \, \mu g/m^3$ respectively. The minimum concentration was recorded at Tatijharia location. The maximum concentration was also recorded at Rajendrapur location. The average concentration of $PM_{2.5}$ was $20.0 \, \mu g/m^3$.

C. Sulphur Dioxide (SO₂):

The minimum and maximum for SO_2 concentrations were recorded as 7.1 $\mu g/m^3$ and 9.4 $\mu g/m^3$ respectively. The minimum concentration was recorded at Kutku village location. The maximum concentration was also recorded at Rajendrapur. The average concentration of SO_2 was 8.0 $\mu g/m^3$.



Details of Salient Features

D. Nitrogen Dioxide (NO₂):

The minimum and maximum for NO_2 concentrations were recorded as 14.9 $\mu g/m^3$ and 19.9 $\mu g/m^3$. The minimum concentration was recorded at Kutku village location and the maximum concentration was recorded at Virhorepat Village. The average concentration of NO_2 was 17.6 $\mu g/m^3$.

E. Carbon Monoxide (CO):

The minimum and maximum for CO concentrations were recorded as 0.156 mg/m³ and 0.235mg/m³. The minimum concentration was recorded at Virhorepat Village location and the maximum concentration was recorded at Rajendrapur village. The average concentration of CO was 0.198 mg/m³.

F. Lead (Pb):

Maximum Lead detected in $PM_{2.0}$ samples was 0.018 $\mu g/m^3$ at Rajendrapur location. No lead could be detected in $PM_{2.5}$ samples at any of the Ambient Air samples at any of the locations.

G. Mercury (Ha):

Mercury was not detected at any of the locations in PM₁₀samples as well as PM_{2.5}Samples.


H. Arsenic (As):


Arsenic was not detected at any of the locations in PM₁₀samples as well as PM_{2.5}Samples.


I. Chromium (Cr):

Chromium was not detected at any of the locations in PM₁₀ samples as well as PM_{2.5} Samples.






















Details of Salient Features

1.8 Noise Environment

The Director General of Mines Safety in its circular No. DG (Tech)/18 of 1975, has prescribed the noise level in mining occupations (TLV) for workers, in an 8 hour shift period with unprotected ear as 90 dB(A) or less. There will be some noise sources in mines, which produce noise levels above 90 dB(A), however; the workers are not expected to be exposed continuously for 8 hours. In order to maintain this statutory requirement noise monitoring has been carried out in and around the mining lease area.

Work zone noise level in the mining area shall increase due to blasting excavation and transportation. The impacts due to the mining activities on the noise levels shall be negligible, if all the precautions for the elimination of the noise are taken. The mining activities will be undertaken during day time only. The day time equivalent noise levels, when all the machineries are in operation, shall be minimized as the machineries have been provided with control equipment. Noise monitoring carried out on monthly basis at mining site; Core Zone and Buffer Zone areas shown in Fig. 3.

Identification of sampling locations

Noise at different noise generating sources has been identified based on the activities in the village area and ambient noise due to traffic.

The noise monitoring has been conducted for determination of ambient noise levels in the mining area and villages. The noise levels at each location were recorded for 24 hours.

Instrument used for monitoring

Noise levels were measured using integrated sound level meter Model no. HTC-SL-1352. This instrument is capable of measuring the Sound Pressure Level (SPL), Leq.

Method of Monitoring

Sound Pressure Level (SPL) measurements were monitored at eight locations. The readings were taken for every hour for 24 hours. The day noise levels have been monitored during 6 am to 10 pm and night levels during 10 pm to 6 am at eight locations within 10-km radius of the study area.

Noise level monitoring was carried out continuously for 24 hours with one hour interval starting at 06.00 hrs to 06.00 hrs next day.



Details of Salient Features

Noise levels monitored during day and night at Four locations are found to be below in the Mining Area than the stipulated standard of CPCB for Industrial area as 75dB(A) and 70dB(A) for day and night respectively as given in (Table 5).

Table 5 Noise Emission Monitoring Report

SR. NO.	LOCATION	Month Month		-dB(A)
on no.	LOCATION	Month	Day Time	Night Time
Core Zone				
		July-2021	56.7	48.1
1.	New Kudag/Nr. Weigh Bridge	August-2021	64.9	58.2
EVEL	bridge	September-2021	53.8	42.9
2.	HUMBERT DE HERMENNE PROMITE HOOF FOR DE	July-2021	53.9	41.7
	Old Kudag/Mining Area	August-2021	67.1	56.3
		September-2021	47.6	37.1
Buffer Zoi	ne			
		July-2021	54.9	38.2
1.	Rajendrapur	August-2021	57.1	46.2
		September-2021	56.7 64.9 53.8 53.9 67.1 47.6 54.9 57.1 54.1 54.9 59.3 54.7	42.8
		July-2021	54.9	47.2
2.	Tatijharia Village	August-2021	59,3	47.1
		September-2021	54.7	48.3
CPCB Star	ndards			
Industrial	Area		75	70
Residentia	il area		55	45

Conclusion: - The Noise Monitoring Results at Kudag Lease during this period (July-August-September-2021), All Results are within Limit as per CPCB Standards.

Table 6 **HEMM Spot Noise Level Monitoring**

21	Sep	t-2021
ix.	Min.	Max.

Unit: dB(A) Lea

SI.	Location	July-2021		August-2021		Sept-2021	
No.	Location	Min.	Max.	Min.	Max.	Min.	Max.
1.	Nr. Weigh Bridge	58.1	61.7	67.1	73.4	64.7	68.1
2.	Mining Area	62.9	67.3	64.9	68,2	68.3	71.9



Details of Salient Features

2.0 Water Quality Monitoring

The existing status of water quality for ground water was assessed by collecting the water samples from underground wells from the mining area/old kudag.

The purpose of the study is to assess the water quality characteristics for critical parameters, evaluate the impacts on agricultural productivity, habitat conditions, recreational resources and aesthetics in the vicinity and identification of impact on water quality by this project and related activities.

The physico-chemical analysis of water samples collected during the study period is given in **(Table-7 and Fig.5)**. The overall water quality found to be below the stipulated standards of IS 10500-2012 for ground water & found to be fit for drinking purpose for tested parameters. Thus the impacts due to mining activities have been found to be insignificant.

The drinking water is supplied by the tankers from for-away sources. Hence, additional care now be taken to chlorinate the tankers before leaving the supply source.



Details of Salient Features

Table 7

Report on Chemical Examination of Ground Water Quality
(September-2021)



Details of Salient **Features**

Location:

GW1) Saraidih (Hindalco Campus) Sample Source:-Borewell Water

TEST RESULTS

s.n.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Page 1 of 3
				Acceptable Limit	Permissible Limit #	
1	Biological Testing 1. Water			Un		
1	Total coliform	Per 100 ml	IS 15185 : 2016	Absent	Absent	Absent
2	Escherichia coli	Per 100 ml	IS 15185 ; 2016	Absent	Absent	Absent
n	Chemical Testing 1. Water	The state of the s				
3	Alkalinity (as CaCO ₁)	mg/l	IS 3025 (Part 23): 1986	200	600	153
4	Ammonia (as N)	mg/l	IS 3025 (Part 34): 1988	0.5	No relaxation	BDL (DL - 0.1)
5	Anionic surface active agents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.2	1.0	BDL (DL - 0.01
6	Colour	Hazen units	IS 3025 (Part 4): 1983	.5	15	0
7	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	BDL (DL - 0.00:
8	Chloride (as CI)	mg/l	IS 3025 (Part 32) :1988	250	1000	27.52
9	Calcium (as Ca)	mg/l	IS 3025 (Part 40): 1991	75	200	52.81
10	Chloramines (as Cl ₂)	mg/l	IS 3025 (Part 26): 1986	4.0	No relaxation	BDL (DL - 0.1)
11	Free residual chlorine	mg/l	IS 3025 (Part 26): 1986	Min. 0,2	1	BDL (DL - 0.1)
12	Fluoride (as F)	mg/l	IS 3025 (Part 60): 2008	1.0	1.5	0.26
13	Magnesium (as Mg)	mg/l	IS 3025 (Part 46): 1994	30	100	13.92
14	Nitrate (as NO ₁)	mg/l	APHA 23 rd Edition	45	No relaxation	9.76
	Odour	- 12	IS 3025 (Part 5): 2018	Agrecable	Agreeable	Agrecable
16	pH		IS 3025 (Part 11): 1983	6.5 to 8.5	No relaxation	7.48 at 25°C
18	Phenolic compounds (as C.H.OH)	mg/l	IS 3025 (Part 43): 1992	0.001	0.002	BDL (DL - 0.00
19	Sulphate (as SO _d)	mg/l	IS 3025 (Part 24): 1986	200	400	12.64
-	Sulphide (as H ₂ S)	mg/l	IS 3025 (Part 29): 1986	0.05	No relaxation	BDL (DL - 0.03
20	Taste		IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
21	Total dissolved solids	mg/l	IS 3025 (Part 16): 1984	500	2000	452
22	Turbidity	NTU	IS 3025 (Part 10): 1984	1	5	0,3
24	Total hardness (as CaCO ₂)	mg/l	IS 3025 (Part 21): 2009	200	600	189.19
II	Mineral Oil Chemical Testing	mg/l	ANgr RES-40	0.5	No relaxation	BDL (DL - 0.00)
	2. Residues In Water					
25	Arsenic (as As)	mg/l	IS 3025 (Part 37): 1988	0.01	No relaxation	BDL (DL - 0.01
26	Aluminium (as Al)	mg/l	IS 3025 (Part 2): 2019	0.03	0.2	BDL (DL - 0.01)
27	Barium (as Ba)	mg/l	IS 3025 (Part 2): 2019	0.7	No relaxation	BDL (DL - 0.01)
28	Boron (as B)	mg/i	IS 3025 (Part 2): 2019	0.5	2.4	BDL (DL - 0.1)
29	Copper (as Cu)	mg/l	IS 3025 (Part 2): 2019	0.05	1.5	
30	Cadmium (as Cd)	mg/l	IS 3025 (Part 2): 2019	- contention		BDL (DL - 0.03)
31	Iron (as Fe)			0.003	No relaxation	BDL (DL - 0.001
32	Lead (as Pb)	mg/l	IS 3025 (Part 2) : 2019	1.0	No relaxation	0.14
-	et interest in the second of t	mg/l	IS 3025 (Part 2): 2019	0.01	No relaxation	BDL (DL - 0.001
33	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019	0.1	0.3	BDL (DL - 0.05)
34	Mercury (as Hg)	mg/l	IS 3025 (Part 48): 1994	0.001	No relaxation	BDL (DL - 0.000)
35	Molybdenum (as Mo)	mg/l	IS 3025 (Part 2): 2019	0.07	No relaxation	BDL (DL - 0.01)
36	Nickel (as Ni)	mg/l	IS 3025 (Part 2): 2019	0.02	No relaxation	BDL (DL - 0.01
37	Selenium (as Se)	mg/l	IS 3025 (Part 56): 2003	0.01	No relaxation	BDL (DL- 0.001
38	Silver (as Ag)	mg/l	IS 13428 : 2005	0.1	No relaxation	BDL (DL - 0.001
	management of the second of th	- 5	A STATE OF THE PARTY OF THE PAR	N/A	TAN TANKONDON	
39	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2): 2019	0.05	No relaxation	BDL (DL - 0.03

NOTES: • Please see watermark "Original Test Report" to confirm the authemicity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anscon Labs. • Liability of Anscon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an alternate source for drinking water. • mg/l" is equivalent to 'ppm' • Result for test no. 11 is not relevant. • BDL- Below detection limit.
• DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'. • ANqr RES-49: Inhouse validated method.



Details of Salient Features

Page 2 of 3

TEST RESULTS

S.N.	Test Parameter	Measurement Unit	Test Method	IS 105 (Drinking Wat Including An	nent as per 90 : 2012 er Specifications) nendment No. 2	Test Result
	- more areas and			Acceptable Limit	Permissible Limit #	
п	Chemical Testing 2. Residues In Water					
41	Polychlorinated biphenyls					
	2,2',5-trichlorobiphenyl	µg/l	Angr RES - 31	0.5	No relaxation	DEST ONE OFFI
	2,4,4'-trichlorobiphenyl	μg/l	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',5,5'-tetrachlorobiphenyl	ид/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',4,5,5'-pentachlorobiphenyl	μg/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',3,4,4',5'-hexachlorobiphenyl	μg/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',4,4',5,5'-hexachlorobiphenyl	μg/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03
	2,2',3,4,4',5,5'-heptachlorobiphenyl	μg/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
42	Polynuclear aromatic hydrocarbons		storp reso - 31	1 39.5	No relaxation	BDL (DL - 0.03)
	Naphthalene	µg/1	ANgr RES - 30	0.1	No relaxation	DDY (D) A CO
	Acenaphthylene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03) BDL (DL - 0.03)
	Acenaphthene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Fluorene	µg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL = 0.03)
	Anthracene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Phenanthrene	ug/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Fluoranthene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Pyrene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(a)anthracene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Chrysene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL = 0.03)
	Benzo(a)pyrene	µg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(b)fluoranthene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(k)fluoranthene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Indeno(123,cd)pyrene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Dibenzo(a,h)anthracene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(ghi)perylene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
43	Trihalomethanes				1	
i	Bromoform	mg/l		0.1	No relaxation	DDI (DI 0.06)
ii	Dibromochloromethane	mg/l	APHA 6232	0.1	No relaxation	BDL (DL -0.05)
iii	Bromodichloromethane	mg/l	23rd Edition	0.06	No relaxation	BDL (DL -0.05)
iv	Chioroform	mg/l	The specialists	0.00	No relaxation	BDL (DL -0.05)
44	Pesticide Residues Organochlorine	Minde A		0.5	140 terayanon	BDL (DL -0.05)
i	Alpha-HCH	μg/l	ANgr RES-28	0.01	No relaxation	BDL (DL - 0.01)
ii	Beta HCH	μg/1	ANgr RES-28	0.04	No relaxation	BDL (DL - 0.01)
iii	Gamma - HCH (Lindane)	μg/1	ANgr RES-28	2	No relaxation	BDL (DL - 0.03)
iv	Delta- HCH	μg/I	ANgr RES-28	0.04	No relaxation	BDL (DL - 0.03)
V	Alachlor	μg/l	ANgr RES-29	20	No relaxation	BDL (DL - 0.03)
vi	Aldrin	μg/l	ANgr RES-28	0.03	No relaxation	BDL (DL - 0.03)
vii	Dieldrin	μg/1	ANgr RES-28	0.03	No relaxation	BDL (DL - 0.03)
viii	Butachlor	µg/l	ANgr RES-29	125	No relaxation	BDL (DL - 0.03)
ix	p.p'-DDE	μg/l	ANgr RES-28	1	No relaxation	BDL (DL - 0.03)
X	o,p'-DDE	μg/l	ANgr RES-28	1	No relaxation	BDL (DL - 0.03)
xi	p,p'-DDD	μg/l	ANgr RES-28	i	No relaxation	BDL (DL - 0.03)
	on'-DDD	ned.	ANIas PEC 20	1	No resexation	DDL (DL - 0.03)

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report • Results shall be referred to tested sample(s) and applicable to tested parameters only.
• Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an afternate source for drinking water. • 'mg/l' is equivalent to 'ppm' • 'mg/l' is equivalent to 'ppb' • BDL- Below detection limit. • DL- DL Indicates detection limit of instrument /method and shall be considered as 'absent'. • Result for test no. 11 is not relevant. • ANqr RES-28, 29: Inhouse validated method.

ANgr RES-28

ANqr RES-28

ANgr RES-28

ANqr RES-28

µg/l

µg/l

 $\mu g/l$

 $\mu g/l$

o,p'-DDD

op'- DDT

p.p'- DDT

Endosulphan Alpha-Endosulphan Beta-Endosulphan

Endosulphan sulphate

xiii

BDL (DL - 0.03)

BDL (DL - 0.03)

BDL (DL - 0.03)

BDL (DL - 0.03)

No relaxation

No relaxation

No relaxation

No relaxation

0:4



Details of Salient Features

TEST RESULTS

Page 3 of 3

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
44	Pesticide Residues Organophosp	horus		/// // // // // // // // // // // // //		
xvi	2,4-Dichlorophenoxyacetic acid	µg/l	ANgr RES-29	30	No relaxation	BDL (DL - 0.03
xvii	Monocrotophos	µg/l	ANqr RES-29	1	No relaxation	BDL (DL - 0.03
xviii	Atrazine	μg/l	ANgr RES-29	2	No relaxation	BDL (DL - 0.03
xix	Parathion methyl	µg/l	ANgr RES-29	0.3	No relaxation	BDL (DL - 0.03
XX	Paraoxon methyl	μg/l	ANqr RES-29			BDL (DL - 0.03
xxi	Isoproturon	μg/l	ANgr RES-29	9	No relaxation	BDL (DL - 0.03
xxii	Malathion	μg/1	ANgr RES-29	190	No relaxation	BDL (DL - 0.03
xxiii	Malaoxon	µg/l	ANgr RES-29			BDL (DL - 0.03
xxiv	Ethion	µg/l	ANgr RES-29	3	No relaxation	BDL (DL - 0.03
XXV	Chlorpyrifos	µg/l	ANgr RES-29	30	No relaxation	BDL (DL - 0.03
xxvi	Phorate Phorate-sulfone					Section
	Phorate-sulfoxide	μg/1	ANgr RES-29	2	No relaxation	BDL (DL - 0.03

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only.
• Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an alternate source for drinking water. • "ng?" is equivalent to "ppm" • "ugd" is equivalent to "ppb" • BDL. Below detection limit. • DL. DL Indicates detection limit of instrument /method and shall be considered as 'absent', • Result for test no. 11 is not relevant. • ANqr RES-28, 29, 30, 31 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

----END OF REPORT-



Details of Salient Features

GW2) Kudag Village Location: Sample Source:-Borewell Water

TEST RESULTS

Page Lof 3

S.N.	Test Parameter	Measurement Unit	Test Method	Acceptable Permissible		Test Result
1	Biological Testing 1. Water			Limit	Limit#	
1	Total coliform	Per 100 ml	10 15105 2015			
2	Escherichia coli	Per 100 ml	IS 15185 : 2016 IS 15185 : 2016	Absent	Absent	Absent
п	Chemical Testing 1. Water	Per 100 mi	15 15185 : 2016	Absent	Absent	Absent
3	Alkalinity (as CaCO ₁)	mg/l	TS 2025 (Best 22) : 1086	200	700	730
4	Ammonia (as N)	mg/l	IS 3025 (Part 23): 1986 IS 3025 (Part 34): 1988	200 0.5	600	168
5	Anionic surface active agents (as MBAS)	mg/l	IS 13428 : 2005 Annex K	0.3	No relaxation	BDL (DL - 0.1)
6	Colour	Hazen units	IS 3025 (Part 4): 1983	5	1.0	BDL (DL - 0.01
7	Cyanide (as CN)	mg/l	IS 3025 (Part 27): 1986	0.05	No relaxation	DDV (DV 0.00)
8	Chloride (as Cl)	mg/i	IS 3025 (Part 32) :1988	250	1000	BDL (DL - 0.005
-9	Calcium (as Ca)	mg/l	IS 3025 (Part 40): 1991	75	200	32.96
10	Chloramines (as Cl ₂)	mg/l	IS 3025 (Part 26): 1986	4.0	No relaxation	54.19
11	Free residual chlorine	mg/l	IS 3025 (Part 26): 1986	Min. 0.2	No relaxation	BDL (DL - 0.1)
12	Fluoride (as F)	mg/l	IS 3025 (Part 60) : 2008	1.0	1.5	BDL (DL - 0.1)
13	Magnesium (as Mg)	mg/l	IS 3025 (Part 46): 1994	30	100	0.21
14	Nitrate (as NO ₁)	mg/l	APHA 23rd Edition	45	No relaxation	
15	Odour	mg/	IS 3025 (Part 5) : 2018	Agreeable	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED I	8.64
16	Ho		IS 3025 (Part 11): 1983	6.5 to 8.5	Agreeable No relaxation	Agreeable
17	Phenolic compounds (as C.H.OH)	mg/l	IS 3025 (Part 43): 1992	9.001	0.002	7.52 at 25°C
18	Sulphate (as SO ₄)	mg/l	IS 3025 (Part 24): 1986	200	400	BDL (DL - 0,001
19	Sulphide (as H ₂ S)	mg/l	IS 3025 (Part 29): 1986	0.05	No relaxation	BDL (DL - 0.03
20	Taste	-	IS 3025 (Part 8): 1984	Agreeable	Agreeable	Agreeable
21	Total dissolved solids	mg/l	IS 3025 (Part 16): 1984	500	2000	476
22	Turbidity	NTU	IS 3025 (Part 10): 1984	1	5	0.6
23	Total hardness (as CaCO ₃)	mg/l	IS 3025 (Part 21): 2009	200	600	195.4
24	Mineral Oil	mg/l	ANgr RES-40	0.5	No relaxation	BDL (DL - 0.001
11	Chemical Testing 2. Residues In Water			7.7	140 relaxación	L BDE (DE - 0.00)
25	Arsenic (as As)	mg/l	IS 3025 (Part 37): 1988	0.01	No relaxation	BDL (DL - 0.01)
26	Aluminium (as Al)	mg/l	IS 3025 (Part 2): 2019	0.03	0.2	BDL (DL - 0.01)
27	Barium (as Ba)	mg/l	IS 3025 (Part 2): 2019	0.7	No relaxation	BDL (DL - 0.01)
28	Boron (as B)	mg/l	IS 3025 (Part 2): 2019	0.5		
29	Copper (as Cu)	mg/l	the same of the sa		2.4	BDL (DL - 0.1)
30	Cadmium (as Cd)		IS 3025 (Part 2) : 2019	0.05	1.5	BDL (DL - 0.03)
31		mg/l	IS 3025 (Part 2) : 2019	0.003	No relaxation	BDL (DL - 0.001
	Iron (as Fe)	mg/l	IS 3025 (Part 2): 2019	1.0	No relaxation	0.16
32	Lead (as Pb)	mg/l	IS 3025 (Part 2): 2019	0.01	No relaxation	BDL (DL - 0.001
33	Manganese (as Mn)	mg/l	IS 3025 (Part 2): 2019	0.1	0.3	BDL (DL - 0.05)
34	Mercury (as Hg)	mg/l	IS 3025 (Part 48): 1994	0.001	No relaxation	BDL (DL - 0.0005
35	Molybdenum (as Mo)	mg/l	IS 3025 (Part 2): 2019	0.07	No relaxation	BDL (DL - 0.01)
36	Nickel (as Ni)	mg/l	IS 3025 (Part 2): 2019	0.02	No relaxation	BDL (DL - 0.01)
37	Selenium (as Se)	mg/l	IS 3025 (Part 56): 2003	0.01	No relaxation	BDL (DL- 0.001
38	Silver (as Ag)	mg/l	IS 13428 : 2005	0.1	No relaxation	BDL (DL - 0.001
17.77	Total Chromium (as Cr)	mg/l	IS 3025 (Part 2): 2019	0.05	No relaxation	BDL (DL - 0.03)
39						

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invosced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an alternate source for drinking water, • mg/l' is equivalent to "ppm" • Result for test no. 11 is not relevant. • BDL- Below detection limit.
• DL- DL Indicates detection limit of instrument inethod and shall be considered as "absent". • ANqr RES-40: Inhouse validated method.



Details of Salient **Features**

TEST RESULTS

14	-	ge	-320	44	
	68)	gy co	-	AAA.	24

s.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Page 2 of 3 Test Result
				Acceptable Limit	Permissible Limit #	Mark The Park
n	Chemical Testing 2. Residues In Water				1	
41	Polychlorinated hiphenyis					
	2,2',5-trichlorobiphenyl	μg/1	Angr RES - 31	0.5	No relaxation	DDY (DY 0.05)
	2,4,4'-trichlorobiphenyl	ид/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03 BDL (DL - 0.03
	2,2',5,5'-tetrachlorobiphenyl	ид/1	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',4,5,5'-pentachlorobiphenyl	µg/l	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',3,4,4',5'-hexachlorobiphenyl	μg/Ι	Angr RES - 31	0.5	No relaxation	
	2,2',4,4',5,5'-hexachlorobiphenyl	μg/l	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03)
	2,2',3,4,4',5,5'-heptachlorobiphenyl	µg/l	Angr RES - 31	0.5	No relaxation	BDL (DL - 0.03
42	Polynuclear aromatic hydrocarbons		Tong Tood - 21	V.2.	No relaxation	BDL (DL - 0.03)
	Naphthalene	µg/l	ANgr RES - 30	0.1	No relaxation	DDI (DI 0.02)
	Acenaphthylene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Acenaphthene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03) BDL (DL - 0.03)
	Fluorene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Anthracene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Phenanthrene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Fluoranthene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Pyrene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(a)anthracene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Chrysene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(a)pyrene	µg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(b)fluoranthene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(k)fluoranthene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Indeno(123,cd)pyrene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Dibenzo(a,h)anthracene	μg/1	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
	Benzo(ghi)perylene	μg/l	ANgr RES - 30	0.1	No relaxation	BDL (DL - 0.03)
43	Trihalomethanes	- West				
i	Bromoform	mg/l		0.1	No relaxation	BDL (DL -0.05)
ii	Dibromochloromethane	mg/l	APHA 6232	0.1	No relaxation	BDL (DL -0.05)
iii	Bromodichloromethane	mg/l	23rd Edition	0.06	No relaxation	BDL (DL -0.05)
iv	Chloroform	mg/l		0.2	No relaxation	BDL (DL -0.05)
44	Pesticide Residues Organochlorine	62			110 Islandijon	DDL (DL -0.03)
i	Alpha-HCH	µg/1	ANgr RES-28	0.01	No relaxation	BDL (DL - 0.01)
ii	Beta HCH	μg/1	ANgr RES-28	0.04	No relaxation	BDL (DL - 0.03)
iii	Gamma - HCH (Lindane)	μg/l	ANgr RES-28	2	No relaxation	BDL (DL - 0.03)
iv	Delta- HCH	µg/l	ANgr RES-28	0.04	No relaxation	BDL (DL - 0.03)
V	Alachlor	μg/Ι	ANgr RES-29	20	No relaxation	BDL (DL - 0.03)
vi	Aldrin	μg/1	ANgr RES-28	0.03	No relaxation	BDL (DL - 0.03)
vii	Dieldrin	μg/l	ANgr RES-28	0.03	No relaxation	BDL (DL - 0.03)
viii	Butachlor	μg/l	ANqr RES-29	125	No relaxation	BDL (DL - 0.03)
ix	p,p'-DDE	µg/l	ANgr RES-28	1	No relaxation	BDL (DL - 0.03)
X	o,p'-DDE	μg/l	ANgr RES-28		No relaxation	BDL (DL - 0.03)
xi	p.p'-DDD	µg/l	ANgr RES-28	1	No relaxation	BDL (DL - 0.03)
xii	e,p'-DDD	μg/l	ANgr RES-28		No relaxation	BDL (DL - 0.03)
xiii	o,p'- DDT	μg/1	ANgr RES-28	1	No relaxation	BDL (DL - 0.03)
xiv	p _i p'- DDT	μg/l	ANgr RES-28	la la	No relaxation	BDL (DL - 0.03)
XV	Endosulphan				1	
	Alpha-Endosulphan					
	Beta-Endosulphan	μg/1	ANgr RES-28	0.4	No relaxation	BDL (DL - 0.03)
	Endosulphan sulphate		777EARS 50 70 5 100 5	20011	A SAME SOUTH AND THE	STORES MANUAL STORES

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only.
• Test report shall not be reproduced except in full without prior written approval of Anscon Labs. • Liability of Anscon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an alternate source for drinking water. • "mpi" is equivalent to "ppi" • "mpi" is equivalent to "ppi" • BDL. Below detection limit. • DL. DL Indicates detection limit of instrument /method and shall be considered as "absent". • Result for test no. 11 is not relevant. • ANqr RES-28, 29: Inhouse validated method.



Details of Salient Features

TEST RESULTS

Page 3 of 3

S.N.	Test Parameter	Measurement Unit	Test Method	Requirement as per IS 10500 : 2012 (Drinking Water Specifications) Including Amendment No. 2		Test Result
				Acceptable Limit	Permissible Limit #	
44	Pesticide Residues Organophosp	horus		WE		
xvi	2,4-Dichlorophenoxyacetic acid	μg/l	ANqr RES-29	30	No relaxation	BDL (DL - 0.03)
xvii	Monocrotophos	μg/l	ANgr RES-29	1	No relaxation	BDL (DL - 0.03)
xviii	Atrazine	μgЛ	ANgr RES-29	2	No relaxation	BDL (DL - 0.03)
xix	Parathion methyl	µg/1	ANgr RES-29	0.3	No relaxation	BDL (DL - 0.03)
XX	Paraoxon methyi	µg/l	ANgr RES-29			BDL (DL - 0.03)
xxi	Isoproturon	μg/l	ANgr RES-29	9	No relaxation	BDL (DL - 0.03)
xxii	Malathion	μg/1	ANgr RES-29	190	No relaxation	BDL (DL - 0.03)
xxiii	Malaoxon	µg/l	ANgr RES-29	0.00	-	BDL (DL - 0.03)
xxiv	Ethion	μg/l	ANgr RES-29	3	No relaxation	BDL (DL - 0.03)
XXV	Chlorpyrifos	μg/l	ANgr RES-29	30	No relaxation	BDL (DL - 0.03)
xxvi	Phorate		CHEST CONTRACTOR OF THE PARTY O			
	Phorate-sulfone	μg/l	ANgr RES-29	2	No relaxation	BDL (DL - 0.03)
3 3	Phorate-sulfoxide		AND THE PROPERTY OF STATE			1000

NOTES: • Please see watermark "Original Test Report" to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only.
• Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise. • #Permissible limit in absence of an alternate source for drinking water. • mg/l" is equivalent to "ppm" • mg/l" is equivalent to "ppm" • BDL. Below detection limit. • DL. DL Indicates detection limit of instrument /method and shall be considered as "absent". • Result for test no. 11 is not relevant. • ANgr RES-28, 29, 30, 31 & 40 : Inhouse validated method.

REMARKS: As requested by the client, sample was tested for above parameters only. Sample complies with IS:10500:2012, for tests conducted, indicating that it is fit for drinking purpose with respect to tested parameters.

----END OF REPORT-






Fig 5: Sampling Locations for Water