

Ref No: HIL/LHD/GM (Geo)/MoEF/7 55 Date: 28.11.2017

To.

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Hisri New (14.55 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga District of Jharkhand for the period Apr'17 to Sept'17.

Ref: Environmental Clearance letter no J-11015/531/2007-IA II (M) dated 17th June 2011

Sir.

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Hisri New (14.55 ha)** Bauxite Mining project of **M/s Hindalco Industries Limited**, located in Lohardaga District of Jharkhand for the period **Apr'17 to Sept'17**.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR M/s Hindalco Industries Limited,

> Basudev Gangopadhyay GM(Geology)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi
RO, JSPCB, Ranchi
CPCB, Zonal Office, Kolkata
<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in>

Compliance of conditions laid down in Environmental Clearance

HISRI (NEW) BAUXITE MINES(14.55 Ha)

Period: Apr'17- Sept'17

Environmental Clearance letter no J-11015/531/2007-IA II (M) dated 1^{5th} June 2011

SI No	Conditions	Compliance Status
	Specific Conditions	
1	The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board and effectively implement all the conditions stipulated therein.	Consent to Establish and consent to operate has been obtained prior to start of Mining. Compliance status to JSPCB.
2	The environmental clearance is subject to forestry clearance.	Forest clearance is obtained.
3.	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Mining Lease is granted by the State Govt. after due consideration and Cabinet approval on recommendation of DC who is the competent authority to give permission for using the agricultural land for non-agricultural purpose.
4	The mining operation shall be restricted to above ground water table and it should not intersect the ground water table. In case of working below ground water table, prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained, for which a detailed hydro – geological study shall be carried out.	Present depth of mining is 12- 15mtr (maximum). Thus there is no chance to intersect ground water table during mining operation. Working zone will be restricted to above ground water table.
5	The Project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations. The first order streams and the seasonal nallahs originating from the mining lease area shall be protected.	It is being ensured. No natural water course has been obstructed.
5	The top soil, if any shall temporarily be stored at earmarked site (s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	Sequential backfilling and reclamation of the mined out area are being exercised. Topsoil is being spread on backfilled area for reclamation of the area. The top soil being temporarily stored at earmarked site (s) as and when required for its further use for reclamation over backfilled area.

7	The solid waste generated during the mining operation shall be backfilled and there shall be no external overburden dump left at the end of the mine life. The entire excavated area of 12.19 has shall be backfilled and reclaimed by plantation. The backfilling should be carried out in such a manner that it is restored to the normal ground level. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis.	Backfilling is enclosed as Annexure—I Backfilling is continuous process and is being done in commensurate with the progress of mining. Monitoring and management of rehabilitated areas continuing through
8	Catch drains and siltation ponds of appropriate size should be constructed around the working pit, subgrade dump, soil and mineral dumps to arrest flow of silt and sediment directly into the agricultural fields, the Kisco Nadi, the Sukri Nadi, the Chungahat nallah, the Barki nallah and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted, particularly after monsoon and maintained properly. Garland drain, settling tanks and check dams of appropriate size, gradient and length shall be constructed for both around the minepit and sub grade dump to prevent run off of water and flow sediments directly into the agricultural fields, the Kisco Nadi, the Sukri Nadi, the Chungahat nallah, the Barki nallah and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to aflow proper setting of silt material. Sedimentation pits	•
	should be constructed at the corners of the garland drains and desilted at regular intervals.	
9	Dimension of the retaining wall at the toe of the sub-grade, dump and OB benches within the mine to check run-off and siltation should be based on the rain fall data.	The dimensions of the retaining wall OB dumps are based on the average rainfall.
10	Plantation shall be raised in an area of 12.7 ha including a 7.5 m. wide green belt in the safety zone around the mining lease by planting the native species around ML area, backfilled and reclaimed	Plantation is carried out progressively with the progress of mining in and around the Mine lease area.

	area, around water body, roads etc. in consultation with the local DFO. Agriculture Department. At least 1500 trees per year shall be planted with a tree density of 1000 trees per hecture. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	
11	Effective safe guard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels to particulate matter such as around loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Effective safe guard measures, such as regular water sprinkling are being carried out in critical areas prone to air pollution. Regular Ambient Air Quality monitoring are being carried out. AAQ quality result are attached carried out by authorized agency. The parameters are found within prescribed limit.
12	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	System is already in place. Suitable conservation measures to augment ground water resources in the area are being taken viz contour bunds, gullies etc in the mining lease area.
13	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground water Authority and the data thus collected may be sent regularly tot eh Ministry of Environment and Forests and its Regional office Bhubneshwar, The Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the ground water table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.	It is being monitored. Report is attached
14	Monitoring to the springs shall be carried out for the quality and quantity of water regularly so as to ensure that there is no adverse impact on the same due to the project. Records in this regards shall be maintained.	The quality parameter of the nearby spring for off monsoon season has been monitored, report attached.

15.	It shall be ensured that there is no change in the hydrology of the area due to the project.	Being amered to:
16.	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water) required for the project.	Water is collected from rain water harvesting pond of Bagru plateau. Water cess is being paid to State Pollution Control Board regularly.
		We are using harvested water only for mining purposes. No ground water or water from natural surface water bodies is being used for mining purposes.
17.	Suitable rain water harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	Suitable rain water harvesting measures on long term basis have been planned and will be implemented. Viz. rain water harvesting pond.
18.	Appropriate mitigative measures shall be taken to prevent pollution of the Kisco Nadi, the Sukri Nadi and other rivers in the buffer zone of the mine, in consultation with the State Pollution Control Board.	Appropriate mitigative measures have been taken to prevent pollution of the Kisco Nadi, the Sukri Nadi and other rivers in the buffer zone of the mine. Vizeheck dams, contour bunds, gullies in the mining lease area is so designed that all the rain water within the lease are collected in to the pit. No water allowed to flow out of the lease.
19	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral from mine face to the Beneficiation plant. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Regular maintenance of vehicles are undertaken to minimize vehicular emission. Care is taken on regular basis to arrest spillage/fugitive dust emission. Bauxite is being transported by ropeway from mines to Lohardaga siding.
20	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting time is fixed during Lunch Time i.e. 12.00 Noon -1.00 PM. Controlled blasting method is in practice. Ground-vibration study has been conducted by IIT, Kharagpur. All efforts are being taken to mitigate impact of blasting.
21	Drills shall either be operated with dust extractors or equipped with water injection system.	Wet drilling is done in the drill holes intermittently for dust suppression by pumping water.
22	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly	Water sprinkling is being carried out regularly at mineral handling area ,loading and unloading areas to control the dust.

.

i

maintained and operated.

23	Sewage treatment plant should be installed for the colony T-1P should also be provided for workshop and wastewater generated from minin _E operations.	There is no likely hood of effluent from mine, hence ETP is not required. The sewage water for working population is collected through. Septic Tank Sonk Phand treated in Sewage Treatment Plant already existing in adjoining Bagru ML. Being getting done through medical camp.	
24	The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 Km. from proposed mine		
25	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	System is already in place	
26.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of the temporary structures to be removed after the completion of the project.	System is already in place.	
27	The critical parameters such as RSPM (Particulate matter with size less than 10 µm (i.e. PM ₁₀ PM _{2.51} and NO ₃ in the ambient air within the impact zone, peak particle velocity at 300 m, distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharge water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)], The monitored data shall be uploaded on the website of the Company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in Public domain. The Circular no. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	Being carried out. Monitoring report enclosed.	
28	A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval.	Progressive Mine Closure Plan duly approved by Indian Bureau of Mines is with us. FMCP (part) is approved by BM, FMCP for entire lease will be	

GENERAL CONDITIONS

SI No	Conditions	Compliance Status		
	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	eta - sa		
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Mining of ore and OB is being done as per approved calendar plan.		
3	Conservation measures for protection of flora and fauna in the core & buffer zone should be drawn up in consultation with the local forest and wildlife department.	Conservation measures for protection of flora and fauna in the core & buffer zone has been drawn up in consultation with the local forest and wildlife department. Wild life conservation plan has been submitted to forest department for approval.		
-1	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 μm (i.e. PM ₁₀) PM _{2.51 & NO_X monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.}	Being carried out. Enclosed as Annexure-1.		
5	Data on ambient air quality RSPM (Particulate matter with size less than 10 μm i.e. PM_{10}) & NO_X should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Being carried out. Enclosed as Annexure-1.		
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water spraying arrangements on haul roads, loading and unloading and at transfer points have been provided and properly maintained.		

+	Nicastres should be taken for control of noise levels below 85 dBA in the early environment. Workers engaged in operation of HFMM ere should be provided with ear plug immis.	Measures are being taken for control of maine levels below 85 dBA in the work environment Workers engaged in operation of HLMM, etc. has been provided with earnline muffs.
*	water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (F) dated 19 th May, 1993 and 31 th December. 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Is being done as applicable
39	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by the individuals is being ensured. All the mine workers are being regularly and periodically sent to our own hospital for health checkup for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is being regularly imparted through VT centre and also through various other training programmes conducted by the State Government, recognized agencies, etc.
10	A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy enclosed as Annexure-3.
TT	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	The fund earmarked for environmental protection measures is being kept in separate account. Year wise expenditure is being reported to the Ministry and its Regional Office located at Ranchi. Annexure-2.
12	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This is an operating Mine and provision related to financial closure is not applicable
13	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s)	Agreed.

	of the Regional Office by furnishing the requisite data informationonliering reports.	
	The project proponent shall submit six monthly report on the status of the compliance of the stipulated environmental Clearance conditions including results of monitoring data (both in hard copies as well as by e-man) to the Ministry of Environment and Forests, its Regional Officer. Bhubaneshwar, the respective Zonal office of Central Pollution Control Board the State Pollution Control Board the Invironmental Clearance conditions, including results of monitored data on their website and shall update the status of the Regional Office of the Ministry of Environment and Forests, Bhubneshwer the respective Zonal Office of Central Pollution Control Board and State Pollution Control Board.	
15	A copy of clearance letter shall be sent by the proponent to concerned Panchyat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Duly submitted.
16	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	Displayed.
17	The environmental statement for each financial year ending 31 ⁵¹ March in Form. V as is mandated to be submitted by the project proponent to the concerned Stated pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Bhubneshwar by e-mail.	Submitted

(8) The Company shall submit within 3 mouth Aiready Submitted, their policy towards Corporate Environment Responsibility which should inter-alia address: (i) Standard operating process/ procedure to bring into focus any infringements, deviation violation of environmental or forest norms conditions, (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance with environmental issues and ensuring compliance with Environment Clearance conditions and (iii) System of reporting of non compliance / violation of environmental norms to the Board of Directors of the Company and / or stakeholders or shareholders. The project authorities should advertise as least | Complied and informed. in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at envfor.nic.in and a copy of the same should he forwarded to the Regional Office of this Ministry located at Bhubneshwar.

1.5



Eco Ventures Pvt. Ltd.

Read Office 2/27 Sarvabrya Vitar Near III lists New Jern 1120/3
Corporate Office 7/8 Bhaveshwar Bhuvan Opp Potthugana Church Near Dindey/II Ubadayay Gorder
Gorhale Scad (North) Capar (West) Munda 400 028 1 et 491 22 2/2/7/6520 (667)
6 ecoventures mumbai@gmail.com | ecoventures@eco-ventures in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BAGRU PLATEAU- ENVIRONMENTAL MONITORING REPORT

JULY TO SEPTEMBER 2017

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Branch Office:
At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009.
Mobile No: +91 9431.102.102 / +91 9955.358.262,
E-mail: mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

CONTENT

	LOCATION	
	AMBIENT AIR QUALITY	
1	Entrance Gate Bagru Mines	
2	Bagru Plateau- Office (Near Colony)	
3	Hisri Mines Pit Bagru Plateau	
4	Bagru Hisri Mines Pit II	
5	Bhusar Mines Pit Bagru Plateau	
	SURFACE WATER	
1	Bagru Plateau - Bhusar Mines Pit	
2	Bagru Plateau - Hisri Mines Pit	
3	Bagru Plateau - Bagru Mines Pit	
	EFFLUENT WATER ANALYSIS	
1	STP Outlet (Bagru Mines)	
	STACK EMISSION MONITORING OF DG SET (FLUE GAS)	
1	Bagru Mines Office-Bagru Plateau	
	Section 1997	



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



At Booty, Near PHED Colony, Behind Pump House, CO - RMCC, District - Ranchi 834009, Mobile No: +91 9431,102:102 / +91 9955 358 262 E-mail:mahabalranchl@gmail.com

Hindalco Industries :

Environmental Monitoring Report

Report no: MEEPL/OCT0111/2017-18

Date: 249 October, 2017

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: AMBIENT AIR QUALITY MONITORING Marks on Sample Location: Entrance Gate Bagru Mines

Sample collected on: 16.09.2017

	LOCATION / IDENTIFICATION: Entran	ce Gate Bagi	ru Mines	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM ₁₀	µg/m³	100	60.4
02.	Particulate Matter (size less than 2.5 µm) PM25	µg/m³	60	30.9
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	6.0
04.	Nitrogen Dioxide (NO ₂)	μg/m¹	80	
05.	Ammonia (NH ₃)	µg/m=	400	8.5
06,	Ozone (O ₃)	100	7000000	13.2
07.	Carbon Monoxide (CO)	μg/m [±]	180	12.5
08.	Lead (Pb)	mg/m ³	02	0.35
09.	Nickel (Ni)	µg/m³	1.0	0.02
10.	Arsenic (As)	ng/m³	20	2.8
11.		ng/m³	06	2.40
	Benzene (C ₆ H ₆)	μg/m³	05	2.1
12.	Benzo (a) Pyrene	μg/m ³	01	0.33

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Step) Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834005, Mobile No: +91 9431.102.102 / +91 9955.358.262

E-mail mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

Report no: MEEPI./OCT0112/2017-18

Date: 241 October, 201

Sample described by customer: AMBIENT AIF QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Bagru Plateau- Office (Near Colony)

Sample collected on: 16.09.2017

SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μm) PM ₁	$\mu g/m^3$	100	44.1
02.	Particulate Matter (size less than 2.5 μm) PM _{2.5}	ug/m³	60	21.3
03.	Sulphur Dioxide (SO ₂)	μg/m³	80	5.3
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	7.0
05_	Ammonia (NH ₃)	μg/m³	400	12.5
06.	Ozone (O ₃)	μg/m³	180	13.1
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25
08.	Lead (Pb)	µg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m ¹	20	1000000000
10.	Arsenic (As)	ng/m³		2.8
11.	Benzene (C₀H₅)	THE PERSON NAMED IN COLUMN TWO	06	2.0
12.	Benzo (a) Pyrene	μg/m ³ μg/m ³	05 01	0.3

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhm:ni Palace Turn Opp Toyota Show Room Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009 Mobile No: +91 9431,102,102 / +91 9955,355,252, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

Report no: MEEPL/OCT0113/2017-18

Date: 24 (October, 2017

Sample described by customer: AMBIENT AIR QUA... A MONITORING

client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Hisri Mines Pit Bagru Plateau

Sample collected on: 16.09.2017


Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01	Particulate Matter (size less than 10 µm) PM10	μg/m³	100	45.8
02.	Particulate Matter (size less than 2.5 µm) PM25	μg/m³	60	22.1
03.	Sulphur Dioxide (SO ₂)	μg/m ⁻¹	80	4.8
04.	Nitrogen Dioxide (NO ₂)	µg/m	80	7.2
.05.	Ammonia (NH ₃)	µg/m³	400	12.5
06.	Ozone (O ₃)	μg/m³	180	13.1
07.	Carbon Monoxide (CO)	mg/m³	02	0.29
08.	Lead (Pb)	μg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	3.0
10.	Arsenic (As)	ng/m ³	06	2.5
11.	Benzene (C ₆ H ₆)	μg/m¹	05	2.4
12.	Benzo (a) Pyrene	μg/m ³	01	0.25

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandev

SENIOR EXECUTIVE

Partie Pa



Branch Office

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009 Mobile No: +91 9431 102 102 / +91 9955 358 272 E-mail mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report JULY - SEPTEMBER 2017

Peport no: MEEPL/OCT0114/2017-18

Date: 24 October 201

Sample described by customer: AMBIENT AIR QUALIT. ACKING ORING

Vaccor Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Bhusar Mines Pit Bagru Piateau

Sample collected on: 16.09.2017

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM ₁₅	µg/m³	100	53.6
02.	Particulate Matter (size less than 2.5 µm) PM _{2.5}	μg/m²	60	24.7
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	5.1
04.	Nitrogen Dioxide (NO ₂)	μg/m ³	80	8.5
05.	Ammonia (NH ₂)	ng/m?	400	12.2
06.	Ozone (O ₁)	μg/m³	180	13.1
07.	Carbon Monoxide (CO)	mg/m ¹	02	0.27
08.	Lead (Pb)	μg/m ³	1.0	0.02
09.	Nickel (Ni)	ng/m³	20	3.0
10.	Arsenic (As)	ng/m ²	06	2.2
11.	Benzene (C ₆ H ₆)	μg/m ³	05	2.4
12.	Benzo (a) Pyrene	μg/m ⁵	01	0.35

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room Near | B Sawant Bus Stop] Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House PF - RMCC. District - Ranchi 834009. Mobile No: +91 9431.102.102 / +91 9955.356.267.

E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

Report no: MEEPL/OCT0115/2017-18

Date: 24 October 2017

Semnt - described by customer: AMBIENT AIR QUALITY A

URING

Clien, warne: Hindalco Industries Limited

Client Address: Lohardaga Postal Lode: 835203 State: Iharkhand

State: [harkhand Country: India

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample Location: Hisri Mines Pit II

Sample collected on: 16.09.2017

SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 µm) PM	μg/m¹	100	58.5
02.	Particulate Matter (size less than 2.5 µm) PM.	Jig/m ³	60	29.1
.03.	Sulphur Dioxide (SO ₂)	µg/m³	80	4.8
04.	Nitrogen Dioxide (NO ₂)	µg/m ¹	80	7.5
05.	Ammonia (NH ₃)	μg/ III ³	400	11.5
06.	Ozone (O ₃)	ug/m'	180	13.1
07.	Carbon Monoxide (CO)	mg/m ⁻¹	02	0.25
08.	Lead (Pb)	µg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m³	20	2.9
10.	Arsenic (As)	ng/m ³	06	2.2
11.	Benzene (C ₆ H ₆)	μg/m ³	05	2.4
12.	Benzo (a) Pyrene	μg/m ¹	01	0.25

For Mahabal Enviro Engineers Pvt. Ltd.

(Juna 2-

Vijay Pandev

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hetel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - PMCC, District - Ranchi 834009. Mobile No: +91 9431.102.102 / +91 9955.358.262. E-mail:mahabalranchi@gmail.com

Hindalco Industries

Environmental Monitoring Report

ULY - SEPTEMBER 2017

R. . - no: MEEPL/OCT0116/2017-18

Date: 24 October 2017

San ' described by customer: SURFACE-WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal • ode: 835203 State: Jharkhand Country: India

Sample Type: SURFACE WATER

Marks on Sample: Location: Bhusar Mines Pit

Quantity: 5 L X 2 No. PVC Can Sample collected on:16.09.2017

si. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500.2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22nc Ed. 2012, 2120-B, 2-6
2	Odour	127	Agreeable	Agreeanie	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste	120	Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.29	1 Max	APHA 22rd Ed. 2012, 2130-B, 2-13
5	pli	20	8.0	6.5-8.5	APHA 22nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 mm	APHA 22 nd Ed. 2012, 4500-CI-G, 4- 69
7	Total Dissolved Solids	mg/l	459	500 max	IS 3025 (Part 16): 1984; Reaffirmed 2006
8	Total hardness (as CaCO3)	mg/l	44	200 max	APHA 22rd Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	46	200 max	IS 3025 (Part 237): 1986. Reaffirmed 2009
10	Chloride (as CI)	mg/I	41	250 mas	APHA 22™ Ed. 2012, 4500-CI-b, 4- 72
11	Sulphate (as SO4)	mg/l	29	200 max	APHA 22=1Ed 2012, 4500-so4-e, 4-190
12	Boron (as B)	mg/l	0.22	0.5 max	APHA 22rd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/I	6.4	30 max	APHA 22™ Ed. 2012, 3500-Mg-B. 3-84





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, FU - TUMCO, District - Ranchi 834009 Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

Continuation Sheet MEEPL/OCT0116/2017-18

Repo	rt no: MEEPL/OCT011	6/2017-1	B		Date: 24 October, 2017
at No.	.tarameters	Unit	Result	Acceptable Limit (IS 10500:2612)	Method Reference
14	Floor de (as 7)	mg/f	0.15	1 max	APHA 22 - Ed 2012, 4500 FB & D 4- B4, 4-97
1.5	Calcium (as Ca)	mg/1	12.0	75 max	APHA 22 = Ed. 2012, 3500-Ca-B, 3-67
16	Iron (as Fe)	mg/l	0.12	0.3 max	APHA 22 FEd 2012, 3111-8 3-18
17	Cadmium (as Cd)	mg/L	N.D	0.003 max	APHA 22 = Ed. 2012, 3111-B, 3-1B
1.0	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 - Ed. 2012, 3111-B, 3-18
	Copper (as Cu)	mg/l	N.D	0.05 mas	APHA 2211Ed 2012 3111-B 3-18
505	Lead (as Pb)	mg/l	N.D	0.01-m	APHA 22% Ed. 2012, 3111-B, 3-18
	Zinc (as Zn)	mg/l	0.03	5 max	APHA 22 = Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/l	< 0.01	0.01 mas	APHA 22 rd Ed. 2012, 3114 B, 3-3B
2.1	clenium (as Se)	mg/I	N.D	0.004 mas	APHA 22= Ed. 2012, 3412-B 3-23
24	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 = Ed. 2012, 3114-B, 3-38
25	yanide (as CN)	mg/I	N.D	0.05 mbx	APHA 22°4 ED. 2012, 4500-CN C & 4-39 & 4-44
26	Manganese (as-Mn)	rng/l	N.D	0.1 may	APHA 22% Ed. 2012, 3111-B. 3-18
27	Dissolved Oxygen	mg/l	7.1	7-8	APHA 20th ED. Method 4500-c g.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

STATOR EXECUTIVE

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hatel Rukhmini Palace Turn Opp Toyota Show Room, Near | B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCO, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report JULY - SEPTEMBER 2017

Date: 24" October 2017

keport no: MEEPL/OCT0117/2017-18

Sample described by customer: SURFACE-WATER

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Thankhand Country: India

Sample Type: SURFACE WATER

Marks on Sample: Location: Hisri Mines Pit

Quantity: 5 L X 2 No. PVC Can Sample collected on:16.09.2017

SI. No.	Parameters	Unit	Result	Acceptable 2000 (IS 10500:2017)	Method Reference
1	olour	Hazen	<2	5 Man	APHA 22 = Ed. 2012, 2120-B; 2-6
2.	Ødour	1-0	Agreeable	Agreeable	15/3025 (Part 7): 1983, Reaffirmed 2006
8	Taste		Agreeable	Agreeab	IS 3025 (Part 7): 1983. Reaffirmed 2006
	Turbidity	NTU	0.31	1 Max	APHA 22nd Ed. 2012, 2130-B, 2-13
ē.	рН	13	8.1	65-85	APHA 22nd Ed. 2012, 4500-H+-B, 4-92
G.	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 ^{no} Ed. 2012, 4500 (CFG, 4- 69
Ť	Total Dissolved Solids	mg/l	449	500 max	IS 3025 (Part 16): 1984. Reathrined 2006
н	Total hardness (as CaCO3)	mg/l	11	200 max	APHA ZZ ** Ed. 2012, 4500 (ci.), 4: 69
E	Alkalinirty Total (as CaCO3)	mg/1	45	200 max	IS 3025 (Part 237): 1986. Reaffirmed 2009
11)	C!:loride (as CI)	mg/l	46	250 max	APHA-Z2nc Ed. 2012, 4500-Cl-b, 4- 72
11	Sulphate (as SO4)	mg/l	34.7	200 max	APHA 22nc Ed. 2012, 4508-so4-e, 4-190
12	Boron (as B)	mg/l	0.20	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	rng/I	6.6	30 max	APHA 22 ^{mt} Ed. 2012, 3500-Mg-B, 3-84



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmin: Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stop) Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431,102.102 / +91 9955.358,262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

Continuation Sheet MEEPL/OCT0117/2017-18

14 Fineride (as F) mg/ 15 Colored (as Ca) mg/ 16 from (as Fe) mg/	7/2017-1	8		Date: 24% October, 2017	
\$1. No.	riscameters	Unit	Result	Acceptable Limit (IS 10500:7112)	Method Reference
1.4	Filteride (av F)	mg/f	0.12	1 max	APHA 22 ^{co} En. 2012, 1500-116 & D. 4- 84, 4-87
15	Coloran (asica)	ing/f	11.5	75 max	APHA 22:15.0 2012, 3500 Ca H, 3-67
16	irun las Fo)	mg/l	0.10	0.3 max	APHA 22F4Ed 2012, 3111-B 3-18
1"	Cadenium (as Cd)	mg/t	N.D	0.003 max	APBA 2201Ed 2012, 3111-B 3-18
181	r Promium Total (as Cr)	mg/f	N D	0.05 max	APHA 22/4 Ed. 2012, 3111-8, 3-18
19	apper (as Cu)	mg/l	N D	0.05 max	APHA 22 º Ed. 2012, 3111-B, 3-18
20	Lead (as Pb)	mg/f	N.D	0.01 max	APHA 22nd Ed. 2012, 3111-B, 3-18
21	inc (as Zn)	mg/l	0.03	5 max	APMA 2204 Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/I	< 0.01	0.01 max	APHA 22-4 Ed. 2012, 3114-B, 3-38
11	Telenjum (as Se)	mg/l	N.D	0.001 mara	APHA 22 of Ed. 2012, 3112-B, 3-23
24	Morcury (as hg)	rng/l	N.D	0.01 max	APHA 22= Ed. 2012, 3114-B, 3-38
45	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED: 2012, 4500-CN/C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27:	Dissolved Oxygen	mg/l	7.3	7-8	APHA 20th ED, Method 4500-oig.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India (600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room, Near J B Sawant Bus Stup) Phone: 2582 0658/ 3139/ 1663/ 3154 Fax: 91-22-25823543 thane@mahabal.com



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, F.J. – RMCC, District – Ranchi 834009, Mobile No: +91 9431,102,102 / +91 9955,358,262, E-mail mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

Date: 24 October, 2017

Report no: MEEPL 00.10118-2017-18

Sample described by customer: SURFACE-WATER

Client Name: Hindalco Industries Limited

Clier* Address: Lohardaga

Postai Code: 835203 State: Jharkhand Country: India

Sample Type: SURFACE WATER

Marks on Sample: Location: Bagru Mines Pit

Quantity: 5 L X 2 No. PVC Can Sample collected on:16.09.2017

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22m Ed. 2012, 2120-B, 2-6
2	Odour	11	Agreeable	Agreeable	1S 3025 (Part 7): 1983. Reaffirmed 2006
3	Vaste		Agreeable	Agreeable	3S 3025 (Part 7): 198+ Reaffirmed 2006
4	urbidity	NTU	0.31	1 Max	APHA 22 = Ed. 2012, 2130-0, 2-13
5	μH	is .	7.8	65-85	APHA 22 nd Ed. 2012, 4500-H+-B 4-92
6	rree Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22m Ed. 2012, 4500-Cl-G, 4- 69
1	Total Dissolved Solids	mg/I	411	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
н	Total hardness (as CaCOR)	mg/l	.46	200 max	APHA 22 ^{no} Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	41	200 max	IS 3025 (Part 237), 1986, Reaffirmed 2009
10	Chloride (as CI)	mg/l	47	450 max	APHA 22nd Ed. 2012, 4500-CI-b, 4-72
11	Sulphate (as SO4)	mg/I	32.9	200 max	APHA 22 nd Ed. 2012, 4500-so4-e. 4-190
12	Boron (as B)	mg/l	0.20	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/l	6.1	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B 3-84



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, F.J. RMCC, District - Ranchi 834009, Mobile No. +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

JULY - SEPTEMBER 2017

Continuation Sheet MEERL OCTOTIB/2017-18

Repor	rt no: MEEPL/OCT011	8/2017-1	8		Date: 24th October, 2017
Si. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Fluoride (us F)	mg/l	0.12	1 max	APHA 22 TEL 2012 4500-PH & D. 4 B4, 4-B7
15	Calcium (as Ca)	mg/l	11.3	75 max	APHA 22 1 Ed 2012 3500 Ca-B J 67
16	Iron (as Fe)	mg/l	0.10	0.3 max	APHA 22 Ed 2012, 311 B, 3-18
17	Cadmium (as Cd)	mg/I	N.D	t).003 max	APHA 22 Ed. 2012, 3111 B, 3-18
19	Chromium Total (as Cr)	mg/I	N.D	0.05 max	APHA 22nc Ed. 2012; 31:1-B, 3-18
19	Copper (as Cu)	nig/l	N.D	0.05 max	APHA 22 Fd. 2012, 3111-B, 3-1B
20	Lead (as Pb)	mg/I	N.D	0.01 max	APHA 22-1 Ed. 2012, 3111-B. 3-18
21	Zinc (as Zn)	mg/I	0.03	5 max	APHA 22rd Ed. 2012, 3111 B. 3-28
22	Arsenic (as As)	mg/I	< 0.01	0.01 max	APHA 22th Ed. 2012, 3114-B, 3-38
23	lelenium (as Se)	mg/l	N.D	0.001 max	APHA-221st Ed. 2012, 3112-B, 3-23
24	Mercury (as hg)	mg/l	N.D.	0.01 max	APHA 22m Ed. 2012 3114-B, 3-3B
25	Cyanide (as CN)	mg/I	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22nd Ed. 2012, 3111 B. 3-18
27	Dissolved Oxygen	mg/l	7.2	7-B	APHA 20th ED. Method 4500 o g.

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

Turo English

Head Office: Plot No. F-7, Road No. 21, Wagle Estate, Thane West - 400604, Maharashtra, India [600 m from Hotel Rukhmini Palace Turn Opp Toyota Show Room Near | B Sawant Bus Stup]
Phone: 2582 0658/3139/1663/3154 Fax: 91-22-25823543 thane@mahabal.com

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mall:mahabalranchi@gmail.com

Hindalco Industries :

Environmental Monitoring Report

IULY - SEPTEMBER 2017

Report no: MEEPL/OCT0119/2017-18

Date: 241 October 2017

Sample described by customer: STP Outlet (Bagru Mines)

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: Effluent Water

Marks on Sample: Location: STP Outlet (Bagru Mines)

Quantity: 4 liters.

Sample collected on: 16.09.2017

SI. No.	Analysis	Method	Result	Unit	Limits
1.	рН	APHA 22 ^{cd} Ed. 2012. 4500-H+-B ₁ 4-92	8.7	ng/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 rd EDN: 2012-2540	45	mg/l	100
3.	BOD @ 27°C	IS 3025 (Part 44): 1993, RA2003, Amd 1	11.5	mg/l	30
4.	COD	IS 3025 (Part 58): 1993. RA2006, Amd.1	39.2	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA-22ND EDN 2012-2540	595	mg/l	2100
7.	Aluminium (as Al)	APHA 22-4 EDN 2012-3120B	1.0	mg/l	3
8.	Calcium (as Ca)	APHA 22nd EDN 2012-3120B	9.2	mg/l	75
9.	Iron (as Fe)	APHA 22nd EDN 2012-3120B	1.1	rng/l	3
10.	Temperature		24.3	PC	Shall not exceed 5°C above the receiving water temperature

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE

To the Readers of the Party of the Readers of the Party o



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PR - PMCC, District - Ranchi 834009. Mobile No: +91 9431.102.102 / +91 9955.358.262. E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

Date: 24 Determer 2017

Report no: MEEPL/OCT0120/2017-18

Sample described as: FLUE GAS

Name of the Industry: M/S HINDALCO INCUSTRIES LIMITED

Address Mines Division, Lohardaga [hackland, Pin 835302

Date & time of Sampling: 16.09.2017

Sampling Site: Bagru Mines Office-Bagru Plateau

A. General Information about Stack

Stack connected to: DG Set [250 KVA]

Emission due to Burning of H.S.D.

Material OF construction M.S.

Shape of Stack, Circular

Whether stack is provided with permanent platform & ladder. Yes

Capacity, 250 KVA

Physical characteristics of stack

Height of the stack (a) from ground level: 7.0 m

Diameter of the Stack at Sampling point: 0.2030m

Height of the sampling point from GL 6.25m

C. Analysis/Characteristic of Stock

Fuel used: H.S.D.

Fuel Consumption: 30 lt/hr

L No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)
1.	Temperature of Emission (°C)	IS 11255 Part 3 1985 (Realf 2008)	310	
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	751	5000
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.29	±±±
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	412	
5.	Concentration of CO ₂ (% v/v)	IS 11255 rart 3 1985 (Realf 2008)	4.0	5.0
6	Concentration of CO (gm/kw·h)	IS 11255 Part 2 1985 (Realf 2008)	0.61	-
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	65.3	**
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.48	9.2
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2003)	0.21	0.3

Details of pollution control devices attached with the stack: Nil

F. Remarks: Nil

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey

SENIOR EXECUTIVE



BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2016-17

The composite cost during the year 2017-18 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115.13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.87 Ha) Kujam II (157.38 Ha) and Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud(152.57 Ha), Orsa pat(196.36 Ha), Bhusar (65.31 Ha)& Bimaria Bauxite Mines (134.52 Ha).

SI No	Description	Budget (in Rupees) FY 2017-18	Actual (in Rupees) FY 2017-18 (from April'17 to Sep'2017)
1	Pollution Control & Environment monitoring	1316000.00	651832.00
2	Reclamation/ Back filing & Rehabilitation**	300000000.00	131262375.00
3	Green belt, Plantation & Water spraying arrangement	340000.00	3373300.00
4	Rural Development	4000000.00	18500000.00

^{**}Part of OB removed cost.

(Basudev Gangopadhayay) Convenor (Quality & Environment)



Amberles o

Date: 03.04.17

Office Order

Environmental Cell has been re-constituted at Hisri (New) Bauxite Mines (Area 14.55 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Ajay Pandey AGM (Mines) (Coordinator)
- 2. Dr. Chitra Mondal Sr. Medical Officer (Member)
- 3. Mr. B.G. Verma Dy. Manager (Mech)
- 4. Mr. Sunil Kumar Chaudhary (Mines Forman)
- 5. Mr. Manish Kumar Mishra(Jr. Engineer)
- 6. Mr. Prakash Ranjan (GET)

Basudev Gangopadhyay Convenor (Quality & Environment)

PRODUCTION, MINED OUT, BACKFILLED, PRODUCTION AND OVERBURDEN REMOVAL FROM APR-17 to Sep-17 ANNEXURE-4

NAME OF THE MANES	BARRIES - TAST - LT.	THOSE IN			
CONTINUE OF THE PARTY OF	WINING LEASE AREA (IN HA)	MINED OUT AREA (HA)	BACK FILLED AREA (HA)	PRODUCTION (In MT)	OVERBURDEN (In C. M)
Shrengdag Bauxite	155.81	257			
Gurdari Bauxite Mines	207 10	16.3	2.00	148229.00	141538.00
Jalim & Canar	384.19	810	4.70	175860.00	391707 nn
Senior of Solings	12,14	1.25	0.50	25137.00	16765 00
Serangdag	140.06	000	000	00.75163	16365,00
Pakhar Buxite Mines	115 13	1 63	0.00	0.00	0.00
Pakhar Buvito Minor	0.70	1.32	1.89	137420.00	166565.00
Andrea - Andreas - Andreas	8.09	0.00	0.00	0.00	0.00
	80.87	1.87	1.95	67975 nn	1/10103.00
NUJOHI	157.38	3.32	3.70	137//80 00	100.00
Amtipani	190.95	4.70	3 17	103545 00	00.916692
Chiro-Kukud	152 57	1 70	3.17	102545.00	138980.00
Orsa Rauxito Minos	100.30	1.73	1.28	41460.00	64089.00
ice Nous winter	130.30	0.00	0.00	0.00	000
AMBINITIAL MEMA	14.55	1.05	0.91	35561 00	20000
Briusar	65.31	0.16	1.80	63239.00	00.55.2++
Bagru	75.41	0.00	000	0.00	00.322.00
Minerals & Minerals Limited	nited		1.1	0.00	000
Pakhar Buxite Mines	109.51	1 50	1 70		
Pakhar Buxite Mines	15.58	0.50	200	138490,00	152916.00
Bimarla Bauxite Mines	134.52	4 71	0.00	0.00	2716.00

KÉ)

(Basudev Gangopadhayay)
Convenor (Quality & Environment)