

Letter No: AAP/E&S/EC/2019/513

Date: 18/11/2019.

To

The Director
Eastern Regional Office
Ministry of Environment & Forests
A/3, Chandrashekharpur
Bhubaneswar - 750 023 (Odisha)

Sub: Submission of Six Monthly Compliance from Apr' 19 to Sep' 19.

Ref: Environmental Clearance Letter No: J-11011/136/2009-IA.I (I), dated 29/11/2012, J-11011/136/2009-IA.II (I), dated 14/06/2013 & J-11011/136/2009-IA.II (I), dated 14/08/2018.

Dear Sir,

As a part of the compliance to the Environmental Clearance accorded by MoEF&CC to Aditya Aluminium for 0.72 MTPA Smelter and 1650 MW CPP at Lapanga in Sambalpur district, please find enclosed herewith the six monthly compliance reports of aluminium smelter and captive power plant for the period Apr'2019 to Sep'2019.

Kindly acknowledge receipt of the reports.

Thanking You

Yours faithfully
For Aditya Aluminium

A handwritten signature in black ink, appearing to read "K. N. Pandey".

(K. N. Pandey)
President & Unit Head

Copy for kind information to:

1. The Member Secretary, SPCB, Bhubaneswar
2. The Regional Director, Zonal office of CPCB, Kolkata
3. The Regional Officer, SPCB, Sambalpur

Hindalco Industries Limited

Aditya Aluminium: At/P.O.: Lapanga - 768 212, District: Sambalpur, Odisha, India
T: +91 663 2536 247 | Fax: +91 663 2536 499 | E: hindalco@adityabirla.com | W: www.hindalco.com
Registered Office: Ahura Centre, 1st Floor, B-Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093
Tel: +91 22 6691 7000 | Fax: + 91 222 6691 7001
Corporate ID No.: L27020MH1959PLC011238

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

STATUS OF IMPLEMENTATION OF CONDITIONS STIPULATED IN ENVIRONMENTAL CLEARANCE FOR 7,20,000 TPA ALUMINIUM SMELTER & 1650 MW CAPTIVE POWER PLANT FOR ADITYA ALUMINIUM BY M/S HINDALCO INDUSTRIES AT LAPANGA, SAMBALPUR, ORISSA.

REF: Environmental Clearance Letter No: J-11011/136/2009-IA.I(1), Dated 29th November 2012, EC amendment dated 14 June 2013 & 14 Aug 2018 from MOEF&CC, GOI.

Sr. No.	Specific Conditions	Compliance															
i)	The streams passing through the project site shall not be disturbed w.r.t their quantity and quality of flow	The streams passing through the project site is not being disturbed.															
ii)	Alumina shall be obtained from those refineries, which have been accorded environmental clearance by the Ministry of Environment and Forests.	Alumina is being obtained from refineries which have been accorded environmental clearance. At Present, the Alumina is being obtained from Utkal Alumina International Limited (UAIL), Rayagada Distt. and it has been accorded environmental clearance from MoEFCC. We have kept an option of importing Alumina in case of any shortage in supply from the above source.															
iii)	<p>The gaseous emissions (PM, SO₂, NO_x, PAH, HC, VOCs and Fluoride) from various process units shall conform to the standards prescribed by the concerned authorities from time to time. The SPCB may specify more stringent standards for the relevant parameters keeping in view the nature of the Industry and its size and location. At no time the emissions level should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit should not be restarted until the control measures are rectified to achieve the desired efficiency.</p> <p>The particulate emissions from the bake oven plant shall not exceed 50 mg/Nm³.</p>	<p>Online Monitoring equipments have been installed at the outlet of following stacks for monitoring of particulate matter and gaseous emissions. The online data has been connected to the Servers of OSPCB and CPCB.</p> <p>a) Smelter GTC 1 & 2- 2 Nos. b) Smelter FTC 1 & 2 - 2 Nos. c) CPP Unit 1 to 6 - 6 Nos.</p> <p>Particulate matter emission from the bake oven does not exceed the prescribed limit of 50 mg/Nm³. The summarized monitoring report w.r.t. particulate matter emission from Apr 19 to Sep 19 in Anoe baking Furnace stacks of stated below</p> <table border="1" data-bbox="850 1733 1445 1897"> <thead> <tr> <th rowspan="2">Stack attached to</th> <th colspan="3">PM Emission (mg/Nm³)</th> </tr> <tr> <th>(Min)</th> <th>(Max)</th> <th>(Avg)</th> </tr> </thead> <tbody> <tr> <td>FTC # 1</td> <td>8.3</td> <td>9.6</td> <td>9.1</td> </tr> <tr> <td>FTC # 2</td> <td>7.5</td> <td>10.9</td> <td>8.7</td> </tr> </tbody> </table> <p>The monitoring report of Fume treatment Plant stacks is attached as Annexure-1.</p>	Stack attached to	PM Emission (mg/Nm ³)			(Min)	(Max)	(Avg)	FTC # 1	8.3	9.6	9.1	FTC # 2	7.5	10.9	8.7
Stack attached to	PM Emission (mg/Nm ³)																
	(Min)	(Max)	(Avg)														
FTC # 1	8.3	9.6	9.1														
FTC # 2	7.5	10.9	8.7														

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

iv)	<p>Particulate fluoride emissions should not be more than 0.65 mg/Nm³ and fugitive particulate fluoride emissions from pot room should not be more than 1.85 mg/Nm³.</p>	<p>Online monitoring equipment at Gas Treatment Centre (GTC) and Fume Treatment Centre (FTC) installed for monitoring of Hydrogen Fluoride (HF), Particulate Matter (PM). The particulate fluoride emission from the gas treatment system is within the prescribed standard. The summarized report from Apr'19 to Sep'19 is stated below:</p> <table border="1" data-bbox="852 566 1469 748"> <thead> <tr> <th rowspan="2">Stack attached to</th> <th colspan="3">Particulate Fluoride Emission (mg/Nm³)</th> </tr> <tr> <th>(Min)</th> <th>(Max)</th> <th>(Avg)</th> </tr> </thead> <tbody> <tr> <td>GTC # 1</td> <td>0.13</td> <td>0.17</td> <td>0.14</td> </tr> <tr> <td>GTC # 2</td> <td>0.15</td> <td>0.19</td> <td>0.16</td> </tr> </tbody> </table> <p>The average fugitive particulate fluoride emission from pot rooms during Apr'19 to Sep'19 is 0.05 kg/ton of metal produced.</p> <p>The monitoring reports of Gas Treatment Centre stacks is attached as Annexure-2.</p>	Stack attached to	Particulate Fluoride Emission (mg/Nm ³)			(Min)	(Max)	(Avg)	GTC # 1	0.13	0.17	0.14	GTC # 2	0.15	0.19	0.16
Stack attached to	Particulate Fluoride Emission (mg/Nm ³)																
	(Min)	(Max)	(Avg)														
GTC # 1	0.13	0.17	0.14														
GTC # 2	0.15	0.19	0.16														
v)	<p>The poly aromatic hydrocarbons (PAH) from the carbon plant (anode bake oven) should not exceed 2 mg/Nm³. The data on PAH should be monitored quarterly and report submitted regularly to the Ministry/Regional Office at Bhubaneswar and SPCB.</p>	<p>The poly aromatic hydrocarbons (PAH) from the carbon plant (anode bake oven) are being monitored on quarterly basis and found within the standard. (Ref: Annexure 1).</p>															
vi)	<p>In plant, control measures like fume extraction and dust extraction system for controlling fugitive emissions from all the materials handling/transfer points shall be provided to control dust emissions.</p> <p>Fugitive Fluoride emissions from the pot room and in the forage around the smelter complex and the data submitted regularly to the Ministry Regional Office at Bhubaneswar and SPCB.</p> <p>Further dry scrubbing system to control the emissions from the pot lines should be provided.</p>	<p>Fume Extraction Centre (FTC) in Anode Baking furnace, Gas Treatment Plant (GTC) in potlines and bag filters in raw material handling, GAP, Anode Baking, Roding areas, bath recycling, carbon recycling area, butts recycling area, cathode sealing shop etc in smelter area and coal handing, ash handling plant in captive power plant is installed to control fugitive dust emissions.</p> <p>Online Roof Top Monitoring analyzer installed for Fugitive fluoride (HF) monitoring in potrooms, the concentration of hydrogen fluoride varies between 0.01 mg/m³ to 0.65 mg/m³ and average is 0.14 mg/m³ during Apr'19 to Sep'19. The daily average emission report during these period is attached as Annexure-3.</p> <p>Forage fluoride analysis around the smelter is being carried out on quarterly basis and the</p>															

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

		<p>concentration of the forage fluoride are listed below:</p> <table border="1" data-bbox="849 353 1481 815"> <thead> <tr> <th>Location</th> <th>Species</th> <th>Fluoride (in ppm)</th> </tr> </thead> <tbody> <tr> <td>Thekoli</td> <td>Brinjal leaf (Solanum Melongena)</td> <td>1.6</td> </tr> <tr> <td>Lapanga</td> <td>Tomato Leaf (Solanum lycopersicum)</td> <td>1.2</td> </tr> <tr> <td>Gurupali</td> <td>Onion leaf (Allium Sepa)</td> <td>0.91</td> </tr> <tr> <td>Jangala</td> <td>Flat Lima Beans leaf (Phaseolus Vulgaris)</td> <td>1.61</td> </tr> <tr> <td>Bhadarpali</td> <td>Kosala Saga (Amaranthus Leaves)</td> <td>1.62</td> </tr> <tr> <td>Bomaloi</td> <td>Charoli leaf (Buchanania lanzan)</td> <td>1.48</td> </tr> <tr> <td>Tileimal</td> <td>Flat Lima Beans leaf (Phaseolus Vulgaris)</td> <td>0.78</td> </tr> <tr> <td>Gumkarma</td> <td>Brinjal leaf (Solanum Melongena)</td> <td>1.91</td> </tr> <tr> <td>Ghichamura</td> <td>Cabbage (Brassica Oleracea)</td> <td>1.46</td> </tr> <tr> <td>Plant site</td> <td>Bamboo leaf (Bambusa Vulgaris)</td> <td>1.61</td> </tr> </tbody> </table> <p>Dry scrubbing system is being provided as gas treatment centre (GTC) to each of the pots in the pot room to control fugitive emission.</p>	Location	Species	Fluoride (in ppm)	Thekoli	Brinjal leaf (Solanum Melongena)	1.6	Lapanga	Tomato Leaf (Solanum lycopersicum)	1.2	Gurupali	Onion leaf (Allium Sepa)	0.91	Jangala	Flat Lima Beans leaf (Phaseolus Vulgaris)	1.61	Bhadarpali	Kosala Saga (Amaranthus Leaves)	1.62	Bomaloi	Charoli leaf (Buchanania lanzan)	1.48	Tileimal	Flat Lima Beans leaf (Phaseolus Vulgaris)	0.78	Gumkarma	Brinjal leaf (Solanum Melongena)	1.91	Ghichamura	Cabbage (Brassica Oleracea)	1.46	Plant site	Bamboo leaf (Bambusa Vulgaris)	1.61
Location	Species	Fluoride (in ppm)																																	
Thekoli	Brinjal leaf (Solanum Melongena)	1.6																																	
Lapanga	Tomato Leaf (Solanum lycopersicum)	1.2																																	
Gurupali	Onion leaf (Allium Sepa)	0.91																																	
Jangala	Flat Lima Beans leaf (Phaseolus Vulgaris)	1.61																																	
Bhadarpali	Kosala Saga (Amaranthus Leaves)	1.62																																	
Bomaloi	Charoli leaf (Buchanania lanzan)	1.48																																	
Tileimal	Flat Lima Beans leaf (Phaseolus Vulgaris)	0.78																																	
Gumkarma	Brinjal leaf (Solanum Melongena)	1.91																																	
Ghichamura	Cabbage (Brassica Oleracea)	1.46																																	
Plant site	Bamboo leaf (Bambusa Vulgaris)	1.61																																	
vii)	<p>Electrostatic Precipitators (ESP) will be provided to Captive Power Plant (CPP) to control particulate emissions below 50 mg/Nm³.</p> <p>The company shall provide bag filters, dry scrubbing system and dust suppression system to control all the emissions including fluoride emissions from all melting and casting units. Tar, Dust and fluoride in the fumes shall be controlled in baking furnace by providing dry scrubber.</p> <p>The emissions shall conform to the standards prescribed by the Ministry CPCB/SPCB whichever is more stringent.</p>	<p>Electrostatic Precipitators (ESP) of adequate efficiency is installed in Captive Power Plant (CPP) to restrict particulate emissions within 50 mg/Nm³.</p> <p>Two nos. of Gas Treatment Centre (GTC) provided and connected to each 180 pots. Besides, Bag filters installed in all the material handling & transfer points in Smelter. Fume treatment centre (FTC) provided to each Anode Baking Furnaces to treat the tar fumes, dust, gaseous and particulate fluorides generated during Anode Baking.</p> <p>The standards prescribed by the Ministry/ CPCB/ SPCB is being adhered.</p> <p>The results of the stack emission from the CPP units from Apr'19 to Sep' 19 is stated below:</p> <table border="1" data-bbox="849 1648 1481 1939"> <thead> <tr> <th rowspan="2">CPP Stack</th> <th colspan="3">PM Emission (mg/Nm³)</th> </tr> <tr> <th>(Min)</th> <th>(Max)</th> <th>(Avg)</th> </tr> </thead> <tbody> <tr> <td>CPP 1</td> <td>43.4</td> <td>47.1</td> <td>45.4</td> </tr> <tr> <td>CPP 2</td> <td>42.2</td> <td>46.4</td> <td>44.6</td> </tr> <tr> <td>CPP 3</td> <td>41.6</td> <td>46.8</td> <td>42.8</td> </tr> <tr> <td>CPP 4</td> <td>36.9</td> <td>45.1</td> <td>40.3</td> </tr> <tr> <td>CPP 5</td> <td>42.6</td> <td>47.1</td> <td>44.6</td> </tr> <tr> <td>CPP 6</td> <td>43.4</td> <td>46.4</td> <td>44.6</td> </tr> </tbody> </table>	CPP Stack	PM Emission (mg/Nm ³)			(Min)	(Max)	(Avg)	CPP 1	43.4	47.1	45.4	CPP 2	42.2	46.4	44.6	CPP 3	41.6	46.8	42.8	CPP 4	36.9	45.1	40.3	CPP 5	42.6	47.1	44.6	CPP 6	43.4	46.4	44.6		
CPP Stack	PM Emission (mg/Nm ³)																																		
	(Min)	(Max)	(Avg)																																
CPP 1	43.4	47.1	45.4																																
CPP 2	42.2	46.4	44.6																																
CPP 3	41.6	46.8	42.8																																
CPP 4	36.9	45.1	40.3																																
CPP 5	42.6	47.1	44.6																																
CPP 6	43.4	46.4	44.6																																
viii)	Provision for installation of FGD shall be provided for future use.	Provisional Space kept for installation of FGD and will be utilized for the proposed FGD near																																	

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

		to the Power plant.
ix)	Three tri-flue and one bi-flue stack of 275 m height with flue gas velocity not less than 22 m/s shall be installed and provided with continuous online monitoring equipment's for SO ₂ , NO _x , and PM ₁₀ .	Two (02) numbers of tri-flue stacks of 275 m height is installed in phase-I, another two nos. of stacks will be installed during Phase-II. Continuous emission monitoring system (CEMS) installed for monitoring of SO ₂ , NO _x , and PM in all the stacks of CPP and the velocity of the exit flue gas is being maintained above 22 m/s.
x)	Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.	Dust extraction systems (DE) and Dry fog dust suppression (DFDS) system installed in coal handling plant and ash handling system of Captive Power Plant.
xi)	Utilization of 100% fly ash generated shall be made from 4 th year of operation. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.	Ash generated is being utilized by means of supplying to M/s Ultratech Cements, Jharsuguda, M/s ACC, Bargarh and M/s OCL, Rajgangpur for cement manufacturing. Also we are supplying Ash to the brick manufactures, used in own fly ash brick units and utilizing for development of low lying areas with ash inside the Plant premises with the prior approval of SPCB, Odisha. The low-lying areas is being filled-up with Ash as per the Guideline for Reclamation Low Lying Areas and Abandoned Quarries with Ash of SPCB, Odisha. The efforts being made for achieving target ash utilization as stated below: <ul style="list-style-type: none"> ➤ Increase supply to Cement Plants like M/s Ultratech, Jharsuguda unit; M/s ACC, Bargarh Unit; M/s OCL, Rajgangpur Unit ➤ Use in own ash brick unit installed inside the plant & increased supply to the local brick manufacturing Units ➤ Low lying area development, ash dyke raising and road making inside and outside the plant premises ➤ We have constituted a Team for exploring more areas of Ash utilization like Road making, Abandoned mines/quarry filling, infrastructure projects etc. The Status of ash utilization from Apr' 19 to Sep' 19 is stated below:

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

		Apr' 19 to Sep'19	Quantity in MT
		Total ash generated	7,71,279
		Total Ash Utilised	6,30,322
		Utilization (%)	81.72 %
		Details of the ash utilization from Apr'19 to Sep'19 is attached as annexure- 4.	
xii)	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. Unutilized ash shall be disposed-off in the ash pond in the form of slurry. Mercury and other heavy metals (Ag, Hg, Cr, Pbetc) will be monitored in the bottom ash and also in the effluent emanating from the existing ash pond. No ash shall be disposed-off in low laying area.	<p>Fly ash & bottom ash are collected in dry form and 3x2500 MT Fly ash silo and 1x3000 MT bottom ash silo have been installed. We are exploring maximum utilization of Ash and unutilized ash is being discharged to the Ash pond through High Concentration Slurry Dsipsoal (HCSD) system, which is the most environment friendly conveying system at present. Monitoring of Mercury and other heavy metals (Ag, Hg, Cr, Pb etc) is being done for the fly ash and bottom ash. The analysis report is enclosed as Annexure-5.</p> <p>The ash filling in the low lying area inside the plant premises is being in line with the guideline for disposal/utilization of fly ash for reclamation of Low Lying Areas and in stowing of Abandoned mines/Quarries. (Ref: CPCB guideline published in March 2019).</p>	
xiii)	Fluoride (as F) consumption shall be less than 10 kg/ton of Aluminium produced as specified by the CREP.	The specific fluoride (as F) consumption for the period Apr'19 to Sep'19 is 7.91 kg/ton of Aluminium produced.	
xiv)	<p>Anode butts generated from the pots shall be cleaned and recycled to the Anode Plant.</p> <p>The spent pot lining generated from the smelter shall be properly treated in spent pot lining treatment plant to remove fluoride and cyanide and disposed-off in secured landfill.</p> <p>The location and design of the land fill site shall be approved by the SPCB as per the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008. Leachate collection facilities shall be provided to the secured land fill facilities (SLF).</p> <p>The dross shall be recycled in the cast house.</p>	<p>Anode butts generated from the pots is being cleaned and recycled completely for making green anode in green anode plant.</p> <p>The Carbon part of SPL is being supplied to M/s Green Energy Limited, Sambalpur for reprocessing/detoxification and in this way the carbon part is completely recycled.</p> <p>The SPL refractory part generated is being stored inside the covered shed in line with the Rule-8 of HW (H,M & TM) Rules, 2016 for disposal to CHW-TSDF. M/s Ramky Enviro Pvt. Ltd is establishing the facility for detoxification and disposal as per the protocol given by CPCB in its CHW-TSDF at kanchichuhan, Dist- Jajpur site. M/s Ramky is likely to lift the refractory part of SPL soon after fulfilling the terms &</p>	

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

	<p>STP sludge shall be utilized as manure for greenbelt development.</p> <p>All the used oil and batteries shall be sold to the authorized recyclers/ re-processors.</p>	<p>conditions specified in the Protocol and after getting approvals from SPCB/CPCB. An amount of 5,095 MT SPL Refractory stock has been stored till end of September 2019 inside the permanent well ventilated covered sheds for disposal to CHW-TSDF.</p> <p>The location and design of the land fill site has been prepared as per the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and approved from SPCB.</p> <p>The dross recycling is being done in the inhouse dross processing unit and the residue generated is sent to CHW-TSDF for disposal. Part of the dross generated is also being reused along with crushed bath into the Potroom.</p> <p>STP is in operation at township & Plant area separately, the sludge generated is being used for gardening/greenbelt development.</p> <p>The used oil and batteries are being sold/supplied to authorized recyclers/reprocessors only.</p>
xv)	As proposed, spent pot lining waste shall also be provided to cement and steel industries for further utilization.	The Carbon part of SPL is being supplied to the OSPCB authorized recycler M/s Green Energy Resources, Sambalpur.
xvi)	Ash pond shall be lined with HDP/LDPE lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from getting breached. Ash pond water shall be recirculated and reused.	The ash disposal area has been studied and Designed by the Experts of NIT-Rourkela. The ash pond and water decantation system is constructed in line with the design & drawings provided by NIT-Rourkela. The ash pond is provided with HDPE liner and adequate safety measures have been taken to avoid any kind of dyke breach. The ash disposal through HCS system to the ash pond started from January 2017. The decanted water from the ash pond is being completely recycled and reused for ash disposal.
xvii)	Cycle of concentration (CoC) of 5.0 shall be adopted.	We are maintaining the average CoC of cooling tower above 5.
xviii)	Regular monitoring of ground water shall be carried out by establishing a network of existing wells and constructing new	Regular monitoring of ground water is being carried out through establishing a network of existing wells and constructing two nos new

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

	<p>piezometers.</p> <p>Monitoring around the ash pond area shall be carried out particularly for heavy metals (Hg, Cr, As, Pb) and records maintained and submitted to the regional office of this Ministry. The data so obtained should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected due to the project.</p>	<p>piezometer wells near ash pond areas and the analysis report is enclosed as Annexure-6.</p> <p>Monitoring of heavy metals (Hg, Cr, As, Pb) around the Ash pond area is being carried and record maintained. Please refer annexure-5 for the analysis report.</p>
xix)	<p>Regular ground water monitoring shall be carried out by installing peizometers all around the secured land fill site in consultation with the SPCB, Central Ground Water Authority and State Ground Water Board and data submitted to the Ministry's Regional Office and SPCB.</p>	<p>Secured landfill (SLF) has not yet been established inside the plant. Therefore, ground water quality monitoring will be carried out after establishment of the SLF.</p>
xx)	<p>Total water requirement for the expansion from Hirakud Reservoir shall not exceed 5,200 m³/hr and prior permission for the existing and proposed expansion shall be obtained from the concerned department before commissioning of the plant.</p> <p>All the effluent including from the cooling tower and de-mineralization plant shall be treated in the effluent treatment plant and treated effluent shall be recycled/reutilized in the process in smelter and CPP and also for fire protection, dust suppression, greenbelt development etc.</p> <p>Domestic effluent shall be treated in sewage treatment plant (STP) and treated domestic waste water will be used for greenbelt development.</p>	<p>No additional fresh water will be sourced from Hirakud Reservoir for the proposed expansion. The water requirement estimated for the expansion is within 52.73 cusec, as approved.</p> <p>The Effluent from the cooling towers and de-mineralization plant is being treated in Double Stage RO based effluent treatment plant and is being reused/reutilized in the process of CPP.</p> <p>Separate Sewage Treatment Plant (STP) is installed @ capacity 25 m³/hr for Smelter & Captive Power Plant, STP of 300 KLD capacity is installed at Township area and the treated water being used for greenbelt development.</p>
xxi)	<p>No effluent shall be discharged outside the premises of smelter during non-monsoon period and shall be discharged during the monsoon period only after treatment and meeting the norms of the OSPCB/CPCB.</p>	<p>We are operating a Double Stage Reverse Osmosis based effluent treatment plant (ETP) of 300 m³/hr capacity and therefore no effluent water is being discharged to outside without treatment from Smelter.</p>
xxii)	<p>Greenbelt of adequate width and density around the project site shall be developed in 33% area in consultation with the DFO as per the CPCB guidelines having density of 2,000 trees/Ha.</p>	<p>Aditya Aluminium has developed Greenbelt over 593 acres inside the Core plant & Township areas. Around 4,36,500 saplings planted till Sep 2019.</p>

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

xxiii)	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers is being done as per the Odisha Factories Act.
xxiv)	The company shall develop rain water structures in the township area for recharge of ground water in consultation with the Central Ground Water Authority/Board.	Rain water recharging arrangement is being made in the township buildings, besides a rain water harvesting pond is being established inside the township area which is being utilised for gardening purposes. A rain water harvesting scheme has been submitted to CGWA for approval vide our letter no. AA/E&F/EC/2016/131, dated 09/04/2016.
xxv)	Rehabilitation and Resettlement Action Plan as prepared and submitted to the State Govt. shall be implemented as per the R & R Policy of the State Government. All the recommendations mentioned in the R&R Plan shall be strictly followed including suitable employment and other facilities to all the oustees.	Rehabilitation and Resettlement Action Plan is being implemented as per the R & R policy, 2006 of the State Govt. All the recommendations mentioned in the R&R plan are being followed/complied.
xxvi)	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium Sector shall be strictly implemented.	All the conditions of CREP guideline for Aluminium sector is being followed. The point wise compliance to the CREP guideline is attached as Annexure-7
xxvii)	The company shall adopt well laid down corporate policy and identified and designate responsible officers at all levels of its hierarchy for ensuring adherence to the policy and compliance with environmental clearance, environmental laws and regulations.	The company has adopted a well laid down Corporate Environment Policy. The copy of the same has been communicated in the last Six-Monthly EC Compliance report vide our letter no. AA/E&S/EC/2018/410, dated 27/11/2018.
xxviii)	All the commitments made to the public during public hearing /public consultation meeting held on 2 nd march 2012 should be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	All the commitments made to the public during public hearing/public consultation meeting held on 2 nd march 2012 is being complied . (Status of implementation is enclosed as annexure-8).

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

xxix)	At least 5% of the total cost of the project shall be earmarked for towards the Enterprise Social Commitment and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's office at Bhubaneswar. Implementation of such program should be ensured accordingly in a time bound manner.	The expenses under Enterprise Social Commitment (ESC) till Sep 2019 is Rs 48.16 Crores. The details of the expenditure made under Enterprise Social Commitment (ESC) till March 2019 is attached as annexure-9.
xxx)	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structures to be ensured accordingly in a time bound manner.	The construction activities are completed after the plant is installed & commissioned. However, in case of any construction & maintainance activities from time to time we are providing all necessary infrastructure and facilities to the workers as per rules & guidelines.
xxxi)	The company shall submit within three months their policy towards Corporate Environment Responsibility which should inter-alia address (i) standard operating process/procedure to being into focus any infringement/deviation/violation of environmental or forests norms/ conditions (ii) Hierarchical system or administrative order of the company to deal with environmental issues and ensuring compliance to the environmental clearance and (iii) system of reporting of non-compliance/violation environmental norms to the Board of Directors of the company and/or stakeholders or shareholders.	The Corporate Environment Policy prepared and approved by the company Board of Directors, Organizational Structure for Hindalco Corporate Environment, Deployment of Corporate Policy in manufacturing Plants & communication of Policy as regards Corporate Environment is already submitted to MoEF. The organizational structure of Corporate Sustainability cell is being revised and the modified one will be submitted after the formal structure is published by Hindalco Management.
	GENERAL CONDITIONS	
i)	The project authorities must strictly adhere to the stipulations made by the OSPCB and the State Government.	We have been following the stipulations made by OSPCB and the State Government. The compliance to CTO conditions is being submitted to OSPCB as per requirement.
ii)	No further expansion or modification in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	We will not carry out any expansion or modification in the plant without prior approval of MoEFCC.
iii)	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19 th May, 1993 and standards prescribed from time to time. The SPCB may specify more stringent standards for the relevant	We have noted and accepted the stipulated condition.

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

	parameters keeping in view the nature of the industry and its size and location.	
iv)	At least four number of ambient air quality monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO _x are anticipated in consultation with the OSPCB. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and Orissa State Pollution Control Board once in Six months.	Installation of four (04) CAAQM Stations completed and commissioned. Data connectivity established with the servers of OSPCB and CPCB. Installation of the continuous stack emission monitoring system in all the major stacks completed. All the CAAQMS & CEMS synchronized with the webserver of the SPCB & CPCB. Six-monthly compliance along with the monitoring data is being submitted to the concerned authorities regularly.
v)	The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz 75 dBA (daytime) and 70 dBA (nighttime).	<p>The overall noise levels in and around the plant area is within the prescribed standards and it is being made possible by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.</p> <p>The overall noise level is within the standard, regular monitoring is being done. All necessary PPEs are provided to the workers and engineers working in the factory.</p>
vi)	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers is being done as per the Factories Act.
vii)	The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	The company has developed surface water harvesting structures to the tune of 22 lakhs cum to store water in the lean season and it will harvest the rain water during rainy season in the same reservoirs.
viii)	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA report. Further the company must undertake socio-economic development activities in the surrounding villages like community development programmes, drinking water supply and health care etc.	We have noted and accepted all the conditions and will comply in a time bound manner. The economic development activities are going on regularly as a part of our corporate social responsibility. A team of personnel working dedicatedly for peripheral development work like conducting health camps, community developed programmes, formation SHG groups, supply of drinking water and other common infrastructural development works. Details of the CSR, R&R activities undertaken is attached as Annexure-10.
ix)	Requisite fund shall be earmarked towards	Requisite fund was allocated and has been

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

	capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment & Forests as well the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to Regional Office of the Ministry at Bhubaneswar. The funds so provided shall not be diverted for any other purpose.	spent towards capital cost and recurring cost/annum is also allotted & spent for environment pollution control measures & environmental management in each year.
x)	A copy of the clearance letter shall be send by the proponent to concerned Panchayat, Zillaparishad/Municipality corporation, urban local boby and the local NGO, if any from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter also be put on the web site of the company by the proponent.	Copy of the clearance letter has already been communicated to all concerned as mentioned in the condition. Scanned copy of the letter is also displayed in our official website.
xi)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitoring data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF at Bhubaneswar. The respective zonal office of CPCB and SPCB. The criteria pollutant levels namely' PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	<p>The status of compliance to the EC conditions is being submitted to the Regional office of the MOEF regularly on 1stJune and 1stDec respectively with a copy to CPCB & OSPCB and the same is being uploaded into the Company website.</p> <p>All the stack emission and ambient air monitoring stations are synchronized with the webserver of the SPCB & CPCB. The online monitoring data w.r.t. stack emission, ambient air quality and effluent water quality is being electrocically displayed at main entrance gate for information to the public.</p>
xii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitoring data (both in hard & soft copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Offices of CPCB and the SPCB. The Regional office of this Ministry at Bhubaneswar. CPCB/SPCB shall monitor the stipulated conditions.	<p>We are submitting the six monthly compliance reports of the stipulated environmental conditions (both in hard & soft copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Offices of CPCB and the SPCB.</p> <p>The monitoring data in respect of AAQ, water, soil, noise etc is enclosed as Annexure-11.</p>
xiii)	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution	The environmental statement for each financial year ending 31 st March in Form-V is being submitted to the concerned authorities of SPCB and MoEF.

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

	Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office at Bhubaneswar.	
xiv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at website of the Ministry of Environment & Forest at http://www.envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhubaneswar.	Information to Public has been made through advertisement of the environmental clearance in two widely circulated daily newspapers i.e. "The New Indian Express" on 04-12-2012 & "The Samaja" on 05-12-2012, within seven days of receiving the clearance letter. The copy of the advertisement was submitted to the Ministry's Regional Office at Bhubaneswar vide our office letter no. AAP/E&F/786, dated 07-12-2012.
xv)	The authorities shall inform the regional office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Financial closure for Phase-1 (Smelter capacity of 0.36 MTPA and CPP of 1650 MW) of the Project is completed on 17 th September 2012 and Construction activities for Phase-I completed for 0.36 MTPA Smelter and 6x150 MW CPP and operating 360 pots out of 360 pots in Smleter and 6 units (6x150 MW) in CPP.
Sr. No.	EC Amendmnet Additional Conditions	Compliance Status
i)	The project proponent shall develop in-house facilities for treatment of Spent Pot Lining (SPL) generated in the Aluminium smelter. Meanwhile, Refractory part may be sent to CHWTSDF as per the provisions of Hazardous and Other Waste Amendment Rules, 2016.	We are exploring the mode of treatment & disposal of SPL in association with JNARDDC, Nagpur. However, at present the Carbon part is being supplied to M/s Green Energy Limited, Sambalpur for reprocessing and utilization, in this way the carbon part is completely recycled. The SPL refractory part generated is being stored inside the covered shed for disposal to CHW-TSDF. M/s Ramky Enviro Pvt. Ltd is establishing the facility for detoxification and disposal as per the protocol given by CPCB in its CHW-TSDF at kanchichuhan, Dist- Jajpur site. M/s Ramky is likely to lift the refractory part of SPL soon after fulfilling the terms &

Aditya Aluminium: Six Monthly EC Compliance from April 2019– September 2019

		conditions specified in the Protocol and getting approvals from SPCB/CPCB.
ii)	The PP shall ensure 100% utilization of Fly ash generated.	Ash generated is being utilized by means of supplying to M/s Ultratech Cements, Jharsuguda, M/s ACC, Bargarh and M/s OCL, Rajgangpur for cement manufacturing. Also we are supplying Ash to the brick manufactures, using in own fly ash brick units and utilizing for development of low lying areas inside the Plant premises with the prior approval of SPCB, Odisha. The low-lying areas is being filled-up with Ash as per the Guideline for Reclamation Low Lying Areas and Abandoned Quarries with Ash of SPCB, Odisha. Besides, we are also exploring other modes/areas for more ash utilization. Please refer to Annexure-4 for ash utilization from Apr'19 to Sep 19.
iii)	All the measures proposed during the presentation and application shall be implemented.	We have Noted and will be implemented.
iv)	Sale of baked anodes; sale of bath material; and sale of molten metal is permitted following the provisions of Hazardous and Other Waste Management Rules, 2016, applicable if any.	We have Noted and accepted.
v)	The project proponent shall develop in-house facilities for treatment of SPL in 2 to 3 years.	We are in the process of technical discussion in JNARDDC, Nagpur and other organisations for selection of technology and installation of equipment & machinaries for detoxification and disposal of SPL.
vi)	All the conditions prescribed in the environmental clearance letter No.J-11011/136/2009-IA-II(I) dated 29.11.2012 shall be strictly complied with.	It is being Complied.
vii)	The Project Proponent shall take fresh environment clearance in case of any change in the scope of the project.	There is no change in the scope of the project.

Encl: As above



(Authorized Signatory)

MINISTRY OF ENVIRONMENT & FORESTS
EASTERN REGIONAL OFFICE, A/3, CHANDRASEKHARPUR, BHUBANESWAR-751023

FORMAT FOR PROVIDING PARTICULARS ON GREENBELT /PLANTATION
UNDER F(C) ACT 1980 AND E(P) ACT 1986.

1	a) Name of the Project	Aditya Aluminium (A Unit of Hindalco Industries Limited)
	b) Env't. /Forest Clearance Nos.	i. Env Clearance vide letter No: J-11011/136/2009-IA-I(I), Dated 29/11/2012, amendment dated 14 June 2013 & 14 Aug 2018. ii. Forest Clearance vide letter No: 8-27/2009-FC, 10.02.2011
2	Location/ Block/ Sub-Divn./ Dist/ State	Aditya Aluminium (A Div. of Hindalco Industries Limited) At/Po- Lapanga, Dist- Sambalpur Pin - 768 212, Odisha
3	Address for communication	Aditya Aluminium (A Div. of Hindalco Industries Limited) At/Po- Lapanga, Dist- Sambalpur Pin - 768 212, Odisha
4	Existing vegetation in the area/ region	At present several types of vegetation available in the area, however some of the names mentioned as follows- Terminalia arjuna; Pongamia pinnata; Gmelina arboria; Anthocephallus cadamba; Dalbergia latifolia; Azadiracta indica; Albizzia Lebbeck; Delonix regia; Ailanthus exelsa, Casseasiamea; Cassia fistula, Butea monosperma, Madhuca indica etc
5	a) Species: (trees/shrubs/grasses/climbers)	Terminalia arjuna; Pongamia pinnata; Gmelina arboria; Anthocephallus cadamba; Dalbergia latifolia; Azadiracta indica; Albizzia Lebbeck; Delonix regia; Ailanthus exelsa, Casseasiamea; Cassia fistula, etc Butea monosperma, Madhuca indica etc trees species available.
	b) Major prevalent species of each type:	Anthocephallus cadamba Terminalia arjuna, Peltoferrum ferrugenum, Gmelina arboria, Alberzia Lebbeck, Delonix regia etc are the prevalent species found. Butea monosperma, Madhuca indica etc
6	Land coverage by the project:	1347.35 Ha
	a. Name and number of tree/species felled	2002 no's of trees felled through OFDC, Sambalpur (CKL) Division.
	b. Name and number of plant species still available in the area	Plant species and number will be counted after completion of all the project activities and will be submitted to your good office
	c. By protecting the area will indigenous stock come up	Nil
	d. Extent of greenbelt developed	593 acres covered under greenbelt Sep 2019.
7	Plantations required to be carried out as per	
	a) Conditions of Environmental Clearance in Ha/Nos.	33% of total project area
	b) Conditions of Forest Act (c) Clearance in Ha/Nos.	25 % of total project area
	c. Voluntarily in Ha/Nos.	NA

8. Details of plantation

a) Total area available for plantation In each category

Greenbelt	Dumps	Back filled area	Road sides	Block plantation
The 33% of the project area will be covered under greenbelt/green cover and the plant. The phase- I facilities completed and Phase-II construction work not started. Till date 593 acres of land has been covered under greenbelt and balance will be covered in phased manner.				

b) Plantation details (category wise & methodology used)

Year of plantation	Species Planted	Spacing	Height attained	Total area covered	Area still available
2010 & 2011	Terminalia arjuna;	2*2	30'-32'	14.7 Ha	Plantation is being done in phased manner.
2012	Pongamia pinnata;	3*3	22'-25'	38.2 Ha	
2013	Gmelina arboria;	3*3	20'-22'	11.2 Ha	
2014	Anthocephallus cadamba; Dalbergia	3*3	18'-20'	16.8 Ha	
2015	latifolia; Azadiracta	4*4	17'-18'	24.36 Ha	
2016	indica; Albizzia Lebbeck;	2*2	13'-15'	20.0 Ha	
2017	Delonix regia; Ailanthus	2*2	9'-12'	46.8 Ha	
2018	exelsa,Casaea siamea;	2*2	6'-8'	45 Ha	
2019 (till Sep 19)	Cassia fistula, etc	2*2	2'- 3'	22.7 Ha	

c) Survival of Plantation:

Total Plantation (No.)	4,36,500
Survival (No.)	3,92,850
Survival rate	Approx 90%

9. Agency carrying out plantation and maintenance: NA

10. Financial details (year wise) plantation wise and item wise:

Sl. No.	Year	Fund allocated(Rs)	Expenditure made(Rs)	Average cost of each surviving plant in Rs.
1	2010	81,62,000	81,62,000.00	245.00
2	2011			
3	2012	46,21,600	46,21,600.00	121.00
4	2013	13,62,500	13,62,500.00	121.00
5	2014	18,53,000	18,53,000.00	115.00
6	2015	18,65,000	18,65,000	109.00
7	2016	49,00,000	49,00,000	100.00
8	2017	68,00,000	68,00,000	71.00
9	2018	70,00,000	70,00,000	77.00
10	2019 (Till Sep 19)	70,00,000	32,00,000	70.00

11. Inspection of plantation by field experts and their comments and follow up actions:

Forest officials from Divisional Forest Office, Sambalpur and Forest Renge Office, Rengali arevisiting to our location at periodic intervals and giving their technical guidance from time to time. Joint Director/Director of Regional Office of MoEF&CC, Bhubaneswar also visit our plant site periodically.

12. Remarks/ any other information :

Indigenous species have been planted as per the Guideline of CPCB.



(Signature)

Report-II

PROFORMA FOR PROVIDING INFORMATION ON REHABILITATION

1. No. of villages affected : 11
2. Families Affected : 1450

Families affected	SC	ST	OTH	TOTAL
	-	-	-	1450

3. Compensation package offered per family:

State/ Centre norms	Project package
As per the R&R Policy 2006, Govt. of Odisha	As per the R&R Policy 2006 and 2013, Govt. of Odisha. Aditya Aluminium follows the RR Policy and subsequent Compensation Revision also.

4. Budget estimate for rehabilitation :

- a) Total outlay : 84.59 Crores
- b) Amount paid/used : 80.81 Crores

5. Employment details

- a) Total employment to be provided : 68
- b) Employment given so far : 59

6. Rehabilitation & Resettlement details : Total Displaced Persons Numbers - 433

a	No. of families rehabilitated				
i	Name of the Site	Aditya Aluminium			
ii	Families rehabilitated	SC	ST	OTH	Total
		08	387	18	413
b	Families yet to be rehabilitated				
i	Name of the Site(s)	Aditya Aluminium			
ii	No. of families (Total - 433)	SC	ST	OTH	Total
		00	19	1	20

7. Any other information : Nil



(Signature)



Ref: Envlab/19/R-374

Date: 08-05-19

STACK EMISSION MONITORING REPORT FOR APRIL-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 26.04.2019
3. Sampling Location : ST-1: Stack attached to ABF-1 - FTC-1
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 30.04.2019 TO 02.05.2019

Parameter	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-1
Stack Temperature	$^{\circ}\text{C}$	Stack Sampler	--	108.0
Velocity of Flue Gas	m/sec	Stack Sampler	--	10.23
Quantity of Gas Flow	m^3/hr	Stack Sampler	--	99028.0
Barometric Pressure	mm of Hg	Barometer	--	742.0
Concentration of Particulate Matter as PM	mg/Nm^3	Gravimetric	50	9.3
Sulphur dioxide as SO_2	mg/Nm^3	IPA- Thorin method	--	240.6
Oxides of Nitrogen as NO_x	mg/Nm^3	Modified Jacob & Hochheiser (Na-Arsenite)	--	62.57
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	--	0.16
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	--	0.38
Total Fluoride as F	mg/Nm^3	Calculation	--	0.54
Tar Fumes	mg/Nm^3	Extraction followed by Gas Chromatography	--	ND
Poly Aromatic Hydrocarbon as PAHs	$\mu\text{g}/\text{Nm}^3$	Gas Chromatography	--	ND

Note: ND: Not Detected.

For Visiontek Consultancy Services Pvt. Ltd.





Ref. Envt/19/R-375

Date: 08.05.19

STACK EMISSION MONITORING REPORT FOR APRIL-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
 2. Date of Sampling : 26.04.2019
 3. Sampling Location : ST-2: Stack attached to ABF II - FTC - 2
 4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
 5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
 6. Date of Analysis : 30.04.2019 TO 02.05.2019

Parameters	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-2
Stack Temperature	$^{\circ}\text{C}$	Stack Sampler	--	105.0
Velocity of Flue Gas	m/sec	Stack Sampler	--	10.3
Quantity of Gas Flow	m^3/hr	Stack Sampler	--	60433.47
Barometric Pressure	mm of.Hg	Barometer	--	742.0
Concentration of Particulate Matter as PM	mg/Nm^3	Gravimetric	50	9.83
Sulphur dioxide as SO_2	mg/Nm^3	IPA- Thorin method	--	229.5
Oxides of Nitrogen as NO_x	mg/Nm^3	Modified Jacob & Hochheiser (Na-Arsenite)	--	98.75
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	--	0.18
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	--	0.37
Total Fluoride as F	mg/Nm^3	Calculation	--	0.55
Tar Fumes	mg/Nm^3	Extraction followed by Gas Chromatography	--	ND
Poly Aromatic Hydrocarbon as PAHs	$\mu\text{g}/\text{Nm}^3$	Gas Chromatography	--	ND

Note: ND: Not Detected.

For: Visiontek Consultancy Services Pvt. Ltd





Ref: Env/lab/19/R-0618

Date: 04/06/19

STACK EMISSION MONITORING REPORT FOR MAY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 28.05.2019
3. Sampling Location : ST-8: Stack attached to ABF II - FTC - 2
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 01.06.2019 TO 03.06.2019

Parameters	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-8
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	106.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	7.19
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	68689.0
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	733.0
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.49
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	238.4
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	92.9
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.19
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.43
Total Fluoride as F	mg/Nm ³	Calculation	-	0.62
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography	-	ND

Note: ND: Not Detected.



For Visiontek Consultancy Services Pvt. Ltd.



Ref: Enmlab/19/R-0617

Date: 04/06/19

STACK EMISSION MONITORING REPORT FOR MAY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
 2. Date of Sampling : 30.05.2019
 3. Sampling Location : ST-7: Stack attached to ABF-1 - FTC-1
 4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
 5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
 6. Date of Analysis : 01.06.2019 TO 03.06.2019

	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-7
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	108.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	11.15
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	105371.2
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	733.7
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	9.2
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	236.3
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	68.21
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.42
Total Fluoride as F	mg/Nm ³	Calculation	-	0.57
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography	-	ND

Note: ND: Not Detected.



For Visiontek Consultancy Services Pvt. Ltd.



Ref: ENV/ab/19/R-1018

Date: 03/07/19


STACK EMISSION MONITORING REPORT FOR JUNE-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 25.06.2019
3. Sampling Location : ST-7: Stack attached to ABF-1 - FTC-1
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 26.06.2019 TO 29.06.2019

	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-7
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	103
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	10.99
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	103151.9
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	735.7
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	8.9
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	224.8
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	65.6
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.46
Total Fluoride as F	mg/Nm ³	Calculation	-	0.61
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography	-	ND

Note: ND: Not Detected.


 For Visiontek Consultancy Services Pvt. Ltd.



Ref:- ENV/ab/19/R-1019

Date: 03/07/19

STACK EMISSION MONITORING REPORT FOR JUNE-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 25.06.2019
3. Sampling Location : ST-8: Stack attached to ABF-2 - FTC-2
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 26.06.2019 TO 29.06.2019

Parameters	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-8
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3 :1985 (Reaff 2008)	-	100
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	11.3
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	64648.03
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	735
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1 :1985 (Reaff 2003)	50	10.86
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	247.5
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	104.2
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.18
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	-	0.46
Total Fluoride as F	mg/Nm^3	Calculation	-	0.64
Tar Fumes	mg/Nm^3	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	$\mu\text{g}/\text{Nm}^3$	Gas Chromatography	-	ND

Note: ND: Not Detected.


 For Visiontek Consultancy Services Pvt. Ltd.



Ref: Env/ab/19/R-1704

Date: 01/08/2019

STACK EMISSION MONITORING REPORT FOR JULY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 24.07.2019
3. Sampling Location : ST-7: Stack attached to ABF-1 - FTC-1
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 25.07.2019 TO 31.07.2019

Parameters	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-7
Stack Temperature	°C	IS 11255: Part 3 :1985 (RA 2008)	-	103.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (RA 2008)	-	9.6
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (RA 2008)	-	100346.0
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (RA 2008)	-	734.0
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (RA 2003)	50	9.6
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	233.5
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	64.1
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode Method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode Method	-	0.44
Total Fluoride as F	mg/Nm ³	Calculation	-	0.59
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography Method	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography Method	-	ND

Note: ND: Not Detected.





Ref: Env/ab/19/R-1705

Date: 01/08/2019

STACK EMISSION MONITORING REPORT FOR JULY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 24.07.2019
3. Sampling Location : ST-8: Stack attached to ABF-2 - FTC-2
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 25.07.2019 TO 31.07.2019

Parameters	Unit of Measurement	Methodology	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-8
Stack Temperature	°C	IS 11255: Part 3 :1985 (RA 2008)	-	104.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (RA 2008)	-	10.69
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (RA 2008)	-	60493.0
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (RA 2008)	-	734.8
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (RA 2003)	50	8.8
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	226.0
Oxides of Nitrogen as NOx	mg/Nm ³	EPA Method 7E	-	97.2
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode Method	-	0.17
Gaseous Fluoride	mg/Nm ³	Ion Electrode Method	-	0.41
Total Fluoride as F	mg/Nm ³	Calculation	-	0.58
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography Method	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography Method	-	ND

Note: ND: Not Detected.





Ref: ENV/lab/19/R-3273

Date

STACK EMISSION MONITORING REPORT FOR AUGUST-2019


1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 27.08.2019
3. Sampling Location : ST-7: Stack attached to ABF-1 - FTC-1
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 28.08.2019 TO 31.08.2019

Stack Description	
Stack Height	70 Meter
Stack Diameter	2.06 Meter
Height of Sampling Point	40 Meter
Plant Load	672 Anode
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-7
Stack Temperature	°C	IS 11255: Part 3 :1985 (Reaff 2008)	-	97
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	11.03
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	103977
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	736.8
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	8.3
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	252.4
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	69
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.14
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.41
Total Fluoride as F	mg/Nm ³	Calculation	-	0.55
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography	-	ND

Note: ND: Not Detected.





Ref: ENVlab/19/R-3274

Date 03.09.19

STACK EMISSION MONITORING REPORT FOR AUGUST-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 27.08.2019
3. Sampling Location : ST-8: Stack attached to ABF-2 - FTC-2
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 28.08.2019 TO 31.08.2019

Stack Description	
Stack Height	70 Meter
Stack Diameter	2.06 Meter
Height of Sampling Point	40 Meter
Plant Load	336 Anode
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-8
Stack Temperature	°C	IS 11255: Part 3 :1985 (Reaff 2008)	-	96
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	10.82
Quantity of Gas Flow	Nm3/Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	61882.11
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	734.8
Concentration of Particulate Matter as PM	mg/Nm3	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.6
Sulphur dioxide as SO ₂	mg/Nm3	EPA Method 6C	-	236.3
Oxides of Nitrogen as NO _x	mg/Nm3	EPA Method 7E	-	96.8
Particulate Fluoride	mg/Nm3	Distillation followed by Ion Electrode method	-	0.18
Gaseous Fluoride	mg/Nm3	Ion Electrode method	-	0.42
Total Fluoride as F	mg/Nm3	Calculation	-	0.6
Tar Fumes	mg/Nm3	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm3	Gas Chromatography	-	ND

Note: ND: Not Detected.





Ref: ENV/lab/19/P-4561

STACK EMISSION MONITORING REPORT FOR SEPTEMBER-2019 3.10.19

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 30.09.2019
3. Sampling Location : Stack attached to FTC-1 (ABF-1)
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 01.10.2019 TO 03.10.2019

Stack Description	
Stack Height	70 Meter
Stack Diameter	2.06 Meter
Height of Sampling Point	40 Meter
Capacity	672 Anode/Day
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3 :1985 (RA 2008)	-	95.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (RA 2008)	-	10.21
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3 :1985 (RA 2008)	-	97449
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (RA 2008)	-	739.5
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1 :1985 (RA 2003)	50	9.1
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	247.8
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	64.3
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	-	0.45
Total Fluoride as F	mg/Nm^3	Calculation	-	0.60
Tar Fumes	mg/Nm^3	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	$\mu\text{g}/\text{Nm}^3$	Gas Chromatography	-	ND

Note: ND: Not Detected.

For Visiontek Consultancy Services Pvt. Ltd.





Ref: ENV/lab/19/P-4562

Date: 3.10.19

STACK EMISSION MONITORING REPORT FOR SEPTEMBER-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 30.09.2019
3. Sampling Location : Stack attached to FTC-2 (ABF-2)
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 01.10.2019 TO 03.10.2019

Stack Description	
Stack Height	70 Meter
Stack Diameter	1.6 Meter
Height of Sampling Point	40 Meter
Capacity	336 Anode/Day
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
Stack Temperature	°C	IS 11255: Part 3 :1985 (Reaff 2008)	-	97.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	9.98
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	57388
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	740.1
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.8
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	231.4
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	93.5
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.18
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.44
Total Fluoride as F	mg/Nm ³	Calculation	-	0.62
Tar Fumes	mg/Nm ³	Extraction followed by Gas Chromatography	-	ND
Poly Aromatic Hydrocarbon as PAHs	µg/Nm ³	Gas Chromatography	-	ND

Note: ND: Not Detected.

For Visiontek Consultancy Services Pvt. Ltd.



ENV/lab/19/R-3275

03.09.19

STACK EMISSION MONITORING REPORT FOR AUGUST-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 27.08.2019
3. Sampling Location : ST-9: Stack attached to GTC-1 (Pot room)
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 28.08.2019 TO 31.08.2019

Stack Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Operational Load	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-9
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	99
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.41
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	2003084
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	743.8
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	11.6
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	66.4
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	52.7
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.17
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.46
Total Fluoride	mg/Nm ³	Calculation	-	0.63





ENVLab/19/R-3276

03.09.19

STACK EMISSION MONITORING REPORT FOR AUGUST-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 19.08.2019
3. Sampling Location : **ST-10: Stack attached to GTC-2 (Pot room)**
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 20.08.2019 TO 23.08.2019

Stack Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Capacity	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-10
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	110
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.44
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1976466
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	740.6
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.9
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	78.2
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	48.5
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.44
Total Fluoride	mg/Nm ³	Calculation	-	0.59





Ref: Enufab/19/R-06/19

Date: 04/06/19

STACK EMISSION MONITORING REPORT FOR MAY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 29.05.2019
3. Sampling Location : ST-9: Stack attached to GTC-1 (Pot room)
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 01.06.2019 TO 03.06.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-9
Stack Temperature	°C	IS 11255: Part 3 :1985 (Reaff 2008)	-	108
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.16
Quantity of Gas Flow	Nm ³ /hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1954174
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	734.2
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	8.22
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	66.3
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	54.0
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.44
Total Fluoride	mg/Nm ³	Calculation	-	0.59



For: Visiontek Consultancy Services Pvt. Ltd.



Ref: Envtlab/19/R-0620

Date: 04/06/19

STACK EMISSION MONITORING REPORT FOR MAY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 29.05.2019
3. Sampling Location : ST-10: Stack attached to GTC-2 (Pot room)
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 01.06.2019 TO 03.06.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-10
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3:1985 (Reaff 2008)	-	115
Velocity of Flue Gas	m/sec	IS 11255: Part 3:1985 (Reaff 2008)	-	8.6
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3:1985 (Reaff 2008)	-	2054639
Barometric Pressure	mm of Hg	IS 11255: Part 3:1985 (Reaff 2008)	-	931.7
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1:1985 (Reaff 2003)	50	10.1
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	76.94
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	51.62
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.19
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	-	0.46
Total Fluoride	mg/Nm^3	Calculation	-	0.65



For Visiontek Consultancy Services Pvt. Ltd.



Ref: ENV-lab/19/R-1020

Date: 03/07/19

STACK EMISSION MONITORING REPORT FOR JUNE-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
 2. Date of Sampling : 27.06.2019
 3. Sampling Location : ST-9: Stack attached to GTC-1 (Pot room)
 4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
 5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
 6. Date of Analysis : 28.06.2019 TO 01.07.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-9
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3 :1985 (Reaff 2008)	-	108
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.47
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1996682
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	729.8
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.80
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	62.70
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	55.80
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.14
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	-	0.46
Total Fluoride	mg/Nm^3	Calculation	-	0.6

For Visiontek Consultancy Services Pvt. Ltd





Ref: ENVlab/19/R-1021

Date: 03/07/19

STACK EMISSION MONITORING REPORT FOR JUNE-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 26.06.2019
3. Sampling Location : ST-10: Stack attached to GTC-2 (Pot room)
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 27.06.2019 TO 01.07.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-10
Stack Temperature	⁰ C	IS 11255: Part 3 :1985 (Reaff 2008)	-	112
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.17
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1928923
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	733.8
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	8.8
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	69.5
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	50.6
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.16
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.48
Total Fluoride	mg/Nm ³	Calculation	-	0.64

For Visiontek Consultancy Services Pvt. Ltd.





Ref: Env/cab/19/R-1706

Date: 07/08/2019

STACK EMISSION MONITORING REPORT FOR JULY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 27.07.2019
3. Sampling Location : ST-9: Stack attached to GTC-1 (Pot room)
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 29.07.2019 TO 31.07.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-9
Stack Temperature	°C	IS 11255: Part 3 :1985 (Reaff 2008)	-	100
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.29
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1971504
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	735.2
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	9.3
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	68.6
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	56.3
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.14
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.44
Total Fluoride	mg/Nm ³	Calculation	-	0.56





Ref: Enu/ab/19/R-1707

Date: 01/08/2019

STACK EMISSION MONITORING REPORT FOR JULY-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 26.07.2019
3. Sampling Location : ST-10: Stack attached to GTC-2 (Pot room)
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 27.07.2019 TO 31.07.2019

Parameters	Unit of Measurement	Protocol	Emission Prescribe Standard (OSPCB)	Analysis Results
				ST-10
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3 :1985 (Reaff 2008)	-	106
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.38
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1926943
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	722.3
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1 :1985 (Reaff 2003)	50	8.1
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	74.1
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	47.8
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.16
Gaseous Fluoride	mg/Nm^3	Ion Electrode method	-	0.45
Total Fluoride	mg/Nm^3	Calculation	-	0.61





ENV/lab/19/R-3275

03.09.19

STACK EMISSION MONITORING REPORT FOR AUGUST-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 27.08.2019
3. Sampling Location : ST-9: Stack attached to GTC-1 (Pot room)
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 28.08.2019 TO 31.08.2019

Stack Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Operational Load	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-9
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	99
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.41
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	2003084
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	743.8
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	11.6
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	66.4
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	52.7
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.17
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.46
Total Fluoride	mg/Nm ³	Calculation	-	0.63





ENVLab/19/R-3276

03.09.19

STACK EMISSION MONITORING REPORT FOR AUGUST-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 19.08.2019
3. Sampling Location : **ST-10: Stack attached to GTC-2 (Pot room)**
4. Name of sampling Instrument: Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 20.08.2019 TO 23.08.2019

Stack Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Capacity	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
				ST-10
Stack Temperature	^o C	IS 11255: Part 3 :1985 (Reaff 2008)	-	110
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.44
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	1976466
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	740.6
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.9
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	78.2
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	48.5
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.44
Total Fluoride	mg/Nm ³	Calculation	-	0.59





Ref.: ENVlab/19/R-4563

Date: 3.10.19

STACK EMISSION MONITORING REPORT FOR SEPTEMBER-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
2. Date of Sampling : 24.09.2019
3. Sampling Location : Stack attached to GTC-1 (Pot room)
4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
6. Date of Analysis : 25.09.2019 TO 28.09.2019

Stack Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Operational Load	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
Stack Temperature	$^{\circ}\text{C}$	IS 11255: Part 3 :1985 (RA 2008)	-	102
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (RA 2008)	-	8.17
Quantity of Gas Flow	Nm^3/Hr	IS 11255: Part 3 :1985 (RA 2008)	-	1969039
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (RA 2008)	-	744.1
Concentration of Particulate Matter as PM	mg/Nm^3	IS 11255: Part 1 :1985 (RA 2003)	50	10.3
Sulphur dioxide as SO_2	mg/Nm^3	EPA Method 6C	-	63.7
Oxides of Nitrogen as NO_x	mg/Nm^3	EPA Method 7E	-	54.8
Particulate Fluoride	mg/Nm^3	Distillation followed by Ion Electrode method	-	0.16
Gaseous Fluoride	$\mu\text{g}/\text{Nm}^3$	Ion Electrode method	-	0.45
Total Fluoride	mg/Nm^3	Calculation	-	0.61

For Visiontek Consultancy Services Pvt. Ltd.





Ref: ENVlab/19/R-4564

Date: 3.10.19

STACK EMISSION MONITORING REPORT FOR SEPTEMBER-2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit-Aditya Aluminium); Lapanga
 2. Date of Sampling : 24.09.2019
 3. Sampling Location : Stack attached to GTC-2 (Pot room)
 4. Name of sampling Instrument : Vayubodhan Stack Sampler VSS 2
 5. Sample Collected by : VCSPL Representative in presence of Aditya Aluminium Representative
 6. Date of Analysis : 25.09.2019 TO 28.09.2019

Description	
Stack Height	100 Meter
Stack Diameter	10.4 Meter
Height of Sampling Point	65 Meter
Capacity	500 TPD
Pollution Control Device Attached with the Stack	Bag Filter

Parameters	UOM	Protocol	Permissible Limit	Results
Stack Temperature	0C	IS 11255: Part 3 :1985 (Reaff 2008)	-	109.0
Velocity of Flue Gas	m/sec	IS 11255: Part 3 :1985 (Reaff 2008)	-	8.59
Quantity of Gas Flow	Nm ³ /Hr	IS 11255: Part 3 :1985 (Reaff 2008)	-	2037137
Barometric Pressure	mm of Hg	IS 11255: Part 3 :1985 (Reaff 2008)	-	743.4
Concentration of Particulate Matter as PM	mg/Nm ³	IS 11255: Part 1 :1985 (Reaff 2003)	50	7.4
Sulphur dioxide as SO ₂	mg/Nm ³	EPA Method 6C	-	77
Oxides of Nitrogen as NO _x	mg/Nm ³	EPA Method 7E	-	44.9
Particulate Fluoride	mg/Nm ³	Distillation followed by Ion Electrode method	-	0.15
Gaseous Fluoride	mg/Nm ³	Ion Electrode method	-	0.42
Total Fluoride	mg/Nm ³	Calculation	-	0.57



For Visiontek Consultancy Services Pvt. Ltd.

NAME OF THE INDUSTRY:- ADITYA ALUMINIUM																							
STATUS OF UTILIZATION OF COAL ASH (FLY ASH AND BOTTOM ASH), For the Month of:- October 2019																							
Sl. No.	Month	Year	Coal Consumption (MT)	Power Installed Capacity (MWH)	Power Generated (MWH)	Quantity of Fly Ash generated (MT)	Quantity of Bottom Ash Generated (MT)	Total Ash Generated (MT)	Disposal Method	Brick Manufacturing (MT)	Supplied to cement industries (M/s Ultratech, M/s ACC & M/s OCL) in (MT)	Mine Void Filling (MT)	Utilization in Embankment/ Dyke Raising (MT)	Road Making (MT)	Low Lying area filling/land development (MT)	Aggregates (MT)	Agriculture/Horticulture Sector (MT)	Through HCS to Ash Pond	Ash Utilized from Previous Stock (MT)	Ash Utilized from Current Month generation (MT) (Col. 20=Sum of col. 10 to 17)	Total Ash Utilized (MT) (Col. 21=Col. 19+ Col.20)	% of ash Utilization (Col. 22=Col. 21/ Col.8*100)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	April	2019	339329.4	900	645.63	124509.1	5187.9	129697.0	Dry ash is being supplied to Cement Plants, fly ash Brick units and in low lying area development and remaining ash disposed through HCS system to ash pond.	175.02	76619.5	0	0	0	15304.55	0	0	37598	0	92099.05	92099.05	71.0	
2	May	2019	345476	900	648.61	130955.4	5456.5	136411.9		270.56	71190.3	0	0	0	6287.38	0	0	58664	18000	77748.21	95748.21	70.2	18000 MT ash used in ash pond dyke raising from the previous stock in ash pond.
3	June	2019	333289.4	900	646.53	126795.8	5283.2	132078.9		861	70890.01	0	0	0	5292.77	0	0	55035	27000	77043.78	104043.78	78.8	27000 MT ash used in ash pond dyke raising from the previous stock in ash pond.
4	July	2019	351162	900	648.58	122716.1	5113.2	127829.3		649	94208.4	0	0	0	13490.42	0	0	19481	20000	108347.82	128347.82	100.4	12000 MT ash used in ash pond dyke raising and 8000 MT used in low lying area development besides from the previous stock in ash pond.
5	Aug	2019	351223.3	900	648.19	120205.1	5008.6	125213.7		589.46	72946.09	0	0	0	9641.49	0	0	42036.61	25000	83177.04	108177.04	86.4	12000 MT ash used in ash pond dyke raising and 13000 MT used in low lying area development from the previous stock in ash pond.
6	Sep	2019	326956.7	900	647.25	115246.1	4801.9	120048.0		667.634	94327.81	0	0	0	6010.61	0	0	19041.93	900	101006.05	101906.05	84.9	400 MT ash used in ash pond dyke raising and 500 MT used in low lying area development from the previous stock in ash pond.
Total			2047436.8			740427.60	30851.15	771278.76		3212.67	480182.06	0.00	0.00	0.00	56027.22	0.00	0.00	231856.44	90900.00	539421.95	630321.95	81.72	



Ref: Enulab/19/R-2033

Date: 06.07.2019

ASH ANALYSIS REPORT-JUNE 2019

1. Name of Industry : M/s Hindalco Industries Limited
(Unit- Aditya Aluminium), Lapanga.
2. Sampling Location : BA-01: CPP Bottom Ash Silo
3. Date of Sampling : 20.06.2019
4. Date of Analysis : 21.06.2019 TO 28.06.2019
5. Sample Collected By: VCSPL Representative in presence of Aditya Aluminium Representative.

Sl. No.	Parameters	Test Method	Unit	Analysis Results
				BA-01
A. Chemical Analysis				
1	Na ₂ O	IS 4032(1985)	%	0.12
2	MgO		%	0.5
3	Al ₂ O ₃		%	28.2
4	SiO ₂		%	62.0
5	P ₂ O ₅		%	0.21
6	SO ₃		%	0.6
7	K ₂ O		%	0.7
8	CaO		%	3.28
9	MnO		%	0.16
10	Fe ₂ O ₃		%	7.2
B. Heavy Metals Analysis				
1	Hg	EPA 1311/EPA 200.8 Rev 0, July 1992	ppm	<0.02
2	As		ppm	40.0
3	Pb		ppm	10.0
4	Cr		ppm	40.0
5	V		ppm	40.0
6	Fe		ppm	64000
7	Ce		ppm	<0.02
8	Cu		ppm	60.0
9	Ni		ppm	70.0
10	Zn		ppm	60.0
11	Ba		ppm	<0.02



For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envtl/19/R-2032

Date: 06-07-2019

ASH ANALYSIS REPORT-JUNE 2019

1. Name of Industry : M/s Hindaleo Industries Limited
(Unit- Aditya Aluminium), Lapanga.
2. Sampling Location : FA-01: CPP Fly Ash Silo
3. Date of Sampling : 20.06.2019
4. Date of Analysis : 21.06.2019 TO 28.06.2019
5. Sample Collected By : VCSPL Representative in presence of Aditya Aluminium Representative.

Sl. No.	Parameters	Test Method	Unit	Analysis Results
				FA-01
A. Chemical Analysis				
1	Na ₂ O	IS 4032:1985	%	0.14
2	MgO		%	0.72
3	Al ₂ O ₃		%	24.2
4	SiO ₂		%	52.8
5	P ₂ O ₅		%	0.26
6	SO ₂		%	0.4
7	K ₂ O		%	0.55
8	CaO		%	3.4
9	MnO		%	0.24
10	Fe ₂ O ₃		%	9.8
B. Heavy Metals Analysis				
1	Hg	EPA 1311/EPA 200.8 Rev 0, July 1992	ppm	<0.02
2	As		ppm	20.0
3	Pb		ppm	40.0
4	Cr		ppm	30.0
5	V		ppm	40.0
6	Fe		ppm	52000
7	Co		ppm	<0.02
8	Cu		ppm	60.0
9	Ni		ppm	90.0
10	Zn		ppm	50.0
11	Ba		ppm	<0.02



For Visiontek Consultancy Services Pvt. Ltd.

N-5/100, Ground Floor
IRC Village, Nayapalli
Bhubaneswar - 751015
[CIN : U51909WB1956PTC023037]

T : (0674) 2362915 / 2360917
F : (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga , Beside SH-10
Sambalpur , Odisha-768212

Report No. : BBS/594
Date : 01.07.2019
Sample No. : MSKGL/ED/2019-20/06/01112
Sample Description : Ground Water
Sampling Location : Location-1 (Side of Reservoir)
Date of Sampling : 10.06.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.34
2.	Turbidity in mg/l	---	APHA 23 rd Edtn.,2130 B	1.8
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edtn-2540 C	124.0
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C.2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca.	18.0
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edtn-2012,4500CL B	9.3
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition.3120B	<0.02
9.	Fluoride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.56
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.21
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition.3500 Mg B,2017	3.6
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition.3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition.4500-NO ₃ -E	2.6
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition,5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition.4500-SO ₄ E 2017	<1.0
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	61.0
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition.3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edtn-2012,4500 Pb.	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	16.0
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	212
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	4.1
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition,- 2017,2320B	109.0


Report Prepared by:

Mitra S. K. Private Limited


Authorized Signatory



T : (0674) 2362918 / 2360917
F : (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga , Beside SH-10
Sambalpur , Odisha-768212

Report No. : BBS/595
Date : 01.07.2019
Sample No. : MSKGL/ED/2019-20/06/01113
Sample Description : Ground Water
Sampling Location : Location-3 (R R Colony School)
Date of Sampling : 10.06.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.17
2.	Turbidity in mg/l	---	APHA 23 rd Edn., 2130 B	1.3
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edn-2540 C	62.0
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	9.1
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edn-2012, 4500CL B	13.0
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition 3120B	<0.02
9.	Flouride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.2
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.22
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	6.4
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition, 4500-NO ₃ -E	6.6
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition, 4500-SO ₄ E 2017	3.91
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	49.0
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edn-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	8.3
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	86
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	5.3
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	17.0


Report Prepared by:

Mitra S. K. Private Limited


Authorized Signatory



N-5/100, Ground Floor
IRC Village, Nayapalli
Bhubaneswar - 751015
[CIN : U51909WB1956PTC023037]

T: (0674) 2362916 / 2360917
F: (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga , Beside SH-10
Sambalpur , Odisha-768212

Report No. : BBS/596
Date : 01.07.2019
Sample No. : MSKGL/ED/2019-20/06/01114
Sample Description : Ground Water
Sampling Location : Location-2
(Near Proposed Ash Pond)
Date of Sampling : 10.06.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.81
2.	Turbidity in mg/l	---	APHA 23 rd Edm., 2130 B	1.5
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edm-2540 C	111.0
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	21.0
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edm-2012, 4500CL B	9.2
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition 3120B	<0.02
9.	Flouride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.4
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.15
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	4.6
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO3 in mg/l	45	APHA 23 rd Edition, 4500-NO3-E	2.64
14.	Phenolic Compounds as C6H5OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO4 in mg/l	200	APHA 23 rd Edition, 4500-SO4 E 2017	1.4
17.	Total Hardness as CaCO3 in mg/l	200	APHA 23 rd Edition, 2340 C 2017	72.0
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edm-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	13.0
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	209
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	1.0
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO3 in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	30.0


Report Prepared by:

Mitra S. K. Private Limited


Authorized Signatory



T : (0674) 2362916 / 2360917
F : (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga, Beside SH-10
Sambalpur, Odisha-768212

Report No. : BBS/597
Date : 01.07.2019
Sample No. : MSKGL/ED/2019-20/06/01115
Sample Description : Ground Water
Sampling Location : Location-4 (Bomaloi Village)
Date of Sampling : 10.06.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.11
2.	Turbidity in mg/l	---	APHA 23 rd Edn. 2130 B	0.8
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edn-2540 C	109.0
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	20.0
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edn-2012, 4500CL B	19.0
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition 3120B	<0.02
9.	Fluoride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.2
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.05
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	4.6
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition, 4500-NO ₃ -E	7.5
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition, 4500-SO ₄ F 2017	6.2
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	68.0
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edn-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	12.0
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	205
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	1.9
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	70.0


Report Prepared by:

Mitra S. K. Private Limited


Authorized Signatory



N-5/100, Ground Floor
IRC Village, Nayapalli
Bhubaneswar - 751015
[CIN : U51909WB1986PTC023037]

T : (0674) 2362916, 2360917

F : (0674) 2362918

Name & Address of the Customer :

HINDALCO INDUSTRIES LTD.

(Unit- Aditya Aluminium)

At/Po: Lapanga , Beside SH-10

Sambalpur , Odisha-768212

TEST REPORT

Report No. : BBS/984

Date : 01.10.2019

Sample No. : MSKGL/ED/2019-20/09/00673

Sample Description : Ground Water

Sampling Location: Piezometer Bore well -1
(Side of Reservoir)

Date of Sampling : 20.09.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Inland Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.41
2.	Turbidity in mg/l	---	APHA 23 rd Edn., 2130 B	1.2
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edn-2540 C	150
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	16
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edn-2012,4500CL B	7.7
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition,3120B	<0.02
9.	Fluoride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.35
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.19
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition,3500 Mg B, 2017	4.8
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition,3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition,4500-NO ₃ -E	1.8
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition,5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition,4500-SO ₄ E 2017	5.04
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	60
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition,3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edn-2012,4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 4B)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	19
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	259
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	4.1
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition,- 2017,2320B	68



Report Prepared by:



Mitra S. K. Private Limited



Authorized Signatory

N-5/100, Ground Floor
IRC Village, Nayapali
Bhubaneswar - 751015
[CIN : U51909WB1956PTC023037]

T : (0674) 2362916, 2360917

F : (0674) 2362918

Name & Address of the Customer :

HINDALCO INDUSTRIES LTD.

(Unit- Aditya Aluminium)

At/Po: Lapanga , Beside SH-10

Sambalpur , Odisha-768212

TEST REPORT

Report No. : BBS/985

Date : 01.10.2019

Sample No. : MSKGL/ED/2019-20/09/00671

Sample Description : Ground Water

Sampling Location : Piezometer Bore well -3
(R R Colony School)

Date of Sampling : 20.09.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Inland Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.29
2.	Turbidity in mg/l	---	APHA 23 rd Edtn. 2130 B	0.8
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edtn-2540 C	160
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	21.6
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edtn-2012, 4500CL B	11
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition, 3120B	<0.02
9.	Flouride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.36
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.13
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	5.64
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition 4500-NO ₃ -E	6
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition, 4500-SO ₄ E 2017	17.2
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	80
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edtn-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 4B)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	13
25.	Conductivity in us/cm	---	APHA 27 th Edition, 2510B	255
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	1
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	46


Report Prepared by:



Mitra S. K. Private Limited


Authorized Signatory

N-5/100, Ground Floor
IRC Village, Nayapalli
Bhubaneswar - 751015
(CIN : U51909WB1866PTC023037)

T : (0674) 2362916, 2380917
F : (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga , Beside SH-10
Sambalpur , Odisha-768212

Report No. : BBS/986
Date : 01.10.2019
Sample No. : MSKGL/ED/2019-20/09/00672
Sample Description : Ground Water
Sampling Location : Piezometer Bore well -2
(Near Proposed Ash Pond)
Date of Sampling : 20.09.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Inland Ground Water		
1.	pH at 26°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.16
2.	Turbidity in mg/l	---	APHA 23 rd Edtn., 2130-B	1.7
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edtn-2540 C	65.8
4.	Aluminium as Al in mg/l	0.05	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	8
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edtn-2012, 4500CL B	9.7
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition, 3120B	<0.02
9.	Fluoride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.18
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.14
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	2.9
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO3 in mg/l	45	APHA 23 rd Edition, 4500-NO3-E	0.13
14.	Phenolic Compounds as C6H5OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO4 in mg/l	200	APHA 23 rd Edition, 4500-SO4 E 2017	11.7
17.	Total Hardness as CaCO3 in mg/l	200	APHA 23 rd Edition, 2340 C 2017	32
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edtn-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	15
25.	Conductivity in us/cm	---	APHA 23 rd Edition, 2510B	112
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	1
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO3 in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	36.4

Report Prepared by:

Mitra S. K. Private Limited



Authorized Signatory

N-5/100, Ground Floor
IRC Village, Nayapalli
Bhubaneswar - 751015
(CIN : U51909WB1956PTC023037)

T : (0674) 2362916, 2360917
F : (0674) 2362918

TEST REPORT

Name & Address of the Customer :
HINDALCO INDUSTRIES LTD.
(Unit- Aditya Aluminium)
At/Po: Lapanga , Beside SH-10
Sambalpur , Odisha-768212

Report No. : BBS/987
Date : 01.10.2019
Sample No. : MSKGL/ED/2019-20/09/00674
Sample Description : Ground Water
Sampling Location : Piezometer Bore well -4
(Bomaloi Village)
Date of Sampling : 20.09.2019

ANALYSIS RESULT

Sl. No.	Test Parameters	Standards	Test Method / Specification	Result
		Inland Ground Water		
1.	pH at 25°C	6.5-8.5	APHA 23 rd Edition, 4500-H-B	7.22
2.	Turbidity in mg/l	---	APHA 23 rd Edtn., 2130 B	0.9
3.	Total Dissolved Solids as TDS in mg/l	500.0	APHA 23 rd Edtn-2540 C	127
4.	Aluminium as Al in mg/l	0.03	APHA 23 rd Edition 3120B	<0.01
5.	Boron as B in mg/l	0.5	APHA 23 rd Edition 4500-B C, 2017	<0.5
6.	Calcium as Ca in mg/l	75	APHA 23 rd Edition, 3500 Ca	14.8
7.	Chloride as Cl in mg/l	250	APHA 23 rd Edtn-2012, 4500CL B	17.4
8.	Copper as Cu in mg/l	0.05	APHA 23 rd Edition, 3120B	<0.02
9.	Fluoride as F in mg/l	1.0	APHA 23 rd Edition, 4500-F C/D	0.24
10.	Iron as Fe in mg/l	0.3	APHA 23 rd Edition, 3500 Fe B	0.15
11.	Magnesium as Mg in mg/l	30	APHA 23 rd Edition, 3500 Mg B, 2017	4.6
12.	Manganese as Mn in mg/l	0.1	APHA 23 rd Edition, 3120B 2017	<0.02
13.	Nitrate as NO ₃ in mg/l	45	APHA 23 rd Edition, 4500-NO ₃ -E	5.9
14.	Phenolic Compounds as C ₆ H ₅ OH in mg/l	0.001	APHA 23 rd Edition, 5530C 2017	<0.001
15.	Selenium as Se in mg/l	0.01	APHA 23 rd Edition, 3111B 2017	<0.005
16.	Sulphate as SO ₄ in mg/l	200	APHA 23 rd Edition, 4500-SO ₄ E 2017	4.54
17.	Total Hardness as CaCO ₃ in mg/l	200	APHA 23 rd Edition, 2340 C 2017	56
18.	Cadmium as Cd in mg/l	0.003	APHA 23 rd Edition, 3120B 2017	<0.001
19.	Cyanide as CN in mg/l	0.05	APHA 23 rd Edition, 4500 CN-F 2017	<0.01
20.	Lead as Pb in mg/l	0.01	APHA 23 rd Edtn-2012, 4500 Pb	<0.005
21.	Mercury as Hg in mg/l	0.001	IS 3025(Part 48)-1994	<0.001
22.	Arsenic as As in mg/l	---	APHA 23 rd Edition, 3120B 2017	<0.005
23.	Total Chromium as Cr in mg/l	0.05	APHA 23 rd Edition, 3111 D 2017	<0.01
24.	Sodium as Na in mg/l	---	APHA 23 rd Edition, 3500 Na B 2017	14
25.	Conductivity in μ scm	---	APHA 23 rd Edition, 2510B	221
26.	Potassium as K in mg/l	---	APHA 23 rd Edition, 3500 K B 2017	2.1
27.	Zinc as Zn in mg/l	5.0	APHA 23 rd Edition, 3210B 2017	<0.02
28.	Total Alkalinity as CaCO ₃ in mg/l	200	APHA 23 rd Edition, - 2017, 2320B	72



Report Prepared by:



Mitra S. K. Private Limited


Authorized Signatory

COMPLIANCE TO CREP GUIDELINES FOR SMELTER

Sr. No.	Particulars	Compliance
1	Environmental clearance for new smelters to be given by MoEF only with pre-baked technology	Smelter design is based on pre-baked technology only.
2	Fluoride emissions should be limited to 0.8 kg/ton of aluminium production and dry scrubbing of fluorides	Fluoride emissions is being controlled by installing GTC & FTC below 0.8 kg/ton of aluminium metal produced.
3	Fluoride consumption in the smelter should be limited to 10 kg/ton of aluminium produced	The specific fluoride (as F) consumption for the period Apr'19 to Sep'19 is 7.91 kg/ton of Aluminium produced.
4	<p>The fluoride in forage should be limited to</p> <p>Average of 12 consecutive months - 40 ppm Average of 2 consecutive months - 60 ppm One month - 80 ppm</p> <p>Regular monitoring data to be submitted to SPCB and CPCB.</p>	Forage fluoride is being monitored on quarterly basis as a part of post project monitoring activities. The monitored data is being regularly submitted to SPCB and CPCB.
5	The average life of the pots should be 2500 days. The possibility of using the SPL in cement or steel industry after recovery of aluminium fluoride should be explored.	The Carbon part of SPL is being supplied to M/s Green Energy Limited, Sambalpur for reprocessing/detoxification and in this way the carbon part is completely recycled.
6	The SPL should be disposed in secured landfill.	The SPL refractory part generated is being stored inside the covered shed in line with the Rule-8 of HW (H,M & TM) Rules, 2016 for disposal to CHW-TSDF. M/s Ramky Enviro Pvt. Ltd is establishing the facility for detoxification and disposal as per the protocol given by CPCB in its CHW-TSDF at kanchichuhan, Dist- Jajpur site. M/s Ramky is likely to lift the refractory part of SPL soon after fulfilling the terms & conditions specified in the Protocol and after getting approvals from SPCB/CPCB.
7	Achieving particulate matter limit of 50 mg/Nm ³ in anode baking furnace	It is being Complied with.

COMPLIANCE TO CREP GUIDELINES FOR CPP

Sr. No.	Conditions	Compliance
1	<p>Implementation of Environmental Standards (emission & effluent) in non-compliant* Power Plants (31 & 27)</p> <ul style="list-style-type: none"> - Submission of action plan: June 30, 2003 - Placement of order for Pollution of control equipment: September, 2003 - Installation & commission: December 31, 2005 	Not Applicable
2	<p>For existing thermal power plants, a feasibility study shall be carried out by Central Electricity Authority (CEA) to examine possibility to reduce the particulate matter emissions to 100 mg/Nm³. The studies shall also suggest the road map to meet 100 mg/Nm³. The studies shall also suggest the road map to meet 100 mg/Nm³ wherever found feasible. CEA shall submit the report by March 2004.</p>	Not Applicable
3	<p>New / expansion power projects to be accorded environmental clearance on or after 1.4.1.2003 shall meet the limit of 100 mg/Nm³ for particulate matter.</p>	Complied. SPM emission well below stipulated limit of 50 mg/Nm ³
4	<p>Development of SO₂ & NO_x emission standards for coal based plants by December 2003.</p> <ul style="list-style-type: none"> - New/ expansion power projects shall meet the limit of SO₂ & NO_x w.e.f. 1.1.2005. - Existing power plants shall meet the limit of SO₂ & NO_x w.e.f. 1.1.2006. 	Standard for SO ₂ & NO _x has been published by MOEF.
5	<p>Install/activate opacity meters/ continuous monitoring system in all the units by December 31, 2004 with proper calibration system.</p>	Continuous monitoring system installed in the stacks attached to Power Plant for monitoring of PM, SO ₂ & NO _x .
6	<p>Development of guidelines/ standards for mercury and other toxic heavy metals emissions by December 2003.</p>	Standard for Hg emission for captive power plant has been published by MOEF&CC. Monthly monitoring report is being submitted to SPCB.
7	<p>Review of stack height requirement and guidelines for power plants based on micro meteorological data by June 2003</p>	Guideline has been published for stack height by MOEF&CC in this regard.
8	<p>Implementation of use of beneficiated coal as per GOI Notification: Power plants will sign fuel supply agreement (FSA) to meet the requirement as per the matrix prepared by</p>	Not Applicable

Compliance Status up to September 2019

	CEA for compliance of the notification as short term measure. Options/mechanism for setting up of coal washeries as a long term measure * Coal India will up its own washery * Sate Electricity Board to set up its own washery * Coal India to ask private entrepreneurs to set up washeries for CIL and taking washing charges * SEBs to select a private entrepreneur to set up a washery near pit- head installation of coal beneficiation plant	
9	Power plants will indicate their requirement of abandoned coal mines for ash disposal & Coal India/ MOC shall provide the list of abandoned mines by June 2003 to CEA.	Not Applicable
10	Power plants will provide dry ash to the users outside the premises or uninterrupted access to the users within six months.	It is being Complied with.
11	Power Plants should provide dry fly ash free of cost to the users	Dry fly ash is being provided to the ash brick manufacturing units free of cost.
12	State P.W.Ds/ construction & development agencies shall also adhere to the specifications/Schedules of CPWD for ash based products utilization MoEF will take up the matter with State Governments.	Not Applicable
13 (i)	New plants to be accorded environmental clearance on or after 1.04.2003 shall adopt dry fly ash extraction or dry disposal system or Medium (35-40%) ash concentration slurry disposal system or Lean phase with hundred percent ash waste re-circulation system depending upon site specific environmental situation.	It has been installed as part of the Ash Handling Package.
13 (ii)	Existing plants shall adopt any of the systems mentioned in 13(i) by December 2004	Implemented
14	Fly ash Mission shall prepare guidelines/manuals for fly ash utilization by March 2004.	Noted
15	New plants shall promote adoption of clean coal and clean power generation technologies * Units will submit bank guarantee to respective SPCB	Noted

**POINT-WISE COMPLIANCE TO THE POINTS RAISED DURING PUBLIC HEARING OF
ADITYA ALUMINIUM**

Sl. No.	POINTS RAISED	COMPLIANCE STATUS
1	The Project Proponent should provide employment to the locals on priority basis.	The industry has already provided employment to the locals based on the eligibility in the ongoing projects and they are committed to do so in the proposed expansion project.
2	The Industry should establish an ITI training centre to train the young people in technical field so as to enable them for getting suitable employment in the plant.	The industry has been providing opportunity in for ITI studies in KIIT university. Students are trained 2 year diploma course at the cost of company CSR fund.
3	The Industry should carry out massive plantation in the vacant spaces of the surrounding villages, R.R colony etc. Trees which are not under the purview of the core plant area are to be protected and minimum 25% of the project area to be made green cover.	The industry has already planted 4, 36,500 saplings inside the factory premises till Sept 2019. Also, the industry has started plantation in the vacant spaces of the surrounding R.R. Colony and have distributed saplings to the villagers in the plant surrounding villages.
4	The Industry should inform the Public about the air pollution control measures to be adopted in the proposed plant for control of air pollution and also proactive measures to be taken by the company for control of rise in ambient temperature. Pollution measurement machines to be installed in every villages and pollution control committees to be formed to regulate the pollution.	The industry has installed ESPs, Bag filters etc to control air pollution. Greenbelt development and selecting the best environment friendly technology & equipment's for Smelter and Power plants are some of the proactive measures taken by the Company. Online ambient air quality monitoring stations are being installed inside the plant area for information on real time information on different pollutants.
5	The Project Proponent should inform the public about the peripheral developmental works to be carried out in future.	Peripheral developmental works are being carried out in consultation with the Gram Panchayat Sarpanch, villagers, opinion makers and well-wishers as per the CSR guideline.
6	The industry should make necessary arrangements for provision of drinking water in the affected area.	The industry has been supplying drinking water through tankers, into the project affected villages in coordination with RWSS, BDO and Sarpanch of every Gram Panchayats in peak summer.
7	The industry should make necessary arrangement to provide round the clock doctors for better medical service in the Lapanga area.	The industry has been very actively contributing the greater causes of Health provided 10 maternity beds and drinking water facility to Rengali PHC, Conducted Pulse Polio facilitation in coordination with CHC Laida for 4,650 nos of children, Adolescent healthcare and Nutrition programs conducted in the villages. First Aid

		centre has facility to local areas for free treatment by reputed doctors is on. Provided free treatment facility to 1,536 nos of local people with free treatment, medicine and consultation.
8	The Industry should make alternate arrangement to source water instead of deep bore wells in & around the project area.	The industry is getting water from the Hirakud Reservoir to meets the all the requirements of the Industry.
9	The industry should give financial support to grow small scale industries in the localities.	The industry has assured to give support to grow the livelihood of the villagers as per their CSR policy. However, many training programs have been conducted for self-employment such as Vegetable farming, Phenol making, Hand wash making, Tailoring, avenue Plantation & various social/health awareness programs, saving programs, to the 68 nos of SHGs and 7 Farmers Group adopted by Industry.
10	The industry should pay financial support for each local traditional festival to villagers. Cremation ground should be provided in each village. Alternate Football ground to be provided to Bomaloi villagers as the company is occupying the existing football ground.	We are already providing financial support for each local Traditional festival to the villagers. We have already constructed one football ground at Bomaloi. We conduct football tournaments at different villages every year as a part of promoting Rural sports. The football grounds are maintained every year by industry.
11	The industry should provide community toilets at the surrounding affected villages. Special care to be taken for physical handicapped persons in the affected areas	We have already provided Toilets to each house in village Pitapali & community toilets in village Bomaloi & Tileimal. Physically challenged people are continuously supported by the company.

Annexure - 09

Expense incurred under Enterprise Social Commitment till Sept 2019:

Sl. Nos.	Description	Amount Spent (In Crores)	Remarks
1	G D Birla Medical Research and Education Foundation for School at Kurki	20.25	
2	Land taken on Lease from IDCO for School at Kurki	9.10	
3	Sponsorship of Kalinga Lancers in Indian Hockey league Fy15, Fy16 & Fy17	4.50	
4	CSR expenses in & around Aditya Aluminium including Hirakud areas in FY17	7.61	
5	Sponsorship for Asian Athletic Championship 2017	0.50	
6	CSR expenses in & around Aditya Aluminium including Hirakud areas during April 18 to March 19	4.65	
7	CSR expenses in & around Aditya Aluminium including Hirakud areas during April 19 to September 19	1.55	
Total Expense		48.16	

Aditya Aluminium intends to continue with the following activities under Enterprise Social Commitment like:-

- a) Infrastructure development in villages around the Project area.
- b) Drinking Water supply facilities.
- c) Green cover development in collaboration with State Govt. departments.
- d) Football play ground or mini stadium in Bomaloi village, as stated in the minutes of Public consultation held before environmental clearance.
- e) Free distribution of school books & bags to children.
- f) Constructing Toilets for girls in schools/villages.
- g) Scholarship to poor, talented students in the schools.
- h) Subsidy for Ash supply (Rs 150/- per Tonne at present) to local Ash brick manufacturers, as per OSPCB/MOEF&CC Notifications.
- i) Providing Ash brick manufacturing machines to unemployed youth in the villages and one time assistance to establish the Unit.
- j) Contributing to the development of Railway infrastructures in consultation with the railway authorities (e.g., ROB).
- k) Implementation of skill development programmes and providing necessary infrastructure to existing ITI, Polytechnic colleges.
- l) Development of Schools in the State of Odisha.

The remaining 5% amount for Phase-1 capacity (i.e., Smelter of 0.36 MTPA and CPP of 900 MW) is proposed to be spent over a period of 39 years from the year 2017.



MAJOR CSR HIGHLIGHTS

APRIL-SEP'19

Social Change and Stakeholder Engagement

Environment Sustainability

- Contribution to Green Belt Development through Vanmahotsav
 - ✓ **Plantation Drive** in Golamal UGME School. 100 Saplings were planted. Saplings have been supplied by Rengali Forest Dept.
 - ✓ Sapling Plantation done on 19th July '19 by GET in Narupada and Derba Village . More than **230 saplings planted.**
 - ✓ Mega Plantation Drive organized on 16th July '19 involving SHGs and village Development Committee members. More than **200 saplings were planted in Derba**
- **Outcome** : Enhance Social Equity; Improved air quality in long term; Increase in nutrition intake by availability of fruits for students and community at large in 5 years ; Enhance goodwill for Business

Stakeholder Engagement

- **Meeting with Govt. Officials** : Mr. Srimanta Hota from ORMAS, Mr. Jai George and Ms. Pramila Behera of Red Cross Society, Ms. Darshini Ekka CDPO, Mr. Manoranjan Shetty Asst. Director Agriculture Sambalpur, Ms. Subhashree Jena Asst Agriculture Officer Rengali
- CSR Review Meeting with Shri. Shubham Saxena Collector Sambalpur
- **Village Meeting** : 25 nos.
- GET Visit for CSR Exposure / Induction
- **Outcome** : Proactive Engagement, Convergence, Social Risk Mitigation/ Grievance redressal and Rapport Building



Plantation Drive



Hand Wash Preparation by SHG women



GET CSR Induction

Health & Education Initiatives

Health & Sanitation

- **147 patients availed health service** in Aditya First Aid Centre. 71 cube test conducted.
- Drain Cleaning at Pondoloi R&R Colony
- **Outcome** : Improvement in the access and availability of primary health care; Increase in number of patients to the centre



Free of Cost Health Check up at Aditya First Aid Centre



Water Cooler for Govt. Hospital Rengali

Education

- Project Kalika – **Free Coaching to 24 DP students** at Ludhapalli
- Support to students for availing formal education- **Free transportation for 11 students** from Gopkani to Ludhapalli PS
- **Outcome** : Improved attendance in classes, Regularity to schools , Increase goodwill for the Company



Kalika Coaching Class at Ludhapalli



Drain Cleaning by SHG women at Pondoloi

Livelihood Initiatives

Agri. & Allied

- **Skill Development Training** and Placement on 22nd July '19. Partnering DDU-GKY Scheme under DSMS, Sambalpur. 55 youths attended the program
- **Awareness on PM FMY for 2000 farmers** in Lapanga and Bomloi GPs
- **Awareness on techniques of Seeds Treatment** at Dhoropani and Nayakpada for 40 and 25 farmers respectively
- Intensive Fresh Water **Pisciculture Promotion** at **Buliadih** by 1 SHG
- **Outcome** : Opportunity for skill training and 100% placement to youths; Improved agri-skill on best agriculture practices; Mitigate employment pressure on Company;



Loan Mela and Skill Training and Placement Mela



Seed Treatment Awareness Program at Nayakpada



Farmers Meeting for PMFBY



Pisciculture at Buliadih

Women Empowerment

- **Mega loan mela** for SHGs organized on 22nd July '18
- **Partnering Odisha Livelihood Mission**, Sambalpur
- **Total 285 members from 40 SHGs** participated in the program
- **Outcome** : Loan Linkage will facilitate take up income generating activity ; Creation of self employment opportunity in villages



Meeting at Ludhapalli



SHG Meeting

CSR ACTIVITIES HIGHLIGHTS



136 nos of patients treated free in the first aid center at Lapanga and 286 nos of tests through Health-cube



Mother and Child Healthcare program at Pondaloi village
Anganwadi 74 pairs of mother child has joined



HEALTH: 136 no of patients and 286 no of tests done and 74 no of cases witnessed in Mother Child Healthcare Programme

CSR ACTIVITIES HIGHLIGHTS

Opening of Tailoring unit at Dhorropani village where 34 nos of candidates have joined for training



RURAL LIVELIHOOD: Inauguration of Tailoring training center at Dhorropani Village

CSR ACTIVITIES HIGHLIGHTS



Mixture
(Namkin
Making)
and
Washing
Powder
preparation
by SHGs



SHG
monthly
meeting
and
Discussion
for future
Activities



SUSTAINABLE LIVELIHOOD: Women SHG Meeting, Mixture and Washing powder production

CSR ACTIVITIES HIGHLIGHTS



There are 74 tankers daily have been supplied to 18 nos of villages from Dt. 06.05.2019 to Dt. 22.06.2019 periphery areas for 48 days



Sustainable Livelihood: Water Positive village program- Drinking water tanker supply

CSR ACTIVITIES HIGHLIGHTS



Before



After

**40 nos of
Solar Street
light
installation
in Village
approach
road of
Lapanga
village**



RURAL INFRASTRUCTURE: Renovation of village ponds before summer at Dhorropani village

RURAL INFRASTRUCTURE: 40 nos of Solar Street light installation in Village approach road of Lapanga village

CSR ACTIVITIES HIGHLIGHTS



WORLD ENVIRONMENT DAY CELEBRATION VILLAGE NAIKPADA



SOCIAL CAUSES: "WORLD ENVIRONMENT DAY CELEBRATION"-200 nos of saplings distributed among villagers

CSR ACTIVITIES HIGHLIGHTS



**21 NOS OF
YOUNG
PROFESSIO
NALS IN
CSR
INDUCTION**



YOUNG PROFESSIONALS OF HINDALCO IN CSR INDUCTION AT ADITYA

CSR ACTIVITIES HIGHLIGHTS



PCR VAN
HANDOVER
CEREMONY AND
CCTV CONTROL
ROOM
INAUGURATION



SOCIAL CAUSES: PCR VAN HANDOVER CEREMONY

News Clippings for July '19

Aditya Aluminium organizes loan mela, skill development training programme

BHUBANESWAR: In a bid to promote women self help groups (SHGs), a mega loan mela was organized by the Aditya Birla Group company, Aditya Aluminium, Lapangra in coordination with the Odisha Livelihood Mission, Sambalpur district.

The objective of the programme was to support the SHG entrepreneurs and to facilitate credit linkages with banks. After scrutiny, business proposals would be recommended to the bank by the Block Development Officer (BDO).



Rangit: The loan mela organized at DH where Odisha Livelihood Mission (OLM) and CSR Schemes have been implemented and the criteria and...



आदित्य एल्युमीनियम की ओर से ऋण मेला आयोजित

भुवनेश्वर, 1 जूलै में महिला एकात्मक को शक्ति देकर उनको आत्मनिर्भर बनाने के उद्देश्य से आदित्य एल्युमीनियम, लापंगरा की ओर से 'ओडिशा-जीविका मिशन' संभलपुर में मेगा ऋण मेला आयोजित किया गया था। 'ओडिशा-जीविका मिशन' संभलपुर में आयोजित ऋण मेला में आदित्य एल्युमीनियम की ओर से ऋण मेला आयोजित किया गया था।

इस कार्यक्रम में 40 प्रस्तावों की 25.5 करोड़ों में ऋण प्रदान किया...

Aditya Aluminium Organizes Mega Loan Mela & Skill Development Training Programme

Bhubaneswar: In a bid to promote women self help groups (SHGs), a mega loan mela was organized by the Aditya Birla Group company, Aditya Aluminium, Lapangra in coordination with the Odisha Livelihood Mission, Sambalpur district.

The objective of the programme was to support the SHG entrepreneurs and to facilitate credit linkages with banks. After scrutiny, business proposals would be recommended to the bank by the Block Development Officer (BDO).



...the same Odisha Livelihood Mission, Sambalpur...

Aditya Birla Group organises loan mela for women SHGs

STATESMAN NEWS SERVICE
SAMBALPUR, July 25 (IANS) - In a bid to promote women self help groups (SHGs), a mega loan mela was organized by the Aditya Birla Group company, Aditya Aluminium, Lapangra in coordination with the Odisha Livelihood Mission, Sambalpur district.

The objective of the programme was to support the SHG entrepreneurs and to facilitate credit linkages with banks. After scrutiny, business proposals would be recommended to the bank by the Block Development Officer (BDO).

ଆଦିତ୍ୟ ଆଲୁମିନियम ଚକ୍ର ଲୋଣ ମେଳା ଓ କୌଶଳ ବିକାଶ ପ୍ରଶିକ୍ଷଣ କାର୍ଯ୍ୟକ୍ରମ ଆୟୋଜିତ




ଭୁବନେଶ୍ୱର, ୧ ଜୁଲାଇ - ମହିଳା ଏକାତ୍ମକ ଶକ୍ତି ଦେବା ପାଇଁ ଏକ ମେଗା ଲୋଣ ମେଳା ଆୟୋଜିତ କରାଯାଇଛି। ଏହା ଆଦିତ୍ୟ ଆଲୁମିନିୟମ ଲାପାଙ୍ଗରା କମ୍ପାନୀ ଦ୍ୱାରା ଓଡିଶା ଜୀବିକା ମିଶନ ସମ୍ଭଲପୁର ଜିଲ୍ଲା ସହ ଯୁଗ୍ମରେ ଆୟୋଜିତ ହୋଇଥିଲା।

ଋଣ ମେଳାରେ ୪୦ ଲକ୍ଷ ୨୫ ହଜାର ଟଙ୍କା ଋଣ ପ୍ରଦାନ କରାଯାଇଥିଲା। ଏହା ସହିତ କୌଶଳ ବିକାଶ ପ୍ରଶିକ୍ଷଣ କାର୍ଯ୍ୟକ୍ରମ ଆୟୋଜିତ ହୋଇଥିଲା।



Thank You



Ref.: Envlab/19/R-1468

Date: 06.07.19

AMBIENT AIR QUALITY MONITORING REPORT-APRIL TO JUNE 2019

1. Name of Industry : M/s Hindaleo Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-1 (Gumkarama)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL Representative in presence of Aditya Birla's Representative

Date	PARAMETERS												
	PM ₁₀ (ug/m ³)	PM _{2.5} (ug/m ³)	SO ₂ (ug/m ³)	NO _x (ug/m ³)	O ₃ (ug/m ³)	CO (ug/m ³)	NH ₃ (ug/m ³)	C ₆ H ₆ (ug/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (ug/m ³)	As (ng/m ³)	F (ug/m ³)
02.04.2019	46.6	18.3	4.8	9.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	48.2	16.6	4.9	9.2	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	49.6	16.8	5.1	9.4	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	49.2	17.6	5.6	10.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	48.4	17.2	5.2	11.6	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	46.8	18.8	6.1	11.1	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	47.2	19.6	6.2	12.2	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	46.2	19.2	5.6	12.4	<4.0	0.12	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	48.8	20.1	6.2	12.8	<4.0	0.14	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	47.8	24.2	5.8	12.6	<4.0	0.12	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	46.8	20.2	5.2	11.6	<4.0	0.11	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	45.2	21.2	5.5	13.2	<4.0	0.12	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	44.8	21.6	5.1	13.8	<4.0	0.14	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	43.2	21.2	5.6	11.8	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	43.6	20.8	6.1	11.2	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	44.1	21.2	6.2	11.4	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	45.2	20.6	6.3	10.2	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	45.7	19.6	6.6	10.8	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	46.2	19.8	6.2	11.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	48.2	21.2	6.6	12.4	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	50.6	22.6	6.5	12.2	<4.0	0.36	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	51.2	23.2	6.4	11.2	<4.0	0.29	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	50.8	23.8	6.2	10.4	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	51.6	22.4	6.0	10.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	48.8	21.1	6.1	11.4	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	49.2	20.8	6.1	11.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	65	61	20	1.0	66	--
Quarterly Average	47.46	20.37	5.85	11.39	<4.0	0.20	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheiser (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zincin SPADNS Method

BDL Values: SO₂< 4 ug/m³, NO_x< 9 ug/m³, O₃<4 ug/m³, Ni<0.01 ng/m³, As< 0.001 ng/m³, C₆H₆<0.001 ug/m³, BaP<0.002 ng/m³, Pb<0.001 ug/m³, F<0.01ug/m³ CO<0.1 mg/m³



For Visiontek Consultancy Services Pvt. Ltd.



Ref: *Kanlab/19/R-1469*

Date: *06-07-19*

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-2 (Ghichamura)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL Representative in presence of Aditya Birla's Representative

Date	PARAMETERS												
	PM10 ($\mu\text{g}/\text{m}^3$)	PM2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	O ₃ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	NH ₃ ($\mu\text{g}/\text{m}^3$)	C ₆ H ₆ ($\mu\text{g}/\text{m}^3$)	BaP (ng/m^3)	Ni (ng/m^3)	Pb (ng/m^3)	As (ng/m^3)	F ($\mu\text{g}/\text{m}^3$)
02.04.2019	61.2	21.6	<4.0	10.6	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	62.2	21.8	<4.0	10.8	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	60.6	20.8	<4.0	11.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	61.2	20.6	<4.0	11.6	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	61.4	21.4	<4.0	12.4	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	63.1	19.6	4.6	12.2	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	63.2	19.6	4.8	12.9	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	61.8	19.2	5.2	13.2	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	60.2	21.2	5.6	13.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	62.2	20.6	6.2	14.2	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	60.2	18.8	5.6	13.8	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	60.2	17.6	5.8	12.9	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	58.8	17.2	6.1	12.6	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	57.9	18.1	6.2	12.2	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	56.8	16.6	6.6	11.6	<4.0	0.17	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	56.2	16.4	5.9	11.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	55.4	15.8	5.8	11.6	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	55.6	15.2	5.6	10.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	55.2	16.2	<4.0	10.2	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	56.6	18.1	<4.0	10.1	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	58.8	18.6	<4.0	9.6	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	60.2	18.4	<4.0	9.8	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	61.2	17.6	<4.0	10.1	<4.0	0.36	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	61.8	17.4	<4.0	10.3	<4.0	0.41	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	62.2	18.0	<4.0	10.6	<4.0	0.38	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	63.4	18.4	<4.0	10.8	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	-
Quarterly Average	59.91	18.65	5.69	11.53	<4.0	0.25	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheiser (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Inductofluorimetric method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zirconium in SPADNS Method

BDL Values: SO₂< 4 $\mu\text{g}/\text{m}^3$, NO_x< 9 $\mu\text{g}/\text{m}^3$, O₃< 4 $\mu\text{g}/\text{m}^3$, Ni<0.01 ng/m^3 , As<0.001 ng/m^3 , C₆H₆<0.001 $\mu\text{g}/\text{m}^3$, BaP<0.002 ng/m^3 , Pb<0.001 $\mu\text{g}/\text{m}^3$, F<0.01 $\mu\text{g}/\text{m}^3$, CO<0.1 mg/m^3



For Visiontek Consultancy Services Pvt. Ltd.



Ref.: Env/lab/19/R-1470

Date: 08.07.2019

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-31 (Himali)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL Representative in presence of Aditya Birla's Representative

Date	PARAMETERS												
	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	NH ₃ (µg/m ³)	C ₆ H ₆ (ng/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (µg/m ³)	As (ng/m ³)	F (µg/m ³)
02.04.2019	40.8	13.6	4.8	10.6	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	41.2	14.2	4.1	11.2	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	41.6	14.6	4.6	11.6	<4.0	0.20	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	41.5	15.2	4.8	12.2	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	42.6	15.8	4.2	12.4	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	40.8	16.1	4.4	12.4	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	40.3	16.6	4.4	12.1	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	42.2	18.2	4.1	10.8	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	44.8	19.6	4.2	10.6	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	43.6	18.8	4.6	12.8	<4.0	0.34	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	42.6	18.4	4.3	13.2	<4.0	0.30	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	42.8	17.2	4.2	13.6	<4.0	0.36	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	43.1	17.8	4.1	12.4	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	43.5	15.2	4.6	12.4	<4.0	0.34	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	43.6	15.6	4.8	13.1	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	42.1	14.8	5.1	12.6	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	42.4	14.8	5.2	11.8	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	40.8	13.2	5.6	11.2	<4.0	0.30	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	40.6	13.2	5.8	12.1	<4.0	0.29	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	40.8	13.0	5.2	12.4	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	41.2	12.8	6.1	11.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	41.4	12.6	6.2	13.1	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	41.2	12.6	6.1	13.4	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	42.2	12.8	5.9	14.1	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	40.8	12.2	5.6	14.6	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	41.8	10.6	5.2	14.2	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	-
Quarterly Average	41.93	14.96	4.93	12.40	<4.0	0.29	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Geake method	Modified Jacob & Hochbauer (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zirconium SPADNS Method

BDL Values: SO₂< 4 µg/m³, NO_x< 9 µg/m³, O₃< 4 µg/m³, Ni<0.01 ng/m³, As<0.001 ng/m³, C₆H₆<0.001 µg/m³, BaP<0.002 ng/m³, Pb<0.001 µg/m³, F<0.01µg/m³ CO<0.1 mg/m³


 For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envlab/19/R-1471

Date: 06.07.2019


AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

- Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
- Sampling Location : Monitoring Station No.- AAQMS-4 (Bomaloi)
- Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
- Sample collected by : VCSPL representative in presence of Aditya Aluminium representative

Date	PARAMETERS												
	PM10 (µg/m ³)	PM2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	NH ₃ (µg/m ³)	C ₆ H ₆ (µg/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (ng/m ³)	As (ng/m ³)	F (µg/m ³)
02.04.2019	50.6	26.6	7.4	12.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	51.2	26.2	7.2	12.6	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	51.8	26.8	8.1	13.2	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	52.2	27.2	8.6	14.1	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	52.6	27.8	8.2	15.6	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	50.6	26.8	8.8	15.2	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	50.8	29.2	7.9	14.8	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	51.2	29.4	7.2	14.2	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	50.2	30.1	7.6	15.2	<4.0	0.36	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	52.8	29.8	8.2	14.8	<4.0	0.38	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	51.4	25.6	8.1	14.6	<4.0	0.34	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	52.2	25.8	8.0	15.1	<4.0	0.35	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	52.4	31.2	8.2	15.2	<4.0	0.36	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	51.0	30.8	8.4	15.6	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	51.0	30.2	8.1	16.1	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	51.2	31.6	7.6	16.8	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	51.4	32.2	7.2	15.9	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	51.8	32.4	7.1	14.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	52.2	30.8	8.0	14.1	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	52.0	30.1	8.4	15.2	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	52.6	28.8	8.2	15.4	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	53.4	28.6	8.0	18.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	53.2	26.6	7.9	18.0	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	51.8	26.2	8.1	16.8	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	51.2	25.8	7.8	16.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	50.6	25.4	7.2	17.2	<4.0	0.20	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	--
Quarterly Average	51.67	28.54	7.90	15.27	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheise r (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zirconium SPADNS Method

BDL Values: SO₂<4 µg/m³, NO_x<9 µg/m³, O₃<4 µg/m³, Ni<0.01 ng/m³, As<0.001 ng/m³, C₆H₆<0.001 µg/m³, BaP<0.002 ng/m³, Pb<0.001 µg/m³, F<0.01 µg/m³, CO<0.1 mg/m³

For Visiontek Consultancy Services Pvt. Ltd.



Ref.: Envtab/19/R-1472

Date: 08.07.2019

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-5 (Kapulas)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL representative in presence of Aditya Aluminium representative

Date	PARAMETERS												
	PM ₁₀ (µg/m ³)	PM _{2.5} (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	NIU (µg/m ³)	CaH ₆ (µg/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (µg/m ³)	As (ng/m ³)	F (µg/m ³)
02.04.2019	39.6	18.8	6.8	14.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	38.8	18.2	7.2	14.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	38.2	18.6	7.4	14.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	40.6	18.2	7.8	15.1	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	41.2	18.2	8.1	15.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	41.8	17.6	8.2	15.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	39.6	17.2	7.6	16.1	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	39.2	15.8	7.4	16.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	40.1	16.2	7.8	16.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	40.6	15.4	8.1	15.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	40.8	15.2	7.2	15.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	41.2	16.8	7.6	15.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	41.6	16.8	7.6	14.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	40.8	16.2	7.8	14.9	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	40.2	16.6	8.2	13.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	42.2	16.1	8.3	13.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	42.6	15.4	8.4	14.4	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	42.8	15.2	8.5	14.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	43.2	15.2	8.6	14.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	43.8	14.9	8.1	15.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	43.2	14.2	7.8	15.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	41.2	14.1	7.9	14.9	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	41.6	14.2	7.4	14.2	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	40.8	15.2	7.6	14.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	40.2	16.1	7.6	13.6	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	40.1	16.2	7.8	13.8	<4.0	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	-
Quarterly Average	41.00	16.25	7.80	14.92	<4	<0.10	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheiser (Ne-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zincum SPADNS Method

BDL Values: SO₂<4 µg/m³, NO_x<9 µg/m³, O₃<4 µg/m³, Ni<0.01 ng/m³, As<0.001 ng/m³, CaH₆<0.001 µg/m³, BaP<0.002 ng/m³, Pb<0.001 µg/m³, F<0.01 µg/m³, CO<0.1 mg/m³



For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envlabs/19/R-1473

Date: 06.07.2019

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindaleo Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-6 (Phulchanghal)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL representative in presence of Aditya Aluminium representative

Date	PARAMETERS												
	PM10 (µg/m ³)	PM2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	NH ₃ (µg/m ³)	C ₆ H ₆ (µg/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (µg/m ³)	As (ng/m ³)	F (ng/m ³)
02.04.2019	51.2	30.6	6.1	15.6	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	50.6	31.2	6.6	15.2	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	50.2	61.4	6.2	16.1	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	48.8	31.8	6.4	16.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	46.2	32.0	6.8	16.2	<4.0	0.20	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	46.8	32.6	7.1	14.6	<4.0	0.20	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	42.6	33.2	7.6	14.8	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	42.8	33.4	7.2	15.2	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	44.6	32.8	7.6	15.8	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	42.8	31.8	8.1	16.2	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	43.2	33.5	7.7	14.9	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	43.1	33.6	7.8	15.6	<4.0	0.17	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	42.8	33.8	8.1	16.2	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	48.8	31.2	8.2	16.8	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	48.2	31.8	8.4	17.2	<4.0	0.17	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	47.6	32.2	8.6	17.8	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	47.2	32.6	7.6	16.6	<4.0	0.15	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	46.8	33.4	7.8	16.8	<4.0	0.14	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	46.2	33.5	7.2	17.9	<4.0	0.12	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	45.8	33.6	7.1	18.2	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	45.2	31.2	7.0	18.6	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	44.6	30.8	6.9	18.1	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	41.2	31.6	7.2	16.8	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	42.8	32.2	6.6	16.2	<4.0	0.19	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	43.2	32.4	6.8	16.8	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	43.6	32.6	7.1	17.2	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	-
Quarterly Average	45.65	33.49	7.30	16.47	<4	0.18	<20	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheiser (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Inductophenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zirconium SPADNS Method

BDL Values: SO₂< 4 µg/m³, NO_x< 9 µg/m³, O₃< 4 µg/m³, Ni<0.01 ng/m³, As< 0.001 ng/m³, C₆H₆<0.001 µg/m³, BaP<0.002 ng/m³, Pb<0.001 µg/m³, F<0.01 µg/m³, CO<0.1 mg/m³



For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envlab/19/R-1474

Date: 06.07.19

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-7 (Khadiapali)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPL representative in presence of Aditya Aluminium representative

Date	PARAMETERS												
	PM10 (µg/m ³)	PM2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	O ₃ (µg/m ³)	CO (mg/m ³)	NH ₃ (µg/m ³)	C ₆ H ₆ (µg/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (µg/m ³)	As (ng/m ³)	F (µg/m ³)
02.04.2019	40.8	22.6	4.8	11.2	<4.0	0.12	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	41.2	23.2	5.2	12.6	<4.0	0.16	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	42.2	23.8	5.6	12.4	<4.0	0.18	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	42.6	24.6	5.9	13.2	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	43.6	24.8	6.2	11.8	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	43.4	24.2	6.6	11.2	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	43.8	25.1	6.8	10.8	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	45.2	25.6	7.2	10.6	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
30.04.2019	48.2	24.8	8.1	11.2	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	48.1	22.6	7.8	10.4	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	46.2	25.6	7.6	10.2	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	46.8	24.9	8.4	10.8	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	48.1	26.1	8.6	10.6	<4.0	0.31	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	49.6	26.2	8.2	10.8	<4.0	0.32	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	49.2	25.8	7.8	11.2	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	46.8	25.7	6.6	11.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	45.2	25.8	6.9	11.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	45.8	26.4	8.2	12.2	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	46.2	26.2	8.0	12.6	<4.0	0.25	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	46.6	24.8	8.1	13.2	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	46.8	23.8	7.9	13.6	<4.0	0.26	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	47.2	23.2	7.8	14.2	<4.0	0.28	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	47.8	24.2	7.2	14.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	49.2	22.6	7.6	14.8	<4.0	0.22	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	50.6	21.08	6.9	15.2	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	51.2	21.2	6.6	15.6	<4.0	0.21	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	--
Quarterly Average	46.25	24.42	7.18	12.22	<4.0	0.24	<20.0	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheiser (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zincium SPADNS Method

BDL Values: SO₂<4 µg/m³, NO_x<9 µg/m³, O₃<4 µg/m³, Ni<0.01 ng/m³, As<0.001 ng/m³, C₆H₆<0.001 µg/m³, BaP<0.002 ng/m³, Pb<0.001 µg/m³, F<0.01µg/m³ CO<0.1 mg/m³





Ref: Enwlab/19/R-1473

Date: 06.07.2019

AMBIENT AIR QUALITY MONITORING REPORT APRIL TO JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Sampling Location : Monitoring Station No.- AAQMS-8 (Thelkolai)
3. Monitoring Instruments : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler
4. Sample collected by : VCSPI, representative in presence of Aditya Aluminium representative

Date	PARAMETERS												
	PM10 (ug/m ³)	PM2.5 (ug/m ³)	SO ₂ (ug/m ³)	NO _x (ug/m ³)	O ₃ (ug/m ³)	CO (mg/m ³)	NH ₃ (ug/m ³)	C6H6 (ug/m ³)	BaP (ng/m ³)	Ni (ng/m ³)	Pb (ug/m ³)	As (ng/m ³)	F (ug/m ³)
02.04.2019	40.6	21.2	6.8	11.6	7.1	0.46	22.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
05.04.2019	41.8	21.8	6.6	11.8	7.6	0.44	23.4	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
09.04.2019	42.2	26.2	7.1	12.1	7.4	0.42	23.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
12.04.2019	42.8	26.6	7.4	12.6	6.8	0.44	29.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
16.04.2019	43.2	28.2	7.2	12.4	6.2	0.41	28.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
19.04.2019	43.8	28.1	7.6	12.6	6.1	0.42	28.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
23.04.2019	44.6	27.4	7.7	13.8	7.2	0.44	26.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
26.04.2019	45.2	27.2	7.4	13.2	7.4	0.46	27.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
29.04.2019	48.8	26.8	7.6	13.6	7.8	0.44	27.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
02.05.2019	44.6	25.4	8.1	12.2	7.2	0.46	26.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
06.05.2019	45.8	26.6	7.8	11.8	7.4	0.51	27.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.05.2019	46.2	26.2	7.1	11.2	7.3	0.52	28.1	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
13.05.2019	46.8	25.8	7.2	13.2	7.2	0.56	26.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.05.2019	44.8	25.2	7.6	13.8	7.1	0.61	26.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
20.05.2019	44.2	26.1	7.8	13.4	6.9	0.66	25.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.05.2019	41.8	26.4	8.2	12.6	6.6	0.62	24.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
27.05.2019	40.6	25.6	8.6	12.1	6.8	0.64	24.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
31.05.2019	40.2	24.8	8.4	12.0	6.2	0.62	24.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
03.06.2019	41.2	24.2	8.1	11.8	6.4	0.61	25.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
07.06.2019	40.8	23.8	7.3	11.2	6.6	0.61	25.1	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
10.06.2019	43.6	23.2	7.2	11.6	6.5	0.56	24.4	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
14.06.2019	43.2	24.1	7.6	11.8	6.2	0.52	24.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
17.06.2019	42.8	25.4	7.4	11.2	6.1	0.51	23.8	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
21.06.2019	42.8	25.8	7.42	12.6	7.2	0.48	23.2	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
24.06.2019	40.6	25.2	7.2	12.8	7.4	0.46	22.6	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
28.06.2019	40.2	20.8	7.21	12.6	7.1	0.42	23.1	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
NAAQ Standard	100	60	80	80	100	4	400	05	01	20	1.0	06	-
Quarterly Average	43.20	25.31	7.52	12.37	6.92	0.51	25.53	<0.001	<0.002	<0.01	<0.001	<0.001	<0.01
Testing method	Gravimetric	Gravimetric	Improved West and Gaeke method	Modified Jacob & Hochheise r (Na-Arsenite)	Chemical Method	NDIR Spectroscopy	Indo phenol blue method	Absorption & Desorption followed by GC analysis	Solvent extraction followed by Gas Chromatography analysis	AAS method after sampling	AAS method after sampling	AAS method after sampling	Zincum SPADNS Method

BDL Values: SO₂< 4 ug/m³, NO_x< 9 ug/m³, O₃< 4 ug/m³, Ni<0.01 ng/m³, As< 0.001 ng/m³, C₆H₆<0.001 ug/m³, BaP<0.002 ng/m³, Pb<0.001 ug/m³, F<0.01 ug/m³, CO<0.1 mg/m³

For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envtak/19/R-11000

Date: 06.07.19

GROUND WATER QUALITY ANALYSIS REPORT-JUNE 2019

1. Name of Industry : M/s Hindaleo Industries Ltd (Unit- Aditya Aluminium); Lapunga.
2. Sampling location : GW-1: Lapunga Village; GW-2: Pandoloi Village; GW-3: Barnoi Village; GW-4: Tilamal Village; GW-5: Theikoloi Village; GW-6: Ghichamura Village; GW-7: Gumkarama Village; GW-8: Chatrikra Village
3. Date of sampling : 11.06.2019
4. Date of analysis : 12.06.2019 TO 18.06.2019
5. Sample collected by : VCSPL Representative in presence of Aditya Aluminium Representative

Sl No.	Parameter	Testing Methods	Unit	Standard as per IS-15023:2012	GW-1	GW-2	GW-3	GW-4	GW-5	GW-6	GW-7	GW-8
1	pH Value	API-A 43001 B	-	6.5-8.5	7.1	7.35	7.41	6.81	6.88	7.26	7.42	7.12
2	Colour	API-A 2100 B, C	Pt/co	5	<10	10	10	10	<10	10	10	10
3	Taste	API-A 2100 C	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Odour	API-A 2100 C	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Total Hardness	API-A 2100 B	mg/l	1	<10	<10	<10	<10	<10	<10	<10	<10
6	Total Dissolved Solids	API-A 2100 C	mg/l	500	314.0	30.0	102.0	19.0	117.0	181.0	217.0	186.0
7	Total Hardness (as CaCO ₃)	API-A 2100 C	mg/l	500	60.0	62.0	58.0	60.0	62.0	66.0	60.0	58.0
8	Total Alkalinity	API-A 2100 B	mg/l	500	16	14	16	44	48	40	34	45
9	Calcium (as Ca)	API-A 3100 A, B	mg/l	75	11.6	11.1	16.1	16.2	13.3	11.9	11.8	10.8
10	Magnesium (as Mg)	API-A 3100 A, B	mg/l	30	4.7	5.2	5.1	4.8	4.2	4	3.9	3.3
11	Residual Free Chlorine	API-A 4500 C, E	mg/l	0.2	ND	ND	ND	ND	ND	ND	ND	ND
12	Boron (as B)	API-A 4100 B	mg/l	0.5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
13	Chloride (as Cl)	API-A 4500 C, E	mg/l	250	26.2	28.5	30.2	30.0	26.0	26.0	22.0	20.0
14	Sulphate (as SO ₄)	API-A 4500 SO ₄ E	mg/l	200	5.5	5.8	3.2	6.2	6.4	5.2	5.4	3.2
15	Fluoride (as F)	API-A 4500 F, C	mg/l	1.0	0.25	0.31	0.54	0.30	0.38	0.21	0.28	0.30
16	Nitrate (as NO ₃)	API-A 4500 ND, E	mg/l	45	3.1	2.6	2.1	3.2	2.8	2.3	2.1	1.3
17	Selenium (as Se)	API-A 2100 Se	mg/l	-	12.2	11.0	11.8	9.6	10.2	11.0	10.3	12.4
18	Phosphate (as P)	API-A 3100 B, C	mg/l	-	3.0	3.2	3.0	4.2	3.8	3.1	4.1	4.1
19	Peroxide Compounds (as C ₂ H ₂ O ₂)	API-A 3100 B, C	mg/l	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
20	Cyanide (as CN)	API-A 4500 CN, C, D	mg/l	0.10	<0.1	ND	ND	ND	ND	ND	<0.1	ND
21	Antimony (as Sb)	API-A 3100 C	mg/l	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
22	Lead (as Pb)	API-A 3111 B, C	mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
23	Cadmium (as Cd)	API-A 3111 B, C	mg/l	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
24	Copper (as Cu)	API-A 3111 B, C	mg/l	0.04	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
25	Zinc (as Zn)	API-A 3111 B, C	mg/l	0.04	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
26	Manganese (as Mn)	API-A 3100 Mn, B	mg/l	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
27	Iron (as Fe)	API-A 3100 Fe, B	mg/l	0.3	0.24	0.2	0.23	0.24	0.21	0.18	0.21	0.18
28	Chromium (as Cr)	API-A 3100 Cr, B	mg/l	0.04	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
29	Selenium (as Se)	API-A 3111 B	mg/l	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
30	Zinc (as Zn)	API-A 3111 B, C	mg/l	0.5	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
31	Aluminium (as Al)	API-A 3100 Al, B	mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
32	Mercury (as Hg)	API-A 3100 Hg	mg/l	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
33	Nickel (as Ni)	API-A 3100 Ni	mg/l	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
34	Residues	API-A 6500 B, C	mg/l	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent
35	E.Coli	API-A 9221 B	MPN/100 ml	Should not be detectable in any 100 ml sample	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent
36	Total Coliforms	API 160321-B	MPN/100 ml	Should not be detectable in any 100 ml sample	Absent	Absent	Absent	Absent	Absent	Absent	Absent	Absent

Note: CL: Coloursless, A: Agreeable, D: Disagreeable, ND: Not Detected.


 For Visiontek Consultancy Services Pvt. Ltd.



Ref: KANLAB/19/R-1510

Date: 06.07.19

SOIL QUALITY ANALYSIS REPORT

- | | |
|------------------------|---|
| 1. Name of Industry | M/s Hindalco Industries Ltd (Doli- Aditya Aluminium), Tapanga |
| 2. Date of sampling | 14.06.2019 |
| 3. Sampling Location | S-1: P. West Side; S-2: Thirukoli; S-3: (Hindalco); S-4: Tapanga; S-5: Nandi; S-6: Tirunel; S-7: Jangala; S-8: Corypala; S-9: Gunnamang; S-10: Dhadaradi. |
| 4. Date of Analysis | 13.06.2019 TO 23.06.2019 |
| 5. Sample Collected By | VCSPL representative in Presence of Aditya Aluminium representative |

Sl.No.	Parameter	S-1	S-2	S-3	S-4	S-5	S-6	S-7	S-8	S-9	S-10
1	pH	6.76	6.53	6.17	6.76	6.7	6.66	6.51	6.51	6.52	6.54
2	Acidobcity	176.5	117.4	171.6	171.8	174.0	118.7	126.3	114.6	118.2	101.6
3	Soil Texture	Sandy Loamy	Clay Loamy	Clay Loamy	Sandy Loamy	Sandy Loamy	Clay Loamy	Sandy Loamy	Sandy Loamy	Sandy Loamy	Clay Loamy
4	Sand	41.2	32.6	32.6	34.8	41.8	31.2	30.7	31.6	41.1	34.2
5	Silt	11.8	21.2	19.1	30.2	15.7	15.4	12.1	20.1	21.2	20.8
6	Clay	45.9	36.2	48.2	41.4	42.5	42.4	36.8	48.3	27.4	35.0
7	Bulk Density (g/cm ³)	1.41	1.36	1.41	1.44	1.41	1.41	1.48	1.23	1.38	1.42
8	Exchangeable Calcium as Ca (%)	38.1	35.3	42.4	38.0	42.5	41.0	35.2	42.0	43.3	41.2
9	Exchangeable Magnesium as Mg (%)	50.2	33.8	32.8	30.8	32.4	40.2	34.8	38.1	47.7	36.3
10	Available Sulfur as S (ppm)	0.016	0.021	0.018	0.022	0.024	0.028	0.024	0.032	0.024	0.025
11	Available Phosphorus as P (ppm)	0.052	0.048	0.055	0.046	0.042	0.044	0.042	0.046	0.048	0.046
12	Available Molybdenum as Mo (ppm)	0.022	0.026	0.022	0.018	0.018	0.014	0.017	0.016	0.021	0.022
13	Available Boron as B (ppm)	0.21	0.21	0.22	0.26	0.28	0.21	0.25	0.24	0.18	0.222
14	Organic Matter (%)	2.2	2.4	3.4	2.2	2.4	4.2	3.8	1.6	3.1	2.6
15	Organic Carbon (%)	1.48	1.51	2.28	1.64	1.52	2.74	2.4	1.0	1.91	1.6
16	Water soluble Chlorides as Cl (%)	0.21	0.28	0.22	0.24	0.22	0.21	0.22	0.18	0.24	0.24
17	Water soluble Sulphates as SO ₄ (%)	0.18	0.15	0.21	0.24	0.22	0.22	0.16	0.12	0.14	0.12
18	Sulfate Absorption Ratio (%)	0.102	0.16	0.152	0.188	0.146	0.158	0.101	0.132	0.136	0.106
19	Aluminum as Al (%)	0.0021	0.0019	0.0012	0.0014	0.0021	0.0010	0.0011	0.0012	0.0014	0.0011
20	Total Iron as Fe (%)	0.036	0.042	0.048	0.076	0.074	0.052	0.064	0.042	0.046	0.038
21	Manganese as Mn (%)	0.012	0.016	0.014	0.012	0.016	0.016	0.011	0.012	0.012	0.012
22	Cadmium as Cd (%)	0.0011	0.0019	0.0026	0.0029	0.0028	0.0024	0.0024	0.0024	0.0024	0.0024
23	Copper as Cu (%)	0.0032	0.0034	0.0030	0.0025	0.0022	0.0024	0.0028	0.0030	0.0031	0.0031
24	NO ₃ (ppm)	6.1	6.2	6.4	6.8	6.8	7.2	6.8	6.7	6.8	6.2
25	NO ₂ (ppm)	0.02	0.04	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02
26	CO ₃ (ppm)	23.1	26.2	23.8	26.2	26.1	23.2	30.2	20.8	26.7	23.6
27	MgO (%)	26.3	24.4	25.2	29.8	21.2	21.8	30.8	28.2	34.4	25.6
28	CaCO ₃ (%)	0.0108	0.0112	0.0102	0.0124	0.0122	0.0116	0.0108	0.0102	0.0102	0.0102
29	FeO (%)	0.02	0.016	0.016	0.026	0.022	0.016	0.017	0.018	0.018	0.012
30	MnO (%)	0.041	0.018	0.016	0.011	0.015	0.018	0.016	0.011	0.012	0.018
31	K ₂ O (%)	0.242	0.162	0.047	0.091	0.091	0.012	0.026	0.012	0.042	0.010
32	P ₂ O ₅ (%)	0.262	0.186	0.037	0.084	0.082	0.008	0.060	0.016	0.082	0.001
33	Fluoride as F (%)	0.266	0.028	0.032	0.017	0.015	0.004	0.002	0.002	0.002	0.002

ND: Not Detected

For Visiontek Consultancy Services Pvt. Ltd.





Ref: Kunalab/19/R-1008

Date: 06-07-19

SURFACE WATER QUALITY ANALYSIS REPORT-JUNE 2019

- 1. Name of Industry: M/s Hindalco Industries Ltd (Units- Aditya Aluminium); Laxnaga
- 2. Sampling location: SW-1: Hindalco Reservoir, SW-2: Spring Pond, SW-3: Mithanandnadi - LSS, SW-4: Banafal Pond, SW-5: Bhadravari.
- 3. Date of sampling: 14.06.2019
- 4. Date of analysis: 13.06.2019 TO 13.06.2019
- 5. Sample collected by: VCS/PL Representative in presence of Aditya Aluminium Representative.

Sl. No	Parameter	Testing Methods	Unit	Standards as per IS-1256(1992) Class -C'	Analysis Results				
					SW-1	SW-2	SW-3	SW-4	SW-5
1	pH Value	APHA 45001 D	-	6.5-9.0	7.28	7.36	7.42	7.34	7.46
2	Colour	APHA 2120 B, C	Placet	300	<1	<1	<1	<1	<1
3	Taste	APHA 2150 C	-	-	AL	AL	AL	AL	AL
4	Odour	APHA 2150 D	-	-	U/O	U/O	U/O	U/O	U/O
5	Turbidity	APHA 2130 B	NTU	-	1.1	1.5	1.42	1.28	1.44
6	Total Dissolved Solids	APHA 2540 C	mg/l	1500	126.0	139.0	124.0	124.0	132.0
7	Total Hardness (as CaCO ₃)	APHA 2240 C	mg/l	-	40.0	52.0	54.8	43.0	56.3
8	Total Alkalinity	APHA 2320 B	mg/l	-	41.2	40.5	42.0	44.1	48.0
9	Calcium (as Ca)	APHA 3500Ca B	mg/l	-	12.0	14.4	13.6	11.1	12.1
10	Magnesium (as Mg)	APHA 3500Mg D	mg/l	-	2.8	2.9	4.8	3.4	3.8
11	Residual free Chlorine	APHA 4500Cl ₂ B	mg/l	-	ND	ND	ND	ND	ND
12	Boron (as B)	APHA 4500 B	mg/l	-	BDL	BDL	BDL	BDL	BDL
13	Chloride (as Cl ⁻)	APHA 4500Cl ⁻ B	mg/l	600	13.0	24.0	25.0	22.3	26.0
14	Sulfate (as SO ₄ ²⁻)	APHA 4500 SO ₄ ²⁻ F	mg/l	400	7.2	7.4	7.6	7.28	7.8
15	Fluoride (as F ⁻)	APHA 4500 F ⁻ C	mg/l	1.5	0.16	0.18	0.22	0.20	0.21
16	Nitrate (as NO ₃ ⁻)	APHA 4500 NO ₃ ⁻ D	mg/l	30	1.2	1.25	1.24	1.24	1.31
17	Sodium (as Na)	APHA 3500 Na	mg/l	-	1.2	0.1	0.8	0.2	0.1
18	Potassium (as K)	APHA 3500 K	mg/l	-	1.8	2.1	2.8	1.8	1.1
19	Phenolic Compounds (as C ₆ H ₅ OH)	APHA 5500 B, D	mg/l	0.005	BDL	BDL	BDL	BDL	BDL
20	Cyanide (as CN ⁻)	APHA 5500 Ch, Cl ₂	mg/l	0.05	ND	ND	ND	ND	ND
21	Aromatic Halogenes (as MDAS)	APHA 5500 E	mg/l	1.0	BDL	BDL	BDL	BDL	BDL
22	Cadmium (as Cd)	APHA 3111 B, C	mg/l	0.01	BDL	BDL	BDL	BDL	BDL
23	Arsenic (as As)	APHA 3114 B	mg/l	0.3	BDL	BDL	BDL	BDL	BDL
24	Copper (as Cu)	APHA 3111 B, C	mg/l	1.5	BDL	BDL	BDL	BDL	BDL
25	Lead (as Pb)	APHA 3111 M, C	mg/l	0.1	BDL	BDL	BDL	BDL	BDL
26	Manganese (as Mn)	APHA 3100Mn B	mg/l	-	BDL	BDL	BDL	BDL	BDL
27	Iron (as Fe)	APHA 5500 Fe D	mg/l	0.5	0.12	0.1	0.13	0.12	0.15
28	Chromium (as Cr ⁶⁺)	APHA 3100Cr D	mg/l	0.05	BDL	BDL	BDL	BDL	BDL
29	Selenium (as Se)	APHA 3114 D	mg/l	0.05	BDL	BDL	BDL	BDL	BDL
30	Zinc (as Zn)	APHA 3111 M, C	mg/l	1.5	BDL	BDL	BDL	BDL	BDL
31	Aluminium (as Al)	APHA 3500Al B	mg/l	-	BDL	BDL	BDL	BDL	BDL
32	Mercury (as Hg)	APHA 3100 Hg	mg/l	-	BDL	BDL	BDL	BDL	BDL
33	Methyl Oil	APHA 5500 B	mg/l	-	BDL	BDL	BDL	BDL	BDL
34	Fertilizer	APHA 5600 B, C	mg/l	-	Absent	Absent	Absent	Absent	Absent
35	E.Coli	APHA 9221 F	MPSN/100 ml	-	Absent	Absent	Absent	Absent	Absent
36	Total Coliforms	APHA 9221 B	MPSN/100 ml	5000	360.0	32.0	300.0	280.0	340.0

Note: CL: Colorless, AL: Agreeable, U/O: unobjectionable, ND: Not detected
 BDL Value: Cr<0.02 mg/l, Cd<0.01 mg/l, Se<0.001 mg/l, As<0.004 mg/l, Pb<0.01 mg/l, Cu<0.05 mg/l, Co<0.05 mg/l, p-cresol<0.001 mg/l (N<0.01 mg/l), D<0.1 mg/l, MDAS<0.2 mg/l, D<0.1 mg/l, Hg<0.02 mg/l.

For Visiontek Consultancy Services Pvt. Ltd.



Ref: FV/INF/19/R-1509

Date: 06.07.19

SURFACE WATER QUALITY ANALYSIS REPORT-JUNE 2019

1. Name of industry: **PT Hindalco Industries Ltd (Unit- Aditya Aluminium); Tapang**
2. Sampling location: **SW-6: Dheeran river near Kakkala, SW-7: Marwadivas-DS,
SW-8: Hinnad / can run near Thrippu village, SW-9: Salepalli village,
SW-10: Sarangal**
3. Date of sampling: **14.06.2019**
4. Date of analysis: **15.06.2019 TO 22.06.2019**
5. Sample collected by: **VCSRPT, Tapang with in presence of Aditya Aluminium Representative**

Sl. No.	Parameter	Testing Methods	Unit	Standards as per IS-1290 (WQ Class-II)	Analysis Results				
					SW-6	SW-7	SW-8	SW-9	SW-10
1	pH Value	APHA 4500 H ₊ B	-	6.0-9.0	7.44	7.11	7.26	7.41	7.33
2	Colour	APHA 2130 H ₁₇	Platinum	200	41	42	41	41	41
3	TDS	APHA 2100 C	-	-	41	41	41	41	41
4	Dissol	APHA 2150 B	-	-	1.00	0.81	0.90	0.90	0.90
7	Turbidity	APHA 2130 D	NTU	-	2.4	2.1	2.5	2.2	2.1
5	Total Dissolved Solids	APHA 2540 C	mg/l	500	171	178	142	140	144
6	Total Hardness (as CaCO ₃)	APHA 2540 C	mg/l	-	97	99	58	52	54
8	Total Alkalinity	APHA 2320 B	mg/l	-	44	30	32	30	31
9	Cadmium (as Cd)	APHA 3100 H ₁₁	mg/l	-	12	14.4	14	13.6	14.1
10	Magnesium (as Mg)	APHA 3100 H ₁₁	mg/l	-	4.88	3.88	3.4	3.1	3.1
11	Residual Free Chlorine	APHA 4500 H ₁₁ B	mg/l	-	ND	ND	ND	ND	ND
12	Boron (as B)	APHA 4500 B	mg/l	-	BDL	BDL	BDL	BDL	BDL
13	Chloride (as Cl)	APHA 4500 C ₁ B	mg/l	600	78	39	28	22	24
14	Sulfate (as SO ₄)	APHA 4500 SO ₄ B	mg/l	400	52	34	27	6.3	2.0
15	Fluoride (as F)	APHA 4500 F C	mg/l	1.5	0.22	0.18	0.08	0.26	0.22
16	Nitrate (as NO ₃)	APHA 4500 NO ₃ E	mg/l	50	1.1	2.1	2.6	2.4	2.4
17	Selenium (as Se)	APHA 5500 E	mg/l	-	3.1	3.4	3.2	3.1	3.8
18	Perchlorate (as ClO ₄)	APHA 5500 G	mg/l	-	2.1	2.8	2.2	2.1	2.7
19	Fluoride Compounds (as F) (as FSD)	APHA 5500 H ₁₁	mg/l	0.05	BDL	BDL	BDL	BDL	BDL
20	Cyanide (as CN)	APHA 5500 CN C ₂	mg/l	0.05	ND	ND	ND	ND	ND
21	Ammonia Nitrogen (as NH ₃ N)	APHA 5500 F	mg/l	1.0	BDL	BDL	BDL	DDL	DDL
22	Cadmium (as Cd)	APHA 3111 B/C	mg/l	0.01	BDL	BDL	DDL	BDL	BDL
23	Arsenic (as As)	APHA 3114 B	mg/l	0.2	BDL	BDL	BDL	BDL	BDL
24	Copper (as Cu)	APHA 3111 B/C	mg/l	1.0	BDL	DDL	BDL	BDL	BDL
25	Lead (as Pb)	APHA 3111 B/C	mg/l	0.1	BDL	BDL	BDL	BDL	DDL
26	Strontium (as Sr)	APHA 3100 H ₁₁ B	mg/l	-	BDL	BDL	BDL	DDL	DDL
27	Iron (as Fe)	APHA 3500 G ₁ B	mg/l	3.0	0.34	0.36	0.12	0.11	0.14
28	Chromium (as Cr ⁶⁺)	APHA 3500 C ₁ B	mg/l	0.05	BDL	BDL	DDL	BDL	BDL
29	Selenium (as Se)	APHA 3114 B	mg/l	0.05	BDL	BDL	BDL	BDL	BDL
30	Zinc (as Zn)	APHA 3111 B/C	mg/l	15	BDL	DDL	BDL	BDL	BDL
31	Aluminium (as Al)	APHA 3500 A ₁ B	mg/l	-	DDL	DDL	DDL	BDL	BDL
32	Mercury (as Hg)	APHA 3500 H ₁₁	mg/l	-	BDL	BDL	BDL	BDL	BDL
33	Miscel Oil	APHA 5520 B	mg/l	-	BDL	BDL	BDL	BDL	BDL
34	Pesticide	APHA 6030 B/C	mg/l	-	Absent	Absent	Absent	Absent	Absent
35	E. Coli	APHA 9220 F	MPN/100 ml	-	Absent	Absent	Absent	Absent	Absent
36	Total Coliform	APHA 9221 B	MPN/100 ml	200	100	100	420	300	100

Note: CL: Colorless, AL: Applicable, DNL: Doubtful/Unsure, ND: Not detected.
 BDL Value: Cu=0.2 mg/l, Cr⁶⁺=0.1 mg/l, Se=0.01 mg/l, Sr=0.001 mg/l, Pb=0.1 mg/l, Cr=0.1 mg/l, Cr³⁺=0.01 mg/l
 Pesticide=0.01 mg/l, CN=0.01 mg/l, Bar=0.1 mg/l, NH₃N=0.1 mg/l, 0=0.1 mg/l, Hg=0.002 mg/l

For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envt/ab/19/R-1491

Date: 06.07.2019

NOISE MONITORING REPORT- JUNE 2019

1. Name of Industry : M/s Hindalco Industries Ltd (Unit- Aditya Aluminium); Lapanga
2. Monitored By : VCSPI, representative in presence of Client's Representative

Daytime Noise monitoring results (Noise Level in dB (A)) June 2019

TIME (6.00 AM to 10.00 PM)	N1:Gunkarna (08.06.2019)	N2:Ghichanra (08.06.2019)	N3:Rasolai (09.06.2019)	N4:Thelmal (09.06.2019)	N5:Thelkull (09.06.2019)	N6:Lapanga (09.06.2019)	N7:Lapanga Railway Station (10.06.2019)	N8:Jangala (11.06.2019)
06.00am	50.8	50.2	48.2	45.8	48.8	32.8	40.1	41.8
07.00am	51.2	50.8	48.8	46.6	48.2	33.0	40.8	41.2
08.00am	53.1	52.2	49.7	46.8	47.6	32.8	41.8	42.2
09.00am	54.8	53.8	51.2	46.2	46.6	35.1	42.8	45.8
10.00am	52.6	53.4	52.2	45.2	45.8	22.2	45.1	46.2
11.00am	58.4	52.6	50.8	44.8	44.8	36.2	44.6	48.2
12.00 noon	52.6	50.8	51.3	50.6	43.6	38.8	45.2	49.2
01.00pm	55.4	51.2	51.7	50.2	47.8	34.6	46.1	49.8
02.00pm	52.8	53.4	50.8	51.2	47.1	35.2	46.4	51.2
03.00pm	53.6	52.8	51.3	52.2	44.6	35.6	48.3	52.2
04.00pm	51.2	50.8	50.2	53.4	45.2	39.2	48.6	53.1
05.00pm	53.8	50.1	50.6	55.6	44.8	40.8	40.8	56.0
06.00pm	50.2	51.2	51.4	53.2	45.6	41.3	45.2	58.2
07.00pm	48.8	51.6	51.8	51.8	46.2	44.6	45.2	51.2
08.00pm	49.2	52.2	52.2	53.2	48.2	48.2	44.8	50.6
09.00pm	50.6	53.4	55.1	50.8	47.6	49.2	45.8	48.8
Average	52.18	51.91	50.99	49.79	45.84	37.97	44.48	49.08
Standard as per CPCB	55							

Night time Noise monitoring results (Noise Level in dB (A)) June -2019

TIME (10.00 PM to 6.00 AM)	N1:Gunkarna (08.06.2019)	N2:Ghichanra (08.06.2019)	N3:Rasolai (09.06.2019)	N4:Thelmal (09.06.2019)	N5:Thelkull (09.06.2019)	N6:Lapanga (09.06.2019)	N7:Lapanga Railway Station (10.06.2019)	N8:Jangala (10.06.2019)
10.00pm	41.2	43.8	44.8	40.8	42.8	40.4	41.6	45.6
11.00pm	42.2	45.6	45.2	39.6	40.6	47.6	42.2	45.2
12.00 midnight	49.8	43.2	42.6	38.8	38.8	46.1	46.2	44.8
01.00am	41.2	41.6	42.8	28.6	37.6	45.2	40.2	45.2
02.00am	41.6	38.8	41.3	35.8	36.2	44.6	38.8	41.2
03.00am	39.6	40.7	42	26.0	35.2	41.2	38.7	43.6
04.00am	47.8	39.6	43.5	31.2	40.2	41.8	39.6	40.2
05.00am	43.0	42.1	45	32.0	40.6	42	39.8	49.8
Average	41.55	41.12	44.8	36.35	39.50	44.73	40.88	42.83
Standard as per CPCB	45							


 For Visiontek Consultancy Services Pvt. Ltd.



Ref: Envtals/19/R-1574(E)

Date: 11-07-2019

FORAGE ANALYSIS REPORT-JUNE 2019

1.	Name of Industry	: M/s Hindalco Industries Ltd, (Unit- Aditya Aluminium); Lapanga
2.	Date of Sampling	: 12.06.2019
3.	Nature of Sample	: Vegetation Sample
4.	Sampling Locations	: Thelkoti; Lapanga; Gurupali; Jangali; Bhadarpali; Bamloi; Tilaimal; Gunkarna; Chichamura; Plant site.
5.	Sample collected by	: VCSPL Representative in Presence of Aditya Aluminium Representative
6.	Date of Analysis	: 13.06.2019 TO 19.06.2019

Sl. No.	Date of Sampling	Name of the Location	Type of Species	Method of Analysis	Results (ppm) Fluoride
1	12.06.2019	Thelkoti	Brinjal leaf (Solanum Melongena)	AOAC 975.04	1.6
2	12.06.2019	Lapanga	Tomato Leaf (Solanum lycopersicum)	AOAC 975.04	1.2
3	12.06.2019	Gurupali	Onion leaf (Allium Scpa)	AOAC 975.04	0.9
4	12.06.2019	Jangali	Flat Lima Beans leaf (Phaseolus Vulgaris)	AOAC 975.04	1.61
5	12.06.2019	Bhadarpali	Kosala Naga (Amaranthus Leaves)	AOAC 975.04	1.62
6	13.06.2019	Bamloi	Chavai leaf (Duchanaria indica)	AOAC 975.04	1.48
7	13.06.2019	Tilaimal	Flat Lima Beans leaf (Phaseolus Vulgaris)	AOAC 975.04	0.78
8	13.06.2019	Gunkarna	Brinjal leaf (Solanum Melongena)	AOAC 975.04	1.91
9	13.06.2019	Chichamura	Cabbage (Brassica Oleracea)	AOAC 975.04	1.46
10	13.06.2019	Plant site	Bamboo leaf (Bambusa Vulgaris)	AOAC 975.04	1.61


 For Visiontek Consultancy Services Private Limited



Ref: *Enviro/19/R-5003*

Date: *02/10/2019*

FORAGE ANALYSIS REPORT-SEPTEMBER 2019

1. Name of Industry : M/s Hindalco Industries Ltd.(Utl-Aditya Aluminium);Lapanga
2. Date of Sampling : 12.09.2019
3. Date of Analysis : 13.09.2019 to 19.09.2019
4. Name of the Sample : Vegetation Sample
5. Sampling Location : Thelkoll, Lapanga, Gurupali, Jangala, Bhadrapali, Bomloi, Tilamal, Gunkarna, Ghichamura, Plant Site
6. Sample Collected By : VCSPL Representative in presence of Client Representative

Sl. No.	Date of Sampling	Name of the Location	Type of Species	Method of Analysis	Results (ppm)
					Fluoride
1	12.06.2019	Thelkoll	Brinjal leaf (Solanum Melongena)	AOAC 975.04	1.54
2	12.06.2019	Lapanga	Cauliflower (Brassica Oleracea)	AOAC 975.04	1.42
3	12.06.2019	Gurupali	Sweet Potato (Ipomoea batatas)	AOAC 975.04	0.96
4	12.06.2019	Jangala	Papaya (Carica papaya)	AOAC 975.04	1.25
5	12.06.2019	Bhadrapali	Cucumber (Cucumis Sativus)	AOAC 975.04	1.58
6	13.06.2019	Bomloi	Onion (Allium Cepa)	AOAC 975.04	1.30
7	13.06.2019	Tilamal	Rice (Oryza sativa)	AOAC 975.04	1.06
8	13.06.2019	Gunkarna	Gauva (Psidium guajava)	AOAC 975.04	1.18
9	13.06.2019	Ghichamura	Drumstick (Moringa Oleifera)	AOAC 975.04	1.04
10	13.06.2019	Plant site	Bamboo (Bambusoideae)	AOAC 975.04	1.86

For Visiontek Consultancy Services Private Limited

