

Ref. No. Env/ES/ o75
The Member Secretary,
U.P. Pollution Control Board,
T.C.-12V, Vibhuti Khand,
Gomti Nagar
LUCKNOW (U.P.) – 226 010

Date: 25.09.2018

Sub: Environmental Statement for FY: 2017 – 18

Dear Sir.

Enclosed herewith please find Environmental Statement of our Plant for the financial year ending 31^{st} March, 2018 in Form -V for your information and kind perusal please.

Hope, you will kindly find the same in order. Thanking you,

Yours faithfully, For HINDALCO INDUSTRIES LIMITED (Renusagar Power Division)

(Lalit Mohan Pal) Head(Safety & Env)

Encl: As above.

CC: The Regional Officer,
Regional Office
U.P. Pollution Control Board,
House no. 162, 1 st Floor
Uttar Mohal,
Robertzganj (U.P.)

Lucknow-UP-226024

CC: The Cess Officer,
U.P. Pollution Control Board,
Picup Bhawan, Vibhuti Khand,
'B' Block, 3rd Floor
Gomti Nagar,
LUCKNOW (U.P.) 226 010

CC: The Director,
Ministry of Environment Forests & Climate Change
Kendrya Bhawan, 5th Floor
Sector-H,Aliganj,

Hindalco Industries Limited

Corporate ID No.: L27020MH1958PLC011238

FORM-V (See Rule 14)

Environmental Statement for the Financial Year ending the 31st March 2018

PART-A

Name and address of the Owner/Occupier of the industry, operation or process.

Lalit Mohan Pal

Head(Safety & Env.)

HINDALCO INDUSTRIES LIMITED (Renusagar Power Division)

Electricity Generation-828 MW

P.O. Renusagar Dist.Sonebhadra(U.P.)

Industry category

Category 17

Primary-(STC Code) Secondary-(STC Code

Production Capacity-Units

Primary

Year of Establishment

iii

1967

Date of last Environmental Statement

23.09.2017

submitted

PART-B

Water and Raw Material Consumption

Water consumption M³/day

*54850.671 KL/Day

Process

1584.159 KL/Day

Cooling

44347.586 KL/Day

Domestic

8918.926 KL/Day

*Excluding reuse water

Name of	Process water consumption per unit of product output		
Products	During the previous financial year : (2016 - 2017)	During the current financial year (2017 - 2018)	
	'(1)	'(2)	
1.Electricity	20.08 Gal/MWh	18.80 Gal/MWh	

Raw Material Consumption

Name of raw materials	Name of Products	Consumption of raw ma per unit of output	Consumption of raw material per unit of output		
		During the previous financial year (2016 - 2017)	During the current financial year (2017 - 2018)		
	Electricity				
Coal Water HSD Furnace Oil(HFO) Oil&Lubricants Grease		0.732 kg/KWh 643.217 Gal/MWh 0.414 ml/KWh 0.002 ml/KWh 0.015 litre/MWh 1.380 gram/MWh	0.695 kg/KWh 651.073 Gal/MWh 0.349 ml/KWh 0.021 ml/KWh 0.015 litre/MWh 1.042 gram/MWh		

^{*} Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used. Sh1

PART-C

Pollution discharged to Environment/unit output (Parameter as specified in the consent issued)

(1)	Pollutants	Quality of Pollutants discharged (mass/day)	Concentration of Pollutants discharged (mass/volume)	Percentage of variation from prescribed standards with reasons
(a)	Water (Maximum permissible quality)	28,650 KL/Day (No discharge, entire quantity recycled & reused)	Sewage Treatment Plant pH:7.8 - 7.2 TSS:47.9 - 42.2mg/litre BOD:9.2 - 8.2 mg/litre COD:37.1 - 38.0 mg/litre Oil& Grease:0.9 - 0.8 mg/litre lron(as Fe):0.3 - 0.18 mg/litre Fluoride(as F):0.8 - 0.7 mg/litre Effluent Treatment Plant pH:8 - 7.8 TSS:44.5 - 58.6 mg/litre BOD:5.8 - 7.2 mg/litre COD: 40.7 - 55.0 mg/litre Oil& Grease:0.6 - 0.7 mg/litre lron(as Fe):0.02 - 0.18 mg/litre Fluoride(as F): 1.3 - 1.27 mg/litre	Not exceeding the permissible limit.
(b)	Air	0.82 tonnes/day/Boilers.(Approx.) (Total 10 Numbers of Boilers)	PM (mg/Nm3) Annual Average92.831	Not exceeding the permissible limit.

PART-D HAZARDOUS WASTES (As under[Hazardous Waste & other waste(Management & Transboundary Movement] Rule,2016)

Hazardous waste	Total Quantity (Kg)	
	During the previous financial year (2016 - 2017)	During the current financial year (2017 - 2018)
1 From Process(Used Oil) 2 From Pollution control Facilities	*46570 kg Nil	*35314 kg Nil

^{*} Used Oil sent to Authorised Recyclers for recycling.

PART-E SOLID WASTES

	Solid wastes	Total Quantity			
				During the current financial year (2017 - 2018)	
		Fly ash & Bottom ash (MT)	Coal mill rejects (MT)	Fly ash & Bottom ash (MT)	Coal mill rejects (MT)
а	From Process	1761415	7651.40	1584999	4534.48
b	From Pollution control Facilities	1758422		1582006	
c(1)	Quantity recycled or reutilized within the unit.	9.06% (Fly ash)	Back filling of low lying areas.	0.93 % (Fly ash)	Back filling of low lying areas.
'(2)	Sold	Nil	Nil	Nil	Nil
'(3)	Disposed	Bottom ash to	Ash Pond.	Bottom ash to	

Overall Quantity of ash utilized in the Financial Year 2017-18 - 56.76~%

PART-F

Please specify the charcteristics (in term of concentration and quantum) of hazardous as well as solid waste and indicate disposal practice adopted for both these categories of waste.

Hazardous waste in the form of used oil is stored and send to authorized recyclers for recycling thus there is no waste disposal. Solid waste generated are ash and coal mill rejects only. Ash quantity generated as waste is 1584999 MT and coal mill reject is 4534.48 MT.

The Fly ash supplied to Cement Industries and balanced ash is disposed off in the form of slurry to ash pond and coal mill reject are used for back filling of low lying area.

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Monthly drawal of water from Reuse Pond,STP,ETP and Ash Water Recovery Plant in the year 2017 - 2018 is 9,111,776 KL as compared to 9,511,870 KL in the year 2016-2017.

Voluntary afforestation is being carried out which helps in preservation of Bio-reserves.

PART - H

Additional measures/ investment propasal for environmental protection abatement of pollution, prevention of Pollution.

More afforestation is under process.

PART-I

Any other particulars for improving the quality of the environment.

For environmental protection all steps are being taken and in future also consistence efforts will be made.

(Lalit Mohan Pal) Head(Safety & Env.)

Sh3