

Ref No: HIL/LHD/GM (GEO)/MoEF/ 68

Date: 25.11.2018

To, The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Gurdari (584.19 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period October'18 to March'19.

Ref: Environmental Clearance letter no J-11015/136/2006-IA II (M) dated 7th February 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for Gurdari (584.19 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period October'18 to March'19.

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay) GM (Geology & Environment)

Enclosure: - As Above

Copy to: Member Secretary, JSPCB, Ranchi

RO, JSPCB, Ranchi

CPCB, Zonal Office, Kolkata

<mef@ori.nic.in>, <mef@nic.in>, <mef.or@nic.in>, mef.or@nic.in

Compliance of conditions laid down in Environmental Clearance

GURDARI BAUXITE MINES Period: October'18- March'19 J-11015/136/2006-IA.II (M) dated 7.2.2007

| Sl No | Conditions | Compliance Status | | | | |
|----------|--|--|--|--|--|--|
| | Specific Conditions | | | | | |
| 1 | All the conditions stipulated by SPCB in their NOC shall be effectively implemented. | Implementations of stipulated conditions in NOC are fulfilled post which consent to operate has been granted by SPCB from time to time. The existing consent to operate is valid upto 31.12.2020. Productions of bauxite are within limits specified in consent to operate. | | | | |
| 2 | The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use. | Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement is being done with raiyat (Land Owner) for 20 years with permission of State Govt with provision of returning the land as per as per norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus the provision is taken care off. | | | | |
| 3 | The exploration shall be completed within 2.5 years and thereafter the proponent shall come up with a firm proposal for mining, based on the estimated reserves. The reclamation plan, post mine land use and progressive greenbelt development plan shall also be prepared and submitted with the revised proposal. | Mining is in progress. Required exploration is already done. Reserve and resource estimated on basis of explored bore holes in area. Revised reclamation plan, post mine land use, green belt development plan submitted and approved by the IBM. Review of Mining Plan alongwith progressive mine closure plan (current mining scheme/mining plan)is valid upto 31.03.2024. | | | | |
| 4 | Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table. | Shallow depth mining is being carried out up to maximum depth of 20.00 mts. Hence there will be no intersecting of the ground water table due to mining activities. Mining operation confined within shallow depth (20 m max) and not | | | | |

| | | intersected ground water. As per the survey, the ground water table is at 45-60 m below mining horizon. Thus there is no chance to intersect ground water table during mining operation. In future also, working zone will be restricted to above ground water table. We undertake that no mining is/was carried out below ground water table and the same statusco will be maintain in future also. |
|---|--|---|
| 5 | Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas. | Top soil is being stacked properly with proper slope as and when required. Sequential backfilling and reclamation of mined out area are being exercised. Topsoil is being spread on backfilled area for reclamation of area. |
| 6 | The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forest on six month basis. | Overburden and waste rock are being used for back filling. Data pertaining to backfilling is enclosed as Annexure. 4 Monitoring and management of rehabilitated areas is being done through effective supervision. No external dump exist as on date. |

| 7 | Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals. | No run off is being generated from mining activities. However to collect and manage rainwater during monsoon drains pit sumps are made, part of mined out area is used as settling tank. Settled water is being used for sprinkling of quarry, roads, green belt development, etc. Garland drain, Catch drains and siltation pond has been constructed and is being progressively developed with progress of mining. Sump of adequate capacity is being provided and maintained as required. |
|----|---|--|
| 8 | Plantation shall be raised in an area of 78.44 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha. | Plantation is being carried out on regular basis with progress of mining activity in order to create a green belt of adequate width around the ML area. During above period, total 4300 nos saplings were planted on reclaimed area. Rest to be complied during project period. |
| 9 | The project authority should implement suitable conservation measures to augment ground water resources in area in consultation with Regional Director, Central Ground Water Board. | Suitable conservation measures to augment ground water have been taken. |
| 10 | Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year — pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board. | We are not using ground water for any mining purpose. Drinking water quality Monitoring report is enclosed as Annexure-1. |

| 11 | Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies. | Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. |
|----|---|--|
| | | We are not using any water from natural streams/ ground water for mining. |
| 12 | Water monitoring both for quality and quantity shall be carried out at four locations namely one spring and three streams. Six monthly report should be submitted to the Ministry of Environment and Forest and its Regional Office located at Bhubneshwar. | The quality parameter of the nearby spring has been monitored, report attached. Annexure 1 |
| 13 | Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded. | To keep vehicular emissions in control, company vehicles are periodically checked and repaired. The vehicles are being covered with tarpaulin while transportation of mineral. |
| 14 | Drills should either be operated with dust extractors or should be equipped with water injection system. | Wet drilling is done in the drill holes for dust suppression. |
| 15 | Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented. | Blasting time is fixed during Lunch Time i.e. 1.00 PM -2.00 PM. We have control blasting permission. Controlled blasting method is in practice. Ground vibration study has been conducted by IIT, Kharagpur. Efforts and mitigative measures are being taken to mitigate impact of blasting. |
| 16 | Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine. | There is no proposal for enhancement of production. |
| 17 | Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations. | There is no effluent from mine; hence ETP has not been installed. The used oil in workshop being collected and stored in earmarked area and is being disposed through authorized vendor. The sewage water from domestic uses is |
| | | being collected through individual Septic Tank and Soak Pits. |
| 18 | The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <u>Presbytis phayrei</u> , | Action taken for conservation of flora and fauna as under: |
| | Melsurus ursinus etc. Spotted in the study area. | Permanent pillars are established within |

| | Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months. | the mine lease area. Maintenance of the forest road Ensured necessary air and noise pollution control measures. Daily water sprinkling is being carried out on the forest road Transportation is done only in day time. We have also prepared Wild life conservation plan afresh and presentation done to PCCF, Wildlife, Ranchi. |
|----|--|---|
| 19 | A Final Mine Closure plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forest 5 years in advance of final mine closure for approval. | Progressive mine closure plan along with mining scheme has been approved by IBM. Final Mine Closure plan (part) has been approved by IBM. Final Mine closure plan will be prepared in due time. Based on the present resource estimate, and peak rated production capacity mentioned in EC, tentative balance life is around 21 years. However, after completion of further detailed exploration, resources estimate vis-à-vis balance life of mine may change based on final resource estimate, EC capacity and cut-off grade at that point of time. |

General Conditions:

| Sl | Conditions | Compliance Status |
|----|---|-------------------|
| No | | |
| 1 | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest | |
| 2 | No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made. | • |

| 3 | Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO ₂ , NO _x monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. | Being done. Monitoring Reports is enclosed as Annexure-1. |
|---|--|--|
| 4 | Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months. | Being done. Monitoring Reports for reporting period is enclosed in Annexure-1. |
| 5 | Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained. | Three nos. of water tanker have been provided for sprinkling of water on haul roads and active mining areas to arrest fugitive dust. Water spraying at loading, unloading, etc is also being done properly. |
| 6 | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs. | also being done properly. Noise monitoring is being done regularly. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs. Monitoring of noise level is being conducted at various locations of the work zone area. Report attached as Annexure 1 |
| 7 | Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents. | There is no effluent discharge from Mine. Workshop has an Oil Catchment Pit to trap oil and grease. |
| 8 | Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. | Complied. Use of Personal Protective Equipment (PPE) by individuals is being ensured. All mine workers are being regularly and periodically sent to our own hospital for health checkup/ Occupational Health check up for any contraction of diseases due to exposure in dusty and noisy areas. |

| | | Training on safety, health and environmental aspects of mining is being regularly imparted through VT training centre and also through various other training programmes conducted by the State Government, recognized agencies, etc. |
|----|--|---|
| 9 | A separate environmental management cell with suitable qualified personnel should be set- up under the control of a Senior Executive, who will report directly to the Head of the Organization. | Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy Enclosed as Annexure 3. |
| 10 | The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work. | This is an operating mine and hence provision related to financial closure not applicable. |
| 11 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar. | Statement of actual expenses for the month October'18 to March'19 for environmental protection measure is enclosed. (Annexure-2). |
| 12 | The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports. | Agreed. |
| 13 | A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. | |
| 14 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days. | Displayed. |
| 15 | The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at | |

| /envfor.nic.in and a copy of the same should | |
|--|--|
| be forwarded to the Regional Office of this | |
| Ministry located Bhubneshwar. | |



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016

Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT

OCTOBER TO DECEMBER 2018

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE regularity by

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

CONTENT

| | LOCATION |
|---|----------------------------|
| | AMBIENT AIR QUALITY |
| 1 | Gurdari Mines Quarry 6B |
| 2 | Gurdari Mines Weigh Bridge |
| 3 | Kujam II Weigh Bridge |
| 4 | Kujam II Quarry |
| 5 | Kujam I Quarry I |
| 6 | Kujam I Quarry II |
| 7 | Amtipani Mines Near Office |
| 8 | Amtipani Mines Near Quarry |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0183/2018-19

183/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B*

Sample collected on: 19.12.2018

| | LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B | | | | |
|---------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration | |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 69.4 | |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 32.9 | |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.5 | |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.0 | |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 6.8 | |
| 06. | Ozone (0 ₃) | μg/m³ | 180 | 10.7 | |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.32 | |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 | |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.1 | |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.8 | |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.0 | |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.30 | |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0184/2018-19 Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge*

Sample collected on: 19.12.2018

| | LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge | | | | |
|---------|--|-------------------|-------------------|---------------|--|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration | |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 80.2 | |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 44.6 | |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.9 | |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.3 | |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 7.5 | |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 10.1 | |
| 07. | Carbon Monoxide (CO) | mg/m ³ | 02 | 0.37 | |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 | |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.4 | |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.1 | |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.0 | |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.30 | |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0185/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** State: **Jharkhand**

Country: **India**

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Kujam II Weigh Bridge**

Sample collected on: 19.12.2018

| | LOCATION / IDENTIFICATION: Kujam II Weigh Bridge | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 73.8 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 34.6 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.9 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.7 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 7.1 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 11.2 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.41 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 1.9 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.3 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.1 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.35 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0186/2018-19

Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203** State: **Jharkhand**

Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: 19.12.2018

| | LOCATION / IDENTIFICATION: Kujam II Quarry | | | |
|---------|--|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 84 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 40 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.3 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.9 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 7.6 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 11.7 |
| 07. | Carbon Monoxide (CO) | mg/m ³ | 02 | 0.34 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.7 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.0 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.1 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.30 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0187/2018-19 Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**

State: **Jharkhand** Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 20.12.2018

| | LOCATION / IDENTIFICATION: Kujam I Quarry I | | | |
|---------|--|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 87 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 40 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.7 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 5.3 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 7.8 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 9.6 |
| 07. | Carbon Monoxide (CO) | mg/m ³ | 02 | 0.31 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.1 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.3 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 3.0 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.32 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE regeneral put.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0188/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand**

Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 20.12.2018

| | LOCATION / IDENTIFICATION: Kujam I Quarry II | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 70 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 32 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 2.9 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 3.7 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 5.5 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 9.4 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.38 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.6 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.1 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 3.0 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.32 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0189/2018-19

Date: 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga **Postal Code:** 835203

State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 20.12.2018

| | LOCATION / IDENTIFICATION: Near Amtipani Mines Near Office | | | | |
|------------|--|-------------------|-------------------|---------------|--|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration | |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 75.9 | |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 33.2 | |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.3 | |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.8 | |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 8.5 | |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 11.7 | |
| 07. | Carbon Monoxide (CO) | mg/m ³ | 02 | 0.33 | |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.02 | |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.5 | |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.7 | |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.0 | |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.31 | |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

OCTOBER - DECEMBER 2018

Report no: MEEPL/JAN0190/2018-19 **Date:** 30th January, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 **State:** Jharkhand **Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 20.12.2018

| | LOCATION / IDENTIFICATION: Amtipani Mines Near Quarry | | | | |
|------------|--|-------|-------------------|---------------|--|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration | |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 82.7 | |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 38.3 | |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.2 | |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 3.9 | |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 7.1 | |
| 06. | Ozone (0 ₃) | μg/m³ | 180 | 11.7 | |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.33 | |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 | |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.1 | |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.9 | |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.0 | |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.30 | |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016
Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

NETARHAT PLATEAU- ENVIRONMENTAL MONITORING REPORT

JANUARY TO MARCH 2019

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

CONTENT

| | LOCATION |
|---|---|
| | AMBIENT AIR QUALITY |
| 1 | Gurdari Mines Quarry 6B |
| 2 | Gurdari Mines Weigh Bridge |
| 3 | Kujam II Weigh Bridge |
| 4 | Kujam II Quarry |
| 5 | Kujam I Quarry I |
| 6 | Kujam I Quarry II |
| 7 | Amtipani Mines Near Office |
| 8 | Amtipani Mines Near Quarry |
| | NOISE LEVEL |
| 1 | Gurudari Pit (584.19 ha.) Netarhat Plateau |
| 2 | Kujam-I (80.87 ha.) Netarhat Plateau |
| 3 | Kujam-II (157.38 ha.) Netarhat Plateau |
| 4 | Amtipani Mines Pit |
| | SPOT NOISE LEVEL |
| 1 | Poclain at Haralagda Pit |
| 2 | Compressor Near Quarry 4 at Kujam-II |
| 3 | Drill Rig at Working Pit Kujam-I |



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0215/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Gurdari Mines Quarry 6B*

Sample collected on: 12.03.2019

| | LOCATION / IDENTIFICATION: Gurdari Mines Quarry 6B | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 73.9 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 34.3 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 2.9 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 3.7 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 5.1 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 8.3 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.20 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.04 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.0 |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.6 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 1.9 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.27 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0216/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand

Country: India

Sample Type: **AMBIENT AIR QUALITY MONITORING**Marks on Sample: Location: *Gurdari Mines - Weigh Bridge*

Sample collected on: **12.03.2019**

| | LOCATION / IDENTIFICATION: Gurdari Mines Weigh Bridge | | | |
|---------|--|-------------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 84.7 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 47.3 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.4 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.1 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 2.8 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 9.5 |
| 07. | Carbon Monoxide (CO) | mg/m ³ | 02 | 0.28 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.05 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.5 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.3 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.1 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.32 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0217/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: **Hindalco Industries Limited**

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand**

Country: **India**

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: *Kujam II Weigh Bridge*

Sample collected on: **13.03.2019**

| | LOCATION / IDENTIFICATION: Kujam II Weigh Bridge | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 77.2 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 36.7 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.8 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 2.3 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 4.5 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 10.1 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.32 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.02 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 1.8 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.0 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.4 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.29 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0218/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand**

Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam II Quarry

Sample collected on: 13.03.2019

| | LOCATION / IDENTIFICATION: Kujam II Quarry | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 88.1 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 45.3 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.1 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 1.9 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 2.7 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 9.0 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.18 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.01 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.2 |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.5 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 1.8 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.4 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0219/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: **835203** State: **Jharkhand** Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry I

Sample collected on: 13.03.2019

| | LOCATION / IDENTIFICATION: Kujam I Quarry I | | | |
|---------|--|-------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 81.4 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 42.3 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.2 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 3.6 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 3.0 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 9.8 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.24 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.04 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 1.9 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.1 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.6 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.34 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0220/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Jharkhand**

Country: **India**

Sample Type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Kujam I Quarry II

Sample collected on: 13.03.2019

| | LOCATION / IDENTIFICATION: Kuj | jam I Quarr | y II | |
|---------|--|-------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 76.5 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 38.1 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.6 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.7 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 5.1 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 10.7 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.33 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.02 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.4 |
| 10. | Arsenic (As) | μg/m³ | 06 | 1.3 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 2.7 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.30 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO - RMCC, District - Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0221/2019-20 Date: 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines Near Office

Sample collected on: 12.03.2019

| | LOCATION / IDENTIFICATION: Near Am | tipani Mir | es Near Offi | ce |
|------------|--|------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than $10 \mu m$) PM_{10} | μg/m³ | 100 | 79.4 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 37.0 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 4.0 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 3.8 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 5.6 |
| 06. | Ozone (0 ₃) | μg/m³ | 180 | 9.5 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.23 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.03 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.3 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.0 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 1.6 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.29 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0222/2019-20 **Date:** 21st May, 2019

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 **State:** Jharkhand **Country:** India

Sample type: AMBIENT AIR QUALITY MONITORING

Marks on Sample: Location: Amtipani Mines - Near Quarry

Sample collected on: 12.03.2019

| | LOCATION / IDENTIFICATION: Amti | pani Mines N | Near Quarry | |
|------------|---|--------------|-------------------|---------------|
| Sl. No. | PARAMETERS | UNIT | Standard Limit | Concentration |
| 01. | Particulate Matter (size less than 10 μ m) PM ₁₀ | μg/m³ | 100 | 84.9 |
| 02. | Particulate Matter (size less than 2.5 μm) PM _{2.5} | μg/m³ | 60 | 41.2 |
| 03. | Sulphur Dioxide (SO ₂) | μg/m³ | 80 | 3.7 |
| 04. | Nitrogen Dioxide (NO ₂) | μg/m³ | 80 | 4.1 |
| 05. | Ammonia (NH ₃) | μg/m³ | 400 | 6.3 |
| 06. | Ozone (O ₃) | μg/m³ | 180 | 10.3 |
| 07. | Carbon Monoxide (CO) | mg/m³ | 02 | 0.21 |
| 08. | Lead (Pb) | μg/m³ | 1.0 | 0.04 |
| 09. | Nickel (Ni) | μg/m³ | 20 | 2.3 |
| 10. | Arsenic (As) | μg/m³ | 06 | 2.1 |
| 11. | Benzene (C ₆ H ₆) | μg/m³ | 05 | 1.6 |
| 12. | Benzo (a) Pyrene | μg/m³ | 01 | 0.34 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0223/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand**

State: **Jnarkha**n Country: **India**

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

| Location/Identification | Unit | Limit (day) | Result | Limit (night) | Result |
|---|------------------------|-------------|--------|---------------|--------|
| Gurdari Pit (584.19 ha.) Netarhat Plateau | dB (A) L _{eq} | 75 | 64.7 | 70 | 54.6 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0224/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203**

State: **Jharkhand** Country: **India**

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

| Location/Identification | Unit | Limit (day) | Result | Limit (night) | Result |
|--|------------------------|-------------|--------|------------------|--------|
| Kujam-I (80.87 ha.) Netarhat Plateau | dB (A) L _{eq} | 75 | 66.6 | 70 | 53.5 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail: mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0225/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203**

State: **Jharkhand** Country: **India**

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

| Location/Identification | Unit | Limit (day) | Result | Limit (night) | Result |
|--|------------------------|-------------|--------|---------------|--------|
| Kujam-II (157.38 ha.) Netarhat Plateau | dB (A) L _{eq} | 75 | 68.2 | 70 | 55.8 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0226/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga

Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

| Location/Identification | Unit | Limit (day) | Result | Limit (night) | Result |
|-------------------------|------------------------|-------------|--------|------------------|--------|
| Amtipani Mines Pit | dB (A) L _{eq} | 75 | 62.1 | 70 | 55.4 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0227/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 12.03.2019

| Location/Identification | Unit | Limit (day) | Result |
|--|------------------------|-------------|--------|
| Gurudari Mines (584.19 ha.) Poclain at Haralagda Pit | dB (A) L _{eq} | 75 | 69.6 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0228/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: **Hindalco Industries Limited**

Client Address: **Lohardaga**Postal Code: **835203**State: **Iharkhand**

State: **Jharkhan** Country: **India**

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

| Location/Identification | Unit | Limit (day) | Result |
|--|------------------------|-------------|--------|
| Kujam-II Mines (157.38 ha.) Compressor at Quarry No.4 | dB (A) L _{eq} | 75 | 71.9 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262.

E-mail:mahabalranchi@gmail.com

Hindalco Industries:

Environmental Monitoring Report

JANUARY - MARCH 2019

Report no: MEEPL/MAY0229/2019-20 **Date:** 21st May, 2019

Sample described by customer: Measurement of Spot Noise

Client Name: Hindalco Industries Limited

Client Address: **Lohardaga** Postal Code: **835203**

State: **Jharkhand** Country: **India**

Sample Description: Measurement of Spot Noise

Sampling Method: Instrumental, using Sound level Metter

Data Collection Date: 13.03.2019

| Location/Identification | Unit | Limit (day) | Result |
|--|------------------------|-------------|--------|
| Kujam-I Mines (80.87 ha.) Drill rig at Working Pit | dB (A) L _{eq} | 75 | 67.5 |

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey



Annexure-2

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2018-19

The composite cost during the year 2018-19 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha), Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud (152.57 ha), Orsa pat (196.36 Ha), Bhusar (65.31 Ha) and Bimarla Bauxite Mines (134.52 Ha).

| S. No | Description | Budget (in Rupees) FY 2018-19 | Actual (in Rupees) FY 2018-19 (from April'18 to Sep'18) | Actual (in Rupees) FY 2018-19 (from October'18 to March'19) |
|-------|---|-------------------------------------|---|---|
| 1 | Pollution Control & Environment monitoring | 15,21,000 | 8,82,300.00 | 8,43,969.95 |
| 2 | Reclamation/ Back filing & Rehabilitation** | 2,92,00,000 | 1,49,78,461.39 | 2,94,16,735.87 |
| 3 | Green belt, Plantation & Water spraying arrangement | 45,00,256 | 25,38,864.95 | 47,17,862.62 |
| 4 | Rural Development | 2,60,25,236 | 1,32,42,312.42 | 6,26,47,100.13 |

^{**}Part of OB removed cost.

(Basudev Gangopadhyay)
Convenor (Quality & Environment)

Annexune -3



Date: 10.01.19

Office Order

Environmental Cell has been re-constituted at Gurdari Bauxite Mines (Area 584.19 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Sanjay Kumar Mines Manager (Coordinator)
- 2. Mr. Dhirendra Singh-Geologist (Member)
- 3. Mr. Om Prakash Jha-Mechanical Engineer (Member)
- 4. Mr. Rakesh ranjan Singh -Foreman (Member)

Basudev Gangopadhyay Convenor (Quality & Environment)

| S No | Name of the Mines lease area Capacity Period* Production | Mining lease area | Production Capacity | Lease Period* | | | | Mined out area (ha) |
|------|--|----------------------|------------------------|------------------|-------|----------|----------------------------|--|
| | | (ha) | (MT)* | | 14 | (INI) | | |
| ם | Bagru bauxite Mine | 75.41 | 85000 | 22.01.1974 | 7 | ining op | lining operation is stoppe | Mining operation is stopped due to legal problem |
| | | | | to 31.03.2030 | | | | |
| 2 | Bhusar Bauxite Mine | 65.31 | 280000 | 11.07.1981 | 190 | 190078 | 0078 1.638 | |
| | | | | to | | | | |
| | | | | 31.03.2030 | | | | |
| ω | Hisri (New) Bauxite | 14.55 | 100000 | 19.07.1981 | | 90674 | 90674 1.366 | |
| | Mine | | | б | | | | |
| | | | | 31.03.2030 | | | | |
| 4 | Kujam - I Bauxite Mine | 80.87 | 150000 | 13.03.2006 | | 131115 | 131115 4.36 | |
| | | | | to 12.03.2056 | | | | |
| 5 | Kujam - II Bauxite Mine | 157.38 | 300000 | 24.03.2006 | | 260995 | 260995 14.29 | |
| | | | | to 23.03.2056 | | | | |
| 6 | Amtipani Bauxite Mine | 190.95 | 150000 | 13.03.2006 | | 144670 | 144670 8.38 | |
| | | | | to 12.03.2056 | | | | |
| 7 | Gurdari Bauxite Mine | 584.19 | 325000 | 23.03.1985 | | 322340 | 322340 13.57 | |
| | | | | to 22.03.2035 | | | | |
| ∞ | Shrengdag A Bauxite | 155.81 | 260000 | 16.10.1974 | | 255430 | 255430 3.65 | |
| | Mine | | | to 31.03.2030 | | | | |
| 9 | Shrengdag B Bauxite Mine | 140.07 | 100000 | 04.10.1978 to | | 73190 | 73190 1.04 | |
| 3 | | | | 31.03.2030 | l Die | | | |
| 10 | Mine | 12.14 | 50000 | 16.10.1974 to | | 40395 | 40395 1.04 | |
| | | | | 31 03 2030 | | | | |

| | | - | 11000 | 2000 | _ | - | - | _ | - | | | - | | | | | | _ | | - | _ | | |
|------------------|----------------------|------------|-------|------------------|------------|----|----------------|--|------------|----|-----------------|------------|----------|----------------|------------|----------|---------------|------------|------|---------------------|------------|----|----------------------|
| | 18 | | | 17 | | | 16 | | | | 15 | | | 14 | | | 13 | | | 12 | | | 11 |
| | Bimarla Bauxite Mine | | | Pakhar (109.507) | | | Pakhar (15.58) | | | | Pakhar (115.13) | | | Pakhar (35.12) | | | Pakhar (8.09) | | Mine | Chiro Kukud bauxite | | | Orsapat Bauxite Mine |
| | 134.526 | | | 109.507 | | | 15.58 | Minerals & N | | | 115.13 | | | 35.12 | | | 8.09 | | | 152.57 | | | 196.36 |
| | 300000 | | | 280000 | | | 60000 | Minerals & Minerals Limited | | | 300000 | | | 200000 | | | 80000 | | | 100000 | | | 200000 |
| to 17.07.2059 | 18.07.2009 | 25.07.2058 | б | 26.07.2008 | 31.03.2030 | to | 28.04.1965 | | 31.03.2030 | to | 19.07.1996 | 31.03.2030 | to | 17.04.1975 | 31.03.2030 | to | 16.05.1973 | 28.01.2035 | to | 29.01.1985 | 16.07.2036 | to | 17.07.1986 |
| | 185715 | | | 247130 | | | 35500 | | | | 294000 | | <u>N</u> | | | N. | | | | 1970 | | | 1470 |
| | 8.09 | | | 2.37 | | | 0.65 | | | | 3.31 | | Z. | | | Z | | | | 0.113 | | | 0.00 |
| | 8.65 | | | 2.82 | | | 0.92 | | | | 2.43 | | Z | | | <u>N</u> | | | | 0.00 | | | 0.00 |
| | 409391.00 | | | 378979 | | | 93116 | | | | 521370 | | ₹ | | | Z. | | | | 13168.924 | | | 2185.422 |

^{*}Static information about the mines included in the above table



Basudev Gangopadhyay
Convenor (Quality & Environment)