

HIL/LHD/ENV/MOEF/526

Date: 28.05.2020

To,

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Gurdari (584.19 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Gumla, Jharkhand for the period October'19 to March'20.

Ref: Environmental Clearance letter no J-11015/136/2006-IA II (M) dated 7th February 2007

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Gurdari (584.19 ha)** Bauxite Mining project of **M/s Hindalco Industries Limited** located in Gumla, Jharkhand for the period October'19 to March'20. The lease detail is as below.

Lease area (ha)	Production Capacity (MT)	Lease Period
584.19	325000	23.03.1985 to 22.03.2035

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay) GM (Geology & Environment)

Enclosure: - As Above

CC: ro.ranchi-mef@gov.in, mef@ori.nic.in, mef@nic.in, mef.or@nic.in, mscb.cpcb@nic.in, zokolkatta.cpcb@nic.in, ranchijspcb@gmail.com, roranchi47@gmail.com

Hindalco Industries Limited

Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PLC011238

Compliance of conditions laid down in Environmental Clearance

GURDARI BAUXITE MINES Period: October'19 to March'20 J-11015/136/2006-IA.II (M) dated 7.2.2007

SI	Conditions	Compliance Status
No	Specific Conditions	
1	All the conditions stipulated by SPCB in their NOC shall be effectively implemented.	Implementations of stipulated conditions in NOC are fulfilled post which consent to operate has been granted by SPCB from time to time. The existing consent to operate is valid upto 31.12.2020. Productions of bauxite are within limits specified in consent to operate.
2	The environmental clearance is subject to approval of the state land use Department, Government of Jharkhand for diversion of agricultural land for non-agricultural use.	Land acquisition is being done with permission of competent authority of State Government i.e. concerned Deputy Commissioner (D.C.) under CNT Act. The land lease agreement is being done with raiyat (Land Owner) for 20 years with permission of State Govt with provision of returning the land as per as per norms set by D.C. The compensation and facilities are being provided as per norms set in agreement. Thus land acquisition has the approval of State Government.
3	The exploration shall be completed within 2.5 years and thereafter the proponent shall come up with a firm proposal for mining, based on the estimated reserves. The reclamation plan, post mine land use and progressive greenbelt development plan shall also be prepared and submitted with the revised proposal.	Mining is in progress. Required exploration is already done. Reserve and resource estimated on basis of explored bore holes in area. Revised reclamation plan, post mine land use, green belt development plan submitted and approved by the IBM. Review of Mining Plan along with progressive mine closure plan (current mining scheme/mining plan) is valid up to 31.03.2024.
4	Mining shall not intersect groundwater. The mine working shall be restricted to ground water table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining	Shallow depth mining is being carried out up to maximum depth of 20.00 mts. Hence there will be no intersecting of the ground water table due to mining activities. In future

	below water table.	also, working zone will be restricted to above ground water table.
		We undertake that no mining is/was carried out below ground water table and the same status will be maintain in future also.
5	Top soil shall be stacked properly with proper slope with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being stacked properly with proper slope as and when required Sequential backfilling and reclamation of mined out area are being exercised for which topsoil is being spread on backfilled area for reclamation of area.
6	The waste generated shall be concurrently backfilled in the mined out area. There shall be no external OB dump. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self- sustaining. Compliance status should be submitted to the Ministry of Environment &	Overburden and waste rock are being used for back filling. Data pertaining to backfilling is enclosed as Annexure. 4 Monitoring and management of rehabilitated areas is being done
	Forest on six month basis.	through effective supervision. No external dump exists as on date.
7	Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from mine working. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for mine pit and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate	No run-off is generated from mining activities. However, to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Rain water stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary. Catch drains, Garland drains of appropriate size have been constructed both around the mine pit to prevent run off of water and flow of sediments directly into the
	retention period to allow proper setting of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Sump of adequate capacity is being provided and maintained as required.

8	Plantation shall be raised in an area of 78.44 ha including a green belt of adequate width by planting the native species around the ML area, roads, reclaimed area etc. in consultation with the local DFO / Agriculture Department. The density of the trees should be around 1500 plants per ha.	Plantation is being carried out on regular basis with progress of mining activity in order to create a green belt of adequate width around the ML area. During FY 2019-20, total 4788 nos. saplings were planted on reclaimed area. Total 14.50 Ha areas has been planted till date. In addition to this agricultural activity is going on reclaimed land. Rest to be complied during project period.
9	The project authority should implement suitable conservation measures to augment ground water resources in area in consultation with Regional Director, Central Ground Water Board.	Suitable conservation measures to augment ground water have been taken as directed in CGWB NOC Viz. Constructing water harvesting pond, garland drain etc.
10	Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year – pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to MOEF, Central Ground water Authority and Regional Director Central Ground Water Board.	 The mining operation is not intersecting ground water table. We are not using ground water for any mining purpose. Piezometer has been installed to regular monitoring of ground water table. Water quality Monitoring report is enclosed as Annexure-1.
11	Prior permission from the competent authority should be obtained for drawl of water from the surface water bodies.	Rainwater harvested during rainy season is being used for sprinkling on haul roads and raising plantation. We are not using any water from natural streams/ ground water for mining.
12	Water monitoring both for quality and quantity shall be carried out at four locations namely one spring and three streams. Six monthly report should be submitted to the Ministry of Environment and Forest and its Regional Office located at Bhubneshwar.	The quality parameter of the surface water has been monitored, report attached as Annexure 1

13	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded. Drills should either be operated with dust extractors or should be equipped with water injection system.	To keep vehicular emissions in control, company vehicles are periodically checked and repaired. The vehicles are being covered with tarpaulin while transportation of mineral. Wet drilling is in practice.
15	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibration and to arrest fly rocks and boulders should be implemented.	Blasting time is fixed during Lunch Time i.e. 1.00 PM-2.00 PM. We have control blasting permission. Controlled blasting method is in practice. Ground vibration study has been conducted by IIT, Kharagpur. Efforts and mitigative measures are being taken to mitigate impact of blasting.
16	Consent to operate should be obtained from SPCB prior to start of enhanced production from the mine.	There is no proposal for enhancement of production.
17	Sewage treatment plant should be installed for the colony. ETP should also be provided for workshop and wastewater generated from mining operations.	There is no effluent from mine; hence ETP has not been installed. The used oil in workshop being collected and stored in earmarked area and is being disposed through authorized vendor.
		The sewage water from domestic uses is being collected through individual Septic Tank and Soak Pits.
18	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered fauna such as Indian Python, <i>Presbytis phayrei</i> , <i>Melsurus ursinus</i> etc. Spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department.	Action taken for conservation of flora and fauna as under: Permanent pillars are established within the mine lease area. Maintenance of the forest road
	Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office within 3 months.	Ensured necessary air and noise pollution control measures. Daily water sprinkling is being carried out on the forest road Transportation is done only in day

		time.
		We have also prepared Wild life
		conservation plan afresh and
		presentation done to PCCF, Wildlife,
		Ranchi for its approval.
19	A Final Mine Closure plan along with details of	• • •
	Corpus Fund should be submitted to the	with mining scheme has been
	Ministry of Environment & Forest 5 years in	approved by IBM. Final Mine
	advance of final mine closure for approval.	Closure plan (part) has been
		approved by IBM. Final Mine
		closure plan for balance area will be
		prepared in due time as per
		applicable guildeline and timelines
		mentioned in MCDR/IBM guildeline
		who are competent authority to
		approve the same.
		Based on the present resource
		estimate, and peak rated production
		capacity mentioned in EC, tentative
		balance life is around 20 years.
		However, after completion of further
		detailed exploration, resources
		estimate vis-à-vis balance life of
		mine may change based on final
		resource estimate, EC capacity and
		cut-off grade at that point of time.

General Conditions:

SI No	Conditions	Compliance Status
1	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forest	Noted.
2	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Calendar plan including excavation, quantum of mineral bauxite and waste is being done as per IBM approved mining scheme / mining plan. Report is attached as Annexure 4.
3	Four ambient air quality-monitoring station should be established in the core zone as well as in the buffer zone for RPM, SPM, SO_2 , NO_X monitoring. Location of the stations should be decided based on the	We have already established four ambient air quality monitoring stations in core zone as well as buffer zone. Monitoring is being carried out and reported to concern authorities. Report

	metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	is attached as Annexure 1.
4	Data on ambient air quality (RPM, SPM, SO ₂ , NOx) should be regularly submitted to the Ministry including its Regional office located at Bhubneshwar and the State Pollution Control Board / Central pollution Control Board once in six months.	Being done. Monitoring Reports for reporting period is enclosed in Annexure-1.
5	Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Three nos. of water tanker have been provided for sprinkling of water on haul roads and active mining areas to arrest fugitive dust. Water spraying at loading, unloading, etc is also being done properly.
6	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operation of HEMM, etc. should be provided with ear plug / muffs.	Noise monitoring is being done regularly. Workers engaged in operation of HEMMs, etc have also been provided with PPEs such as ear plug and ear muffs. Monitoring of noise level is being conducted at various locations of the work zone area. Report is attached as Annexure 1
7	Industrial waste water (workshops and waste water from the mine) Should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no effluent discharge from Mine. We are not discharging any waste water outside mine lease area.
8	Personnel working in dusty areas should wear protective respiratory devices and they should also provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Complied. Use of Personal Protective Equipment (PPE) by individuals is being ensured. All mine workers are being regularly and periodically sent to our own hospital for health checkup/ Occupational Health check up for any contraction of diseases due to exposure in dusty and noisy areas. Training on safety, health and environmental aspects of mining is

		being regularly imparted through VT training centre and also through various other training programmes conducted by the State Government, recognized agencies, etc.
9	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy is enclosed as Annexure 3.
10	The project authorities should inform to the Regional Office located at Bhubneshwar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	This is an operating mine and hence provision related to financial closure is not applicable. Now Regional office is at Ranchi
11	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bhubneshwar.	Statement of actual expenses for the month October'19 to March'20 for environmental protection measure is enclosed as Annexure-2. Now Regional office is at Ranchi
12	The Regional Office of this Ministry located at Bhubneshwar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Agreed.
13	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	
14	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Center and Collector's office / Tehsildar's Office for 30 days.	
15	The project authorities should advertise at least in two local newspapers widely circulated, one of which locality concerned, within 7days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution	Complied. Copies, of the advertisement made in the local newspapers, have already been submitted to the Regional Office Vide letter no HIL/GMO(M)/ENV/140 Dated 23.04.2007. Now Regional office is at Ranchi

Control Board and also at web site of the	
Ministry of Environment and Forests at	
http://envfor.nic.in and a copy of the same	
should be forwarded to the Regional Office	
of this Ministry located Bhubneshwar.	



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

OCTOBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

CONTENT

	LOCATION – GURDARI
	AMBIENT AIR QUALITY - CORE ZONE
1	Entrance Gate / Near Mine Office
2	Near Mine Weigh Bridge
3	Near Kathuwapani Pit 23
4	Near AmbakanaPit / NKCPL Camp
	AMBIENT AIR QUALITY – BUFFER ZONE
1	Near Dipa Kujam Village
2	Near Chathasari Village
3	Near Shakhupani Village
4	Near Pakri Gada Village
	DRINKING WATER
1	Gurdari Pit (584.19 ha.)





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0158/2019-20	Date: 11 th November, 2019	
Sample described by customer: AMBIENT AIR QUALITY MONITORING		
Client Name: Hindalco Industries Limited		
Client Address: Lohardaga		
Postal Code: 835203		
State: Jharkhand		
Country: India		
Sample Type: AMBIENT AIR QUALITY MONITORING		
Marks on Sample: Location: Entrance Gate / Near Mine Office	ce	
Sample collected on: 22.10.2019		

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	69.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	36.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.4	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.8	
05.	Ammonia (NH ₃)	µg/m³	400	6.1	
06.	$Ozone(O_3)$	µg/m³	180	7.0	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	µg/m³	20	2.0	
10.	Arsenic (As)	µg/m³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.21	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0159/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUA	LITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Mine Weigh Bridge	
Sample collected on: 22.10.2019	

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	75.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	38.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.9	
05.	Ammonia (NH ₃)	µg/m³	400	7.1	
06.	$Ozone(O_3)$	µg/m³	180	6.2	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25	
08.	Lead (Pb)	µg/m ³	1.0	0.04	
09.	Nickel (Ni)	µg/m³	20	1.8	
10.	Arsenic (As)	µg/m³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	2.0	
12.	Benzo (a) Pyrene	µg/m ³	01	0.30	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0160/2019-20	Date: 11 th November, 2019		
Sample described by customer: AMBIENT AIR QUALITY MONITORING			
Client Name: Hindalco Industries Limited			
Client Address: Lohardaga			
Postal Code: 835203			
State: Jharkhand			
Country: India			
Sample Type: AMBIENT AIR QUALITY MONITORING			
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>			
Sample collected on: 22.10.2019			

	LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	55.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	26.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.8	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.6	
05.	Ammonia (NH ₃)	µg/m³	400	4.1	
06.	0 zone (0_3)	µg/m ³	180	6.0	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.19	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.6	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.3	
12.	Benzo (a) Pyrene	µg/m³	01	0.18	

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0161/2019-20	Date: 11 th November, 2019			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: <i>Near Ambakana Pit / NKCPL Camp</i>				
Sample collected on: 22.10.2019				

LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	45.2
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	21.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.3
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.8
05.	Ammonia (NH ₃)	µg/m³	400	4.2
06.	$Ozone(O_3)$	µg/m ³	180	6.0
07.	Carbon Monoxide (CO)	mg/m ³	02	0.19
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m³	20	1.4
10.	Arsenic (As)	µg/m³	06	1.0
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.3
12.	Benzo (a) Pyrene	µg/m³	01	0.21

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/N0V0162/2019-20Date: 11th November, 2019Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 22.10.2019

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	40.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	17.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.8	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.5	
05.	Ammonia (NH ₃)	µg/m ³	400	3.0	
06.	$Ozone(O_3)$	µg/m³	180	6.6	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.16	
08.	Lead (Pb)	µg/m³	1.0	0.01	
09.	Nickel (Ni)	µg/m ³	20	1.1	
10.	Arsenic (As)	µg/m³	06	0.8	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3	
12.	Benzo (a) Pyrene	µg/m³	01	0.15	

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0163/2019-20	Date: 11 th November, 2019	
Sample described by customer: AMBIENT AIR QUALITY MONITORING		
Client Name: Hindalco Industries Limited		
Client Address: Lohardaga		
Postal Code: 835203		
State: Jharkhand		
Country: India		
Sample Type: AMBIENT AIR QUALITY MONITORING		
Marks on Sample: Location: <i>Near Chathasari Village</i>		
Sample collected on: 22.10.2019		

	LOCATION / IDENTIFICATION: Near Chathasari Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	32.8	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	18.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.2	
05.	Ammonia (NH ₃)	µg/m³	400	4.0	
06.	$Ozone(O_3)$	µg/m ³	180	5.2	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.11	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	0.7	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.1	
12.	Benzo (a) Pyrene	µg/m ³	01	0.16	

nz

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0164/2019-20	Date: 11 th November, 2019	
Sample described by customer: AMBIENT AIR QUALITY MONITORING		
Client Name: Hindalco Industries Limited		
Client Address: Lohardaga		
Postal Code: 835203		
State: Jharkhand		
Country: India		
Sample type: AMBIENT AIR QUALITY MONITORING		
Marks on Sample: Location: Near Shakhuapani Vil	lage	
Sample collected on: 22.10.2019		

	LOCATION / IDENTIFICATION: Near Shakhuapani Village					
SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	28.4		
02.	Particulate Matter (size less than 2.5 μm) $PM_{2.5}$	µg/m ³	60	15.9		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.0		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.3		
05.	Ammonia (NH ₃)	µg/m³	400	3.5		
06.	Ozone (O ₃)	µg/m³	180	5.1		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.10		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	µg/m³	20	1.2		
10.	Arsenic (As)	µg/m³	06	0.9		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.4		
12.	Benzo (a) Pyrene	µg/m³	01	0.15		

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

NITORING

	LOCATION / IDENTIFICATION: Near Pakri Gada Village					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	37.3		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	16.9		
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	2.2		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.7		
05.	Ammonia (NH_3)	µg/m³	400	3.4		
06.	Ozone (O ₃)	µg/m³	180	6.1		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.10		
08.	Lead (Pb)	µg/m³	1.0	0.02		
09.	Nickel (Ni)	µg/m³	20	1.0		
10.	Arsenic (As)	µg/m³	06	1.4		
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0		
12.	Benzo (a) Pyrene	µg/m³	01	0.14		

For Mahabal Enviro Engineers Pvt. Ltd.





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0183/2019-20

Date: 11th November, 2019

Sample described by customer: DRINKING WATER-POTABILITY

Client Name: *Hindalco Industries Limited* Client Address: *Lohardaga*

Postal Code: 835203

State: Jharkhand

Country: India

Sample Type: DRINKING WATER-POTABILITY

Marks on Sample: Location: Drinking Water of Gurdari Pit (584.19 ha.)

Sample collected on: 22.10.2019

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.11	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2-13
5	рН		7.1	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	294	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	<0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
9	Dichioramines	mg/l	<0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	31	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	35	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	13.0	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	5.2	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190
14	Nitrate (as NO3)	mg/l	1.10	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4-125





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Continuation Sheet

					MEEPL/ NOV0183/2019-20
					APHA 22 nd Ed. 2012, 4500-FB &
15	Fluoride (as F)	mg/l	0.12	1 max	D, 4-84, 4-87
16	Boron (as B)	mg/l	0.10	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
17	Calcium (as Ca)	mg/l	19.1	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67
18	Magnesium (as Mg)	mg/l	2.3	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3- F, 4-115
20	Iron (as Fe)	mg/l	0.14	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22 nd Ed. 2012, 3500-Al-B, 3-61
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
27	Zinc (as Zn)	mg/l	0.04	5 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
28	Arsenic (as As)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3- 38
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3- 23
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3- 38
31	Nickel (as Ni)	mg/l	<0.01	0.02 max	APHA 22 nd Ed. 2012, 3111-B, 3- 18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
34	Anionic detergents as MBAS	mg/l	<0.1	0.2 max	APHA 22 nd ED. 2012, 5540-C.C & 5-53
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 nd ED. 2012, 5530-B & C 5-4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22 nd ED. 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-S2-C 4- 175 & F 4-178





Hindalco Industries : Gurdari

Environmental Monitoring Report

OCTOBER 2019

Continuation Sheet

MEEPL/NOV0183/2019-20

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
Microbio	ological Analysis		•		
					APHA 22 nd Ed. 2012,
1	Total Coliforms	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-67
					APHA 22 nd Ed. 2012,
2	E-Coli	MPN/100mL	N.D	Absent	9221-B & C, 9-66, 9-69
					and 9-76
Pesticid	es Residues				•
3	p.p DDT	µg/L	N.D	1	US EPA 508-1995
4	o.p DDT	µg/L	N.D	1	US EPA 508-1995
5	p.p DDE	µg/L	N.D	1	US EPA 508-1995
6	o.p DDE	µg/L	N.D	1	US EPA 508-1995
7	p.p DDD	µg/L	N.D	1	US EPA 508-1995
8	o.p DDD	µg/L	N.D	1	US EPA 508-1995
9	γ-HCH (Lindance)	µg/L	< 0.01	2	US EPA 508-1995
10	α-HCH	µg/L	N.D	0.01	US EPA 508-1995
11	β-НСН	µg/L	N.D	0.04	US EPA 508-1995
12	Б- НСН	µg/L	N.D	0.04	US EPA 508-1995
13	Butachlor	µg/L	N.D	125	US EPA 508-1995
14	Alachlor	µg/L	N.D	20	US EPA 508-1995
15	Atrazine	µg/L	N.D	2	US EPA 508-1995
16	α Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
17	β Endosulfan	µg/L	N.D	0.4	US EPA 508-1995
18	Endosulfan Sulphate	µg/L	N.D	0.4	US EPA 508-1995
19	Ethion	µg/L	N.D	3	US EPA 8141A-1994
20	Malathion	µg/L	N.D	190	US EPA 8141A-1994
21	Methoyl Parathion	μg/L	N.D	0.3	US EPA 8141A-1994
22	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23	Phorate	μg/L	N.D	2	US EPA 8141A-1994
24	Chlorpyrifos	μg/L	N.D	30	US EPA 8141A-1994
25	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995
Remarks	: N.D- Not Detected		1	1	1

Conclusion : The Physical & Chemical Analysis report indicates that the water is not contaminated and potable.

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

NOVEMBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

CONTENT

	LOCATION – GURDARI
	AMBIENT AIR QUALITY - CORE ZONE
1	Entrance Gate / Near Mine Office
2	Near Mine Weigh Bridge
3	Near Kathuwapani Pit 23
4	Near AmbakanaPit / NKCPL Camp
	AMBIENT AIR QUALITY – BUFFER ZONE
1	Near Dipa Kujam Village
2	Near Chathasari Village
3	Near Shakhupani Village
4	Near Pakri Gada Village
	SURFACE WATER ANALYSIS
1	Gurdari Bauxite Mines





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0297/2019-20	Date: 27th December, 2019			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: Entrance Gate / Near Mine	Office			
Sample collected on: 20.11.2019				

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	77.2		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	39.5		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.9		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.1		
05.	Ammonia (NH ₃)	µg/m ³	400	8.5		
06.	$Ozone(O_3)$	µg/m ³	180	7.2		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.31		
08.	Lead (Pb)	µg/m ³	1.0	0.03		
09.	Nickel (Ni)	µg/m³	20	2.2		
10.	Arsenic (As)	µg/m³	06	1.5		
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0		
12.	Benzo (a) Pyrene	µg/m³	01	0.23		

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0298/2019-20	Date: 27th December, 2019			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: <i>Near Mine Weigh Bridge</i>				
Sample collected on: 20.11.2019				

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	86.8		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	45.2		
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	8.9		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	5.5		
05.	Ammonia (NH ₃)	µg/m ³	400	10.3		
06.	0 zone (0_3)	µg/m ³	180	6.8		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.32		
08.	Lead (Pb)	µg/m ³	1.0	0.04		
09.	Nickel (Ni)	µg/m³	20	1.9		
10.	Arsenic (As)	µg/m³	06	1.5		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.8		
12.	Benzo (a) Pyrene	µg/m ³	01	0.31		

For Mahabal Enviro Engineers Pvt. Ltd.

nz





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0299/2019-20	Date: 27th December, 2019		
Sample described by customer: AMBIENT AIR QUALITY MONITORING			
Client Name: Hindalco Industries Limited			
Client Address: Lohardaga			
Postal Code: 835203			
State: Jharkhand			
Country: India			
Sample Type: AMBIENT AIR QUALITY MONITORING			
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>			
Sample collected on: 20.11.2019			

LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	62.7	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	30.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.8	
05.	Ammonia (NH ₃)	µg/m³	400	5.3	
06.	Ozone (O ₃)	µg/m ³	180	6.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.26	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3	
12.	Benzo (a) Pyrene	µg/m ³	01	0.21	

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0300/2019-20	Date: 27 th December, 2019
Sample described by customer: AMBIENT AIR QUALITY M	IONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Ambakana Pit / NKCPL Ca	Imp
Sample collected on: 20.11.2019	

LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	53.8	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	27.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.0	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.6	
05.	Ammonia (NH ₃)	µg/m³	400	5.8	
06.	$Ozone(O_3)$	µg/m ³	180	6.3	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.28	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.9	
10.	Arsenic (As)	µg/m³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.3	
12.	Benzo (a) Pyrene	µg/m³	01	0.23	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0301/2019-20Date: 27th December, 2019Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 20.11.2019

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	49.3		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	23.7		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9		
05.	Ammonia (NH ₃)	µg/m ³	400	4.2		
06.	$Ozone(O_3)$	µg/m³	180	6.8		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.21		
08.	Lead (Pb)	µg/m³	1.0	0.01		
09.	Nickel (Ni)	µg/m ³	20	1.0		
10.	Arsenic (As)	µg/m³	06	0.8		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3		
12.	Benzo (a) Pyrene	µg/m³	01	0.18		

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0302/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Chathasari Village</i>	
Sample collected on: 20.11.2019	

LOCATION / IDENTIFICATION: Near Chathasari Village					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	44.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	21.8	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9	
05.	Ammonia (NH ₃)	µg/m³	400	4.3	
06.	Ozone (O_3)	µg/m ³	180	5.9	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.16	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	0.7	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.1	
12.	Benzo (a) Pyrene	µg/m ³	01	0.18	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0303/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Shakhuapani Village	2
Sample collected on: 20.11.2019	

	LOCATION / IDENTIFICATION: Near Shakhuapani Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	36.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	20.7	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.1	
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	1.5	
05.	Ammonia (NH ₃)	µg/m ³	400	3.9	
06.	Ozone (O ₃)	µg/m³	180	5.4	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.15	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	µg/m³	20	1.2	
10.	Arsenic (As)	µg/m³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.4	
12.	Benzo (a) Pyrene	µg/m³	01	0.16	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0304/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address : Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Pakri Gada Village	
Sample collected on: 20.11.2019	

	LOCATION / IDENTIFICATION: Near Pakri Gada Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	45.1	
02.	Particulate Matter (size less than 2.5 μm) $PM_{2.5}$	µg/m³	60	22.0	
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	3.0	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9	
05.	Ammonia (NH ₃)	µg/m ³	400	3.7	
06.	Ozone (O_3)	µg/m³	180	6.5	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.16	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0	
12.	Benzo (a) Pyrene	µg/m ³	01	0.17	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Date: 27th December, 2019

Report No.: MEEPL/DEC0340/2019-20Sample described by customer : SURFACE WATERClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: SURFACE WATERMarks on Sample: Location: Gurdari Bauxite MinesQuantity: 5 L X 2 No. PVC CanSample collected on:20.11.2019

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.21	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2-13
5	рН		7.1	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4- 69
7	Total Dissolved Solids	mg/l	330	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Total hardness (as CaCO3)	mg/l	39	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	33	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
10	Chloride (as CI)	mg/l	32	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4- 72
11	Sulphate (as SO4)	mg/l	24.4	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190
12	Boron (as B)	mg/l	0.16	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/l	6.3	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

NOVEMBER 2019

Continuation Sheet MEEPL/DEC0340/2019-20

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Fluoride (as F)	mg/l	0.12	1 max	APHA 22 nd Ed. 2012, 4500-FB & D, 4- 84, 4-87
15	Calcium (as Ca)	mg/l	7.5	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67
16	Iron (as Fe)	mg/l	0.08	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
17	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
18	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
19	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
20	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
21	Zinc (as Zn)	mg/l	0.02	5 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/l	<0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
23	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3-23
24	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
25	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27	Dissolved Oxygen	mg/l	7.7	7-8	APHA 20 th ED. Method 4500-o g.

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

DECEMBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

CONTENT

	LOCATION – GURDARI
	AMBIENT AIR QUALITY - CORE ZONE
1	Entrance Gate / Near Mine Office
2	Near Mine Weigh Bridge
3	Near Kathuwapani Pit 23
4	Near AmbakanaPit / NKCPL Camp
	AMBIENT AIR QUALITY – BUFFER ZONE
1	Near Dipa Kujam Village
2	Near Chathasari Village
3	Near Shakhupani Village
4	Near Pakri Gada Village





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0217/2019-20	Date: 27 th January, 2020
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Entrance Gate / Near Mine	Office
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	81.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	40.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	9.4
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	5.6
05.	Ammonia (NH ₃)	µg/m³	400	8.9
06.	$Ozone(O_3)$	µg/m ³	180	7.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.37
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	µg/m³	20	2.0
10.	Arsenic (As)	µg/m³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0
12.	Benzo (a) Pyrene	µg/m ³	01	0.23

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0218/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Mine Weigh Bridge</i>	
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	90.3
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	49.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	14.2
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	7.9
05.	Ammonia (NH ₃)	µg/m ³	400	10.5
06.	$Ozone(O_3)$	µg/m ³	180	7.4
07.	Carbon Monoxide (CO)	mg/m ³	02	0.45
08.	Lead (Pb)	µg/m³	1.0	0.04
09.	Nickel (Ni)	µg/m ³	20	2.3
10.	Arsenic (As)	µg/m³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.7
12.	Benzo (a) Pyrene	µg/m ³	01	0.32

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0219/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>	
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	68.0
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	33.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.1
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	3.3
05.	Ammonia (NH ₃)	µg/m ³	400	5.9
06.	$Ozone(O_3)$	µg/m ³	180	6.1
07.	Carbon Monoxide (CO)	mg/m ³	02	0.32
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m ³	20	1.0
10.	Arsenic (As)	µg/m ³	06	1.7
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3
12.	Benzo (a) Pyrene	µg/m ³	01	0.23

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL /JAN/0220/2019-20	Date: 27 th January, 2020
Sample described by customer: AMBIENT AIR QUALITY MONIT	ORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Ambakana Pit / NKCPL Camp</i>	
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	57.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	29.1
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.3
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.2
05.	Ammonia (NH ₃)	µg/m³	400	5.5
06.	0 zone (0_3)	µg/m ³	180	6.4
07.	Carbon Monoxide (CO)	mg/m ³	02	0.31
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m³	20	1.6
10.	Arsenic (As)	µg/m³	06	1.0
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3
12.	Benzo (a) Pyrene	µg/m³	01	0.23

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0221/2019-20Date: 27th January, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 19.12.2019

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	52.4
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	23.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9
05.	Ammonia (NH ₃)	µg/m ³	400	4.2
06.	$Ozone(O_3)$	µg/m³	180	6.8
07.	Carbon Monoxide (CO)	mg/m ³	02	0.24
08.	Lead (Pb)	µg/m³	1.0	0.01
09.	Nickel (Ni)	µg/m ³	20	1.0
10.	Arsenic (As)	µg/m³	06	0.9
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3
12.	Benzo (a) Pyrene	µg/m³	01	0.19

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0222/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUALI	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Chathasari Village</i>	
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Near Chathasari Village			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	49.3
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	23.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2
05.	Ammonia (NH ₃)	µg/m³	400	4.7
06.	Ozone (O_3)	µg/m ³	180	6.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.21
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m ³	20	1.0
10.	Arsenic (As)	µg/m³	06	0.7
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.1
12.	Benzo (a) Pyrene	µg/m ³	01	0.19

nz

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0223/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Shakhuapani Village	
Sample collected on: 19.12.2019	

	LOCATION / IDENTIFICATION: Near Shakhuapani Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	45.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	21.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.6	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9	
05.	Ammonia (NH ₃)	µg/m ³	400	4.3	
06.	Ozone (O ₃)	µg/m³	180	5.8	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.22	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	µg/m³	20	1.2	
10.	Arsenic (As)	µg/m³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.6	
12.	Benzo (a) Pyrene	µg/m ³	01	0.18	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0224/2019-20	Date: 27th January, 2020			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: Near Pakri Gada Village				
Sample collected on: 19.12.2019				

	LOCATION / IDENTIFICATION: Near Pakri Gada Village				
SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	50.6	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	27.3	
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	3.9	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH ₃)	µg/m³	400	4.1	
06.	Ozone (O_3)	µg/m³	180	6.8	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.21	
08.	Lead (Pb)	µg/m³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.6	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.19	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

JANUARY 2020

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

CONTENT

	LOCATION – GURDARI	
	AMBIENT AIR QUALITY - CORE ZONE	
1	Entrance Gate / Near Mine Office	
2	Near Mine Weigh Bridge	
3	Near Kathuwapani Pit 23	
4	Near AmbakanaPit / NKCPL Camp	
	AMBIENT AIR QUALITY – BUFFER ZONE	
1	Near Dipa Kujam Village	
2	Near Chathasari Village	
3	Near Shakhupani Village	
4	Near Pakri Gada Village	
	SURFACE WATER ANALYSIS	
1	Gurdari Bauxite Mines	
	AMBIENT NOISE MONITORING	
1	Near Mines Office	





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0318/2019-20	Date: 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Entrance Gate / Near Mine G)ffice
Sample collected on: <i>21.01.2020</i>	

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	85.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	42.4	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	9.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	5.9	
05.	Ammonia (NH ₃)	µg/m³	400	9.2	
06.	$Ozone(O_3)$	µg/m ³	180	7.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.37	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	µg/m³	20	1.8	
10.	Arsenic (As)	µg/m³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.26	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

MONITORING

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	88.0	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	44.5	
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	12.9	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	7.5	
05.	Ammonia (NH $_3$)	µg/m³	400	11.4	
06.	$Ozone(O_3)$	µg/m³	180	7.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.42	
08.	Lead (Pb)	µg/m³	1.0	0.04	
09.	Nickel (Ni)	µg/m³	20	2.0	
10.	Arsenic (As)	µg/m³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.7	
12.	Benzo (a) Pyrene	µg/m ³	01	0.32	

For Mahabal Enviro Engineers Pvt. Ltd.

nz





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0320/2019-20	Date: 15 th February, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>	
Sample collected on: 21.01.2020	

	LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	70.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	35.8	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.3	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.7	
05.	Ammonia (NH ₃)	µg/m³	400	5.9	
06.	Ozone (O_3)	µg/m ³	180	6.5	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.33	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.6	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3	
12.	Benzo (a) Pyrene	µg/m ³	01	0.25	

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0321/2019-20	Date: 15 th February, 2020		
Sample described by customer: AMBIENT AIR QUALITY MONITORING			
Client Name: Hindalco Industries Limited			
Client Address: Lohardaga			
Postal Code: 835203			
State: Jharkhand			
Country: India			
Sample Type: AMBIENT AIR QUALITY MONITORING			
Marks on Sample: Location: <i>Near Ambakana Pit / NKCPL C</i>	amp		
Sample collected on: 21.01.2020			

	LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	61.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	29.7	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.0	
05.	Ammonia (NH ₃)	µg/m ³	400	5.1	
06.	$Ozone(O_3)$	µg/m ³	180	6.8	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.30	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m³	20	1.4	
10.	Arsenic (As)	µg/m³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.3	
12.	Benzo (a) Pyrene	µg/m³	01	0.22	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0322/2019-20Date: 15th February, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 21.01.2020

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	56.5		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	24.2		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.7		
05.	Ammonia (NH ₃)	µg/m ³	400	4.5		
06.	Ozone (0_3)		180	6.8		
07.	Carbon Monoxide (CO)		02	0.27		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	µg/m ³	20	1.0		
10.	Arsenic (As)	µg/m³	06	0.9		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3		
12.	Benzo (a) Pyrene	µg/m³	01	0.20		

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0323/2019-20	Date: 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALI	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Chathasari Village</i>	
Sample collected on: 21.01.2020	

LOCATION / IDENTIFICATION: Near Chathasari Village					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	55.0	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	23.3	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0	
05.	Ammonia (NH ₃)	µg/m³	400	4.1	
06.	Ozone (O_3)	µg/m ³	180	6.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.24	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m ³	20	1.0	
10.	Arsenic (As)	µg/m³	06	0.7	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0	
12.	Benzo (a) Pyrene	µg/m ³	01	0.18	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0324/2019-20	Date: 15 th February, 2020
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Shakhuapani Villa	ige
Sample collected on: 21.01.2020	

	LOCATION / IDENTIFICATION: Near Shakhuapani Village					
SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	49.2		
02.	Particulate Matter (size less than 2.5 μm) $PM_{2.5}$	µg/m ³	60	21.5		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1		
05.	Ammonia (NH ₃)	µg/m³	400	4.0		
06.	06. Ozone (O_3)		180	5.9		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	µg/m³	20	1.0		
10.	Arsenic (As)	µg/m³	06	0.9		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.6		
12.	Benzo (a) Pyrene	µg/m³	01	0.18		

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0325/2019-20	Date: 15 th February, 2020				
Sample described by customer: AMBIENT AIR QUALITY MONITORING					
Client Name: Hindalco Industries Limited					
Client Address : Lohardaga					
Postal Code: 835203					
State: Jharkhand					
Country: India					
Sample type: AMBIENT AIR QUALITY MONITORING					
Marks on Sample: Location: Near Pakri Gada Village					
Sample collected on: 21.01.2020					

	LOCATION / IDENTIFICATION: Near Pakri Gada Village					
SI. No.	PARAMETERS	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	53.1		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.0		
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	3.8		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0		
05.	Ammonia (NH_3)	µg/m³	400	4.0		
06.	Ozone (O_3)	µg/m³	180	6.5		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.23		
08.	Lead (Pb)	µg/m³	1.0	0.02		
09.	Nickel (Ni)	µg/m ³	20	1.0		
10.	Arsenic (As)	µg/m³	06	1.5		
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0		
12.	Benzo (a) Pyrene	µg/m³	01	0.18		

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Date: 15th February, 2020

Report No.: MEEPL/FEB/0326/2019-20Sample described by customer : SURFACE WATERClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: SURFACE WATERMarks on Sample: Location: Gurdari Bauxite MinesQuantity: 5 L X 2 No. PVC CanSample collected on:21.01.2020

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.25	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2-13
5	рН		7.0	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500 - CI-G, 4- 69
7	Total Dissolved Solids	mg/l	310	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Total hardness (as CaCO3)	mg/l	30	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	35	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
10	Chloride (as CI)	mg/l	37	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4- 72
11	Sulphate (as SO4)	mg/l	28.1	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190
12	Boron (as B)	mg/l	0.17	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/l	6.3	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Continuation Sheet MEEPL/FEB/0326/2019-20

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Fluoride (as F)	mg/l	0.12	1 max	APHA 22 nd Ed. 2012, 4500-FB & D, 4- 84, 4-87
15	Calcium (as Ca)	mg/l	7.8	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67
16	Iron (as Fe)	mg/l	0.08	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
17	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
18	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
19	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
20	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
21	Zinc (as Zn)	mg/l	0.02	5 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/l	<0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
23	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3-23
24	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
25	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27	Dissolved Oxygen	mg/l	7.7	7-8	APHA 20 th ED. Method 4500-o g.

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0327/2019-20	Date: 15 th February, 2020
Sample described by customer : Measurement of Noise	
Client Name : Hindalco Industries Limited	
Client Address : Lohardaga	
Postal Code : 835203	
State : Jharkhand	
Country : India	
Sample Description : Measurement of Noise	
Sampling Method : Instrumental, using Sound level Metter	
Data Collection Date: 21.01.2020	

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Near Mine Office	dB (A) L _{eq}	75	70.0	70	63.1

For Mahabal Enviro Engineers Pvt. Ltd.

nz





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

FEBRUARY 2020

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

CONTENT

	LOCATION – GURDARI
	AMBIENT AIR QUALITY - CORE ZONE
1	Entrance Gate / Near Mine Office
2	Near Mine Weigh Bridge
3	Near Kathuwapani Pit 23
4	Near AmbakanaPit / NKCPL Camp
	AMBIENT AIR QUALITY – BUFFER ZONE
1	Near Dipa Kujam Village
2	Near Chathasari Village
3	Near Shakhupani Village
4	Near Pakri Gada Village





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0390/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALITY	(MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Entrance Gate / Near Mine Of	ffice
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	81.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	40.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	9.0
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	5.5
05.	Ammonia (NH ₃)	µg/m³	400	8.6
06.	$Ozone(O_3)$	µg/m³	180	7.9
07.	Carbon Monoxide (CO)	mg/m ³	02	0.35
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	µg/m³	20	1.5
10.	Arsenic (As)	µg/m³	06	1.2
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0
12.	Benzo (a) Pyrene	µg/m³	01	0.27

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0391/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALIT	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Mine Weigh Bridge</i>	
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	86.8
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	43.9
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	10.5
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	7.7
05.	Ammonia (NH ₃)	µg/m³	400	11.9
06.	$Ozone(O_3)$	µg/m³	180	8.3
07.	Carbon Monoxide (CO)	mg/m ³	02	0.44
08.	Lead (Pb)	µg/m³	1.0	0.04
09.	Nickel (Ni)	µg/m³	20	1.7
10.	Arsenic (As)	µg/m³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2
12.	Benzo (a) Pyrene	µg/m ³	01	0.32

For Mahabal Enviro Engineers Pvt. Ltd.

nz





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0392/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALIT	FY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>	
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	74.1
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	36.3
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.5
05.	Ammonia (NH ₃)	µg/m³	400	5.7
06.	0 zone (0_3)	µg/m ³	180	6.9
07.	Carbon Monoxide (CO)	mg/m ³	02	0.34
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m³	20	1.0
10.	Arsenic (As)	µg/m³	06	1.4
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.1
12.	Benzo (a) Pyrene	µg/m ³	01	0.28

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/ MAR/0393/2019-20	Date: 20th March, 2020
Sample described by customer: AMBIENT AIR QUALITY MONITORI	NG
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Ambakana Pit / NKCPL Camp</i>	
Sample collected on: 20.02.2020	

LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	65.3
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	30.9
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	5.8
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.9
05.	Ammonia (NH ₃)	µg/m³	400	5.5
06.	0 zone (0_3)	µg/m ³	180	7.2
07.	Carbon Monoxide (CO)	mg/m ³	02	0.33
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m³	20	1.1
10.	Arsenic (As)	µg/m³	06	1.0
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.3
12.	Benzo (a) Pyrene	µg/m³	01	0.24

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0394/2019-20Date: 20th March, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 20.02.2020

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	59.7
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.6
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9
05.	Ammonia (NH ₃)	µg/m ³	400	4.1
06.	$Ozone(O_3)$	µg/m ³	180	7.0
07.	Carbon Monoxide (CO)	mg/m ³	02	0.30
08.	Lead (Pb)	µg/m³	1.0	0.01
09.	Nickel (Ni)	µg/m³	20	1.0
10.	Arsenic (As)	µg/m³	06	0.9
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3
12.	Benzo (a) Pyrene	µg/m³	01	0.22

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0395/2019-20	Date: 20th March, 2020
Sample described by customer: AMBIENT AIR QUALI	ΓY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Chathasari Village</i>	
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Near Chathasari Village			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	56.8
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	26.9
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1
05.	Ammonia (NH_3)	µg/m³	400	4.0
06.	0 zone (0_3)	µg/m ³	180	6.9
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m³	20	1.0
10.	Arsenic (As)	µg/m³	06	0.7
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0
12.	Benzo (a) Pyrene	µg/m ³	01	0.20

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0396/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Shakhuapani Villag	le
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Near Shakhuapani Village				
SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	53.3	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	27.0	
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	3.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.8	
05.	Ammonia (NH ₃)	µg/m ³	400	3.9	
06.	Ozone (O ₃)	µg/m ³	180	5.5	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.27	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	µg/m³	20	1.2	
10.	Arsenic (As)	µg/m³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.6	
12.	Benzo (a) Pyrene	µg/m³	01	0.19	

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0397/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUA	LITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Pakri Gada Village	9
Sample collected on: 20.02.2020	

	LOCATION / IDENTIFICATION: Near Pakri Gada Village					
SI. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	57.0		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	29.4		
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	4.1		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2		
05.	Ammonia (NH ₃)	µg/m³	400	4.6		
06.	Ozone (O_3)	µg/m³	180	6.9		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.26		
08.	Lead (Pb)	µg/m³	1.0	0.02		
09.	Nickel (Ni)	µg/m ³	20	1.0		
10.	Arsenic (As)	µg/m ³	06	1.6		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0		
12.	Benzo (a) Pyrene	µg/m³	01	0.19		

For Mahabal Enviro Engineers Pvt. Ltd.





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com /ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

GURDARI BAUXITE MINE ENVIRONMENTAL MONITORING REPORT

MARCH 2020

For Mahabal Enviro Engineers Pvt. Ltd.





Mahabal Enviro Engineers Pvt. Ltd.

Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

CONTENT

	LOCATION – GURDARI	
	AMBIENT AIR QUALITY - CORE ZONE	
1	Entrance Gate / Near Mine Office	
2	Near Mine Weigh Bridge	
3	Near Kathuwapani Pit 23	
4	Near AmbakanaPit / NKCPL Camp	
	AMBIENT AIR QUALITY – BUFFER ZONE	
1	Near Dipa Kujam Village	
2	Near Chathasari Village	
3	Near Shakhupani Village	
4	Near Pakri Gada Village	





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0190/2019-20	Date: 20 th April, 2020			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: Entrance Gate / Near Mine O)ffice			
Sample collected on: 18.03.2020				

	LOCATION / IDENTIFICATION: Entrance Gate / Near Mine Office				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	77.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	34.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	8.2	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	5.0	
05.	Ammonia (NH ₃)	µg/m³	400	8.3	
06.	$Ozone(O_3)$	µg/m³	180	7.1	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.35	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	µg/m³	20	1.5	
10.	Arsenic (As)	µg/m³	06	1.3	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.9	
12.	Benzo (a) Pyrene	µg/m³	01	0.26	

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0191/2019-20	Date: 20 th April, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Mine Weigh Bridge</i>	
Sample collected on: 18.03.2020	

	LOCATION / IDENTIFICATION: Near Mine Weigh Bridge				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	88.3	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	41.5	
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	9.2	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	7.5	
05.	Ammonia (NH $_3$)	µg/m ³	400	12.4	
06.	0 zone (0_3)	µg/m ³	180	8.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.41	
08.	Lead (Pb)	µg/m ³	1.0	0.04	
09.	Nickel (Ni)	µg/m³	20	1.7	
10.	Arsenic (As)	µg/m³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2	
12.	Benzo (a) Pyrene	µg/m ³	01	0.32	

For Mahabal Enviro Engineers Pvt. Ltd.

nz





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0192/2019-20	Date: 20 th April, 2020
Sample described by customer: AMBIENT AIR QUALI	FY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Kathuwapani Pit 23</i>	
Sample collected on: 18.03.2020	
Ĩ	

	LOCATION / IDENTIFICATION: Near Kathuwapani Pit 23				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	75.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	32.4	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.6	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.1	
05.	Ammonia (NH ₃)	µg/m³	400	5.8	
06.	$Ozone(O_3)$	µg/m ³	180	7.2	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.32	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	µg/m ³	20	1.0	
10.	Arsenic (As)	µg/m³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.1	
12.	Benzo (a) Pyrene	µg/m ³	01	0.29	

For Mahabal Enviro Engineers Pvt. Ltd.

ar





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/ APR/0193/2019-20	Date: 20 th April, 2020
Sample described by customer: AMBIENT AIR QUALITY MONI	TORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Ambakana Pit / NKCPL Camp</i>	
Sample collected on: 18.03.2020	

LOCATION / IDENTIFICATION: Near Ambakana Pit / NKCPL Camp				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	68.6
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	31.1
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.5
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.7
05.	Ammonia (NH ₃)	µg/m³	400	5.1
06.	Ozone (O ₃)	µg/m ³	180	7.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.34
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	µg/m ³	20	1.1
10.	Arsenic (As)	µg/m³	06	1.0
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.4
12.	Benzo (a) Pyrene	µg/m³	01	0.25

azi

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0194/2019-20Date: 20th April, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near Dipa Kujam VillageSample collected on: 18.03.2020

	LOCATION / IDENTIFICATION: Near Dipa Kujam Village						
Sl. No.	PARAMETERS UNI'		Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	53.9			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	24.0			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.4			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.7			
05.	Ammonia (NH ₃)	µg/m ³	400	3.8			
06.	$Ozone(O_3)$	µg/m ³	180	7.2			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.27			
08.	Lead (Pb)	µg/m³	1.0	0.01			
09.	Nickel (Ni)	µg/m ³	20	1.0			
10.	Arsenic (As)	µg/m³	06	0.7			
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.3			
12.	Benzo (a) Pyrene	µg/m³	01	0.20			

For Mahabal Enviro Engineers Pvt. Ltd.





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0195/2019-20	Date: 20 th April, 2020
Sample described by customer: AMBIENT AIR QUALI	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: <i>Near Chathasari Village</i>	
Sample collected on: 18.03.2020	

	LOCATION / IDENTIFICATION: Near Chathasari Village						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	55.1			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	23.3			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.6			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0			
05.	Ammonia (NH ₃)	µg/m³	400	3.8			
06.	$Ozone(O_3)$	µg/m ³	180	6.5			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.26			
08.	Lead (Pb)	µg/m ³	1.0	0.02			
09.	Nickel (Ni)	µg/m³	20	1.0			
10.	Arsenic (As)	µg/m³	06	0.7			
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0			
12.	Benzo (a) Pyrene	µg/m³	01	0.19			

ar

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0196/2019-20	Date: 20 th April, 2020					
Sample described by customer: AMBIENT AIR QUAL	ample described by customer: AMBIENT AIR QUALITY MONITORING					
Client Name: Hindalco Industries Limited						
Client Address: Lohardaga						
Postal Code: 835203						
State: Jharkhand						
Country: India						
Sample type: AMBIENT AIR QUALITY MONITORING						
Marks on Sample: Location: Near Shakhuapani Village						
Sample collected on: 18.03.2020						

	LOCATION / IDENTIFICATION: Near Shakhuapani Village						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	57.2			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	24.4			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.8			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1			
05.	Ammonia (NH ₃)	µg/m³	400	4.5			
06.	Ozone (O ₃)	µg/m³	180	6.7			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.28			
08.	Lead (Pb)	µg/m ³	1.0	0.01			
09.	Nickel (Ni)	µg/m³	20	1.2			
10.	Arsenic (As)	µg/m³	06	0.8			
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.6			
12.	Benzo (a) Pyrene	µg/m³	01	0.21			

For Mahabal Enviro Engineers Pvt. Ltd.

2





Hindalco Industries : Gurdari

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0197/2019-20	Date: 20 th April, 2020					
Sample described by customer: AMBIENT AIR QUALITY MONITORING						
Client Name: Hindalco Industries Limited						
Client Address: Lohardaga						
Postal Code: 835203						
State: Jharkhand						
Country: India						
Sample type: AMBIENT AIR QUALITY MONITORING						
Marks on Sample: Location: Near Pakri Gada Village						
Sample collected on: 18.03.2020						

	LOCATION / IDENTIFICATION: Near Pakri Gada Village						
SI. No.	PARAMETERS UNIT		PARAMETERS UNIT		Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	54.7			
02.	Particulate Matter (size less than 2.5 μm) $PM_{2.5}$	µg/m³	60	21.9			
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	3.8			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0			
05.	Ammonia (NH ₃)	µg/m³	400	4.2			
06.	Ozone (O ₃)	µg/m³	180	6.1			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.24			
08.	Lead (Pb)	µg/m³	1.0	0.02			
09.	Nickel (Ni)	µg/m³	20	0.8			
10.	Arsenic (As)	µg/m³	06	1.3			
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0			
12.	Benzo (a) Pyrene	µg/m³	01	0.17			

For Mahabal Enviro Engineers Pvt. Ltd.

2



Annexure-2

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2019-20

The composite cost during the year 2019-20 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha), Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud (152.57 ha), Orsa pat (196.36 Ha), Bhusar (65.31 Ha) and Bimarla Bauxite Mines (134.52 Ha).

S. No	Description	Budget (in Rupees) FY 2019-20	Actual (in Rupees) FY 2019-20 (from October'19 to March'20)
1	Pollution Control & Environment monitoring	3,351,809.00	10,81,028.82
2	Reclamation/Back filing & Rehabilitation**	25,300,000.00	2,97,49,624
3	Green belt, Plantation & Water spraying arrangement	4,725,854.00	38,57,433.80
	Rural Development	22,035,865.00	2,00,52,766.56

**Part of OB removed cost.

(Basudev Gangopadhyay) Convenor (Quality & Environment)



Annexune - 3

Date: 10.01.19

Office Order

Environmental Cell has been re-constituted at Gurdari Bauxite Mines (Area 584.19 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Sanjay Kumar Mines Manager (Coordinator)
- 2. Mr. Dhirendra Singh-Geologist (Member)
- 3. Mr. Om Prakash Jha-Mechanical Engineer (Member)
- 4. Mr. Rakesh ranjan Singh -Foreman (Member)

Basudev Gangopadhyay Convenor (Quality & Environment)

Hindalco Industries Limited Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PI C011238

Annexure 4

S No	Name of the Mines	Mining lease area (ha)	Production Capacity (MT)*	Lease Period*	Production (MT)	Mined out area (ha)	Back filled area (ha)	Over burden (Cu.M)
1	Bagru bauxite Mine	75.41	85000	22.01.1974 to 31.03.2030	NIL	NIL	NIL	NIL
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981 to 31.03.2030	198	0	6.60	54137.88
3	Hisri (New) Bauxite Mine	14.55	100000	19.07.1981 to 31.03.2030	14190	0.81	0.48	25422.64
4	Kujam - I Bauxite Mine	80.87	150000	13.03.2006 to 12.03.2056	44245	3.26	0.13	29260.78
5	Kujam - II Bauxite Mine	157.38	300000	24.03.2006 to 23.03.2056	80395	3.81	0.55	78767.91
6	Amtipani Bauxite Mine	190.95	150000	13.03.2006 to 12.03.2056	59995	1.96	0.500	46744.920
7	Gurdari Bauxite Mine	584.19	325000	23.03.1985 to 22.03.2035	115250	10.45	7.34	261623.65
8	Shrengdag A Bauxite Mine	155.81	260000	16.10.1974 to 31.03.2030	63870	3.25	6.5	263958
9	Shrengdag B Bauxite Mine	140.07	100000	04.10.1978 to 31.03.2030	NIL	NIL	NIL	NIL
10	Jalim & Sanai Bauxite Mine	12.14	50000	16.10.1974 to 31.03.2030	17000	0.3	0.28	21500

Annexure 4

11	Orsapat Bauxite Mine	196.36	200000	17.07.1986 to	NIL	NIL	NIL	NIL
30005			A Charles	16.07.2036		C THE REAL OF		
12	Chiro Kukud bauxite Mine	152.57	100000	29.01.1985 to 28.01.2035	NIL	NIL	NIL	NIL
13	Pakhar (8.09)	8.09	80000	16.05.1973 to 31.03.2030	NIL	NIL	NIL	NIL .
14	Pakhar (35.12)	35.12	200000	17.04.1975 to 31.03.2030	NIL	NIL	NIL	NIL
15	Pakhar (115.13)	115.13	300000	19.07.1996 to 31.03.2030	87200	0.46	0.72	84268.58
		Minerals & M	linerals Limited	CARLES THE STREET		A CARLES AND A CARLES		
16	Pakhar (15.58)	15.58	60000	28.04.1965 to 31.03.2030	7500	0.15	0.10	14832.66
17	Pakhar (109.507)	109.507	280000	26.07.2008 to 25.07.2058	121400	0.67	1.00	167350.67
18	Bimarla Bauxite Mine	134.37	300000	18.07.2009 to 17.07.2059	67680	3.17	2.90	178732.51

*Static information about the mines included in the above table

Basudev Gangopadhyay Convenor (Quality & Environment)